

Anwar Akram Ghulam / Information Eng. / Morning
Web programming lab lec2 discussion

Q/ Write html code to generate following outputs

A/

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>A nested list</title>
</head>
<body>
  <h1>lists can be nested (list indise list)</h1>
  <p>Anwar Nawrozi</p>
  <ul>
    <li>Apples</li>
    <li>Pears</li>
    <li>Berries
      <ul>
        <li>Blueberries</li>
        <li>strawberries</li>
        <li>Kiwi fruits</li>
      </ul>
    </li>
    <li>citrus
```

```
<ul>
  <li>limes</li>
  <li>Oranges</li>
  <li>grape fruits</li>
</ul>
</li>
<li>Bananas</li>
<li>Melons
  <ul>
    <li>honeydew melons</li>
    <li>watermelons</li>
    <li>rockmelons</li>
  </ul>
</li>
</ul>
</body>
</html>
```

B/

```
<!DOCTYPE html>
<head>
</head>
<body>
```

```

<table border="1">
<tr>
  <th>No.</th>
  <th>Full name</th>
  <th>Position</th>
  <th>Salary</th>
  <th>Type</th>
</tr>
<tr>
<td>1</td>
<td>Bill gates</td>
<td>Founder Microsoft</td>
<td>$1000</td>
<td rowspan="4">company founder</td>
</tr>
<tr>
<td>2</td>
<td>Steve jobs</td>
<td>Founder Apple</td>
<td>$1200</td>
</tr>
<tr>
<td>3</td>
<td>Larry Page</td>

```

```
<td>Founder Google</td>
<td>$1100</td>
</tr>
<tr>
<td>4</td>
<td>mark Zuckerberg</td>
<td>Founder facebook</td>
<td>$1300</td>
</tr>
<tr>
<td colspan="3">Total Expense:</td>
<td>$4600</td>
</tr>
</table>
</body>
</html>
```