

```
import { useState, useEffect } from
"react";

// — Design tokens



---



// Deep navy + warm amber + clean white.
Medical precision meets study warmth.
// Display: "DM Serif Display"
(authoritative, not cold)
// Body: "Inter" (readable at small sizes)
// Accent: amber #D4941A with deep navy
#0D1F3C
const COLORS = {
  navy: "#0D1F3C",
  navyMid: "#1A3460",
  navyLight: "#2A4A7F",
  amber: "#D4941A",
  amberLight: "#F0B429",
  amberBg: "#FEF7E8",
  cream: "#FAFAF7",
  white: "#FFFFFF",
  grayLight: "#F0F0ED",
  grayMid: "#C8C8C2",
  grayText: "#6B6B63",
  success: "#2E7D52",
  successBg: "#E8F5EE",
  danger: "#C0392B",
  dangerBg: "#FDEDEC",
};
```

```
// — Blueprint data
```

```
const BLUEPRINT = [  
  { subject: "Internal Medicine +  
Geriatrics", weight: 27, color: "#0D1F3C"  
},  
  { subject: "Obstetrics & Gynecology",  
weight: 13, color: "#D4941A" },  
  { subject: "Pediatrics", weight: 13,  
color: "#2A4A7F" },  
  { subject: "Emergency + Orthopedics",  
weight: 10.5, color: "#1A6B45" },  
  { subject: "Interpretative (ECG/X-  
ray/Labs)", weight: 10, color: "#7B3F9E" },  
  { subject: "Community Medicine", weight:  
7.5, color: "#C0571B" },  
  { subject: "Psychiatry", weight: 7,  
color: "#1A5A7A" },  
  { subject: "Surgery", weight: 4, color:  
"#5A5A5A" },  
  { subject: "ENT", weight: 3.5, color:  
"#8B6914" },  
  { subject: "Ophthalmology", weight: 2.5,  
color: "#4A7A4A" },  
  { subject: "Dermatology", weight: 1,  
color: "#9A4A5A" },  
];
```

```
// — Study schedule
```

```
const STUDY_PHASES = [
```

```
{ period: "15-20 يونيو", topic:
"Cardiology", phase: 1 },
{ period: "22-27 يونيو", topic:
"Respiratory", phase: 1 },
{ period: "29 يوليو - 4 يوليو", topic:
"Endocrine", phase: 1 },
{ period: "6-11 يوليو", topic: "GIT +
Liver", phase: 1 },
{ period: "13-18 يوليو", topic: "Hematology
+ Rheumatology", phase: 1 },
{ period: "20-25 يوليو", topic: "Nephrology
+ Infectious Diseases", phase: 1 },
{ period: "1 أغسطس - 27 أغسطس", topic:
"Neurology + Geriatrics", phase: 1 },
{ period: "3-8 أغسطس", topic:
"Obstetrics", phase: 1 },
{ period: "10-15 أغسطس", topic:
"Gynecology + Pediatrics", phase: 1 },
{ period: "17-22 أغسطس", topic:
"Emergency + Orthopedics", phase: 1 },
{ period: "24-31 أغسطس", topic:
"Interpretative + Community + Psychiatry",
phase: 1 },
{ period: "1-7 سبتمبر", topic: "مراجعة
Internal Medicine", phase: 2 },
{ period: "8-14 سبتمبر", topic: "مراجعة
Ob/Gyn", phase: 2 },
{ period: "15-21 سبتمبر", topic: "مراجعة
Pediatrics + Community", phase: 2 },
{ period: "22-28 سبتمبر", topic: "مراجعة
Emergency + Psychiatry", phase: 2 },
{ period: "5 أكتوبر - 29 سبتمبر", topic:
"مراجعة Interpretative", phase: 2 },
{ period: "6-10 أكتوبر", topic: "Surgery +
```

```
ENT + Ophthalmology + Dermatology", phase:
2 },
  { period: "أكتوبر 11", topic: "🎯 Mock Exam
كامل", phase: 2 },
  { period: "أكتوبر 12", topic: "📝 مراجعة
الأخطاء", phase: 2 },
  { period: "أكتوبر 13", topic: "🎯 Mock Exam
ثاني", phase: 2 },
  { period: "أكتوبر 14", topic: "★ مراجعة
High Yield Notes", phase: 2 },
  { period: "أكتوبر 15", topic: "🏳️ مراجعة خفيفة
الامتحان", phase: 2 },
];
```

```
const CHECKLIST = [
  "مراجعة الباطنة مرتين",
  "مراجعة النساء مرتين",
  "مراجعة ECG و CXR",
  "مراجعة التطعيمات",
  "إنهاء Error Log",
  "ين على الأقل Mock Exam أداء",
];
```

```
const NAV = [
  { id: "home", label: "الرئيسية", icon: "🏠" },
  { id: "blueprint", label: "Blueprint",
    icon: "📊" },
  { id: "schedule", label: "خطة الدراسة",
    icon: "📅" },
  { id: "daily", label: "Daily Tracker",
    icon: "✅" },
  { id: "errors", label: "Error Log", icon:
    "❌" },
];
```

```
    { id: "checklist", label: "Checklist",  
      icon: "☑" },  
  ];
```

```
// Countdown helper  
function getDaysLeft() {  
  const exam = new Date("2026-10-15");  
  const today = new Date();  
  today.setHours(0, 0, 0, 0);  
  exam.setHours(0, 0, 0, 0);  
  return Math.max(0, Math.round((exam -  
today) / 86400000));  
}
```

```
// — Components
```

```
function Tag({ children, color =  
COLORS.navy }) {  
  return (  
    <span style={{  
      background: color + "18",  
      color: color,  
      border: `1px solid ${color}30`,  
      borderRadius: 4,  
      fontSize: 11,  
      fontWeight: 700,  
      padding: "2px 8px",  
      letterSpacing: 0.5,  
      fontFamily: "Inter, sans-serif",  
    }}>{children}</span>  
  );  
}
```

// — Home Page

```
function HomePage() {
  const days = getDaysLeft();
  const totalDays = Math.round((new
Date("2026-10-15") - new Date("2026-06-
15")) / 86400000);
  const elapsed = totalDays - days;
  const progress = Math.min(100,
Math.round((elapsed / totalDays) * 100));

  return (
    <div>
      {/* Hero */}
      <div style={{
        background: `linear-
gradient(135deg, ${COLORS.navy} 0%,
${COLORS.navyLight} 100%)`,
        borderRadius: 16,
        padding: "36px 32px",
        marginBottom: 24,
        position: "relative",
        overflow: "hidden",
      }}>
        {/* decorative arc */}
        <div style={{
          position: "absolute", right: -40,
top: -40,
          width: 200, height: 200,
          borderRadius: "50%",
          border: `40px solid
${COLORS.amber}22`,
```

```
    }} />
    <div style={{
      position: "absolute", right: 20,
bottom: -60,
      width: 140, height: 140,
      borderRadius: "50%",
      border: `30px solid
${COLORS.amberLight}15`,
    }} />

    <p style={{ color:
COLORS.amberLight, fontFamily: "Inter,sans-
serif", fontSize: 13, fontWeight: 600,
margin: "0 0 6px", letterSpacing: 1.5,
textTransform: "uppercase" }}>
      الزمالة المصرية لطب الأسرة
    </p>
    <h1 style={{
      fontFamily: "'DM Serif Display',
Georgia, serif",
      color: COLORS.white,
      fontSize: "clamp(28px, 5vw,
44px)",
      margin: "0 0 4px",
      lineHeight: 1.15,
    }}>
      Study Planner
    </h1>
    <p style={{ color: COLORS.grayMid,
fontSize: 15, margin: "0 0 28px",
fontFamily: "Inter,sans-serif" }}>
      د. أنور زاهر
    </p>
```

```

    {/* Stats row */}
    <div style={{ display: "flex", gap:
20, flexWrap: "wrap" }}>
      {[
        { label: "يوم متبقي", value: days,
highlight: true },
        { label: "ساعات يومياً", value: "3-
4" },
        { label: "أيام الأسبوع", value: 6
},
        { label: "الامتحان", value: "15
أكتوبر" },
      ].map((s, i) => (
        <div key={i} style={{
          background: s.highlight ?
COLORS.amber : "rgba(255,255,255,0.08)",
          borderRadius: 10,
          padding: "14px 20px",
          minWidth: 90,
        }}>
          <div style={{
            fontFamily: "'DM Serif
Display', Georgia, serif",
            fontSize: s.highlight ? 32
: 26,
            color: s.highlight ?
COLORS.navy : COLORS.white,
            lineHeight: 1,
          }}>{s.value}</div>
          <div style={{
            fontSize: 11, fontWeight:
600, letterSpacing: 0.8,
            color: s.highlight ?
COLORS.navyMid : COLORS.grayMid,

```



```

        marginTop: 4, fontFamily:
"Inter, sans-serif",
        }}>{s.label}</div>
    </div>
    )})
</div>
</div>

    { /* Progress bar */ }
    <div style={{ background:
COLORS.white, borderRadius: 12, padding:
"20px 24px", marginBottom: 16, border: `1px
solid ${COLORS.grayLight}` }}>
        <div style={{ display: "flex",
justifyContent: "space-between",
marginBottom: 8 }}>
            <span style={{ fontFamily:
"Inter,sans-serif", fontSize: 13,
fontWeight: 600, color: COLORS.navy }}>تقدم
الخطوة الزمنية</span>
            <span style={{ fontFamily:
"Inter,sans-serif", fontSize: 13, color:
COLORS.amber, fontWeight: 700 }}>
{progress}%</span>
        </div>
        <div style={{ background:
COLORS.grayLight, borderRadius: 99, height:
10, overflow: "hidden" }}>
            <div style={{
                width: `${progress}%`, height:
"100%",
                background: `linear-
gradient(90deg, ${COLORS.amber},
${COLORS.amberLight})`,

```

```

        borderRadius: 99,
        transition: "width 1s ease",
      }} />
    </div>
    <div style={{ display: "flex",
      justifyContent: "space-between", marginTop:
6 }}>
      <span style={{ fontSize: 11,
color: COLORS.grayText, fontFamily:
"Inter,sans-serif" }}>15 2026 يونيو</span>
      <span style={{ fontSize: 11,
color: COLORS.grayText, fontFamily:
"Inter,sans-serif" }}>15 2026 أكتوبر</span>
    </div>
  </div>

  { /* Phase cards */ }
  <div style={{ display: "grid",
gridTemplateColumns: "1fr 1fr", gap: 16,
marginBottom: 16 }}>
    {[
      { label: "المرحلة الأولى", sub:
"يونيو - 31 أغسطس 15", period: "الدراسة الأولى",
icon: "📖", tasks: ["مشاهدة", "إنهاء المنهج",
High Yield تسجيل", "MCQs الفيديوهات", "حل
Notes", "Error Log"] },
      { label: "المرحلة الثانية", sub:
"سبتمبر - 15 أكتوبر 1", period: "المراجعة الشاملة",
icon: "🔄", tasks: ["إعادة", "مراجعة المنهج كاملاً",
"Mock Exams", "حل الأسئلة", "التركيز على الأخطاء",
"ملخصات نهائية"] },
    ].map((p, i) => (
      <div key={i} style={{
background: i === 0 ?

```

```

COLORS.amberBg : COLORS.successBg,
      border: `1.5px solid ${i === 0
? COLORS.amber + "40" : COLORS.success +
"40"}`,
      borderRadius: 12, padding:
"20px",
    }}>
      <div style={{ fontSize: 28,
marginBottom: 6 }}>{p.icon}</div>
      <div style={{ fontFamily: "'DM
Serif Display', Georgia, serif", fontSize:
18, color: COLORS.navy, marginBottom: 2 }}>
{p.label}</div>
      <div style={{ fontSize: 12,
color: COLORS.grayText, fontFamily:
"Inter,sans-serif", marginBottom: 10 }}>
{p.period}</div>
      {p.tasks.map((t, j) => (
        <div key={j} style={{
fontSize: 12, color: COLORS.navyMid,
fontFamily: "Inter,sans-serif",
marginBottom: 3 }}>
          <span style={{ color:
COLORS.amber, marginLeft: 4 }}>•</span> {t}
        </div>
      ))}
    </div>
  ))}
</div>

  {/* Daily routine */}
  <div style={{ background:
COLORS.white, borderRadius: 12, padding:
"20px 24px", border: `1px solid

```

```

${COLORS.grayLight}` `}}>
    <h3 style={{ fontFamily: "'DM Serif
Display', Georgia, serif", color:
COLORS.navy, margin: "0 0 16px", fontSize:
20 }}>نظام اليوم الواحد</h3>
    <div style={{ display: "grid", gap:
10 }}>
        {[
            { act: "فيديو شرح", time: "90
دقيقة", color: COLORS.navyLight },
            { act: "قراءة المذكرة", time: "60
دقيقة", color: COLORS.amber },
            { act: "MCQs حل", time: "60-90
دقيقة", color: COLORS.success },
            { act: "مراجعة Error Log / High
Yield", time: "15-20 دقيقة", color:
"#7B3F9E" },
        ].map((a, i) => (
            <div key={i} style={{ display:
"flex", alignItems: "center", gap: 12 }}>
                <div style={{ width: 10,
height: 10, borderRadius: "50%",
background: a.color, flexShrink: 0 }} />
                <div style={{ flex: 1,
fontFamily: "Inter,sans-serif", fontSize:
14, color: COLORS.navyMid }}>{a.act}</div>
                <Tag color={a.color}>{a.time}
</Tag>
            </div>
        ))}
    </div>
</div>
);

```

```
}
```

```
// — Blueprint Page
```

```
function BlueprintPage() {
  const total = BLUEPRINT.reduce((s, b) =>
    s + b.weight, 0);
  return (
    <div>
      <h2 style={{ fontFamily: "'DM Serif
Display', Georgia, serif", color:
COLORS.navy, fontSize: 28, marginBottom: 6
}}>
        Blueprint الامتحان
      </h2>
      <p style={{ color: COLORS.grayText,
fontFamily: "Inter,sans-serif", fontSize:
14, marginBottom: 24 }}>
        توزيع الأسئلة حسب المادة – رگز وقتك أين يعود
        عليك بأكبر عائد.
      </p>

      { /* Bar chart */ }
      <div style={{ background:
COLORS.white, borderRadius: 12, padding:
"24px", border: `1px solid
${COLORS.grayLight}`, marginBottom: 20 }}>
        {BLUEPRINT.map((b, i) => (
          <div key={i} style={{
marginBottom: 14 }}>
            <div style={{ display: "flex",
justifyContent: "space-between",
marginBottom: 5 }}>
```

```

        <span style={{ fontFamily:
"Inter,sans-serif", fontSize: 13, color:
COLORS.navy, fontWeight: 600 }}>{b.subject}
</span>

        <span style={{ fontFamily:
"Inter,sans-serif", fontSize: 13,
fontWeight: 700, color: b.color }}>
{b.weight}%</span>
    </div>
    <div style={{ background:
COLORS.grayLight, borderRadius: 99, height:
8, overflow: "hidden" }}>
        <div style={{
            width: `${(b.weight / 27) *
100}%`,
            height: "100%",
            background: b.color,
            borderRadius: 99,
            transition: "width 0.6s
ease",
            }} />
        </div>
    </div>
    ))}
</div>

    {/* Key insight */}
    <div style={{
        background: COLORS.amberBg,
        border: `1.5px solid
${COLORS.amber}50`,
        borderRadius: 12,
        padding: "16px 20px",
        display: "flex", gap: 14,

```

```

alignItems: "flex-start",
  }}>
    <span style={{ fontSize: 24 }}>💡
  </span>
  <div>
    <div style={{ fontFamily:
      "Inter,sans-serif", fontWeight: 700, color:
      COLORS.navy, marginBottom: 4, fontSize: 14
    }}>
      توصية بناءً على تخصصك (طب أطفال)
    </div>
    <div style={{ fontFamily:
      "Inter,sans-serif", fontSize: 13, color:
      COLORS.navyMid, lineHeight: 1.7 }}>
      Pediatrics بما أنك طبيب أطفال، الـ
      ستأتي بسهولة أكبر. وجه طاقتك الإضافية نحو (13%)
      <strong>Ba(27) طنة + Interpretative (10%) +
      Ob/Gyn (13%) + Emergency (10.5%)</strong> –
      هذه المواد الأربع تمثل ~60% من الدرجة.
    </div>
  </div>
</div>
);
}

```

// — Schedule Page

```

function SchedulePage() {
  const [showPhase, setShowPhase] =
    useState("all");
  const filtered = STUDY_PHASES.filter(s =>
    showPhase === "all" || s.phase ===

```

```

parseInt(showPhase));

return (
  <div>
    <h2 style={{ fontFamily: "'DM Serif
Display', Georgia, serif", color:
COLORS.navy, fontSize: 28, marginBottom: 6
}}>
      خطة الدراسة
    </h2>

    { /* Phase toggle */ }
    <div style={{ display: "flex", gap:
8, marginBottom: 24 }}>
      {[["all", "الكل"], ["المرحلة", "1
الأولى"], ["المراجعة", "2"]].map(([, l]) => (
        <button key={v} onClick={() =>
setShowPhase(v)} style={{
          fontFamily: "Inter,sans-serif",
          fontSize: 13,
          fontWeight: 600,
          border: "none",
          borderRadius: 8,
          padding: "8px 16px",
          cursor: "pointer",
          background: showPhase === v ?
COLORS.navy : COLORS.grayLight,
          color: showPhase === v ?
COLORS.white : COLORS.grayText,
          transition: "all 0.2s",
        }}>{l}</button>
      )]}
    </div>

```



```

    { /* Timeline */ }
    <div style={{ position: "relative"
}}>
      <div style={{ position: "absolute",
right: 16, top: 0, bottom: 0, width: 2,
background: COLORS.grayLight }} />
      {filtered.map((s, i) => (
        <div key={i} style={{ display:
"flex", gap: 16, marginBottom: 16,
alignItems: "flex-start" }}>
          <div style={{ flex: 1 }}>
            <div style={{
              background: COLORS.white,
              border: `1.5px solid
${s.phase === 1 ? COLORS.amber + "50" :
COLORS.navyLight + "50"}`,
              borderRadius: 10,
              padding: "14px 18px",
            }}>
              <div style={{ display:
"flex", justifyContent: "space-between",
alignItems: "center", flexWrap: "wrap",
gap: 6 }}>
                <span style={{
fontFamily: "Inter,sans-serif", fontSize:
14, fontWeight: 700, color: COLORS.navy }}>
{s.topic}</span>
                <Tag color={s.phase === 1
? COLORS.amber : COLORS.navyLight}>{s.phase
=== 1 ? "مراجعة" : "دراسة"}</Tag>
              </div>
              <div style={{ fontFamily:
"Inter,sans-serif", fontSize: 12, color:
COLORS.grayText, marginTop: 4 }}>{s.period}

```

```

</div>
    </div>
  </div>
  <div style={{
    width: 32, height: 32,
flexShrink: 0,
    borderRadius: "50%",
    background: s.phase === 1 ?
COLORS.amber : COLORS.navyLight,
    display: "flex", alignItems:
"center", justifyContent: "center",
    fontSize: 12, color:
COLORS.white, fontWeight: 700, fontFamily:
"Inter,sans-serif",
    zIndex: 1,
  }}>{i + 1}</div>
</div>
  )}
</div>
</div>
);
}

// — Daily Tracker



---



function DailyTrackerPage() {
  const today = new
Date().toISOString().split("T")[0];
  const [entries, setEntries] = useState(()
=> {
    try { return
JSON.parse(localStorage.getItem("dt_entries
") || "[]"); } catch { return []; }

```

```

});
const [form, setForm] = useState({
  date: today, video: false, notes:
false, mcqs: "", hours: "", remarks: "",
});
const [saved, setSaved] =
useState(false);

const save = () => {
  const updated = [form,
...entries.filter(e => e.date !==
form.date)].sort((a, b) =>
b.date.localeCompare(a.date));
  setEntries(updated);
  try {
localStorage.setItem("dt_entries",
JSON.stringify(updated)); } catch {}
  setSaved(true);
  setTimeout(() => setSaved(false),
2000);
};

return (
  <div>
    <h2 style={{ fontFamily: "'DM Serif
Display', Georgia, serif", color:
COLORS.navy, fontSize: 28, marginBottom: 20
}}>
      Daily Tracker
    </h2>

    { /* Form */ }
    <div style={{ background:
COLORS.white, borderRadius: 12, padding:

```

```

"24px", border: `1px solid
${COLORS.grayLight}`, marginBottom: 24 }}>
    <div style={{ display: "grid",
gridTemplateColumns: "1fr 1fr", gap: 16,
marginBottom: 16 }}>
        <label style={{ fontFamily:
"Inter,sans-serif", fontSize: 13,
fontWeight: 600, color: COLORS.navy }}>
            التاريخ
            <input type="date" value=
{form.date}
                onChange={e => setForm({
...form, date: e.target.value })}
                style={inputStyle} />
        </label>
        <label style={{ fontFamily:
"Inter,sans-serif", fontSize: 13,
fontWeight: 600, color: COLORS.navy }}>
            عدد MCQs
            <input type="number" value=
{form.mcqs} placeholder="مثال: 40"
                onChange={e => setForm({
...form, mcqs: e.target.value })}
                style={inputStyle} />
        </label>
        <label style={{ fontFamily:
"Inter,sans-serif", fontSize: 13,
fontWeight: 600, color: COLORS.navy }}>
            ساعات الدراسة
            <input type="number" step="0.5"
value={form.hours} placeholder="مثال: 3.5"
                onChange={e => setForm({
...form, hours: e.target.value })}
                style={inputStyle} />
    </div>

```

```

    </label>
  </div>

  { /* Checkboxes */
    <div style={{ display: "flex", gap:
20, marginBottom: 16 }}>
      {[["video", "فيديو ✅"], ["notes",
"مذكرة ✅"]].map(([k, l]) => (
        <label key={k} style={{
display: "flex", alignItems: "center", gap:
8, cursor: "pointer", fontFamily:
"Inter,sans-serif", fontSize: 14, color:
COLORS.navy }}>
          <input type="checkbox"
checked={form[k]}
          onChange={e => setForm({
...form, [k]: e.target.checked })}
          style={{ width: 18, height:
18, accentColor: COLORS.amber }} />
          {l}
        </label>
      ))}
    </div>

    <label style={{ fontFamily:
"Inter,sans-serif", fontSize: 13,
fontWeight: 600, color: COLORS.navy,
display: "block", marginBottom: 16 }}>
      ملاحظات
      <textarea value={form.remarks}
placeholder="ما الذي تعلمته اليوم؟ أي صعوبات؟"
        onChange={e => setForm({
...form, remarks: e.target.value })}
        style={{ ...inputStyle, height:

```

```

70, resize: "vertical" }} />
</label>

<button onClick={save} style={{
  background: saved ?
COLORS.success : COLORS.amber,
  color: COLORS.white,
  border: "none",
  borderRadius: 8,
  padding: "10px 24px",
  fontFamily: "Inter,sans-serif",
  fontWeight: 700,
  fontSize: 14,
  cursor: "pointer",
  transition: "background 0.3s",
}}>
  {saved ? "✓ حفظ اليوم" : "تم الحفظ"}
</button>
</div>

{/* Log */}
{entries.length > 0 && (
  <div>
    <h3 style={{ fontFamily: "'DM
Serif Display', Georgia, serif", color:
COLORS.navy, fontSize: 20, marginBottom: 12
}}>
      السجل السابق
    </h3>
    <div style={{ display: "grid",
gap: 10 }}>
      {entries.slice(0, 10).map((e,
i) => (
        <div key={i} style={{

```

```

        background: COLORS.white,
        border: `1px solid
${COLORS.grayLight}`,
        borderRadius: 10,
        padding: "12px 16px",
        display: "flex", gap: 12,
flexWrap: "wrap", alignItems: "center",
    }}>
        <span style={{ fontFamily:
"Inter,sans-serif", fontWeight: 700,
fontSize: 13, color: COLORS.navy }}>
{e.date}</span>
        <Tag color=
{COLORS.navyLight}>{e.hours || "-"}
ساعة</Tag>
        <Tag color={COLORS.amber}>
{e.mcqs || "-"} MCQ</Tag>
        {e.video && <Tag color=
{COLORS.success}>فيديو ✓</Tag>}
        {e.notes && <Tag color=
{COLORS.success}>مذكرة ✓</Tag>}
        {e.remarks && <span style=
{{ fontSize: 12, color: COLORS.grayText,
fontFamily: "Inter,sans-serif" }}>
{e.remarks}</span>}
    </div>
  )})
</div>
</div>
})
</div>
);
}

```

```
// — Error Log
```

```
function ErrorLogPage() {
  const [errors, setErrors] = useState(()
=> {
    try { return
JSON.parse(localStorage.getItem("error_log"
) || "[]"); } catch { return []; }
  });
  const [form, setForm] = useState({ q: "",
reason: "", fix: "", reviewed: false });
  const [saved, setSaved] =
useState(false);

  const add = () => {
    if (!form.q) return;
    const updated = [{ ...form, id:
Date.now(), date: new
Date().toLocaleDateString("ar-EG") },
...errors];
    setErrors(updated);
    try { localStorage.setItem("error_log",
JSON.stringify(updated)); } catch {}
    setForm({ q: "", reason: "", fix: "",
reviewed: false });
    setSaved(true);
    setTimeout(() => setSaved(false),
1500);
  };

  const toggleReview = (id) => {
    const updated = errors.map(e => e.id
=== id ? { ...e, reviewed: !e.reviewed } :
```



```

e);
    setErrors(updated);
    try { localStorage.setItem("error_log",
JSON.stringify(updated)); } catch {}
    };

    return (
      <div>
        <h2 style={{ fontFamily: "'DM Serif
Display', Georgia, serif", color:
COLORS.navy, fontSize: 28, marginBottom: 6
}}>
          Error Log
        </h2>
        <p style={{ color: COLORS.grayText,
fontFamily: "Inter,sans-serif", fontSize:
14, marginBottom: 20 }}>
          سجّل كل سؤال أخطأت فيه مع سبب الخطأ
والتصحيح.
        </p>

        { /* Add form */ }
        <div style={{ background:
COLORS.dangerBg, border: `1.5px solid
${COLORS.danger}30`, borderRadius: 12,
padding: 20, marginBottom: 24 }}>
          <div style={{ display: "grid", gap:
12 }}>
            {[
              ["q", "اكتب", "* الموضوع أو السؤال أو الموضوع
سبب الخطأ", "لماذا", "reason", "أخطأت؟",
"fix", "التصحيح / الجواب الصحيح"],
            ]

```

```

    ""],
    ].map(([k, label, ph]) => (
      <label key={k} style={{
        fontFamily: "Inter,sans-serif", fontSize:
        13, fontWeight: 600, color: COLORS.navy }}>
        {label}
        <input value={form[k]}
placeholder={ph}
          onChange={e => setForm({
...form, [k]: e.target.value })}
          style={inputStyle} />
        </label>
      ))}
    </div>
    <button onClick={add} style={{
      marginTop: 12, background:
      COLORS.danger, color: COLORS.white,
      border: "none", borderRadius: 8,
      padding: "10px 24px",
      fontFamily: "Inter,sans-serif",
      fontWeight: 700, fontSize: 14, cursor:
      "pointer",
    }}>
      {saved ? "✓ إضافة +" : "تمت الإضافة "
للـسجل"}
    </button>
  </div>

  {/* List */}
  {errors.length === 0
    ? <div style={{ textAlign:
"center", color: COLORS.grayText,
fontFamily: "Inter,sans-serif", padding: 40
}}>لا توجد أخطاء مسجلة بعد👍</div>

```

```

: (
  <div style={{ display: "grid",
gap: 12 }}>
    <div style={{ display: "flex",
justifyContent: "space-between" }}>
      <span style={{ fontFamily:
"Inter,sans-serif", fontSize: 13, color:
COLORS.grayText }}>{errors.length} خطأ
مسجل</span>
      <span style={{ fontFamily:
"Inter,sans-serif", fontSize: 13, color:
COLORS.success }}>{errors.filter(e =>
e.reviewed).length} تمت مراجعتها</span>
    </div>
    {errors.map((e) => (
      <div key={e.id} style={{
background: e.reviewed ?
COLORS.successBg : COLORS.white,
border: `1.5px solid
${e.reviewed ? COLORS.success + "40" :
COLORS.grayLight}`,
borderRadius: 10, padding:
"14px 18px",
}}>
        <div style={{ display:
"flex", justifyContent: "space-between",
alignItems: "flex-start", gap: 8 }}>
          <div style={{ flex: 1 }}>
            <div style={{
fontFamily: "Inter,sans-serif", fontWeight:
700, color: COLORS.navy, fontSize: 14,
marginBottom: 6 }}>{e.q}</div>
            {e.reason && <div
style={{ fontSize: 12, color:

```

```

COLORS.grayText, marginBottom: 3 }}>
<strong>السبب:</strong> {e.reason}</div>
      {e.fix && <div style={{
fontSize: 12, color: COLORS.success }}>
<strong>الصواب:</strong> {e.fix}</div>
      <div style={{ fontSize:
11, color: COLORS.grayMid, marginTop: 6 }}>
{e.date}</div>
    </div>
    <button onClick={() =>
toggleReview(e.id)} style={{
      background: e.reviewed
? COLORS.success : COLORS.grayLight,
      color: e.reviewed ?
COLORS.white : COLORS.grayText,
      border: "none",
      borderRadius: 6, padding: "6px 12px",
      fontFamily:
"Inter,sans-serif", fontSize: 11,
      fontWeight: 700, cursor: "pointer",
      flexShrink: 0,
    }}>
      {e.reviewed ? "✓" : "راجعتها"}
    </button>
  </div>
</div>
  )}
</div>
);
}

```

```
// — Checklist Page
```

```
function ChecklistPage() {
  const [checked, setChecked] = useState(()
=> {
    try { return
JSON.parse(localStorage.getItem("checklist"
) || "{}"); } catch { return {}; }
  });

  const toggle = (i) => {
    const updated = { ...checked, [i]:
!checked[i] };
    setChecked(updated);
    try { localStorage.setItem("checklist",
JSON.stringify(updated)); } catch {}
  };

  const done =
Object.values(checked).filter(Boolean).leng
th;
  const pct = Math.round((done /
CHECKLIST.length) * 100);

  return (
    <div>
      <h2 style={{ fontFamily: "'DM Serif
Display', Georgia, serif", color:
COLORS.navy, fontSize: 28, marginBottom: 6
}}>
        Exam Readiness
      </h2>
      <p style={{ color: COLORS.grayText,
```

```

fontFamily: "Inter,sans-serif", fontSize:
14, marginBottom: 20 }}>
    Checklist النهائي قبل الامتحان
</p>

    { /* Progress ring substitute */ }
    <div style={{
        background: COLORS.navy,
        borderRadius: 16,
        padding: "24px",
        marginBottom: 24,
        display: "flex", alignItems:
"center", gap: 24,
    }}>
        <div style={{ textAlign: "center"
    }}>
            <div style={{
                fontFamily: "'DM Serif
Display', Georgia, serif",
                fontSize: 52, color:
COLORS.amber, lineHeight: 1,
            }}>{pct}%</div>
            <div style={{ fontFamily:
"Inter,sans-serif", fontSize: 12, color:
COLORS.grayMid, marginTop: 4 }}>جاهز
للامتحان</div>
        </div>
        <div style={{ flex: 1 }}>
            <div style={{ background:
"rgba(255,255,255,0.15)", borderRadius: 99,
height: 12, overflow: "hidden",
marginBottom: 8 }}>
                <div style={{
                    width: `${pct}%`, height:

```

```

"100%",
      background: `linear-
gradient(90deg, ${COLORS.amber},
${COLORS.amberLight})`,
      borderRadius: 99, transition:
"width 0.5s",
    }} />
  </div>
  <div style={{ fontFamily:
"Inter,sans-serif", color: COLORS.grayMid,
fontSize: 13 }}>
    {done} من {CHECKLIST.length}
    مهام مكتملة
  </div>
</div>
</div>
</div>

<div style={{ display: "grid", gap:
10 }}>
  {CHECKLIST.map((item, i) => (
    <div key={i} onClick={() =>
toggle(i)} style={{
      background: checked[i] ?
COLORS.successBg : COLORS.white,
      border: `1.5px solid
${checked[i] ? COLORS.success + "60" :
COLORS.grayLight}`,
      borderRadius: 10, padding:
"16px 20px",
      display: "flex", alignItems:
"center", gap: 14,
      cursor: "pointer",
      transition: "all 0.2s",
    }}>

```

```

        <div style={{
            width: 24, height: 24,
borderRadius: 6,
            background: checked[i] ?
COLORS.success : COLORS.grayLight,
            display: "flex", alignItems:
"center", justifyContent: "center",
            fontSize: 14, flexShrink: 0,
        }}>
            {checked[i] ? "✓" : ""}
        </div>
        <span style={{
            fontFamily: "Inter,sans-
serif",
            fontSize: 15,
            color: checked[i] ?
COLORS.success : COLORS.navy,
            fontWeight: checked[i] ? 700
: 400,
            textDecoration: checked[i] ?
"line-through" : "none",
        }}>{item}</span>
    </div>
    )})
</div>
</div>
);
}

```

// — Input style shared

```

const inputStyle = {
    display: "block",

```



```

width: "100%",
marginTop: 6,
padding: "10px 12px",
borderRadius: 8,
border: `1.5px solid
${COLORS.grayLight}`,
fontFamily: "Inter, sans-serif",
fontSize: 14,
color: COLORS.navy,
background: COLORS.white,
outline: "none",
boxSizing: "border-box",
};

// — App Shell

```

```

export default function App() {
  const [page, setPage] = useState("home");

  const PAGES = { home: HomePage,
blueprint: BlueprintPage, schedule:
SchedulePage, daily: DailyTrackerPage,
errors: ErrorLogPage, checklist:
ChecklistPage };
  const PageComp = PAGES[page] || HomePage;

  return (
    <div style={{ fontFamily: "Inter, sans-
serif", background: COLORS.cream,
minHeight: "100vh", direction: "rtl" }}>
      {/* Import fonts */}
      <style>{@import
url('https://fonts.googleapis.com/css2?

```

```
family=DM+Serif+Display&family=Inter:wght@400;600;700&display=swap'); * { box-sizing: border-box; } input, textarea { font-family: inherit; direction: rtl; }`}
```

```
</style>

    { /* Top nav */}
    <nav style={{
      position: "sticky", top: 0, zIndex:
100,
      background: COLORS.white,
      borderBottom: `1px solid
${COLORS.grayLight}`,
      padding: "0 16px",
    }}>
      <div style={{ maxWidth: 680,
margin: "0 auto", display: "flex",
overflowX: "auto", gap: 2 }}>
        {NAV.map(n => (
          <button key={n.id} onClick={()
=> setPage(n.id)} style={{
            background: "none",
            border: "none",
            padding: "14px 12px",
            fontFamily: "Inter, sans-
serif",
            fontSize: 12,
            fontWeight: page === n.id ?
700 : 400,
            color: page === n.id ?
COLORS.amber : COLORS.grayText,
            borderBottom: `2px solid
${page === n.id ? COLORS.amber :
"transparent"}`},
```

```
        cursor: "pointer",
        whiteSpace: "nowrap",
        transition: "color 0.2s",
    }}>
        {n.icon} {n.label}
    </button>
    )})
</div>
</nav>

    { /* Content */}
    <main style={{ maxWidth: 680, margin:
"0 auto", padding: "24px 16px 80px" }}>
        <PageComp />
    </main>
</div>
);
}
```