

报告编号(Report ID): MSIB5V5G6199587U6



中国认可
国际互认
检测
TESTING
CNAS L3192

1.2 米跌落测试报告

1.2m Drop Test Report

样品名称及型号

锂锰扣式电池 型号: CR2025

Sample Name &

Li-MnO₂ Button Cell Model: CR2025

Model

(3.0V 150mAh 合计锂含量/Aggregate lithium content: 0.042g)

委托单位

洛阳安信新能源科技有限公司

Applicant

Luoyang Anxin New Energy Technology co.ltd

生产单位

洛阳安信新能源科技有限公司

Manufacturer

Luoyang Anxin New Energy Technology co.ltd



声 明
Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report, with the original report attached and the retesting fee prepaid.
4. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
5. 委托单位必须保证送至本公司的样品及资料与真实的出运货物相一致，如有不符，所涉及的法律及其他后果均由委托单位自行承担。
The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
6. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。
This report is only responsible for the test results of the tested samples. The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
7. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
8. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
9. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.
10. 本报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.

▲ 防伪说明：

1. 报告编号是唯一的；
The report number is unique.
2. 扫描报告首页下方二维码或登录网站(<http://www.ponytest.com/>)，即可查询报告真伪。
Scan the QR code below the first page or Log on to the website(<http://www.ponytest.com/>) to check the authenticity of the report.

 全国服务热线
400-819-5688
WWW.PONYTEST.COM



集团微信订阅号



集团微信服务号

北京实验室：(010) 83055000	郑州实验室：(0371) 69350670	成都谱尼计量实验室：(028) 87702708	宁波实验室：(0574) 87736499
北京谱尼科技公司：(010) 80415661	郑州谱尼职业卫生公司：(0371) 80967099	贵州实验室：(0851) 85221000	合肥实验室：(0551) 63843474
北京谱尼计量实验室：(010) 82492998	新疆实验室：(0991) 6684186	上海实验室：(021) 64851999	深圳实验室：(0755) 26050909
青岛实验室：(0532) 88706866	石家庄实验室：(0311) 85376660	苏州实验室：(0512) 62997900	深圳谱尼计量实验室：(0755) 26050909-846
天津实验室：(022) 23607888	西安实验室：(029) 89608785	苏州汽车座椅实验室及儿童安全座椅	谱尼深圳通测：(0755) 27673339
长春实验室：(0431) 80530198	西安谱尼信息科技有限公司：(029) 81123093	碰撞实验室：(0512) 62997900	广州实验室：(020) 89224310
沈阳实验室：(024) 22811886	西安查德威克谱尼技术公司：(029) 85729073	武汉实验室：(027) 83997127	南宁实验室：(0771) 5518818
大连实验室：(0411) 87336618	呼和浩特实验室：(0471) 3450025	武汉车附所：(027) 82318175	厦门实验室：(0592) 5568048
哈尔滨实验室：(0451) 58627755	成都实验室：(028) 87702708	杭州实验室：(0571) 87219096	

I、样品描述 Sample Description

样品名称 Sample name	锂锰扣式电池 Li-MnO ₂ Button Cell	样品型号 Sample model	CR2025
委托单位 Applicant	洛阳安信新能源科技有限公司 Luoyang Anxin New Energy Technology co.ltd		
生产单位 Manufacturer	洛阳安信新能源科技有限公司 Luoyang Anxin New Energy Technology co.ltd		
标称电压 Nominal voltage	3.0V	额定容量 Rated capacity	150mAh
外包装 Outer package	纸箱 Carton	内包装 Inner package	吸塑盘 Plastic disc
包装尺寸 Dimensions	328×218×185mm	衬垫材料 Cushion	---
整箱重量 Gross weight	16.00kg	电池数量 Battery number	6000 个/箱(Pcs/packing)
委托日期 Entrust date	2024-06-24	完成日期 Finished date	2024-07-12

II、测试标准 Test Standard

联合国《关于危险货物运输的建议书 规章范本》(ST/SG/AC.10/1/Rev.23), 6.1.5.3 章节和 3.3 章特殊规定 188 条款

UNITED NATIONS “Recommendations on the TRANSPORT OF DANGEROUS GOODS” Model Regulations (ST/SG/AC.10/1/Rev.23), sub-section 6.1.5.3 and Chapter 3.3 special provisions 188

III、测试项目及结论 Test Item & Conclusion

测试项目 Item	结论 Conclusion
1.2 米跌落试验 1.2m Drop test	合格 PASS

主检

Tested by:

林艳

审核

Checker by:

刘旭

批准

Approver by:

郑春松




签发日期 Issue date 2024-07-12

IV、测试方法 Test Method

该包装件能够承受 1.2 米跌落试验，其内装的电池没有受损，没有造成内装物移动，以致电池与电池互相接触，并且没有内装物释出。

This package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery contact and without release of contents.



V、测试设备 Test Apparatus

- IE-0279 跌落试验机
- Drop test machine
- IE-0547 电子计数秤
- Electronic counting scale
- IE-0766 钢卷尺
- Steel tapeline

VI、测试数据 Test Data


1.2 米跌落 1.2m Drop test	顶部 Top	底部 Bottom	长侧面 Long Side	短侧面 Short Side	棱角 Corner
测试结果 Test Result	1. 包装件内的电池没有破损或泄漏 Without damage to cells or batteries contained therein 2. 内装物没有移动，并且没有导致电池与电池（或电池芯与电池芯）相互接触 Without shifting of the contents so as to allow battery to battery (or cell to cell) contact 3. 内装物没有泄漏 Without release of contents				
本项结论 Conclusion	被测试包装件能够承受 1.2 米跌落试验 The test package is capable of withstanding a 1.2m drop test in any orientation.				
包装件毛重 Gross Weight			16.00kg		

VII、样品照片 Photo of The Sample
电池 Battery

样品编号/Sample No.: G6199587U6



包装件 Package



注：CR2025 有多种标签，仅标签不同，其他均相同
Note: CR2025 have a variety of labels, just difference in label, others are the same
仅对报告照片中的样品负责

Authenticate the photo on original report only

报告结束 End of report