PORTIMA × anyformat

CONTEXT PACK · DOCUMENT INTELLIGENCE HACKATHON

Everything you need to build on day one

Accident statements and car order forms into structured data: the documents, the tools, the data contract and how to measure it

For Portima engineering · shared by Carlos Morales · prepared by anyformat

HOW TO USE THIS PACK

One context, for you and for your agent

FOR YOU

Read these slides in order

Start here → how it works → what you can build → measuring it → limits. About 20 minutes.

FOR YOUR AGENT

Open the starter repo

CONTEXT.md has the same content. AGENTS.md and CLAUDE.md point Codex and Claude Code at it.

Every claim here has a runnable example in the repo: github.com/anyformat-ai/portima-hackathon-starter

THE CHALLENGE

Two documents, one scorecard

01 · OPEN A CLAIM

European accident statement

Parties, vehicles, insurers, the 17 circumstance boxes, impact points and the sketch. Handwritten, in French or Dutch, often a faded copy.

02 · CREATE AN OBJECT

Car order form


Buyer, vehicle, options, price and financing. Typed, but every dealer has its own layout.

The brief: measure accuracy field by field, set confidence thresholds, and design how a broker validates the uncertain results.

THE SAMPLE DOCUMENTS

Fake on purpose, hard on purpose

- 6 accident statements: rear-end, roundabout, lane change, parking, intersection, left turn
- 2 of them degraded scans
- 6 order forms from 3 dealer layouts
- One order form whose total doesn't add up



EUROPEES AANRIJDINGSFORMULIER

Verplicht te ondertekenen door beide bestuurders. Geen erkenning van aansprakelijkheid.

1. Datum van het ongeval	Uur	2. Plaats (land, gemeente, straat)
24/04/2026	10:20	BE, Namen, Rue de Namur 40

3. Gewonden, zelfs licht: neen ☒ ja ☐

4. Materiële schade aan andere voertuigen dan A en B: neen ☒ ja ☐

5. Getuigen: namen, adressen, tel.: Fien Janssens, +32 494 163322

VOERTUIG A		VOERTUIG B
6. Verzekeringnemer / verzekerde		**6. Verzekeringnemer / verzekerde**
Naam: Monteiro		Naam: Lemaire
Voornaam: Lena		Voornaam: Victor
Adres: Markt 4		Adres: Avenue Louise 24
Postcode: 2000 Antwerpen (Arrdt. BE)		Postcode: 1000 Bruxelles (Arrdt. BE)
Tel. of e-mail: +32 477 14 20 61		Tel. of e-mail: +32 494 16 24 29
7. Voertuig		**7. Voertuig**
Merk, type: Skoda Octavia		Merk, type: Renault Clio
Inschrijvingsnummer: 1-WTT-128		Inschrijvingsnummer: 2-TDB-641
Land van inschrijving: BE		Land van inschrijving: BE
8. Verzekeringsonderneming		**8. Verzekeringsonderneming**
Naam: Polder Verzekeringen NV		Naam: Meuse Assurances
Polisnummer: 27.377.741		Polisnummer: BE/11/2018
Nr. groene kaart: BE/2025/37122		Nr. groene kaart: BE/11/2042/2241
Geldig van / tot: 01/02/2025 - 01/02/2027		Geldig van / tot: 14/11/2024 - 14/11/2025
Agentschap (of kantoor, makelaar): Antwerpen-Brasschaat-Putte		Agentschap (of kantoor, makelaar): Antwerpen-Brasschaat-Putte
9. Bestuurder		**9. Bestuurder**
Naam: Monteiro		Naam: Lemaire
Voornaam: Lena		Voornaam: Victor
Geboortedatum: 24/05/1992		Geboortedatum: 11/11/1975
Rijbewijs nr.: 7352 742017		Rijbewijs nr.: 27742182233
Categorie: B		Categorie: B
Geldig tot: 09/04/2033		Geldig tot: 12/03/2033
10. Eerste raakpunt		10. Eerste raakpunt
11. Zichtbare schade: pantser rechts		11. Zichtbare schade: koplamp links, bumper


12. Omstandigheden

1	stond geparkeerd / stond stil	☐	☐
2	verliet een parkeerplaats / opende een portier	☐	☐
3	ging parkeren	☐	☐
4	verliet een parking, een privé-terrein, een veldweg	☐	☐
5	reed een parking, een privé-terrein, een veldweg op	☐	☐
6	reed een rotonde op	☐	☒
7	reed op een rotonde	☒	☐
8	reed achteruit in op een voertuig in dezelfde richting en op dezelfde rijstrook	☐	☐
9	reed in dezelfde richting maar op een andere rijstrook	☐	☐
10	veranderde van rijstrook	☐	☐
11	haalde in	☐	☐
12	stoeg rechtsaf	☐	☐
13	stoeg linksaf	☐	☐
14	reed achteruit	☐	☐
15	kwam op een rijbaan bestemd voor tegenliggers	☐	☐
16	kwam van rechts (op een kruispunt)	☐	☐
17	had een voorrangsteken of rood licht niet opgemerkt	☐	☐
/	Aantal aangekruiste vakjes	/	/

13. Situatieschets van het ongeval op het ogenblik van de aanrijding:

14. Mijn opmerkingen	15. Handtekening van de bestuurders	14. Mijn opmerkingen
	Monteiro Lemaire	

SPECIMEN - synthetic test document, all data is fictitious



AutoCentrum Vlaanderen NV

Gent · BE0712.345.678

BESTELBON

Bestelnummer	**AU-86019**	Datum	26/07/2026
Verkoper	Marie Wouters	Verwachte levering	15/08/2027

KOPER

Name / Nom / Naam	Marie Martin	Company	-
Address	Avenue Louise 78, 1000 Bruxelles		
VAT	-	Tel.	+32 482 80 10 48
E-mail	marie.martin@example.be		

VOERTUIG

Make / Marque / Merk	Skoda	Model	Octavia Combi
Version	Style 1.5 TSI	Fuel	petrol
Power (kW)	110	Colour	Deep Black
VIN	-	Model year	2026

OPTIES

Code	Description	HTVA / excl.
TOW	Retractable tow bar	€ 980,00
CAM	360° parking camera	€ 720,00
ADA	Adaptive cruise control + lane assist	€ 1 450,00

PRIJS

Catalogusprijs excl. btw	€ 33 450,00
Totaal opties excl. btw	€ 3 150,00
Korting	€ -1 500,00
Netto excl. btw	€ 35 100,00
Btw 21%	€ 7 371,00
Totaal incl. btw	**€ 42 471,00**

FINANCIERING

Type	loan	Provider	Beobank
Down payment	€ 2 000,00		

Signature acheteur / koper / buyer: Martin

Signature vendeur / verkoper / dealer

SPECIMEN - synthetic test document, all data is fictitious

START HERE

One repo, five minutes to a scored run

```
git clone https://github.com/anyformat-ai/portima-hackathon-starter
cp .env.example .env
uv sync
uv run af.py create order_form
uv run af.py run order_form
uv run af.py score order_form
```

Open it in Claude Code or Codex: CLAUDE.md and AGENTS.md tell the agent where to start.

In the repo	What it's for
samples/	12 synthetic PDFs, FR / NL / EN
ground_truth/	The right answer for each
workflows/	8 workflows, ≤ 20 fields each
af.py	Create, run, score, dataset, eval
docs/	Workspace, ground truth, optimizer

SETUP · CLAUDE CODE · 5 MINUTES

The repo already knows anyformat

1 · API key from app.anyformat.ai/api-key, in .env and your shell

```
export ANYFORMAT_API_KEY="af_..."
```

2 · Open the repo: .mcp.json connects the anyformat MCP server, CLAUDE.md says where to start

```
cd portima-hackathon-starter && claude
```

3 · Optional skill: the full workflow API reference for the agent

```
npx @anyformat/skill --project
```

Check with claude mcp list. Outside the repo: claude mcp add --transport http anyformat https://api.anyformat.ai/mcp

SETUP · CODEX CLI · 5 MINUTES

Same repo, AGENTS.md for Codex

1 · Add the server

```
codex mcp add anyformat --url https://api.anyformat.ai/mcp
```

2 · Header from docs/codex-config.toml into ~/.codex/config.toml

```
[mcp_servers.anyformat]
url = "https://api.anyformat.ai/mcp"
env_http_headers = { "Authorization" = "ANYFORMAT_MCP_AUTH" }
```

3 · Export and start

```
export ANYFORMAT_MCP_AUTH="Bearer $ANYFORMAT_API_KEY" && codex
```

Check with codex mcp list. The af.py CLI works the same with any agent, or none.

FIRST HOUR

Prompts to paste into your agent

CHECK	"Run the order form check from AGENTS.md and explain the report."
IMPROVE	"Which accident statement fields are below 90% accuracy, and why? Propose better descriptions, re-create, re-score."
TRUTH	"Draft ground truth for the PDFs in our_docs/ following docs/GROUND_TRUTH.md."
BUILD	"Using CONTEXT.md, build a review screen that lists fields under 80 confidence with their evidence."

ON US FOR THE HACKATHON

150k

credits per team,
for the hackathon week

Enough for: the sample check, several scored runs on 30 real documents of each type, evaluations and optimizer runs.

How to claim: sign up at app.anyformat.ai with your work email and send your organization name to Carlos Morales.

Help: Juan Huguet, anyformat · juan@anyformat.ai · Monday to Friday, 9:00–18:00 CET

Valid during the hackathon week, Monday 12 to Sunday 18 October 2026. Usage: app.anyformat.ai/usage

THE PIPELINE

Start cheap, fix what the score says is broken

`parse · mode "lite"`

Fast parse

OCR only, no LLM call. 12 credits a page.

`extract · mode "standard"`

Standard extract

Typed fields with confidence and evidence. 35 credits a page.

`validate · deterministic`


Rules

Totals, formats, dates, confidence. Free; they label, never block.

≤ 20 **fields per extract.** Long schemas extract worse, so each group of fields is its own workflow. af.py runs a document through all of them and merges the result.

Page ----> Block ----> Cell ----> Field

the scan · 13 regions · r13c1 · value + source


VÉHICULE A

6. Preneur d'assurance / assuré

Nom: Janssens

Prénom: Jules

Adresse: Meir 146

Code postal: 2000 Antwerpen (Pays: BE)

Tél. ou e-mail: +32 477 84 86 15

7. Véhicule

Marque, type: Skoda Octavia

N° d'immatriculation: 2-GZL-344

Pays d'immatriculation: BE

8. Société d'assurance

Nom: Mosane Assurances

N° de contrat: 60.237235

N° de carte verte: BE/787/6033115

Valable du / au: 22/07/2025 - 22/07/2026

Agence (ou bureau, courtier): Courtier Lemaire & Partners

9. Conducteur

Nom: Janssens

Prénom: Jules

Date de naissance: 01/02/1978

Permis de conduire n°: 5278201677

Catégorie: B

Valable jusqu'au: 07/04/2028

10. Point de choc initial

11. Dégâts apparents

phare avant gauche

FIELD

vehicle_a_insurer_policy_number

60.237235

Confidence 89

threshold 80

Evidence · page 1 · block p1_b3 · cell r13c1

N° de contrat 60.237235

Auto-accepted · above threshold

— 04 — FIELD


A typed value, its confidence and its address on the page.

WHY VISUAL GROUNDING MATTERS · REAL PARSE

anyformat

Grounded from page to field

Page



Block

p1_b3 · table

`x0 0.031 y0 0.142`
`x1 0.356 y1 0.611`

Vehicle A column, 26 rows. Parse confidence 91.

1 of 13 blocks: tables, text, the sketch as a picture.

Cell

r9c1

N° d'immatriculation

2-HgL-344

Row 9 of p1_b3, its label in the cell beside it.

Field

`vehicle_a_vehicle_plate`

2-HgL-344

Confidence 55 · review

Evidence: "N° d'immatriculation 2-HgL-344", page 1

2 rules fail: format, confidence

Every value points back to a box on the page. A broker checks one highlighted cell instead of rereading the form, an agent can cite exactly where it read, and a misread (GZL → HgL) is caught where it happened.

THE DATA CONTRACT · GET /V3/RUNS/{RUN_ID}/

What every run gives your app

```
results.extractions[0].fields.
 vehicle_a_insurer_policy_number: {
  "value": "60.237235",
  "confidence": 89,
  "evidence": [{"text": "N° de contrat
    60.237235", "page_number": 1}],
  "value_override": null,
  "verification_status": "not_verified"}
results.extractions[0].validations[]
results.parse.blocks[]: id, type, bbox
results.verification_url
```

value is always a string or null. Cast it yourself.

confidence is 0–100, per field. Route on it.

evidence quotes the text and page; **blocks** give the box on the page.

value_override holds a reviewer's correction. Prefer it when set.

Lists (options) come back as rows of fields.

ACCIDENT STATEMENT · 99 FIELDS

Six workflows, one claim record

Workflow	Form boxes	Fields
1 Accident & sketch	1–5 date, place, injuries, witnesses · 13 sketch	11
2 Vehicle A	6–8 policyholder, vehicle, insurer	16
3 Vehicle B	6–8 policyholder, vehicle, insurer	16
4 Drivers & damage	9–11, 14 for A and B	20
5 Circumstances A	12 left column, 17 boxes + count	18
6 Circumstances B	12 right column, 17 boxes + count	18

The hard parts

- Handwriting and scans
- Which column is A, which is B
- Ticked vs empty boxes
- A handwritten 1 that looks like /
- The sketch: describe it, don't redraw it


CAR ORDER FORM · 35 FIELDS

Two workflows, one vehicle object

Workflow	Fields	Count
1 Order & buyer	order no., dates, dealer, salesperson · buyer, company, VAT, address	15
2 Vehicle & price	make, model, trim, fuel, kW, VIN · options list · base, discount, net, VAT, total · financing	20

The hard parts

- A new layout per dealer
- Options are a list, not fixed fields
- Totals that should add up
- VIN and VAT characters misread



CONSTAT EUROPÉEN D'ACCIDENT

À signer obligatoirement par les deux conducteurs. Ne constitue pas une reconnaissance de responsabilité.

1. Date de l'accident: 17/04/2025 | Heure: 08:20 | 2. Lieu (pays, localité, rue): BE, Leuven, Bondgenotenlaan 9

3. Blessé(s) même léger(s): non ☒ oui ☐ | 4. Dégâts matériels autres qu'aux véhicules A et B: non ☒ oui ☐

5. Témoins: noms, adresses, tél.: –

VÉHICULE A	12. Circonstances	VÉHICULE B
6. Preneur d'assurance / assuré Nom: Janssens Prénom: Jules Adresse: Main 146 Code postal: 2000 Antwerpen (Pays: BE) Tél. ou e-mail: +32 477 94 35 15	1 en stationnement / à l'arrêt ☐ 2 quittait un stationnement / ouvrait une portière ☐ 3 prenait un stationnement ☐ 4 sortait d'un parking, d'un lieu privé, d'un chemin de terre ☐ 5 s'engageait dans un parking, un lieu privé, un chemin de terre ☐ 6 s'engageait sur une place à sens giratoire ☐ 7 roulait sur une place à sens giratoire ☐ 8 heurtait à l'arrière, en roulant dans le même sens et sur une même file ☐ 9 roulait dans le même sens et sur une file différente ☐ 10 changeait de file ☐ 11 doublait ☐ 12 virait à droite ☐ 13 virait à gauche ☐ 14 reculait ☐ 15 empiétait sur une voie réservée à la circulation en sens inverse ☐ 16 venait de droite (dans un carrefour) ☒ 17 n'avait pas observé un signal de priorité ou un feu rouge ☒ / Nombre de cases marquées /	6. Preneur d'assurance / assuré Nom: Monteiro Prénom: Noah Adresse: Rue de Namur 17 Code postal: 5000 Namur (Pays: BE) Tél. ou e-mail: +32 491 41 07 46
7. Véhicule Marque, type: Skoda Octavia N° d'immatriculation: 2-HgL-344 Pays d'immatriculation: BE		7. Véhicule Marque, type: BMW 318d N° d'immatriculation: 1-XYK-779 Pays d'immatriculation: BE
8. Société d'assurance Nom: Mosane Assurances N° de contrat: 60.237235 N° de carte verte: BE/2025/655315 Valable du / au: 22/07/2025 - 22/07/2026 Agence (ou bureau, courtier): Courtier Lemaire + Partners		8. Société d'assurance Nom: Assurances Horizon SA N° de contrat: 21.377842 N° de carte verte: BE/2025/765765 Valable du / au: 27/04/2025 - 27/04/2026 Agence (ou bureau, courtier): Courtier Vanneste + Partners
9. Conducteur Nom: Janssens Prénom: Jules Date de naissance: 01/02/1979 Permis de conduire n°: 2379201677 Catégorie: B Valable jusqu'au: 27/04/2027		9. Conducteur Nom: Monteiro Prénom: Noah Date de naissance: 19/05/1967 Permis de conduire n°: 5291724331 Catégorie: B Valable jusqu'au: 22/04/2032
10. Point de choc initial		10. Point de choc initial
11. Dégâts apparents: phare avant gauche		11. Dégâts apparents: pontière avant droite

13. Croquis de l'accident au moment du choc

14. Mes observations	15. Signature des conducteurs	14. Mes observations
	Janssens Monteiro	

SPECIMEN - synthetic test document, all data is fictitious

REAL OUTPUT · SCANNED SAMPLE, VEHICLE A

The wrong values carry the lowest confidence

Field	Value read	Conf.	Truth
Policyholder	Janssens, Jules	90	correct
Policy number	60.237235	89	correct
Valid from / to	2025-07-22 / 2026-07-22	89	correct
Agency	Courtier Lemaire + Partners	63	wrong: &
Plate	2-HgL-344	55	wrong: GZL

Each value also comes with its evidence: the text it was read from and the page.

VALIDATION · REAL RESULT

Rules catch what reading can't

```
{"id": "net-plus-vat-is-total",
 "kind": "deterministic",
 "severity": "error",
 "check": {"type": "arithmetic",
  "operands": ["pricing_net_excl_vat",
    "pricing_vat_amount"],
  "equals": "pricing_total_incl_vat",
  "tolerance": 0.05}}
```

FAIL · Net + VAT = total

42 640,00 + 8 954,40 = 51 594,40, but the form says 51 694,40

PASS · Base + options − discount = net

PASS · Options add up · VIN format

Also available: required, range, date, regex, one_of, comparison, confidence, and CEL expressions. Deterministic rules are free.

WHAT YOU CAN BUILD

Four apps the primitives make easy

Claim intake

Mailbox or upload → run → fields above threshold create the claim, the rest wait for a broker.

`confidence · validations`

Broker review screen

Only uncertain fields, each next to its highlighted box on the page. Accept or fix in one key.

`evidence · parse.blocks · bbox`

Vehicle object from an order

Order form → buyer and vehicle objects, totals checked before anything is written.

`object fields · arithmetic rules`

A broker's assistant

An agent that reads a constat, explains the circumstances and drafts the claim, citing the cells it used.

`MCP tools · evidence`

WHAT COMES WITH IT

What a plain LLM call won't give you

Asset	What it is	Where you see it
Grounding	Every value tied to a block, a cell and a box on the page	evidence, parse.blocks
Per-field confidence	A number to route on, field by field	fields.*.confidence
Layout parse of scans	Tables, checkboxes and handwriting as structure	parse.blocks[].rows
Deterministic rules	Totals, formats, dates, checked in code, free	validations[]
Review workspace	Highlight, accept, correct; corrections kept	verification_url
Datasets, evals, optimizer	Accuracy on your ground truth, descriptions improved	Health tab
Versioned workflows	Each change is a new version; results know which one	Studio, API

IN YOUR APP.ANYFORMAT.AI WORKSPACE

Where a broker validates

Workflow › Data

Every document

One row per document, one column per field.

Document › Extraction

Field + source

Click a field, see it highlighted on the page, with its confidence.

Document › Validation

Rules

Pass, fail or inconclusive, with the values compared.

Accept or fix

Corrections count

Saved as value_override; a verified document goes to the dataset.

Measure it: seconds per document reviewed, against minutes per document retyped today. af.py run prints the review link for every document.

MEASURING ACCURACY · AF.PY SCORE

Agree the rules before anyone runs anything

1 · Ground truth first

Brokers check 20–30 documents per type. Nobody tunes on the held-out third.

2 · Normalize, then compare

"21/03/2026" = "2026-03-21", "€ 1 450,00" = 1450. Style isn't scored as error.

3 · Weight what matters

A wrong plate or policy number costs more than a wrong witness phone.

4 · Count empty fields

Correctly blank is right. A guess where the form is empty is wrong.

CONFIDENCE THRESHOLDS

Decide which fields a broker never looks at

AUTO-ACCEPT · ≥ 80	REVIEW	FAILED RULE
Straight to the database.	Broker confirms, source highlighted.	Always reviewed.

Pick the number from your own run. uv run af.py score <type> prints the sweep: at each threshold, the share of fields auto-accepted, their accuracy, and the errors that slip through. 80 is the starting point the starter workflows use.

GROUND TRUTH FOR REAL DOCUMENTS

Claude drafts, a broker decides

1 · Draft. The agent reads each PDF and writes its JSON in the shape of the sample answers, marking unsure keys.

2 · Check. A broker reviews every file, unsure keys first. About 5 minutes per accident statement.

3 · Upload. af.py converts it to the dataset format: every key present, every value a string or null.

```
# in Claude Code
> Draft ground truth for our_docs/
  following docs/GROUND_TRUTH.md

uv run af.py ground-truth \
  accident_statement
uv run af.py dataset \
  accident_statement our_docs/*.pdf
```

DATASET → EVALUATION → OPTIMIZER

Let the ground truth rewrite the descriptions

`af.py dataset`

1 · Fill the datasets

Each PDF and its truth, into each workflow.

`af.py eval`

2 · Baseline

Accuracy per workflow and per field.

`Health › Optimizer`

3 · Optimize

3 iterations to start. A change stays only if accuracy rises.

`af.py run + score`

4 · Prove it

On documents not in the dataset.

The best iteration becomes a new workflow version. Start with the workflow that scores worst. Or ask annie in the app: "improve this workflow".

LIMITS TO KNOW

Before you hit them

- One extract per workflow; keep it to about 20 fields
- Uploads and runs: 60 per minute; reads: 600
- Field values arrive as strings; numbers too
- Nesting goes one level: a list of rows, not lists in lists
- Editing a workflow JSON doesn't change the live one
- Optimizer: in the app only, not the API
- ~47 credits a page per workflow (fast parse + standard extract)

GLOSSARY

Term	Meaning
Block	A region of the page with a box and a type
Cell	One cell of a table block, e.g. r13c1
Field	A value you asked for, typed, with confidence
Evidence	The text and page a value was read from
Threshold	Confidence above which a field skips review
Dataset	Documents with their correct answers
Eval	Accuracy of a workflow on its dataset