


Gross anatomy of **PAROTID GLAND**



Learning Objectives

At the end of the lecture, the students should be able to:

- **Define location and structure of the gland**
- **Describe important relations of the gland**
- **Enlist structures passing through the gland from medial to lateral or lateral to medial side in a correct sequence**
- **Define parotid duct and the site of its opening**
- **Describe nerve supply and blood supply of the gland**
- **Define basic applied/clinical anatomy of the gland**

Site, Shape, and Extension of Parotid Gland

It is the largest of the salivary glands.

Position:

This is a wedge-shaped gland which lies below the auricle, between the ramus of the mandible and sternomastoid.

The upper end of the gland is in contact with the external acoustic meatus .

Surfaces of the gland:


- 1- Lateral (superficial) surface.**
- 2- Anteromedial surface.**
- 3- Posteromedial surface.**

Divisions of Parotid Gland :


Parotid gland is divided into 2 parts by the facial nerve :

1- superficial part .


2- deep part .




Parotid Fascia



Horizontal Section - Superior View



Sectioned below lingula of mandible




Parotid Gland

Submandibular Gland

Stylomandibular Ligament


1- Surfaces :

- a- superficial
- b- anteromedial
- C- posteromedial



2- Borders :

- a. anterior
- b- posterior
- c-Medial



3- Base and Apex

Relations of Parotid Gland


1- Relations of the Superficial Surface

1- skin


2- superficial fascia

3- branches of great auricular nerve


4- parotid lymph node




2- Relations of Anteromedial surface





- 1- masseter muscle .
- 2- ramus of the mandible
- 3- medial pterygoid




3- Relations of Posteromedial surface




1- relations of anterior Border



2-Relations of Posterior Border




3-Relations of medial Border




The Medial Border

Separates anteromedial and posteromedial surfaces
and
is related to medial wall of pharynx

1- Relations of the base




2- Relations of the apex




Structures within the Substance of parotid gland

- 1- Terminal part of external carotid artery (deep).
- 2- Retromandibular vein (intermediate).
- 3- Facial nerve (superficial).


a- Facial nerve





b- Posterior Facial Vein (Reteromandibular)




c- External carotid and superficial temporal arteries



Parotid Duct



Nerve Supply of Parotid Gland



Lymph Drainage of Parotid Gland

The pre-auricular (superficial) nodes


Deep Parotid Lymph Nodes
inside
The Gland




2- Parotitis (Mumps)



The Otic Ganglion:



- It is a small parasympathetic ganglion associated with the glossopharyngeal nerve.
- It receives preganglionic parasympathetic fibers via tympanic branch, tympanic plexus, & lesser petrosal nerve, which arise from the inferior salivatory nucleus of the glossopharyngeal nerve.
- The preganglionic fibers relay in the ganglion & the post ganglionic fibers reach the parotid gland via auriculotemporal nerve.



- The sympathetic root is formed by the sympathetic plexus of nerves around the middle meningeal artery.
- These sympathetic fibers pass through the ganglion without relay & reach the parotid via the auriculotemporal nerve.
- The sensory root comes from the auriculotemporal nerve & it is sensory to the gland.