## 版本回退

有时候,我们希望改错了文件,希望退到上一个文件的状态,这个时候就需要用到版本回退的功能

## 查看提交历史

```
commit 9d9b773241e75d1918ad0acfa03c511f4b90acc5 (HEAD -> master)
Author: 李阳 liyang@liyangdeMacBook-Pro.local>
Date: Sun Dec 22 21:22:31 2019 +0800

修改了1.txt内容

commit 5e6b27220a06e04b3a014b07bfb9517db3de7435
Author: 李阳 liyang@liyangdeMacBook-Pro.local>
Date: Sun Dec 22 21:17:30 2019 +0800

提交1.txt
(END)
```

## 退到上一版本

```
# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:29:55]
$ git reset --hard HEAD^
HEAD is now at 5e6b272 提交1.txt

# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:29:57]
$ cat 1.txt
这是一个Git测试

# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:30:01]

git reset --hard HEAD^ //退到上一版本
git reset --hard HEAD^ //退到上上一版本
git reset --hard HEAD~50 //退到前50版本
```

## 回到最新版本

通过git reflog 查看所有提交的版本号

```
# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:33:54]
$ git reflog

5e6b272 (HEAD -> master) HEAD@{0}: reset: moving to HEAD^
9d9b773 HEAD@{1}: commit: 修改了1.txt内容
5e6b272 (HEAD -> master) HEAD@{2}: commit (initial): 提交1.txt
[END]
```

```
# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:36:38]
$ git reset --hard 9d9b773
HEAD is now at 9d9b773 修改了1.txt内容

# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:36:44]
$ cat 1.txt
这是一个Git测试
这是修改内容

# liyang @ liyangdeMacBook-Pro in ~/Desktop/project on git:master o [21:36:46]
$ ■
```

可以看到我们的内容又回来了。