






hostmodel: summed response (total effect)
Species richness
6
4
2
0
F
M
sexe



hostmodel: summed response (marginal effect)
Species richness
6
4
2
0
F
M
sexe



hostmodel: example species (total effect)
1.00
0.75
0.50
0.25
0.00
Bartonella_taylorii
F
M
sexe



hostmodel: example species (marginal effect)
1.00
0.75
0.50
0.25
0.00
Bartonella_taylorii
F
M
sexe



hostmodel: community weighted mean trait (total effect)
1.00
0.75
0.50
0.25
0.00
direct_transmission1
F
M
sexe



hostmodel: community weighted mean trait (marginal effect)
1.00
0.75
0.50
0.25
0.00
direct_transmission1
F
M
sexe



hostmodel: community weighted mean trait (total effect)
1.00
0.75
0.50
0.25
0.00
tick_transmission1
F
M
sexe



hostmodel: community weighted mean trait (marginal effect)
1.00
0.75
0.50
0.25
0.00
tick_transmission1
F
M
sexe



hostmodel: community weighted mean trait (total effect)
1.00
0.75
0.50
0.25
0.00
flea_transmission1
F
M
sexe



hostmodel: community weighted mean trait (marginal effect)
1.00
0.75
0.50
0.25
0.00
flea_transmission1
F
M
sexe



hostmodel: summed response (total effect)
Pr[pred(poids=min) < pred(poids=max)] = 1.00
Species richness
0
2
4
6
5
10
15
20
25
30
poids



hostmodel: summed response (marginal effect)
Pr[pred(poids=min) < pred(poids=max)] = 1.00
Species richness
0
2
4
6
5
10
15
20
25
30
poids



hostmodel: example species (total effect)
Pr[pred(poids=min) < pred(poids=max)] = 0.99
Bartonella_taylorii
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: example species (marginal effect)
Pr[pred(poids=min) < pred(poids=max)] = 0.98
Bartonella_taylorii
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: community weighted mean trait (total effect)
Pr[pred(poids=min) < pred(poids=max)] = 1.00
direct_transmission1
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: community weighted mean trait (marginal effect)
Pr[pred(poids=min) < pred(poids=max)] = 0.99
direct_transmission1
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: community weighted mean trait (total effect)
Pr[pred(poids=min) < pred(poids=max)] = 1.00
tick_transmission1
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: community weighted mean trait (marginal effect)
Pr[pred(poids=min) < pred(poids=max)] = 0.90
tick_transmission1
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: community weighted mean trait (total effect)
Pr[pred(poids=min) > pred(poids=max)] = 1.00
flea_transmission1
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: community weighted mean trait (marginal effect)
Pr[pred(poids=min) > pred(poids=max)] = 0.90
flea_transmission1
0.0
0.4
0.8
5
10
15
20
25
30
poids



hostmodel: summed response (total effect)
Species richness
0
2
4
6
immature
mature
maturity



hostmodel: summed response (marginal effect)
Species richness
6
4
2
0
immature
mature
maturity



hostmodel: example species (total effect)
1.00
0.75
0.50
0.25
0.00
Bartonella_taylorii
immature
mature
maturity



hostmodel: example species (marginal effect)
1.00
0.75
0.50
0.25
0.00
Bartonella_taylorii
immature
mature
maturity



hostmodel: community weighted mean trait (total effect)
1.00
0.75
0.50
0.25
0.00
direct_transmission1
immature
mature
maturity


hostmodel: community weighted mean trait (marginal effect)
1.00
0.75
0.50
0.25
0.00
direct_transmission1
immature
mature
maturity


hostmodel: community weighted mean trait (total effect)
1.00
0.75
0.50
0.25
0.00
tick_transmission1
immature
mature
maturity


hostmodel: community weighted mean trait (marginal effect)
1.00
0.75
0.50
0.25
0.00
tick_transmission1
immature
mature
maturity


hostmodel: community weighted mean trait (total effect)
1.00
0.75
0.50
0.25
0.00
flea_transmission1
immature
mature
maturity


hostmodel: community weighted mean trait (marginal effect)
1.00
0.75
0.50
0.25
0.00
flea_transmission1
immature
mature
maturity