
Hibernate

- Hibernate



```
Public class PhotoUploader {

public void uploadPhoto (Album album, title String, desc String, ... ){

Photo uploadedPhoto = new Photo();

uploadedPhoto.setTitle(title);


uploadedPhoto.setDescription(desc);


...


album.addPhoto(uploadedPhoto);
}


Language like Java is object-oriented. Such languages represent data as interconnected graph of objects.

Hibernate
```

























Synchronization – The steps

- Right click on the source ERD and select Synchronize to Class Diagram... from the popup menu.
- 2. Select the class diagram to synchronize to, or enter a new name to form a new diagram.




Synchronization – The steps

- Right click on the source ERD and select Synchronize to Class Diagram... from the popup menu.
- 2. Select the class diagram to synchronize to, or enter a new name to form a new diagram.
- **3. [Optional]** Select the entities that you want to skip in synchronization.




Synchronization – The steps


- Right click on the source ERD and select Synchronize to Class Diagram... from the popup menu.
- 2. Select the class diagram to synchronize to, or enter a new name to form a new diagram.
- **3. [Optional]** Select the entities that you want to skip in synchronization.
- 4. Click OK.





Synchronization – The steps


- Right click on the source ERD and select Synchronize to Class Diagram... from the popup menu.
- 2. Select the class diagram to synchronize to, or enter a new name to form a new diagram.
- **3. [Optional]** Select the entities that you want to skip in synchronization.
- 4. Click OK.
- [Optional] Double click on a class/attribute name to rename it.





















































OR-Mapping in Detail 🔲 Inheritance


So, how is inheritance in object model (i.e. **generalization** in UML) being mapped?


Hibornato


OR-Mapping in Detail 📮 Inheritance


Strategy 1 - Table per class hierarchy


Hibernate

















Configuring Inheritance Strategy <ORM Persistable>> Right click on the super class within a 1. Photo Add title : String generalization hierarchy. description : String Open Specification... Enter Select Open Specification... from the Stereotypes Model Element Properties popup menu. Move/Copy Members... Sub Diagrams <<ORM Persistable>> Create Parent Location xLoc : int Edit -name yLoc : int Сору Delete Duplicate Ctrl+E Paste View Paste Model Element Selection Hibernate









Configuring Inheritance Strategy

- 1. Right click on the super class within a generalization hierarchy.
- 2. Select **Open Specification...** from the popup menu.
- 3. Open the **ORM Class Detail** tab.
- 4. Click Subclasses.
- Select the sub-classes. Press Shift/Ctrl to perform a multi selection.
- 6. Select the **Inheritance Strategy**.




Configuring Inheritance Strategy

- 1. Right click on the super class within a generalization hierarchy.
- 2. Select **Open Specification...** from the popup menu.
- 3. Open the **ORM Class Detail** tab.
- 4. Click Subclasses.
- 5. Select the sub-classes. Press **Shift/Ctrl** to perform a multi selection.
- 6. Select the **Inheritance Strategy**.
- 7. Click Apply.




Configuring Inheritance Strategy

- 1. Right click on the super class within a generalization hierarchy.
- 2. Select **Open Specification...** from the popup menu.
- 3. Open the **ORM Class Detail** tab.
- 4. Click Subclasses.
- 5. Select the sub-classes. Press **Shift/Ctrl** to perform a multi selection.
- 6. Select the Inheritance Strategy.
- 7. Click Apply.
- 8. Click Close.





Configuring Inheritance Strategy

- 1. Right click on the super class within a generalization hierarchy.
- 2. Select **Open Specification...** from the popup menu.
- 3. Open the **ORM Class Detail** tab.
- 4. Click Subclasses.
- 5. Select the sub-classes. Press **Shift/Ctrl** to perform a multi selection.
- Select the Inheritance Strategy.
- 7. Click Apply.
- 8. Click Close.
- 9. Click OK.




Hibernate






Generating Code & DB **Database Code Generation** Code and Database Language: Java Under the **Tools** tab of Visual Paradiam, 1. Output Path: C:\Users\Peter\Documents\Sample v ... select Hibernate > Generate Code... Deploy To: Standalone Application Fill in the output path for storing the Code Database Framework: Hibernate XML generated file like the DDL file. Error Handling: Throw PersistentException Print to Error Stream Logging: Default Lazy Collection Initialization: Default Lazy Association Initialization: Proxy Association Handling: v ? Persistent API: DAO v 🔽 Serializable ✓ Generate Criteria Cache Options Select Optional Jar Advanced Settings Scripts ✓ Generate Sample Code ✓ Ant File Servlet Sample **✓** Batch (for Windows) Hibernate




Generating Code & DB **Database Code Generation** Code and Database Generate : Language: Java Under the **Tools** tab of Visual Paradiam, 1. Output Path : C:\Users\Peter\Documents\Sample v ... select Hibernate > Generate Code... Deploy To: Standalone Application Fill in the output path for storing the Code Database Generate Database : Create Database generated file like the DDL file. <All> Schema: 3. Configure the generation options. Export to database **✓** Upper Case SQL Formatted SQL Header 4. Open the **Database** tab. Generate Individual DDL Separate Create/Drop DDL Generate Sample Data: No Quote SQL Identifier: Default(Auto) Column Order: Normal .ddl DDI Extension: Connection Provider Class: ce.jdbc.connections.internal.C3P0ConnectionProvider Connection: JDBC Connection Real Options Hibernate




Generating Code & DB

- Under the Tools tab of Visual Paradigm, select Hibernate > Generate Code...
- 2. Fill in the output path for storing the generated file like the DDL file.
- 3. Configure the generation options.
- 4. Open the **Database** tab.
- 5. Click on **Database Options**.
- 6. Select the DBMS you use.




Generating Code & DB

- Under the Tools tab of Visual Paradigm, select Hibernate > Generate Code...
- 2. Fill in the output path for storing the generated file like the DDL file.
- 3. Configure the generation options.
- 4. Open the **Database** tab.
- 5. Click on **Database Options**.
- 6. Select the DBMS you use.
- 7. Configure the database connection.




Generating Code & DB

- Under the Tools tab of Visual Paradigm, select Hibernate > Generate Code...
- Fill in the output path for storing the generated file like the DDL file.
- 3. Configure the generation options.
- 4. Open the **Database** tab.
- 5. Click on **Database Options**.
- 6. Select the DBMS you use.
- 7. Configure the database connection.
- 8. Click OK.



Generating Code & DB

- Under the Tools tab of Visual Paradigm, select Hibernate > Generate Code...
- 2. Fill in the output path for storing the generated file like the DDL file.
- 3. Configure the generation options.
- 4. Open the **Database** tab.
- 5. Click on **Database Options**.
- 6. Select the DBMS you use.
- 7. Configure the database connection.
- 8. Click OK.
- 9. Click **OK** to generate.





Summary

- Introduction to Hibernate
- Mapping ERD and UML Class Diagram
 - Basic idea of mapping
 - · How relationships are being handled
 - Different kinds of inheritance strategies
- Generating database and code

Hibernate