Project 1 Report

Christina Pavlopoulou cpavl001@ucr.edu

Andres Calderon acald013@ucr.edu

April 19, 2016

1 Results

1.1 Number of fetched instructions



Figure 1: Cycles per instructions vs number of fetched instructions.



Figure 2: Cycles per instructions vs number of fetched instructions.

1.2 Number of decoded instructions



Figure 3: Cycles per instructions vs number of decoded instructions.



Figure 4: Cycles per instructions vs number of fetched instructions.

1.3 Number of issued instructions



Figure 5: Cycles per instructions vs number of issued instructions.



Figure 6: Cycles per instructions vs number of fetched instructions.

1.4 Number of committed instructions



Figure 7: Cycles per instructions vs number of committed instructions.



Figure 8: Cycles per instructions vs number of fetched instructions.

1.5 Branch prediction



Figure 9: Cycles per instructions vs branch prediction methods.



Figure 10: Cycles per instructions vs branch prediction methods.

1.6 Cache block size



Figure 11: Cycles per instructions vs branch prediction methods.



Figure 12: Cycles per instructions vs branch prediction methods.



Figure 13: Cycles per instructions vs branch prediction methods.



Figure 14: Cycles per instructions vs branch prediction methods.



Figure 15: Cycles per instructions vs branch prediction methods.

1.7 Cache replacement policy



Figure 16: Cycles per instructions vs branch prediction methods.



Figure 17: Cycles per instructions vs branch prediction methods.



Figure 18: Cycles per instructions vs branch prediction methods.



Figure 19: Cycles per instructions vs branch prediction methods.



Figure 20: Cycles per instructions vs branch prediction methods.

1.8 Cache associativity



Figure 21: Cycles per instructions vs branch prediction methods.



Figure 22: Cycles per instructions vs branch prediction methods.



Figure 23: Cycles per instructions vs branch prediction methods.



Figure 24: Cycles per instructions vs branch prediction methods.



Figure 25: Cycles per instructions vs branch prediction methods.

2 Discussion

3 Commands

```
#!/bin/bash
# Number of instructions fetched...
./sim-outorder -fetch:ifqsize 1 ../benchmarks/cc1.alpha 2> Results/results_F1.txt
./sim-outorder -fetch:ifqsize 2 ../benchmarks/cc1.alpha 2> Results/results_F2.txt
./sim-outorder -fetch:ifqsize 4 ../benchmarks/cc1.alpha 2> Results/results_F4.txt
./sim-outorder -fetch:ifqsize 8 ../benchmarks/cc1.alpha 2> Results/results_F8.txt

# Number of instructions decoded...
./sim-outorder -decode:width 1 ../benchmarks/cc1.alpha 2> Results/results_D1.txt
./sim-outorder -decode:width 2 ../benchmarks/cc1.alpha 2> Results/results_D2.txt
./sim-outorder -decode:width 4 ../benchmarks/cc1.alpha 2> Results/results_D4.txt
./sim-outorder -decode:width 8 ../benchmarks/cc1.alpha 2> Results/results_D8.txt

# Number of instructions issued...
./sim-outorder -issue:width 1 ../benchmarks/cc1.alpha 2> Results/results_I1.txt
./sim-outorder -issue:width 2 ../benchmarks/cc1.alpha 2> Results/results_I2.txt
./sim-outorder -issue:width 4 ../benchmarks/cc1.alpha 2> Results/results_I4.txt
./sim-outorder -issue:width 8 ../benchmarks/cc1.alpha 2> Results/results_I8.txt

# Number of instructions commited...
./sim-outorder -commit:width 1 ../benchmarks/cc1.alpha 2> Results/results_C1.txt
./sim-outorder -commit:width 2 ../benchmarks/cc1.alpha 2> Results/results_C2.txt
./sim-outorder -commit:width 4 ../benchmarks/cc1.alpha 2> Results/results_C4.txt
./sim-outorder -commit:width 8 ../benchmarks/cc1.alpha 2> Results/results_C8.txt

# Branch prediction...
./sim-outorder -bpred nottaken ../benchmarks/cc1.alpha 2> Results/results_BPNT.txt
./sim-outorder -bpred taken ../benchmarks/cc1.alpha 2> Results/results_BPT.txt
./sim-outorder -bpred bimod ../benchmarks/cc1.alpha 2> Results/results_BPBM.txt
./sim-outorder -bpred 2lev ../benchmarks/cc1.alpha 2> Results/results_BP2L.txt

# Cache block size...
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/cc1.alpha 2> Results/results_CacheBS32.txt
./sim-outorder -cache:dl2 ul2:128:64:4:l ../benchmarks/cc1.alpha 2> Results/results_CacheBS64.txt
./sim-outorder -cache:dl2 ul2:128:128:4:l ../benchmarks/cc1.alpha 2> Results/results_CacheBS128.txt
./sim-outorder -cache:dl2 ul2:128:256:4:l ../benchmarks/cc1.alpha 2> Results/results_CacheBS256.txt

# Cache replacement policy...
./sim-outorder -cache:dl2 ul2:128:32:4:f ../benchmarks/cc1.alpha 2> Results/results_CacheRPF.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/cc1.alpha 2> Results/results_CacheRPL.txt
./sim-outorder -cache:dl2 ul2:128:32:4:r ../benchmarks/cc1.alpha 2> Results/results_CacheRPR.txt

# Cache associativity...
./sim-outorder -cache:dl2 ul2:128:32:1:l ../benchmarks/cc1.alpha 2> Results/results_CacheA1.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/cc1.alpha 2> Results/results_CacheA4.txt
./sim-outorder -cache:dl2 ul2:128:32:8:l ../benchmarks/cc1.alpha 2> Results/results_CacheA8.txt
./sim-outorder -cache:dl2 ul2:128:32:64:l ../benchmarks/cc1.alpha 2> Results/results_CacheA64.txt
```

Listing 1: Simulation execution commands for *cc1* application.

```
#!/bin/bash
# Number of instructions fetched...
./sim-outorder -fetch:ifqsize 1 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_F1.txt
./sim-outorder -fetch:ifqsize 2 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_F2.txt
./sim-outorder -fetch:ifqsize 4 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_F4.txt
./sim-outorder -fetch:ifqsize 8 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_F8.txt

# Number of instructions decoded...
./sim-outorder -decode:width 1 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_D1.txt
./sim-outorder -decode:width 2 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_D2.txt
./sim-outorder -decode:width 4 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_D4.txt
./sim-outorder -decode:width 8 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_D8.txt

# Number of instructions issued...
./sim-outorder -issue:width 1 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_I1.txt
./sim-outorder -issue:width 2 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_I2.txt
./sim-outorder -issue:width 4 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_I4.txt
./sim-outorder -issue:width 8 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_I8.txt

# Number of instructions commited...
./sim-outorder -commit:width 1 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_C1.txt
./sim-outorder -commit:width 2 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_C2.txt
./sim-outorder -commit:width 4 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_C4.txt
./sim-outorder -commit:width 8 ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_C8.txt

# Branch prediction...
./sim-outorder -bpred nottaken ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_BPNT.txt
./sim-outorder -bpred taken ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_BPT.txt
./sim-outorder -bpred bimod ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_BPBM.txt
./sim-outorder -bpred 2lev ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_BP2L.txt

# Cache block size...
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheBS32.txt
./sim-outorder -cache:dl2 ul2:128:64:4:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheBS64.txt
./sim-outorder -cache:dl2 ul2:128:128:4:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheBS128.txt
./sim-outorder -cache:dl2 ul2:128:256:4:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheBS256.txt

# Cache replacement policy...
./sim-outorder -cache:dl2 ul2:128:32:4:f ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheRPF.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheRPL.txt
./sim-outorder -cache:dl2 ul2:128:32:4:r ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheRPR.txt

# Cache associativity...
./sim-outorder -cache:dl2 ul2:128:32:1:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheA1.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheA4.txt
./sim-outorder -cache:dl2 ul2:128:32:8:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheA8.txt
./sim-outorder -cache:dl2 ul2:128:32:64:l ../benchmarks/anagram.alpha ../benchmarks/words < ../benchmarks/anagram.in 2> Results/results_A_CacheA64.txt
```

Listing 2: Simulation execution commands for *anagram* application.

```
#!/bin/bash
# Number of instructions fetched...
./sim-outorder -fetch:ifqsize 1 ../benchmarks/compress95.alpha ../benchmarks/1stmt.i 2> Results/results_C_F1.txt
./sim-outorder -fetch:ifqsize 2 ../benchmarks/compress95.alpha ../benchmarks/1stmt.i 2> Results/results_C_F2.txt
./sim-outorder -fetch:ifqsize 4 ../benchmarks/compress95.alpha ../benchmarks/1stmt.i 2> Results/results_C_F4.txt
./sim-outorder -fetch:ifqsize 8 ../benchmarks/compress95.alpha ../benchmarks/1stmt.i 2> Results/results_C_F8.txt

# Number of instructions decoded...
./sim-outorder -decode:width 1 ../benchmarks/compress95.alpha 2> Results/results_C_D1.txt
./sim-outorder -decode:width 2 ../benchmarks/compress95.alpha 2> Results/results_C_D2.txt
./sim-outorder -decode:width 4 ../benchmarks/compress95.alpha 2> Results/results_C_D4.txt
./sim-outorder -decode:width 8 ../benchmarks/compress95.alpha 2> Results/results_C_D8.txt

# Number of instructions issued...
./sim-outorder -issue:width 1 ../benchmarks/compress95.alpha 2> Results/results_C_I1.txt
./sim-outorder -issue:width 2 ../benchmarks/compress95.alpha 2> Results/results_C_I2.txt
./sim-outorder -issue:width 4 ../benchmarks/compress95.alpha 2> Results/results_C_I4.txt
./sim-outorder -issue:width 8 ../benchmarks/compress95.alpha 2> Results/results_C_I8.txt

# Number of instructions commited...
./sim-outorder -commit:width 1 ../benchmarks/compress95.alpha 2> Results/results_C_C1.txt
./sim-outorder -commit:width 2 ../benchmarks/compress95.alpha 2> Results/results_C_C2.txt
./sim-outorder -commit:width 4 ../benchmarks/compress95.alpha 2> Results/results_C_C4.txt
./sim-outorder -commit:width 8 ../benchmarks/compress95.alpha 2> Results/results_C_C8.txt

# Branch prediction...
./sim-outorder -bpred nottaken ../benchmarks/compress95.alpha 2> Results/results_C_BPNT.txt
./sim-outorder -bpred taken ../benchmarks/compress95.alpha 2> Results/results_C_BPT.txt
./sim-outorder -bpred bimod ../benchmarks/compress95.alpha 2> Results/results_C_BPBM.txt
./sim-outorder -bpred 2lev ../benchmarks/compress95.alpha 2> Results/results_C_BP2L.txt

# Cache block size...
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheBS32.txt
./sim-outorder -cache:dl2 ul2:128:64:4:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheBS64.txt
./sim-outorder -cache:dl2 ul2:128:128:4:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheBS128.txt
./sim-outorder -cache:dl2 ul2:128:256:4:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheBS256.txt

# Cache replacement policy...
./sim-outorder -cache:dl2 ul2:128:32:4:f ../benchmarks/compress95.alpha 2> Results/results_C_CacheRPF.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheRPL.txt
./sim-outorder -cache:dl2 ul2:128:32:4:r ../benchmarks/compress95.alpha 2> Results/results_C_CacheRPR.txt

# Cache associativity...
./sim-outorder -cache:dl2 ul2:128:32:1:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheA1.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheA4.txt
./sim-outorder -cache:dl2 ul2:128:32:8:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheA8.txt
./sim-outorder -cache:dl2 ul2:128:32:64:l ../benchmarks/compress95.alpha 2> Results/results_C_CacheA64.txt
```

Listing 3: Simulation execution commands for *compress95* application.

```
#!/bin/bash
# Number of instructions fetched...
./sim-outorder -fetch:ifqsize 1 ../benchmarks/go.alpha 2> Results/results_G_F1.txt
./sim-outorder -fetch:ifqsize 2 ../benchmarks/go.alpha 2> Results/results_G_F2.txt
./sim-outorder -fetch:ifqsize 4 ../benchmarks/go.alpha 2> Results/results_G_F4.txt
./sim-outorder -fetch:ifqsize 8 ../benchmarks/go.alpha 2> Results/results_G_F8.txt

# Number of instructions decoded...
./sim-outorder -decode:width 1 ../benchmarks/go.alpha 2> Results/results_G_D1.txt
./sim-outorder -decode:width 2 ../benchmarks/go.alpha 2> Results/results_G_D2.txt
./sim-outorder -decode:width 4 ../benchmarks/go.alpha 2> Results/results_G_D4.txt
./sim-outorder -decode:width 8 ../benchmarks/go.alpha 2> Results/results_G_D8.txt

# Number of instructions issued...
./sim-outorder -issue:width 1 ../benchmarks/go.alpha 2> Results/results_G_I1.txt
./sim-outorder -issue:width 2 ../benchmarks/go.alpha 2> Results/results_G_I2.txt
./sim-outorder -issue:width 4 ../benchmarks/go.alpha 2> Results/results_G_I4.txt
./sim-outorder -issue:width 8 ../benchmarks/go.alpha 2> Results/results_G_I8.txt

# Number of instructions commited...
./sim-outorder -commit:width 1 ../benchmarks/go.alpha 2> Results/results_G_C1.txt
./sim-outorder -commit:width 2 ../benchmarks/go.alpha 2> Results/results_G_C2.txt
./sim-outorder -commit:width 4 ../benchmarks/go.alpha 2> Results/results_G_C4.txt
./sim-outorder -commit:width 8 ../benchmarks/go.alpha 2> Results/results_G_C8.txt

# Branch prediction...
./sim-outorder -bpred nottaken ../benchmarks/go.alpha 2> Results/results_G_BPNT.txt
./sim-outorder -bpred taken ../benchmarks/go.alpha 2> Results/results_G_BPT.txt
./sim-outorder -bpred bimod ../benchmarks/go.alpha 2> Results/results_G_BPBM.txt
./sim-outorder -bpred 2lev ../benchmarks/go.alpha 2> Results/results_G_BP2L.txt

# Cache block size...
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/go.alpha 2> Results/results_G_CacheBS32.txt
./sim-outorder -cache:dl2 ul2:128:64:4:l ../benchmarks/go.alpha 2> Results/results_G_CacheBS64.txt
./sim-outorder -cache:dl2 ul2:128:128:4:l ../benchmarks/go.alpha 2> Results/results_G_CacheBS128.txt
./sim-outorder -cache:dl2 ul2:128:256:4:l ../benchmarks/go.alpha 2> Results/results_G_CacheBS256.txt

# Cache replacement policy...
./sim-outorder -cache:dl2 ul2:128:32:4:f ../benchmarks/go.alpha 2> Results/results_G_CacheRPF.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/go.alpha 2> Results/results_G_CacheRPL.txt
./sim-outorder -cache:dl2 ul2:128:32:4:r ../benchmarks/go.alpha 2> Results/results_G_CacheRPR.txt

# Cache associativity...
./sim-outorder -cache:dl2 ul2:128:32:1:l ../benchmarks/go.alpha 2> Results/results_G_CacheA1.txt
./sim-outorder -cache:dl2 ul2:128:32:4:l ../benchmarks/go.alpha 2> Results/results_G_CacheA4.txt
./sim-outorder -cache:dl2 ul2:128:32:8:l ../benchmarks/go.alpha 2> Results/results_G_CacheA8.txt
./sim-outorder -cache:dl2 ul2:128:32:64:l ../benchmarks/go.alpha 2> Results/results_G_CacheA64.txt
```

Listing 4: Simulation execution commands for *go* application.