PFLOCK Report

Andres Calderon

University of California, Riverside

October 2, 2023

Fixing issues in binary signatures...



Fixing issues in binary signatures...

- Reported by PSI:
  - 15202 1524051 4743482 5046703 5685626
  - 15202 1524051 4743482 5685626 6281391
- Reported by BFE:
  - 15202 1524051 4743482 5046703 5685626 6281391

Fixing issues in binary signatures...

```
and@and-pc:~/Research/Scripts/Scala/PFlock$ psi_hash 15202,1524051,4743482,5046703,5685626
Hash: MurMur(15202) =  pos: 2060106108  value: 12
Hash: Spooky(15202) =  pos: 3329048086  value: 6
Hash: MurMur(1524051) =  pos: 2967888201        value: 9
Hash: Spooky(1524051) =  pos: 3048773362        value: 2
Hash: MurMur(4743482) =  pos: 4115943120        value: 0
Hash: Spooky(4743482) =  pos: 14070031  value: 15
Hash: MurMur(5046703) =  pos: 3587047202        value: 2
Hash: Spooky(5046703) =  pos: 3070407681        value: 1
Hash: MurMur(5685626) =  pos: 3643195378        value: 2
Hash: Spooky(5685626) =  pos: 219076771 value: 3
OIDS   15202,1524051,4743482,5046703,5685626   1001001001001111
```

Fixing issues in binary signatures...

- Solved:
  - I was using 128bits as size of the signature. Marcos' code use 16bits.
  - I seems Java implementations do not retrieve expected values when $oid > 65536$ using signature size of 16bits. Fixed by re-coding oids.