

PFLOCK Report

Andres Calderon

University of California, Riverside

December 1, 2023

Issues with eBird dataset...


- ▶ For California:
 - ▶ Number of observations: 59'807.295
 - ▶ Number of unique spatio-temporal observations: 3'098.425
 - ▶ Number of unique spatial observations: 450.434
- ▶ Grouped by time:
 - ▶ per hour: More crowded intervals → 2916, 2871, 2839.
 - ▶ per day : More crowded intervals → 2966, 2901, 2886.
- ▶ Grouped by Entity Id: all distinct! The Id is the observation Id not the observer Id =(

Checking C++ BFE and PSI implementation...


- ▶ Using a relatively small dataset:
 - ▶ Berlin dataset
 - ▶ Created using Brinkhoff¹ Trajectory Generator
 - ▶ 20K points per time instant, 10 consecutive time instants...

¹<https://iapg.jade-hs.de/en/members/brinkhoff/generator>


Checking C++ BFE and PSI implementation using Berlin dataset...



Checking C++ BFE and PSI implementation using Berlin dataset...



Checking C++ BFE and PSI implementation using Berlin dataset...



What is next?...

- ▶ Scala implementation of BFE was updated and is already done.
- ▶ Currently working on Scala implementation of the Inverted Index proposal in PSI...
- ▶ Expecting run tests using Berlin dataset and compare with C++ implementation...
- ▶ Then running performance experiments over L.A. dataset...