ECP Documentation for

Employer Details

EMPLOYER NAME	EMPLOYER ADDRESS	EMPLOYER CONTACT
	,	Phone: Email: Website:

Jobsite Details

JOBSITE	JOBSITE	JOBSITE ECP	JOBSITE SHIFT LENGTH (HR/DAY)
NAME	ADDRESS	DETAILS	
	N/A N/A N/A, N/A	Name: Role: Phone: Email:	Not Provided

WORKING DATES	TRADE	JOBSITE SECTOR	PROJECT TYPE
N/A until N/A		N/A	N/A

Working Activities

WORK ACTIVITY	WORK AREA	HOURS PER SHIFT
Cutting Cementicious Material with Powered Saw	Outside	1
Operating an Asphalt Plant Asphalt with Asphalt Plant Control Panel	Inside	2

Exposure Health Risk

DETAILS

Cutting Cementicious Material with Powered Saw

Placeholder text for RCS dust exposure risks and mitigation strategies.

Operating an Asphalt Plant Asphalt with Asphalt Plant Control Panel

Placeholder text for RCS dust exposure risks and mitigation strategies.

ECP Purpose

DETAILS

This ECP sets out the plan nextrack will implement to protect workers from hazardous exposure to RCS dust based on information relating to the identified silica process assessed through the Pharos Health Exposure Control Tool, and the site specific details set out herein. A specific ECP is developed for each different kind of silica process identified as needed at N/A.

Responsibilities

EMPLOYER	SUPERVISOR	WORKER
RESPONSIBILITIES	RESPONSIBILITIES	RESPONSIBILITIES

Ensure:

- Effective controls are selected, implemented and documented;
- Materials and resources necessary to fully implement and maintain this ECP are available;
- Supervisors and workers are silica safety trained:
- Written records as identified in this ECP are maintained;
- Annual ECP review (or more if conditions change) is conducted;
- Co-ordination of a safe work environment for workers.

Ensure:

- Copy of ECP available at the jobsite;
- ECP is distributed and reviewed with workers;
- Workers are provided with instruction re: work activity hazards & safe work procedures;
- Controls and equipment as identified in this ECP are inspected;
- Respirators are fittested with results recorded:
- Work is directed to minimize and control exposure risk.

Ensure:

- RCS dust hazards and ECP details are known and understood:
- PPE is used effectively and safely;
- Work procedures are followed as per supervisor instructions;
- Unsafe conditions and acts are reported to supervisor;
- RCS dust exposure incidents / signs or symptoms of silica illness are reported.

Combined Exposure Analysys (No Controls)

Safe Caution Danger

Combined Exposure Level: 0.0375 mg/m³

Combined Exposure Level (No Controls)

Combined Exposure Limit

Combined Action Level

Risk Classification				
	•	exceeds by 50%	exceeds by 200%	
	0.0375 mg/m ³	Est. Exposure Level	Est. Exposure Level	
		0.025 mg/m³	0.013 mg/m³	

Hazardous Level

We recommend to proceed with controls as exposure level is Hazardous.

General Administrative Controls

ADMINISTRATIVE CONTROLS	SITE RESPONSE	VERIFICATION
Inspections & Maintenance Will you be implementing scheduled inspections and maintenance of engineering controls to ensure they are kept in good working order?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Housekeeping At the end of every work shift, will you be cleaning the work area and equipment from accumulated dust?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Hygiene At the end of every work shift, will workers and PPE be decontaminated to prevent inadvertent secondary inhalation of RCS dust?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

ADMINISTRATIVE CONTROLS	SITE RESPONSE	VERIFICATION
Silica Safety Instruction & Training Will your workers be instructed and trained in how to safely work within environments where RCS dust exposure is a risk?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Exposure Emergency Preparedness Will your jobsite be prepared for a RCS dust exposure emergency?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Work Shift Scheduling Will you be scheduling work shifts to limit the amount of time an individual worker is exposed to RCS dust?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Barriers Will you use a barrier to isolate the work area from the rest of the construction project and to prevent entry by unauthorized workers?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Enclosures Will you use an enclosure to physically contain the dusty atmosphere?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

Engineering and Administrative Controls for Cutting Cementicious Material with Powered Saw

ENGINEERING CONTROLS	VERIFICATION DETAILS

Use LEV systems around material handling points.

Not Yet Verified

No verification notes have been added yet

No verification images have been uploaded

ADMINISTRATIVE CONTROLS	VERIFICATION DETAILS
Dynamic Administrative Controls for each activity will be listed here with their answers	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

Engineering and Administrative Controls for Operating an Asphalt Plant Asphalt with Asphalt Plant Control Panel

ENGINEERING CONTROLS	VERIFICATION DETAILS
Utilize a wet saw system that delivers water to the blade during cutting.	Not Yet Verified No verification notes have been added yet
	No verification images have been uploaded

ADMINISTRATIVE CONTROLS	VERIFICATION DETAILS
Dynamic Administrative Controls for each activity will be listed here with their answers	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

Combined Exposure Analysys (With Controls)



Safe Caution Danger

Combined Exposure Level: 0.0022 mg/m³

Combined Exposure Level (With Controls)	Combined Exposure Limit	Combined Action Level
0.0022 mg/m³	0.025 mg/m³ Est. Exposure Level within	0.013 mg/m³ Est. Exposure Level within
	Exposure Limits	Action Limits
	Risk Classification	
	Safe Level	

Residual Exposure Control (PPE) for

RESPIRATOR USAGE	REQUIRED PROTECTION FACTOR	RESPIRATOR TYPE & FILTER
PROTECTION REQUIRED	10	Half facepiece, non-powered with P100 filter Please note, the respirator type above is an example of a respirator type that may meet the required protection factor. Users may elect to use alternate respiratory protection equipment that meets the required protection factor rating. Any respirator choice must be fitted with an N100, P100 or R100 filter. Respirators and filters must be NIOSH approved.

WORKER PPE USAGE	SITE RESPONSE	VERIFICATION
Will workers on the jobsite have respirators available?	No	
Will workers in the jobsite wear washable or disposable coveralls?	No	

Final Combined Exposure Analysys



Safe Caution Danger

Combined Exposure Level: 0.0022 mg/m³

Combined Exposure Level (Final)	Combined Exposure Limit	Combined Action Level
	0.000 mg/m³	0.013 mg/m³
0.0022 mg/m ³	Est. Exposure Level within	Est. Exposure Level within
	Exposure Limits	Action Limits
	Risk Classification	
	Safe Level	

Documentation

DOCUMENTATION

Documents and materials that augment this ECP submitted to ECP Contact;

ECP Summary available on jobsite as physical copy. Complete ECP available on jobsite as physical or digital copy;

All workers involved must have free access to this ECP and an opportunity to ask questions; All documentation filed at head office for 10 years;

ECP must be reviewed at least annually, and updated as needed due to any changes.

Plan Creator Signature

Auditor Signature

This planning has not yet been verified