ECP Documentation for jjj

Employer Details

EMPLOYER NAME	EMPLOYER ADDRESS	EMPLOYER CONTACT
jjj	N/A N/A N/A, N/A	Phone: N/A Email: N/A Website: N/A

Jobsite Details

JOBSITE	JOBSITE	JOBSITE ECP	JOBSITE SHIFT LENGTH (HR/DAY)
NAME	ADDRESS	DETAILS	
jjj	N/A N/A N/A, N/A	Name: N/A Role: N/A Phone: N/A Email: N/A	Not Provided

WORKING DATES	TRADE	JOBSITE SECTOR	PROJECT TYPE
N/A until N/A	Not Provided	N/A	N/A

Working Activities

WORK ACTIVITY	WORK AREA	HOURS PER SHIFT
Cutting (Power Saw) Concrete with Powered Saw	Inside	2

Exposure Health Risk

DETAILS

Cutting (Power Saw) Concrete with Powered Saw

Placeholder text for RCS dust exposure risks and mitigation strategies.

ECP Purpose

DETAILS

This ECP sets out the plan N/A will implement to protect workers from hazardous exposure to RCS dust based on information relating to the identified silica process assessed through the Pharos Health Exposure Control Tool, and the site specific details set out herein. A specific ECP is developed for each different kind of silica process identified as needed at N/A.

Responsibilities

EMPLOYER RESPONSIBILITIES

SUPERVISOR RESPONSIBILITIES WORKER
RESPONSIBILITIES

Ensure:

- Effective controls are selected, implemented and documented;
- Materials and resources necessary to fully implement and maintain this ECP are available;
- Supervisors and workers are silica safety trained:
- Written records as identified in this ECP are maintained;
- Annual ECP review (or more if conditions change) is conducted;
- Co-ordination of a safe work environment for workers.

Ensure:

- Copy of ECP available at the jobsite;
- ECP is distributed and reviewed with workers;
- Workers are provided with instruction re: work activity hazards & safe work procedures;
- Controls and equipment as identified in this ECP are inspected;
- Respirators are fittested with results recorded:
- Work is directed to minimize and control exposure risk.

Ensure:

- RCS dust hazards and ECP details are known and understood:
- PPE is used effectively and safely;
- Work procedures are followed as per supervisor instructions;
- Unsafe conditions and acts are reported to supervisor;
- RCS dust exposure incidents / signs or symptoms of silica illness are reported.

Combined Exposure Analysys (No Controls)

Safe Caution Danger

Combined Exposure Level: 0.0750 mg/m³

Combined Exposure Level (No Controls)

Combined Exposure Limit

Combined Action Level

exceeds by 200% exceeds by 500%	0.0750 mg/m³	Est. Exposure Level exceeds by 200%	Est. Exposure Level exceeds by 500%
---------------------------------	--------------	-------------------------------------	-------------------------------------

Hazardous Level

We recommend to proceed with controls as exposure level is Hazardous.

General Administrative Controls

ADMINISTRATIVE CONTROLS	SITE RESPONSE	VERIFICATION
Inspections & Maintenance Will you be implementing scheduled inspections and maintenance of engineering controls to ensure they are kept in good working order?	Yes	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Housekeeping At the end of every work shift, will you be cleaning the work area and equipment from accumulated dust?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Hygiene At the end of every work shift, will workers and PPE be decontaminated to prevent inadvertent secondary inhalation of RCS dust?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

ADMINISTRATIVE CONTROLS	SITE RESPONSE	VERIFICATION
Silica Safety Instruction & Training Will your workers be instructed and trained in how to safely work within environments where RCS dust exposure is a risk?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Exposure Emergency Preparedness Will your jobsite be prepared for a RCS dust exposure emergency?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Work Shift Scheduling Will you be scheduling work shifts to limit the amount of time an individual worker is exposed to RCS dust?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Barriers Will you use a barrier to isolate the work area from the rest of the construction project and to prevent entry by unauthorized workers?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded
Enclosures Will you use an enclosure to physically contain the dusty atmosphere?	No	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

Engineering and Administrative Controls for Cutting (Power Saw) Concrete with Powered Saw

ENGINEERING CONTROLS VERIFICATION DETAILS

Use a wet cutting system that applies water at the point of cutting.

Not Yet Verified

No verification notes have been added yet

No verification images have been uploaded

ADMINISTRATIVE CONTROLS	VERIFICATION DETAILS
Dynamic Administrative Controls for each activity will be listed here with their answers	Not Yet Verified No verification notes have been added yet No verification images have been uploaded

Combined Exposure Analysys (With Controls)



Safe Caution Danger

Combined Exposure Level: 0.0044 mg/m³

Combined Exposure Level (With Controls)	Combined Exposure Limit	Combined Action Level
0.0044 mg/m³	0.025 mg/m³ Est. Exposure Level within Exposure Limits	0.013 mg/m³ Est. Exposure Level within Action Limits
	Risk Classification	
	Safe Level	

Residual Exposure Control (PPE) for jjj

RESPIRATOR USAGE	REQUIRED PROTECTION FACTOR	RESPIRATOR TYPE & FILTER
PROTECTION REQUIRED	10	Half facepiece, non-powered with P100 filter Please note, the respirator type above is an example of a respirator type that may meet the required protection factor. Users may elect to use alternate respiratory protection equipment that meets the required protection factor rating. Any respirator choice must be fitted with an N100, P100 or R100 filter. Respirators and filters must be NIOSH approved.

WORKER PPE USAGE	SITE RESPONSE	VERIFICATION
Will workers on the jobsite have respirators available?	No	
Will workers in the jobsite wear washable or disposable coveralls?	No	

Final Combined Exposure Analysys



Safe Caution Danger

Combined Exposure Level: 0.0044 mg/m³

Combined Exposure Level (Final)	Combined Exposure Limit	Combined Action Level
------------------------------------	-------------------------	-----------------------

0.0044	mg/m³
--------	-------

0.000 mg/m³ Est. Exposure Level within Exposure Limits

0.013 mg/m³
Est. Exposure Level within
Action Limits

Risk Classification

Safe Level

Documentation

DOCUMENTATION

Documents and materials that augment this ECP submitted to ECP Contact;

ECP Summary available on jobsite as physical copy. Complete ECP available on jobsite as physical or digital copy;

All workers involved must have free access to this ECP and an opportunity to ask questions; All documentation filed at head office for 10 years;

ECP must be reviewed at least annually, and updated as needed due to any changes.

Plan Creator Signature

Auditor Signature

This planning has not yet been verified