

Northwestern University

Cervical Cancer Screening Research

Ayoola Ogunbona

Northwestern University

Master of Science in Data Science,

Winter 2025

Introduction

Cervical cancer is a major global health issue, where early detection is crucial for reducing mortality. Traditional screening methods like Pap smears and HPV testing are often hindered by manual analysis, which is time-consuming and highly prone to error, especially in underserved regions. The integration of artificial intelligence (AI) and machine learning offers vast potential to enhance cervical cancer screening through automated image analysis. This paper examines the role of machine learning in automating Pap smear analysis, drawing insights from existing research on AI in healthcare.

Use Case Description

The Business Problem: Cervical cancer screening faces several challenges including:

- Labor-intensive manual examination by cytologists.
- Variability in diagnosis due to reliance on human expertise.
- Limited access to specialists in many regions.

How the Problem Was Addressed: Machine learning algorithms automate Pap smear analysis, offering faster and more consistent screening. AI can enhance diagnostic consistency, reduce turnaround times, and improve accessibility.

Definition of Success: An effective AI-driven screening must match or surpass human accuracy in identifying precancerous lesions, minimize false negatives for prompt intervention, and enhance workflow efficiency to improve early detection rates.

Data Science Method Used

What It Is: Machine learning enables the automated detection of abnormal cervical cells by processing Pap smear images through a structured pipeline, which includes segmentation, feature extraction, and classification.

How It Works: According to Wasswa et al. (2018) and Perkins et al. (2023), the AI-based analysis of Pap smear images involves several steps:

-Step 1: Image Segmentation

This step separates cervical cells from the background using techniques such as:

K-means Clustering: Groups similar pixels to isolate cell structures.

Fuzzy C-means Clustering: Improves segmentation accuracy by assigning probability values to pixels.

Watershed Segmentation: Aids in separating overlapping cells for clearer feature extraction.

-Step 2: Feature Extraction

Key characteristics are extracted from the segmented cells, including:

Nucleus Size and Shape: Abnormal cells are typically larger and irregularly shaped.

Cytoplasm Texture: Variations can suggest potential malignancy.

Chromatin Distribution: Color intensity differences help identify precancerous changes.

-Step 3: Classification Models

Machine learning models classify the cells as normal, precancerous, or cancerous.

High-performing models includes:

Support Vector Machines (SVMs): Achieve 98.5% accuracy (Perkins et al., 2023).

K-Nearest Neighbors (KNN): Reach 99.27% accuracy (Wasswa et al., 2018). Convolutional

Neural Networks (CNNs): Automatically detect patterns for classification.

How It Was Used: Perkins et al. (2023) explain the enhancement of screening accuracy through AI-based HPV risk stratification, prioritizing high-risk patients for follow-up care. Wasswa et al. (2018) also noted the scalability of AI-driven analysis, demonstrating the capability to process large datasets efficiently. Prior studies indicate that AI-enhanced image analysis significantly improves early detection rates and reduces diagnostic inconsistencies.

Technology Used

- AI-Powered Digital Pathology Systems: The technologies enabling AI-based cervical cancer screening include:
- Medical Image Processing Software: Converts Pap smear slides into digital images for analysis.
- Cloud-Based AI Models: Facilitate real-time data processing and continuous learning.
- Deep Learning Frameworks (TensorFlow, PyTorch): Support accurate classification of cervical cells.

How It Was Used: Integrating AI screening models into hospital workflows has resulted in:
Increased detection rates of high-risk abnormalities.

Reduced diagnostic turnaround times, improving patient care.

Decreased burden on pathologists, allowing focus on complex cases.

These developments highlight how AI automation can enhance healthcare efficiency and patient outcomes.

Conclusion

Machine learning is a crucial tool in cervical cancer screening, providing greater accuracy and accessibility. The integration of AI into Pap smear analysis minimizes diagnostic variability and improves early detection rates, particularly in underserved areas. Prior research supports the notion that AI-powered image analysis enhances cancer detection and streamlines workflows.

Successful deployment requires adherence to healthcare regulations and ethical considerations, along with validation across diverse populations. As AI technologies progress, machine learning-driven screening solutions will be vital in reducing cervical cancer mortality and improving global access to preventative healthcare.

References

Perkins, Rebecca B., Nicolas Wentzensen, Richard S. Guido, and Mark Schiffman. 2023.

“Cervical Cancer Screening: A Review.” JAMA 330 (6): 547–58.

<https://doi.org/10.1001/jama.2023.13174>.

Wasswa, William, Andrew Ware, Annabella Habinka Basaza-Ejiri, and Johnes Obungoloch.

2018. “A Review of Image Analysis and Machine Learning Techniques for Automated Cervical Cancer Screening from Pap-Smear Images.” Computer Methods and Programs in Biomedicine 164: 15–22. <https://doi.org/10.1016/j.cmpb.2018.05.034>.

National Cancer Institute. 2024. “Cervical Cancer Screening.”

<https://www.cancer.gov/types/cervical/screening>