

USING ADOC IN BESPOKE

Aitor Corchero; Eurecat Technology Centre

ADOC INSTALLATION IN BESPOKE

ADD DEPENDENCIES TO PACKAGE.JSON

```
"gulp-chmod": "^1.3.0",  
"gulp-exec": "^2.1.2",
```

INSTALL DEPENDENCIES IN THE PROJECT (SHELL)

```
npm i
```

PREPARE TASKS IN THE GULPFILE.JS

– Define the variables to use

```
chmod = require('gulp-chmod'),  
exec = require('gulp-exec'),
```

PREPARE TASKS IN THE GULPFILE.JS

Define the task in charge of converting adoc to html

```
gulp.task('html', ['clean:html'], function() {  
  return gulp.src('src/index.adoc')  
    .pipe(isDist ? through() : plumber())  
    .pipe(exec('bundle exec asciidoctor-bespoke  
-D public -T src/templates -o - src/index.adoc',  
{ pipeStdout: true })))  
    .pipe(exec.reporter({ stdout: false })))  
    .pipe(rename('index.html'))  
    .pipe(gulp.dest('dist'))
```

PREPARE TASKS IN THE GULPFILE.JS

Define the which function
Replace:

```
gulp.watch('src/**/*.jade', ['html']);
```

By:

```
gulp.watch('src/**/*.adoc', ['html']);
```

¿WHAT CAN WE DO WITH
BESPOKE?

ENABLE KEY INTERACTION

Powered by github.com/markdalgleish/bespoke-keys

TOUCH INTERACTION

Powered by github.com/bespokejs/bespoke-touch

BULLET LIST

bullet Powered by github.com/markdalgleish/bespoke-bullets>bespoke-bullets

— Bullet 1

BULLET LIST

bullet Powered by github.com/markdalgleish/bespoke-bullets">bespoke-bullets

— Bullet 1

— Bullet 2

BULLET LIST

bullet Powered by github.com/markdalgleish/bespoke-bullets">bespoke-bullets

— Bullet 1

— Bullet 2

— Bullet 3

RESPONSIVE SLIDES

Powered by github.com/markdalgleish/bespoke-scale

SYNTAX HIGHLIGHTING

Powered by Lea Verou's github.com/LeaVerou/prism

```
code.language-javascript. bespoke.from('article', [  
  classes(),  
  keys(),  
  touch(),  
  bullets('li, .bullet')  
]);
```

EMPHATIC SLIDE

Powered by github.com/markdalgleish/bespoke-backdrop

PLAYING WITH TABLES

Header 1

Row 1

Header 2

Row 2

PUT HANDS ON THE ASCIIDOC

— Edit the asciidoc in `src/index.adoc`

PUT HANDS ON THE ASCIIDOC

- Edit the asciidoc in `src/index.adoc`
- Edit the styles at `src/styles/main.styl`

PUT HANDS ON THE ASCIIDOC

- Edit the asciidoc in `src/index.adoc`
- Edit the styles at `src/styles/main.styl`
- Enjoy Playing!!!