

सिकंदराबाद मंडल Secunderabad DIVISION



दक्षिण मध्य रेलवे
South Central Railway

कार्य संचालन समय सारणी WORKING TIME TABLE

केवल कार्यालयीन उपयोग हेतु
For Official use only

01 जनवरी 2026 से प्रभावी
FROM 01st JANUARY 2026

के. पद्मजा

प्रधान मुख्य परिचालन प्रबंधक

K. Padmaja

Principal Chief Operations Manager

बी. रवि चंदर

मुख्य यात्री परिवहन प्रबंधक

B. Ravi Chander

Chief Passenger Transportation Manager



संख्या / No.

80



CALENDAR 2026

JANUARY	FEBRUARY	MARCH
S M T W T F S	S M T W T F S	S M T W T F S
1 2 3	1 2 3 4 5 6 7	1 2 3 4 5 6 7
4 5 6 7 8 9 10	8 9 10 11 12 13 14	8 9 10 11 12 13 14
11 12 13 14 15 16 17	15 16 17 18 19 20 21	15 16 17 18 19 20 21
18 19 20 21 22 23 24	22 23 24 25 26 27 28	22 23 24 25 26 27 28
25 26 27 28 29 30 31		29 30 31
APRIL	MAY	JUNE
S M T W T F S	S M T W T F S	S M T W T F S
1 2 3 4	1 2	1 2 3 4 5 6
5 6 7 8 9 10 11	3 4 5 6 7 8 9	7 8 9 10 11 12 13
12 13 14 15 16 17 18	10 11 12 13 14 15 16	14 15 16 17 18 19 20
19 20 21 22 23 24 25	17 18 19 20 21 22 23	21 22 23 24 25 26 27
26 27 28 29 30	24 25 26 27 28 29 30	28 29 30
31		
JULY	AUGUST	SEPTEMBER
S M T W T F S	S M T W T F S	S M T W T F S
1 2 3 4	1	1 2 3 4 5
5 6 7 8 9 10 11	2 3 4 5 6 7 8	6 7 8 9 10 11 12
12 13 14 15 16 17 18	9 10 11 12 13 14 15	13 14 15 16 17 18 19
19 20 21 22 23 24 25	16 17 18 19 20 21 22	20 21 22 23 24 25 26
26 27 28 29 30 31	23 24 25 26 27 28 29	27 28 29 30
	30 31	
OCTOBER	NOVEMBER	DECEMBER
S M T W T F S	S M T W T F S	S M T W T F S
1 2 3	1 2 3 4 5 6 7	1 2 3 4 5
4 5 6 7 8 9 10	8 9 10 11 12 13 14	6 7 8 9 10 11 12
11 12 13 14 15 16 17	15 16 17 18 19 20 21	13 14 15 16 17 18 19
18 19 20 21 22 23 24	22 23 24 25 26 27 28	20 21 22 23 24 25 26
25 26 27 28 29 30 31	29 30	27 28 29 30 31

SOUTH CENTRAL RAILWAY SECUNDERABAD DIVISION WORKING TIME TABLE No. 80

In force on and from **01st January, 2026**, till further notice.

The Working Time Table is redesigned for easy access of the information.

1. This Working Time Table is divided into 03 parts - A, B, C

Part A ► Includes SC Division Jurisdiction, Days of service of Non -Daily Trains, Sub-Urban/ MMTS Timings, Sectional Information of all the sections including the non-coaching sections, Inter-sectional running times, Detailed timing of all the **Special Trains**.

"a" denotes ARRIVAL, "d" denotes DEPARTURE, "s" denotes SKIP/PUBLIC DEPARTURE.

Part B ► Includes the non-timing aspects of all the sections that is Corridor Blocks, PSRs, L.C Gates, Signaling System, Block Instruments, Std of Interlocking, Right hand signals, Control office & Stations Phone No's, Emergency Sockets, Disaster Management Information, Medical facilities, ARTs, MRVs, Girder Bridges, Load Table, Speeds of Wagons Etc.

Part C ► Includes various JPOs, Joint Circulars, Dimensions of different Coaches & Wagons, Safety related information.

2. Standard time is kept at all stations. The timings of trains are shown in this book from 00 to 24 Hours from midnight i.e 12.25 AM is shown as 00.25 and 06.30 PM as 18.30 and so on.

3. The abstract timings showing the departure of all passenger carrying trains at new block stations or halt stations opened after publication of the Time Table should be notified to all concerned by the **Divisional Railway Manager** , irrespective of whether the station is opened for passenger booking or not.

For guidance of Railway Officials only and not to be shown to Public.

*All Railway Officials are invited to point out errors and make suggestions. All previous Working Time Tables are **CANCELLED**.*

K. Padmaja
Principal Chief Operations Manager

B. Ravi Chander
Chief Passenger Transportation Manager

INDEX

Sl. No.	Description	Page No.
PART - A TIMINGS SECTION		
1	SC division jurisdiction	5
2	Non-daily expresses/passengers trains	6 - 10
3	MMTS timings & local train timings	11 - 21
HYB/SC - KCG/NZB/WADI SECTION		
4	Sectional information HYB - SC - WD	22
5	Inter-sectional bare running time	23
6	Detailed timings of SC - KRNT - SC & MLY'G' Cabin	24
7	Detailed timings of SC - NZB - SC	25
8	Detailed timings of SC - HYB - SC	26 - 27
9	Detailed timings of SC - WADI - SC	28 - 53
VKB - PRLI - VKB SECTION		
10	Sectional information of VKB - PRLI	54
11	Inter-sectional bare running time	55
12	Detailed timings of VKB - PRLI - VKB	56 - 63
13	Sectional information & BRT of BIDR - KLBG	64 - 65
14	Detailed timings of BIDR - KLBG	66
HYB/SC - KZJ - HYB/SC SECTION		
15	Sectional information of HYB/SC - KZJ - HYB/SC	67
16	Inter -sectional bare running time	68
17	Detailed timings of HYB/SC - KZJ - HYB/SC	69 - 100
KZJ - BZA - KZJ SECTION		
18	Sectional information of KZJ - BZA - KZJ	101
19	Inter -sectional bare running time	102
20	Detailed timings of KZJ - BZA - KZJ	103 - 162
DKJ - MUGR - DKJ SECTION		
21	Sectional information of DKJ - MUGR - DKJ	163
22	Inter -sectional bare running time	164
23	Detailed timings of DKJ - MUGR - DKJ	165 - 166
KZJ - BPQ - KZJ SECTION		
24	Sectional information of KZJ - BPQ - KZJ	167
25	Inter -sectional bare running time	168
26	Detailed timings of KZJ - BPQ - KZJ	169 - 228
27	Sectional information of PDPL - NZB - PDPL	229
28	Inter -sectional bare running time	230
29	Detailed timings of PDPL - NZB - PDPL	231 - 232
30	Information of non - coaching sections	233

Sl. No.	Description	Page No.
PART - B NON -TIMINGS SECTION		
31	Corridor blocks	1-2
32	Permanent speed restrictions	3-11
33	Details of level crossing gates	12-14
34	Standards of interlocking/Signaling/Class of Stations, DATA Logger availability	14-18
35	Location of First Stop Signals	18-35
36	Details of Right hand signals	36-39
37	Platform Lengths	39-45
38	Station CSRs	46-60
39	Location of EC Sockets	60-75
40	Telephone numbers of all stations	75-79
41	Signal Inspectors Jurisdiction with contact numbers	80-91
42	Telephone numbers of control office	92
43	Telephone numbers of railway officers	93-95
44	Civil authorities and their jurisdiction with contact numbers	96-99
45	Telephone numbers of crew lobbies	99-100
46	Telephone Numbers of Traffic Inspectors & their jurisdictions	100
47	Disaster Management – Quick Response Team (QRT) & their phone numbers	101-104
48	List of trains escorted by RPF/GRP	105
49	Fire Brigadiers units	105-107
50	Medical Officers Telephone Numbers	107
51	Disaster Management	107
52	Location of Railway Hospitals, Health Units & Dispensaries	108
53	Empanelled Hospitals in SC Division	108
54	Details of Neutral Sections & TSS	109-113
55	List of Bridges in SCR requiring operation of TELS to limit the TE to 30t/Loco	114-116
56	Load table (Electric Traction) Goods	117-121
57	Load table (Diesel Traction) Goods	122-125
58	Coast Circular	126-127
59	MAP-A3	

	Description	
S.No.	PART-C	Page
1	Paper Authorities to be used in different circumstances Relevant GR and SR	1-2
2	Speeds of Trains Under Different Circumstances	3-5
3	Details of Cranes and their location	5
4	Status of 140T BD Cranes, ARTs, ARMVs & RMARVs over SCR	6
5	Beat of 140-T BD, ART, ARMVs, crane along with jurisdictions	6-9
6	Conditions for movement of ISMD	9
7	Conditions for movement of ODC	9
8	Procedure to conduct "GLP check" in a sequential manner.	10
9	CC+8+2 Routes on South Central Railway	11-12
10	CC+6+2 Routes on South Central Railway	12
11	Safety Instructions In Electrified Section	13
12	Loco Crew to follow Instructions to avoid Panto Entanglement	13
13	Vande Bharat trains – various loops Trouble shooting and isolation procedure	14-16
14	JPO on Flat Tyre	17-18
15	Joint Procedure Order on Freight Train Examination C&W JPO No 04-2023	19-20
16	CC Rake examination - Premium Rake Examination - End to End examination	20-30
17	JPO for loading, unloading and transportation of Ballast Departmental Material trains (DMTs)	30-33
18	JPO for preventing open doors of wagons hitting Railway structures	33
19	Procedure for Brake Continuity Test on Air Brake Passenger Carrying Trains	35-36
20	JPO on haulage of dead locomotives	37-39
21	JPO for power interception/loco reversal of passenger carrying trains	40
22	Attachment of Inspection Carriages	41
23	JPO for running Head on Generation (HOG) trains	41-42
24	JPO on HOG of SCR locos	42
25	JPO for rectification of failures in Automatic Signals with MSDAC/ Axle Counters	43
26	JPO for placement and removal of Container rakes into & out of Goods sheds/Sidings/Private Freight Terminals	44-45
27	JPO for running freight trains with twin pipe brake system	46-47
28	Joint Procedural Order for Kavach Version 3.2 Operations in SCR	47-50
29	JPO for safe execution of shunting operations – special emphasis on push back movements towards dead end	50-51
30	JPO for Securing and Release of vehicles/load/train/Loco in station/yard or in block section	51-53
31	Procedure for Operation of Signaling Gears under disconnection	53-54
32	Details of Railway Owned Weighbridges over S.C. Railway	55
33	Electric Locomotive Axle Loads	55
34	CRS/GM sanction for Diesel Locos with MPS	56
35	Leading dimensions of conventional ICF coaches	57-58
36	Leading dimensions of Hybrid SG Variant Coaches (LHB Shell with ICF Bogie) with air spring suspension	59
37	Leading dimensions of LHB SG Variant coaches with FIAT bogies.	60
38	Leading dimensions of ICF type Garibrath coaches (EOG)	60
39	Leading dimensions of LHB Variant coaches with FIAT bogies	61-65
40	Leading dimensions of Vande Bharath Train set	65-66
41	Leading dimensions of PUSH-PULL Train (Non AC LHB train with a rake comprising of maximum 22 (HOG/EOG) variant coaches with single WAP5/WAP7 Locomotive at front of rake and same Locomotive at rear of rake)	66
42	MEMU & EMU Technical Details	67-69
43	Diesel Locomotive parameters	70-73
44	Wagon Data (all types of wagons)	74-80

JURISDICTION OF SECUNDERABAD DIVISION

STATIONS		TOTAL KMs	SECTIONAL SPEED
FROM	TO		
BALHARSHAH (EXCL)	KAZIPET JN	231.86	130
KAZIPET JN	SECUNDERABAD	129.64	130
SECUNDERABAD	WADI (EXCL)	194.36	110
VIKARABAD	PARLI VAIJNATH	267.77	110
KHANAPUR	TAJ SULTANPUR	106.57	100
HYDERABAD	SECUNDERABAD	09.46	110
TELAPUR	RAMCHANDRAPURAM	4.73	70
BEGUMPET	HYDERABAD	10.84	110
SANATHNAGAR (BYE PASS)	MOULA ALI (BYE PASS)	22.03	75
KAZIPET	DORNAKAL JN.	95.52	130
DORNAKAL JN.	MANUGURU	103.69	110
DORNAKAL JN.	KONDAPALLI (EXCL)	106.68	130
MOTUMARI	JANPAHAD (EXCL)	78.17	75(E))/60(L)
PEDDAPALLI	NIZAMABAD(EXCL)	177.79	110
MANIKGARH - PANDARPAVANI - GADCHANDUR		27.86	75(E))/60(L)

NON-DAILY EXPRESS / PASSENGER TRAINS ON SC DIVISION WITH DAYS OF SERVICE

Sl. No.	Train No	Freq	Originating		Taking Over		Handing Over		Destination	
			Stn	Days	Stn	Days	Stn	Days	Stn	Days
1	11403	2	NGP	Tue, Sat	PRLI	Wed, Sun	LTRR	Wed, Sun	KOP	Wed, Sun
2	11404	2	KOP	Mon, Fri	LTRR	Mon, Fri	PRLI	Tue, Sat	NGP	Tue, Sat
3	11046	1	DHN	Mon	PRLI	Wed	LTRR	Wed	KOP	Wed
4	11045	1	KOP	Fri	LTRR	Fri	PRLI	Fri	DHN	Sun
5	11405	2	PUNE	Fri,Sun	LTRR	Sat,Mon	PRLI	Sat,Mon	AMI	Sat,Mon
6	11406	2	AMI	Mon,Sat	PRLI	Tue,Sun	LTRR	Tue,Sun	PUNE	Tue,Sun
7	12025	6	PUNE	Exe Tue	WADI	Exe Tue	--	--	SC	ExeTue
8	12026	6	SC	Exe Tue	--	--	WADI	Exe Tue	PUNE	ExeTue
9	12193	1	YPR	Sun	MLY'G'	Mon	BPQ	Mon	JBP	Mon
10	12194	1	JBP	Sat	BPQ	Sat	MLY'G'	Sun	YPR	Sun
11	12213	1	YPR	Sat	SUH	Sun	BPQ	Sun	DEE	Mon
12	12214	1	DEE	Mon	BPQ	Tue	SUH	Wed	YPR	Wed
13	12219	2	LTT	Wed, Sat	WADI	Thu, Sun	--	--	SC	Thu, Sun
14	12220	2	SC	Tue, Fri	--	--	WADI	Wed, Sat	LTT	Wed, Sat
15	12251	2	YPR	Tue, Fri	MLY'G'	Wed, Sat	BPQ	Wed, Sat	KRBA	Thu, Sun
16	12252	2	KRBA	Thu, Sun	BPQ	Thu, Sun	MLY'G'	Fri, Mon	YPR	Fri, Mon
17	12269	2	MAS	Mon, Fri	KI	Mon, Fri	BPQ	Mon, Fri	NZM	Tue, Sat
18	12270	2	NZM	Tue, Sat	BPQ	Wed, Sun	KI	Wed, Sun	MAS	Wed, Sun
19	12285	2	SC	Sun, Thu	--	--	BPQ	Sun, Thu	NZM	Mon,Fri
20	12286	2	NZM	Mon, Fri	BPQ	Tue,Sat	--	--	SC	Tue, Sat
21	12389	1	GAYA	Sun	BPQ	Mon	KI	Mon	MS	Mon
22	12390	1	MS	Tue	KI	Tue	BPQ	Tue	GAYA	Wed
23	12433	2	MAS	Fri, Sun	KI	Fri,Sun	BPQ	Fri, Sun	NZM	Sat, Mon
24	12434	2	NZM	Wed, Fri	BPQ	Thu,Sat	KI	Thu, Sat	MAS	Thu,Sat
25	12437	1	SC	Wed	--	--	BPQ	Wed	NZM	Thu
26	12438	1	NZM	Sun	BPQ	Mon	--	--	SC	Mon
27	12511	3	GKP	Thu, Fri, Sun	BPQ	Fri, Sat, Mon	KI	Fri, Sat, Mon	KCVL	Sat, Sun,Tue
28	12512	3	KCVL	Tue, Wed, Sun	KI	Wed, Thu, Mon	BPQ	Wed, Thu, Mon	GKP	Thu, Fri, Tue
29	12513	1	SC	Sat	--	--	PGDP	Sat	SCL	Mon
30	12514	1	SCL	Wed	PGDP	Sat	--	--	SC	Sat
31	12521	1	BJU	Mon	BPQ	Wed	KI	Wed	ERS	Thu
32	12522	1	ERS	Fri	KI	Sat	BPQ	Sat	BJU	Mon
33	12539	1	YPR	Wed	KI	Thu	BPQ	Thu	LKO	Fri
34	12540	1	LKO	Fri	BPQ	Sat	KI	Sun	YPR	Sun
35	12577	1	DBG	Tue	BPQ	Wed	KI	Thu	MYS	Thu
36	12578	1	MYS	Fri	KI	Sat	BPQ	Sat	DBG	Sun
37	12589	1	GKP	Wed	BPQ	Thu	--	--	SC	Thu
38	12590	1	SC	Thu	--	--	BPQ	Fri	GKP	Sat
39	12591	1	GKP	Sat	BPQ	Sun	SUH	Sun	YPR	Mon
40	12592	1	YPR	Mon	SUH	Tue	BPQ	Tue	GKP	Wed
41	12611	1	MAS	Sat	KI	Sat	BPQ	Sat	NZM	Sun
42	12612	1	NZM	Mon	BPQ	Tue	KI	Tue	MAS	Tue
43	12641	2	CAPE	Wed, Fri	KI	Thu, Sat	BPQ	Thu, Sat	NZM	Fri, Sun
44	12642	2	NZM	Mon, Sat	BPQ	Tue, Sun	KI	Tue, Sun	CAPE	Wed, Mon
45	12643	1	TVC	Tue	KI	Wed	BPQ	Wed	NZM	Thu
46	12644	1	NZM	Fri	BPQ	Sat	KI	Sat	TVC	Sun
47	12645	1	ERS	Sat	KI	Sun	BPQ	Sun	NZM	Mon
48	12646	1	NZM	Tue	BPQ	Wed	KI	Wed	ERS	Thu
49	12647	1	CBE	Sun	MLY'G'	Mon	BPQ	Mon	NZM	Tue
50	12648	1	NZM	Wed	BPQ	Thu	MLY'G'	Thu	CBE	Fri
51	12649	5	YPR	Except Tue, Thu	MLY'G'	Except Wed, Fri	BPQ	Except Wed, Fri	NZM	Except Thu,Sat

NON-DAILY EXPRESS / PASSENGER TRAINS ON SC DIVISION WITH DAYS OF SERVICE

Sl. No.	Train No	Freq	Originating		Taking Over		Handing Over		Destination	
			Stn	Days	Stn	Days	Stn	Days	Stn	Days
52	12650	5	NZM	Except Wed, Fri	BPQ	Except Thu, Sat	MLY'G'	Except Thu, Sat	YPR	Except Fri,Sun
53	12651	2	MDU	Tue, Sun	KI	Tue, Sun	BPQ	Tue, Sun	NZM	Wed,Mon
54	12652	2	NZM	Tue, Thu	BPQ	Wed, Fri	KI	Wed, Fri	MDU	Thu, Sat
55	12669	2	MAS	Mon, Sat	KI	Tue, Sun	BPQ	Tue, Sun	CPR	Wed,Mon
56	12670	2	CPR	Mon, Wed	BPQ	Tue, Thu	KI	Wed, Fri	MAS	Wed, Fri
57	12707	3	TPTY	Mon,Wed, Fri	MLY'G'	Mon,Wed, Fri	BPQ	Mon,Wed, Fri	NZM	Tue, Thu, Sat
58	12708	3	NZM	Wed, Fri, Sun	BPQ	Thu, Sat, Mon	MLY'G'	Thu, Sat, Mon	TPTY	Thu, Sat, Mon
59	12719	2	JP	Wed, Fri	SC	Fri, Sun	--	--	HYB	Fri, Sun
60	12720	2	HYB	Mon, Wed	--	--	SC	Mon, Wed	JP	Wed, Fri
61	12731	2	TPTY	Thu, Sun	SUH	Fri, Mon	--	--	SC	Fri, Mon,
62	12732	2	SC	Wed, Sat	--	--	SUH	Wed, Sat	TPTY	Thu, Sun
63	12735	3	SC	Sun, Wed, Fri	--	--	SUH	Sun, Wed, Fri	YPR	Mon,Thu, Sat
64	12736	3	YPR	Mon, Thu, Sat	SUH	Tue, Fri, Sun	--	--	SC	Tue, Fri, Sun
65	12761	2	TPTY	Wed, Sat	KI	Thu, Sun	--	--	KRM R	Thu, Sun
66	12762	2	KRM R	Thu, Sun	--	--	KI	Fri, Mon	TPTY	Fri, Mon
67	12763	5	TPTY	Except Thu, Sun	KI	Except Fri,Mon	--	--	SC	Except Fri, Mon
68	12764	5	SC	Except Wed, Sat	--	--	KI	Except Thu, Sun	TPTY	Except Thu, Sun
69	12769	2	TPTY	Mon, Fri	--	--	SC	Tue, Sat	SC	Tue, Sat
70	12770	2	SC	Tue, Fri	SC	Tue, Fri	--	--	TPTY	Wed, Sat
71	12771	3	SC	Mon,Wed, Fri	--	--	BPQ	Tue, Thu, Sat	R	Tue, Thu, Sat
72	12772	3	R	Tue, Thu, Sat	BPQ	Wed, Fri, Sun	--	--	SC	Wed, Fri, Sun
73	12773	1	SHM	Wed	KI	Thu	--	--	SC	Thu
74	12774	1	SC	Tue	--	--	KI	Tue	SHM	Wed
75	12775	3	CCT	Tue, Thu, Sun	KI	Wed, Fri, Mon	--	--	LPI	Wed, Fri, Mon
76	12776	3	LPI	Mon,Wed,Fri	--	--	KI	Tue, Thu, Sat	CCT	Tue, Thu, Sat
77	12783	1	VSKP	Sun	PGDP	Mon	--	--	SC	Mon
78	12784	1	SC	Sat	--	--	PGDP	Sat	VSKP	Sun
79	12803	2	VSKP	Mon,Fri	KI	Mon,Fri	BPQ	Mon,Fri	NZM	Tue,Sat
80	12804	2	NZM	Wed,Sun	BPQ	Thu,Mon	KI	Thu,Mon	VSKP	Thu,Mon
81	12851	1	BSP	Sun	BPQ	Sun	KI	Mon	MAS	Mon
82	12852	1	MAS	Mon	KI	Mon	BPQ	Tue	BSP	Tue
83	12967	2	MAS	Tue,Sun	KI	Wed, Mon	BPQ	Wed,Mon	JP	Thu,Tue
84	12968	2	JP	Fri, Sun	BPQ	Sat, Mon	KI	Sun, Tue	MAS	Sun, Tue
85	12969	1	CBE	Fri	KI	Sat	BPQ	Sat	JP	Sun
86	12970	1	JP	Tue	BPQ	Wed	KI	Thu	CBE	Thu
87	12975	2	MYS	Thu, Sat	MLYG	Fri, Sun	BPQ	Fri, Sun	JP	Sat, Mon
88	12976	2	JP	Mon, Wed	BPQ	Tue, Thu	MLYG	Tue, Thu	MYS	Wed, Fri
89	12756	1	BVC	Sat	WADI	Sun	PGDP	Sun	COA	Sun
90	12755	1	COA	Thu	PGDP	Thu	WADI	Thu	BVC	Fri
91	12787	5	NS	Except Fri, Sun	KI	Except Fri, Sun	SC	Except Fri, Sun	NSL	Except Sat, Mon
92	12788	2	NSL	Except Sat, Mon	SC	Except Sat, Mon	KI	Except Sun, Tue	NS	Except Sun, Tue
93	15023	1	GKP	Tue	BPQ	Wed	MLY'G'	Wed	YPR	Thu
94	15024	1	YPR	Thu	MLY'G'	Fri	BPQ	Fri	GKP	Sat
95	16031	3	MAS	Wed, Thu, Sun	KI	Wed, Thu, Sun	BPQ	Wed, Thu,Sun	SVDK	Fri, Sat, Tue
96	16032	3	SVDK	Tue, Fri, Sat	BPQ	Thu, Sun, Mon	KI	Thu,Sun, Mon	MAS	Fri, Mon, Tue
97	16093	2	MAS	Tue, Sat	KI	Tue, Sat	BPQ	Tue, Sat	LJN	Wed, Sun
98	16094	2	LJN	Mon, Thu	BPQ	Tue, Fri	KI	Tue,Fri	MAS	Wed, Sat
99	16317	1	CAPE	Fri	KI	Sat	BPQ	Sat	SVDK	Mon
100	16318	1	SVDK	Mon	BPQ	Wed	KI	Wed	CAPE	Thu

NON-DAILY EXPRESS / PASSENGER TRAINS ON SC DIVISION WITH DAYS OF SERVICE

Sl. No.	Train No	Freq	Originating		Taking Over		Handing Over		Destination	
			Stn	Days	Stn	Days	Stn	Days	Stn	Days
101	16368	1	BSBS	Sun	BPQ	Mon	KI	Mon	CAPE	Tue
102	16367	1	CAPE	Thu	KI	Fri	BPQ	Sat	BSBS	Sat
103	16577	1	YPR	Sun	TJSP	Sun	—	—	BIDR	Sun
104	16578	1	BIDR	Sun	—	—	TJSP	Sun	YPR	Sun
105	16583	3	YPR	Wed, Fri, Sat	SUH	Thu, Sat, Sun	LTRR	Thu, Sat, Sun	LUR	Thu, Sat, Sun
106	16584	3	LUR	Thu, Sat, Sun	LTRR	Thu, Sat, Sun	SUH	Thu, Sat, Sun	YPR	Fri, Sun, Mon
107	16787	1	TEN	Mon	KI	Tue	BPQ	Tue	SVDK	Thu
108	16788	1	SVDK	Thu	BPQ	Sat	KI	Sat	TEN	Sun
109	16571	4	YPR	Sun, Mon, Tue, Thu	SUH	Mon, Tue, Wed, Fri	--	--	BIDR	Mon, Tue, Wed, Fri
110	16572	4	BIDR	Mon, Tue, Wed, Fri	--	--	SUH	Mon, Tue, Wed, Fri	YPR	Tue, Wed, Thu, Sat
111	17001	2	SNSI	Sat, Mon	PRLI	Sun, Tue	--	--	SC	Sun, Tue
112	17002	2	SC	Fri, Sun	--	--	PRLI	Sat, Mon	SNSI	Sat, Mon
113	17005	1	HYB	Thu	--	--	BPQ	Fri	RXL	Sat
114	17006	1	RXL	Sun	BPQ	Mon	--	--	HYB	Mon
115	17007	2	SC	Tue, Sat	--	--	BPQ	Wed, Sun	DBG	Thu, Mon
116	17008	2	DBG	Fri, Tue	BPQ	Sat, Wed	--	--	SC	Sat, Wed
117	17013	3	HDP	Tue, Fri, Sun	LTRR	Tue, Fri, Sun	--	--	KZJ	Wed, Sat, Mon
118	17014	3	KZJ	Mon, Thu, Sat	--	--	LTRR	Tue, Fri, Sun	HDP	Tue, Fri, Sun
119	17019	1	HSR	Tue	SC	Thu	--	--	HYB	Thu
120	17020	1	HYB	Sat	--	--	SC	Sat	HSR	Mon
121	17021	1	HYB	Thu	--	--	SC	Thu	VSG	Fri
122	17022	1	VSG	Fri	SC	Sat	--	--	HYB	Sat
123	17039	2	SC	Wed, Fri	—	—	KCG	Wed, Fri	VSG	Thu, Sat
124	17040	2	VSG	Thu, Sat	KCG	Fri, Sun	—	—	SC	Fri, Sun
125	17205	3	SNSI	Tue, Thu, Sun	PRLI	Wed, Fri, Mon	KI	Wed, Fri, Mon	COA	Wed, Fri, Mon
126	17206	3	COA	Mon, Wed, Sat	KI	Mon, Wed, Sat	PRLI	Mon, Wed, Sat	SNSI	Tue, Thu, Sun
127	17207	1	SNSI	Wed	PRLI	Thu	KI	Sat	MTM	Thu
128	17208	1	MTM	Tue	KI	Tue	PRLI	Tue	SNSI	Wed
129	17221	2	COA	Wed, Sat	PGDP	Wed, Sat	WADI	Thu, Sun	LTT	Thu, Sun
130	17222	2	LTT	Thu, Sun	WADI	Thu, Sun	PGDP	Fri, Mon	COA	Fri, Mon
131	17231	2	NS	Sun, Fri	PGDP	Sun, Fri	SC	Sun, Fri	NSL	Mon, Sat
132	17232	2	NSL	Mon, Sat	SC	Mon, Sat	PGDP	Tue, Sun	NS	Tue, Sun
133	17417	1	TPTY	Tue	SUH	Tue	SC	Tue	SNSI	Wed
134	17418	1	SNSI	Wed	SC	Thu	SUH	Thu	TPTY	Thu
135	17621	1	CPSN	Fri	PRLI	Sat	SUH	Sat	TPTY	Sat
136	17622	1	TPTY	Sat	SUH	Sun	PRLI	Sun	CPSN	Sun
137	17321	1	VSG	Fri	SUH	Fri	BPQ	Sat	JSME	Sun
138	17322	1	JSME	Mon	BPQ	Tue	SUH	Tue	VSG	Wed
139	18111	1	TATA	Thu	KI	Fri	SUH	Sat	YPR	Sat
140	18112	1	YPR	Sun	SUH	Mon	KI	Mon	TATA	Tue
141	18503	1	VSKP	Thu	KI	Thu	SC	Thu	SNSI	Fri
142	18504	1	SNSI	Fri	SC	Sat	KI	Sat	VSKP	Sat
143	20493	2	MDU	Wed, Sun	KI	Thu, Mon	BPQ	Thu, Mon	CDG	Sat, Wed
144	20494	2	CDG	Mon, Fri	BPQ	Tue, Sat	KI	Tue, Sat	MDU	Wed, Sun
145	20481	1	BGKT	Wed	BPQ	Thu	KI	Fri	TPJ	Sat
146	20482	1	TPJ	Sat	KI	Sat	BPQ	Sun	BGKT	Mon
147	20819	1	PURI	Sun	KI	Mon	BPQ	Mon	OKHA	Tue
148	20820	1	OKHA	Wed	BPQ	Thu	KI	Fri	PURI	Fri
149	20803	1	VSKP	Thu	KI	Fri	BPQ	Fri	GIMB	Sat
150	20804	1	GIMB	Sun	BPQ	Mon	KI	Tue	VSKP	Tue

NON-DAILY EXPRESS / PASSENGER TRAINS ON SC DIVISION WITH DAYS OF SERVICE

Sl. No.	Train No	Freq	Originating		Taking Over		Handing Over		Destination	
			Stn	Days	Stn	Days	Stn	Days	Stn	Days
151	20967	1	SC	Wed	--	--	WADI	Wed	PBR	Thu
152	20968	1	PBR	Tue	WADI	Wed	--	--	SC	Wed
153	20916	1	INDB	Sat	WADI	Sun	-	-	LPI	Sun
154	20915	1	LPI	Sun	-	-	WADI	Sun	INDB	Tue
155	20974	1	MMM	Tue	KI	Wed	BPQ	Wed	FZR	Fri
156	20973	1	FZR	Sat	BPQ	Sun	KI	Mon	MMM	Mon
157	20809	3	SBP	Sun, Mon,Fri	KI	Tue, Sat,Mon	SC	Tue, Sat,Mon	NED	Tue, Sat,Mon
158	20810	3	NED	Mon, Tue,Sat	SC	Mon, Tue,Sat	KI	Tue, Wed, Sun	SBP	Tue,Wed, Sun
159	20811	3	VSKP	Tue, Wed,Sat	KI	Wed, Thu,Sun	SC	Wed, Thu, Sun	NED	Wed, Thu,Sun
160	20812	3	NED	Wed, Thu,Sun	SC	Wed, Thu,Sun	KI	Thu, Fri, Mon	VSKP	Thu, Fri, Mon
161	20833	6	VSKP	Exe Tue	KI	Exe Tue	-	-	SC	Exe Tue
162	20834	6	SC	Exe Tue	-	-	KI	Exe Tue	VSKP	Exe Tue
163	20701	6	SC	Exe Tue	-	-	PGDP	Exe Tue	TPTY	Exe Tue
164	20702	6	TPTY	Exe Tue	PGDP	Exe Tue	-	-	SC	Exe Tue
165	20707	6	SC	Exe Thu	KI	Exe Thu	-	-	VSKP	Exe Thu
166	20708	6	VSKP	Exe Thu	-	-	KI	Exe Thu	SC	Exe Thu
167	20101	6	NGP	Exe Tue	BPQ	Exe Tue	--	--	SC	Exe Tue
168	20102	6	SC	Exe Tue	--	--	BPQ	Exe Tue	NGP	Exe Tue
169	22533	1	GKP	Mon	BPQ	Tue	SUH	Tue	YPR	Wed
170	22534	1	YPR	Wed	SUH	Thu	BPQ	Thu	GKP	Fri
171	22535	1	RMM	Wed	KI	Thu	BPQ	Fri	BSBS	Sat
172	22536	1	BSBS	Sun	BPQ	Mon	KI	Tue	RMM	Wed
173	22669	1	ERS	Sat	KI	Sun	BPQ	Mon	PNBE	Tue
174	22670	1	PNBE	Tue	BPQ	Wed	KI	Thu	ERS	Thu
175	22613	1	RMM	Sun	KI	Mon	BPQ	Tue	AYC	Wed
176	22614	1	AYC	Wed	BPQ	Thu	KI	Fri	RMM	Sat
177	22673	1	BGKT	Thu	BPQ	Fri	KI	Sat	MQ	Sat
178	22674	1	MQ	Mon	KI	Tue	BPQ	Tue	BGKT	Wed
179	22717	3	RJT	Mon,Wed,Thu	WADI	Tue, Thu,Fri	--	--	SC	Tue, Thu,Fri
180	22718	3	SC	Mon, Tue,Sat	--	--	WADI	Mon, Tue,Sat	RJT	Tue, Wed, Sun
181	22737	1	SC	Tue, Wed	--	--	BPQ	Wed, Thu	HSR	Thu,Fri
182	22738	1	HSR	Fri, Sun	BPQ	Sun, Tue	--	--	SC	Sun, Tue
183	22143	3	CSMT	Wed, Fri,Sat	LTRR	Thu, Sat,Sun	--	--	BIDR	Thu, Sat,Sun
184	22144	3	BIDR	Thu, Sat,Sun	--	--	LTRR	Thu, Sat,Sun	CSMT	Fri, Sun,Mon
185	22151	1	PUNE	Fri	BPQ	Sat	--	--	KZJ	Sat
186	22152	1	KZJ	Sun,	--	--	BPQ	Sun	PUNE	Mon
187	22203	3	VSKP	Tue, Thu,Sun	PGDP	Wed, Fri,Mon	--	--	SC	Wed, Fri,Mon
188	22204	3	SC	Mon,Wed,Sat	--	--	PGDP	Mon,Wed,Sat	VSKP	Tue, Thu,Sun
189	22351	1	PPTA	Fri	BPQ	Sat	KI	Sun	SMVB	Sun
190	22352	1	SMVB	Mon	KI	Mon	BPQ	Tue	PPTA	Wed
191	22353	1	PNBE	Thu	BPQ	Fri	KI	Sat	SMVB	Sat
192	22354	1	SMVB	Sun	KI	Mon	BPQ	Mon	PNBE	Tue
193	22403	1	PDY	Wed	KI	Wed	BPQ	Thu	NDLS	Fri
194	22404	1	NDLS	Sun	BPQ	Mon	KI	Tue	PDY	Tue
195	22619	1	BSP	Tue	BPQ	Tue	KI	Wed	TEN	Thu
196	22620	1	TEN	Sun	KI	Mon	BPQ	Mon	BSP	Mon
197	22631	1	MDU	Thu	KI	Fri	BPQ	Fri	BKN	Sat
198	22632	1	BKN	Sun	BPQ	Mon,	KI	Tue	MDU	Tue
199	22645	1	INDB	Mon	BPQ	Tue	KI	Tue	KCVL	Wed
200	22646	1	KCVL	Sat	KI	Sun	BPQ	Sun	INDB	Mon

NON-DAILY EXPRESS / PASSENGER TRAINS ON SC DIVISION WITH DAYS OF SERVICE

Sl. No.	Train No	Freq	Originating		Taking Over		Handing Over		Destination	
			Stn	Days	Stn	Days	Stn	Days	Stn	Days
201	22647	2	KRBA	Wed, Sat	BPQ	Thu, Sun	KI	Thu, Sun	KCVL	Fri, Mon
202	22648	2	KCVL	Mon, Thu	KI	Tue, Fri	BPQ	Tue, Fri	KRBA	Wed, Sat
203	22663	1	MS	Sat	KI	Sat	BPQ	Sun	JU	Mon
204	22664	1	JU	Tue	BPQ	Wed	KI	Wed	MS	Wed
205	22683	1	YPR	Mon	MLY'G'	Tue	BPQ	Tue	LKO	Wed
206	22684	1	LKO	Thu	BPQ	Fri	MLY'G'	Sat	YPR	Sat
207	22705	1	TPTY	Tue	SUH	Wed	BPQ	Wed	JAT	Thu
208	22706	1	JAT	Fri	BPQ	Sat	SUH	Sat	TPTY	Sun
209	22815	1	BSP	Mon	BPQ	Mon	KI	Tue	ERS	Tue
210	22816	1	ERS	Wed	KI	Thu	BPQ	Thu	BSP	Thu
211	22849	1	SHM	Wed	KI	Thu	--	--	SC	Thu
212	22850	1	SC	Fri	--	--	KI	Fri	SHM	Sat
213	22881	1	PUNE	Thu	WADI	Thu	PGDP	Thu	BBS	Fri
214	22882	1	BBS	Tue	PGDP	Wed	WADI	Wed	PUNE	Thu
215	67779	6	KCG	Except Sat	MLYG	Except Sat	PGDP	Except Sat	NDKD	Sat
216	67780	6	NDKD	Except Sat	PGDP	Except Sat	MLYG	Except Sat	KCG	Sat
217	77653	6	SC	Except Wed	—	—	SC	Except Wed	SIPT	Except Wed
218	77654	6	SIPT	Except Wed	SC	Except Wed	-	-	SC	Except Wed
219	77655	6	SC	Except Wed	—	—	SC	Except Wed	SIPT	Except Wed
220	77656	6	SIPT	Except Thu	SC	Except Thu	-	-	SC	Except Thu
221	77638	6	KLBG	Except Sun	TJSP	Except Sun	-	-	BIDR	Except Sun
222	77635	6	BIDR	Except Sun	-	-	TJSP	Except Sun	KLBG	Except Sun
223	77636	6	KLBG	Except Sun	TJSP	Except Sun	-	-	BIDR	Except Sun
224	77637	6	BIDR	Except Sun	-	-	TJSP	Except Sun	KLBG	Except Sun
225	77631	6	BIDR	Except Sun	-	-	TJSP	Except Sun	KLBG	Except Sun
226	77632	6	KLBG	Except Sun	TJSP	Except Sun	-	-	BIDR	Except Sun
227	77633	6	BIDR	Except Sun	-	-	TJSP	Sun	KLBG	Except Sun
228	77634	6	KLBG	Except Sun	TJSP	Except Sun	-	-	BIDR	Except Sun
229	05293	1	MFP	Tue	BPQ	Wed	-	-	SC	Wed
230	05294	1	SC	Thu	-	-	BPQ	Thu	MFP	Fri
231	04717	1	HSR	Sat	BPQ	Sun	KI	Mon	TPTY	Mon
232	04718	1	TPTY	Mon	KI	Tue	BPQ	Tue	HSR	Wed
233	07075	1	HYB	Fri	BPQ	Sat	-	-	GKP	Sun
234	07076	1	GKP	Sun	-	-	BPQ	Mon	HYB	Mon
235	07030	1	SC	Mon	-	—	PGDP	Mon	AGTL	Thu
236	07029	1	AGTL	Fri	PGDP	Sun	-	-	SC	Sun
237	07020	1	HYB	Fri	-	-	SC	Fri	JP	Sun
238	07019	1	JP	Sun	SC	Tue	-	-	HYB	Tue
239	05074	1	LKU	Sat	BPQ	Sun	KI	Mon	SBC	Mon
240	07073	1	SBC	Tue	KI	Tue	BPQ	Wed	LKU	Thu
241	03679	1	GAYA	Sat	BPQ	Sun	KI	Mon	CBE	Mon
242	03680	1	CBE	Tue	KI	Tue	BPQ	Wed	GAYA	Thu
243	11085	1	SMVB	Sun	MLYG	Mon	BPQ	Mon	GWL	Tue
244	11086	1	GWL	Fri	BPQ	Sat	MLYG	Sat	SMVB	Sun
245	15293	1	MFP	Tue	BPQ	Wed	-	-	CHZ	Wed
246	15294	1	CHZ	Thu	BPQ	Fri	-	-	MFP	Fri
247	20625	5	MAS	Exe.Wed,Sat	KI	Exe.Thu,Sun	BPQ	Exe.Thu,Sun	BGKT	Exe.Fri,Mon
248	20626	5	BGKT	Exe.Tue,Sat	BPQ	Exe.Wed,Sun	KI	Exe.Wed,Sun	MAS	Exe.Wed,Sun
249	16601	1	ED	Thu	KI	Thu	BPQ	Fri	JBN	Sat
250	16602	1	JBN	Sun	BPQ	Tue	KI	Tue	ED	Wed
251	17425	1	TPTY	Sun	PGDP	Sun	PRLI	Sun	SNSI	Mon
252	17426	1	SNSI	Mon	PRLI	Tue	PGDP	Tue	TPTY	Wed

MMTS TIMINGS

UMDANAGAR-FALAKNUMA-SECUNDERABAD- LINGAMPALLI-TELLAPUR-RAMACHANDRAPURAM												
STATIONS		47151	47150 #@	47153	47154	47211 MB-1	47155	47165	47157 #@	47252	47246	47248
Umdanagar	d	04:15		05:50	06:40	07:30		08:50		11:20		15:00
Budvel	d	04:26		06:01	06:51	07:41		09:01		11:31		15:11
NPA Shivarampalli	d	04:30		06:05	06:55	07:45		09:05		11:35		15:15
Falaknuma	d	04:37		06:12	07:02	07:52	08:40	09:12	09:25	11:42	12:15	15:22
Huppuguda	d	04:40		06:15	07:05	07:55	08:43	09:15	09:28	11:45	12:18	15:25
Yakutpura	d	04:43		06:18	07:08	07:58	08:46	09:18	09:31	11:48	12:21	15:28
Dabirpura	d	04:45		06:20	07:10	08:00	08:48	09:20	09:33	11:50	12:23	15:30
Malakpet	d	04:47		06:22	07:12	08:02	08:50	09:22	09:35	11:52	12:25	15:32
Kacheguda	a	04:53		06:26	07:16	08:06	08:54	09:26	09:39	11:56	12:29	15:36
	d	04:54		06:27	07:17	08:07	08:55	09:27	09:40	11:57	12:30	15:37
Vidyanagar	d	04:57		06:30	07:20	08:10	08:58	09:30	09:43	12:00	12:33	15:40
Jamai Osmania	d	04:59		06:32	07:22	08:12	09:00	09:32	09:45	12:02	12:35	15:42
Arts college	d	05:01		06:34	07:24	08:14	09:02	09:34	09:47	12:04	12:37	15:44
Sitafalmandi	d	05:05		06:37	07:27	08:16	09:05	09:37	09:50	12:07	12:40	15:47
Secunderabad Jn.	a	05:30		07:00	07:50	08:35	09:15	09:50	10:00	12:20	13:00	16:00
	d	05:32	06:05	07:02	07:52	08:37	09:17	09:52	10:02			
James street	d	05:36	06:09	07:06	07:56	08:41	09:21	09:56	10:06			
Sanjeevaiah park	d	05:40	06:13	07:10	08:00	08:45	09:25	10:00	10:10			
Begumpet	d	05:45	06:18	07:15	08:05	08:50	09:30	10:05	10:15			
N.C. Hospital	d	05:48	06:21	07:18	08:08	08:53	09:33	10:08	10:18			
Fatehnagar	d	05:51	06:24	07:21	08:11	08:56	09:36	10:11	10:21			
Bharatnagar	d	05:54	06:27	07:24	08:15	08:59	09:39	10:14	10:24			
Borabanda	d	05:57	06:30	07:27	08:18	09:02	09:42	10:17	10:27			
Hitech city	d	06:01	06:34	07:31	08:21	09:06	09:46	10:21	10:31			
Hafizpeta	d	06:05	06:38	07:35	08:25	09:10	09:50	10:25	10:35			
Chandanagar	d	06:09	06:42	07:39	08:29	09:14	09:54	10:29	10:39			
Lingampalli	a	06:30	07:05	08:00	08:55	09:35	10:06	10:50	11:00			
Tellapur Jn	d				09:10	10:00	10:10	11:20				
BHEL Halt	d						10:15					
Ramachandrapuram	d						10:45					

(@) No Service on Saturday and (#) No Service on Sunday

MMTS TIMINGS

UMDANAGAR-FALAKNUMA-SECUNDERABAD- LINGAMPALLI-TELLAPUR- RAMACHANDRAPURAM										
47160	47163	47164 #@	47207	47166 #@	47167	47203 #@	47218	47170 #@	47220	Stn. Code
	16:30	17:45				20:10				UR
	16:41	17:56				20:21				BDVL
	16:45	18:00				20:25				NSVP
15:50	16:52	18:07	19:00	19:30	20:00	20:32	21:05	22:10	23:15	FM
15:53	16:55	18:10	19:03	19:33	20:03	20:35	21:08	22:13	23:18	HPG
15:56	16:58	18:13	19:06	19:36	20:06	20:38	21:11	22:16	23:21	YKA
15:58	17:00	18:15	19:08	19:38	20:08	20:40	21:13	22:18	23:24	DQR
16:00	17:02	18:17	19:10	19:40	20:10	20:42	21:15	22:20	23:26	MXT
16:04	17:06	18:21	19:14	19:44	20:14	20:46	21:22	22:24	23:30	KCG
16:05	17:07	18:22	19:15	19:45	20:15	20:47	21:23	22:25	23:31	
16:08	17:10	18:25	19:18	19:48	20:18	20:50	21:26	22:28	23:34	VAR
16:10	17:12	18:27	19:20	19:50	20:20	20:52	21:28	22:30	23:36	JOO
16:12	17:14	18:29	19:22	19:52	20:22	20:54	21:30	22:32	23:38	ATC
16:15	17:17	18:32	19:25	19:55	20:25	20:57	21:33	22:35	23:41	STPD
16:30	17:30	18:52	19:40	20:15	20:35	21:15	21:45	22:50	23:50	SC
16:32	17:32	18:54	19:45	20:17	20:37	21:17	21:47	22:52	23:52	
16:36	17:36	18:58	19:49	20:21	20:41	21:21	21:51	22:56	23:56	JET
16:40	17:40	19:02	19:53	20:25	20:45	21:25	21:55	23:00	00:00	SJVP
16:45	17:45	19:07	19:58	20:30	20:50	21:30	22:00	23:05	00:05	BMT
16:48	17:48	19:10	20:01	20:33	20:53	21:33	22:03	23:08	00:08	NCHS
16:51	17:51	19:13	20:04	20:36	20:56	21:36	22:06	23:11	00:11	FNB
16:54	17:54	19:16	20:07	20:39	20:59	21:39	22:09	23:14	00:14	BTNR
16:57	17:57	19:19	20:10	20:42	21:02	21:42	22:12	23:17	00:17	BRBD
17:01	18:01	19:23	20:14	20:46	21:06	21:46	22:16	23:21	00:21	HTCY
17:05	18:05	19:27	20:18	20:50	21:10	21:50	22:20	23:25	00:25	HFZ
17:09	18:09	19:31	20:22	20:54	21:14	21:54	22:24	23:29	00:29	CDNR
17:40	18:35	19:45	20:50	21:10	21:30	22:10	22:35	23:45	00:45	LPI
			21:00				22:39			TLPR
							22:44			BHEL
							23:15			RCPT

(@) No Service on Saturday and (#) No Service on Sunday

MMTS TIMINGS

RAMACHANDRAPURAM - TELLAPUR-LINGAMPALLI - SECUNDERABAD - FALAKNUMA - UMDANAGAR											
STATIONS		47213	47173	47175	47179 #@	47176	47177	47178	47212	47247	47249
Ramachandra puram	<i>d</i>	-					08:30				
BHEL Jn	<i>d</i>						08:35				
Tellapur	<i>d</i>						08:40	09:20	10:15		
Lingampalli	<i>d</i>	03:55	05:50	06:40	07:20	08:25	08:54	09:30	10:20		
Chandanagar	<i>d</i>	04:00	05:55	06:45	07:25	08:30	08:59	09:35	10:25		
Hafizpeta	<i>d</i>	04:07	06:07	06:52	07:32	08:37	09:06	09:42	10:32		
Hitech city	<i>d</i>	04:12	06:12	06:57	07:37	08:42	09:11	09:47	10:37		
Borabanda	<i>d</i>		06:16	07:01	07:41	08:46	09:15	09:51	10:41		
Bharatnagar	<i>d</i>		06:20	07:05	07:45	08:50	09:19	09:55	10:45		
Fatehnagar	<i>d</i>		06:24	07:08	07:48	08:53	09:22	09:58	10:48		
Nature Cure Hospital	<i>d</i>		06:26	07:11	07:51	08:56	09:25	10:01	10:51		
Begumpet	<i>d</i>	04:29	06:29	07:14	07:54	08:59	09:28	10:04	10:54		
Sanjeevaiah park	<i>d</i>		06:34	07:19	07:59	09:05	09:33	10:09	10:59		
James street	<i>d</i>		06:38	07:23	08:03	09:08	09:37	10:13	11:03		
Secunderabad Jn.	<i>a</i>	04:40	06:50	07:50	08:10	09:15	09:50	10:30	11:20		
	<i>d</i>	04:42	06:52	07:52	08:15	09:17	09:52	10:32	11:22	13:10	16:10
Sitafalmandi	<i>d</i>	04:47	06:57	07:57	08:20	09:22	09:57	10:37	11:27	13:15	16:15
Arts college	<i>d</i>	04:49	06:59	07:59	08:22	09:24	09:59	10:39	11:29	13:17	16:17
Jamai Osmania	<i>d</i>	04:51	07:01	08:01	08:24	09:26	10:01	10:41	11:31	13:19	16:19
Vidyanagar	<i>d</i>	04:53	07:03	08:03	08:26	09:28	10:03	10:43	11:33	13:21	16:21
Kacheguda	<i>a</i>	04:57	07:07	08:07	08:32	09:32	10:07	10:47	11:37	13:25	16:25
	<i>d</i>	04:58	07:08	08:08	08:33	09:33	10:08	10:48	11:38	13:26	16:26
Malakpet	<i>d</i>	05:01	07:11	08:11	08:36	09:36	10:12	10:51	11:41	13:29	16:29
Dabirpura	<i>d</i>	05:03	07:13	08:13	08:38	09:38	10:14	10:53	11:43	13:31	16:31
Yakutpura	<i>d</i>	05:05	07:15	08:15	08:40	09:40	10:16	10:55	11:45	13:33	16:33
Huppuguda	<i>d</i>	05:09	07:19	08:19	08:44	09:44	10:20	10:59	11:49	13:37	16:37
Falaknuma	<i>d</i>	05:14	07:24	08:30	08:50	09:49	10:25	11:04	12:00	13:42	16:42
NPA Shivarampalli	<i>d</i>	05:20	07:30			09:55		11:10		13:48	16:48
Budvel	<i>d</i>	05:25	07:35			10:00		11:15		13:53	16:53
Umdanagar	<i>a</i>	05:55	07:50			10:10		11:30		14:15	17:11

(@) No Service on Saturday and (#) No Service on Sunday

MMTS TIMINGS

RAMACHANDRAPURAM - LINGAMPALLI - SECUNDERABAD - FALAKNUMA - UMDANAGAR															
STATIONS		47210 #@	47184	47187 #@	47188 MB-2	47190 #@	47250 #@	47217	47191 #@	47192	47159	47194	47195# @	47193	Stn. Code
Ramachandra puram															
BHEL Jn															BHEL
Tellapur			16:45								21:15				TLPR
Lingampalli	d	16:10	17:00	17:35	17:55	18:45		19:15	19:55	21:20	21:31	22:00	22:50	23:30	LPI
Chandanagar	d	16:15	17:05	17:40	18:00	18:50		19:20	20:00	21:25	21:35	22:05	22:54	23:34	CDNR
Hafizpeta	d	16:22	17:12	17:47	18:07	18:57		19:27	20:07	21:32	21:42	22:12	23:00	23:40	HFZ
Hitech city	d	16:27	17:17	17:52	18:12	19:02		19:32	20:12	21:37	21:47	22:17	23:05	23:45	HTCY
Borabanda	d	16:31	17:21	17:56	18:16	19:06		19:36	20:16	21:41	21:51	22:21	23:09	23:49	BRBD
Bharatnagar	d	16:35	17:25	18:00	18:20	19:10		19:40	20:20	21:45	21:55	22:25	23:12	23:52	BTNR
Fatehnagar	d	16:38	17:28	18:03	18:24	19:13		19:44	20:23	21:48	21:58	22:28	23:16	23:56	FNB
Nature Cure Hospital	d	16:41	17:31	18:06	18:26	19:16		19:46	20:26	21:51	22:01	22:31	23:18	23:58	NCHS
Begumpet	d	16:44	17:34	18:09	18:29	19:19		19:49	20:29	21:54	22:04	22:34	23:20	00:00	BMT
Sanjeevaiah park	d	16:49	17:39	18:14	18:34	19:24		19:54	20:34	21:59	22:09	22:39	23:23	00:03	SJVP
James street	d	16:53	17:43	18:18	18:38	19:28		19:58	20:38	22:03	22:13	22:43	23:26	00:06	JET
Secunderabad Jn.	a	17:10	18:00	18:35	18:50	19:35		20:05	21:00	22:10	22:33	22:55	23:40	00:20	SC
	d	17:12	18:05	18:37	18:55	19:37		20:07	21:02	22:12	22:35	22:57			
Sitafalmandi	d	17:17	18:10	18:42	19:00	19:42		20:12	21:10	22:17	22:40	23:02			STPD
Arts college	d	17:19	18:12	18:44	19:02	19:44		20:14	21:12	22:19	22:42	23:04			ATC
Jamai Osmania	d	17:21	18:14	18:46	19:04	19:46		20:16	21:14	22:21	22:44	23:06			JOO
Vidyanagar	d	17:23	18:16	18:48	19:06	19:48		20:18	21:16	22:23	22:46	23:08			VAR
Kacheguda	a	17:27	18:23	18:52	19:10	19:52		20:22	21:22	22:27	22:50	23:12			KCG
	d	17:28	18:24	18:53	19:11	19:53		20:23	21:23	22:28	22:51	23:13			
Malakpet	d	17:31	18:27	18:56	19:14	19:56		20:26	21:26	22:31	22:54	23:16			MXT
Dabirpura	d	17:33	18:29	18:58	19:16	19:58		20:28	21:28	22:33	22:56	23:18			DQR
Yakutpura	d	17:35	18:31	19:00	19:18	20:00		20:30	21:30	22:35	22:58	23:20			YKA
Huppuguda	d	17:39	18:35	19:04	19:22	20:04		20:34	21:34	22:39	23:02	23:24			HPG
Falaknuma	d	17:44	18:45	19:10	19:40	20:10	20:30	20:45	21:45	22:45	23:07	23:29			FM
NPA Shivarampalli	d	17:50					20:36				23:13	23:35			NSVP
Budvel	d	17:55					20:41				23:18	23:40			BDVL
Umdanagar	a	18:15					21:15				23:35	23:55			UR

(@) No Service on Saturday and (#) No Service on Sunday

RAMACHANDRAPURAM-LINGAMPALLI- HYDERABAD										
STATIONS		47126	47128	47130	47140 #@	47142	47143	47145	47146	Station Code
RAMACHANDRA PURAM						16:40				RCPT
BHEL						16:45				BHEL
TELLAPUR						16:50				TLPR
LINGAMPALLI	<i>d</i>	07:00	07:55	09:45	16:00	17:10	18:50	20:10	21:05	LPI
CHANDANAGAR	<i>d</i>	07:05	08:00	09:50	16:05	17:15	18:55	20:15	21:10	CDNR
HAFEEZPET	<i>d</i>	07:12	08:07	09:57	16:12	17:22	19:02	20:22	21:17	HFZ
HITECH CITY	<i>d</i>	07:16	08:11	10:01	16:16	17:26	19:06	20:26	21:21	HTCY
BORABANDA	<i>d</i>	07:20	08:15	10:05	16:20	17:30	19:10	20:30	21:25	BRBD
BHARATNAGAR	<i>d</i>	07:23	08:18	10:08	16:23	17:33	19:13	20:33	21:28	BTNR
FATEH NAGAR	<i>d</i>	07:26	08:21	10:11	16:26	17:36	19:16	20:36	21:31	FNB
N. C. HOSPITAL	<i>d</i>	07:29	08:24	10:14	16:29	17:39	19:19	20:39	21:34	NCHS
BEGUMPET	<i>d</i>	07:32	08:27	10:17	16:32	17:42	19:22	20:42	21:37	BMT
NECKLACE ROAD	<i>d</i>	07:36	08:31	10:21	16:36	17:46	19:26	20:46	21:41	NLRD
KHAIRATABAD	<i>d</i>	07:39	08:34	10:24	16:39	17:49	19:29	20:49	21:44	KQD
LAKDI KA PUL	<i>d</i>	07:42	08:37	10:27	16:42	17:52	19:32	20:52	21:47	LKPL
HYDERABAD	<i>a</i>	07:55	08:55	10:40	16:55	18:15	19:50	21:10	22:00	HYB

(@) No Service on Saturday and (#) No Service on Sunday

HYDERABAD - LINGAMPALLI												
STATIONS		47101	47102	47103	47104	47111	47120 #@	47119	47121	47122	47125	Stn. Code
HYDERABAD	<i>d</i>	05:50	06:40	08:10	09:00	10:50	17:20	18:05	19:00	20:00	22:15	HYB
LAKDI KA PUL	<i>d</i>	05:53	06:43	08:13	09:03	10:53	17:23	18:08	19:03	20:03	22:18	LKPL
KHAIRATABAD	<i>d</i>	05:57	06:47	08:17	09:07	10:57	17:27	18:12	19:07	20:07	22:22	KQD
NECKLACE ROAD	<i>d</i>	06:00	06:50	08:20	09:10	11:00	17:30	18:15	19:10	20:10	22:25	NLRD
BEGUMPET	<i>d</i>	06:02	06:52	08:22	09:12	11:02	17:32	18:17	19:12	20:12	22:27	BMT
N. C. HOSPITAL	<i>d</i>	06:04	06:54	08:24	09:14	11:04	17:34	18:19	19:14	20:14	22:29	NCHS
FATEH NAGAR	<i>d</i>	06:07	06:57	08:27	09:17	11:07	17:37	18:22	19:17	20:17	22:32	FNB
BHARATNAGAR	<i>d</i>	06:10	07:00	08:30	09:20	11:10	17:40	18:25	19:20	20:20	22:35	BTNR
BORABANDA	<i>d</i>	06:12	07:02	08:32	09:22	11:12	17:42	18:27	19:22	20:22	22:37	BRBD
HITECH CITY	<i>d</i>	06:16	07:06	08:36	09:26	11:16	17:46	18:31	19:26	20:26	22:41	HCTY
HAFEEZPET	<i>d</i>	06:19	07:09	08:39	09:29	11:19	17:49	18:34	19:29	20:29	22:44	HFZ
CHANDANAGAR	<i>d</i>	06:22	07:12	08:42	09:32	11:22	17:52	18:37	19:32	20:32	22:47	CDNR
LINGAM PALLI	<i>a</i>	06:50	07:32	09:05	10:00	11:45	18:20	19:00	20:00	20:50	23:05	LPI

(@) No Service on Saturday and (#) No Service on Sunday

MMTS TIMINGS

RAMACHANDRAPURAM- LINGAMPALLI- SECUNDERABAD-MEDCHAL									
STATIONS		47232 #	47225	47243	47238 #	47227	47245 #	47229	Stn. Code
Ramachandra puram	<i>d</i>								<i>RCPT</i>
Tellapur	<i>d</i>					18:20			<i>TLPR</i>
Lingampalli	<i>d</i>		10:05			18:25			<i>LPI</i>
Chandanagar	<i>d</i>		10:10			18:30			<i>CDNR</i>
Hafizpeta	<i>d</i>		10:17			18:37			<i>HFZ</i>
Hitech city	<i>d</i>		10:22			18:42			<i>HTCY</i>
Borabanda	<i>d</i>		10:26			18:46			<i>BRBD</i>
Bharatnagar	<i>d</i>		10:30			18:50			<i>BTNR</i>
Fatehnagar	<i>d</i>		10:33			18:53			<i>FNB</i>
Nature Cure Hospital	<i>d</i>		10:36			18:56			<i>NCHS</i>
Begumpet	<i>d</i>		10:39			18:59			<i>BMT</i>
Sanjeevaiah park	<i>d</i>		10:44			19:04			<i>SJVP</i>
James street	<i>d</i>		10:48			19:08			<i>JET</i>
Secunderabad Jn.	<i>a</i>		11:00			19:15			SC
	<i>d</i>	07:20	11:02	12:30	18:20	19:17	20:50	22:00	
Lallaguda Gate	<i>d</i>	07:26	11:08	12:36	18:26	19:23	20:56	22:06	<i>LGDH</i>
Malkajgiri	<i>d</i>	07:35	11:12	12:40	18:30	19:27	21:00	22:10	<i>MJF</i>
Dayanand nagar	<i>d</i>	07:37	11:14	12:42	18:32	19:29	21:02	22:12	<i>DYE</i>
Safilguda	<i>d</i>	07:39	11:16	12:44	18:34	19:31	21:04	22:14	<i>SFX</i>
Ramakistapuram Gate	<i>d</i>	07:42	11:19	12:47	18:37	19:34	21:07	22:17	<i>RKO</i>
Ammuguda	<i>d</i>	07:44	11:21	12:49	18:39	19:36	21:09	22:19	<i>AMQ</i>
Cavalry Barracks	<i>d</i>	07:49	11:26	12:54	18:44	19:41	21:14	22:24	<i>CVB</i>
Alwal	<i>d</i>	07:53	11:30	12:58	18:48	19:45	21:18	22:28	<i>ALW</i>
Bolaurm Bazar	<i>d</i>	07:55	11:32	13:00	18:50	19:47	21:20	22:30	<i>BOZ</i>
Bolarum	<i>d</i>	07:59	11:36	13:04	18:54	19:51	21:24	22:34	<i>BMO</i>
Gundla Pochampalli	<i>d</i>	08:05	11:42	13:10	19:00	19:57	21:30	22:40	<i>GDPL</i>
Gowdavalli	<i>d</i>	08:10	11:47	13:15	19:05	20:02	21:35	22:45	<i>GWV</i>
Medchal	<i>a</i>	08:30	12:00	13:30	19:20	20:20	21:50	23:00	<i>MED</i>
(@) No Service on Saturday and (#) No Service on Sunday									

MEDCHAL- SECUNDERABAD - LINGAMPALLI -RAMACHANDRAPURAM								
STATIONS		47231 #	47222	47226	47237 #	47242 #	47228	Stn. Code
Medchal	d	06:05	07:40	15:30	17:10	19:40	20:40	MED
Gowdavalli	d	06:11	07:46	15:36	17:16	19:46	20:46	GWV
Gundla pochampalli	d	06:18	07:53	15:43	17:23	19:53	20:53	GDPL
Bolarum	d	06:27	08:02	15:52	17:32	20:02	21:02	BMO
Bolarum Bazar	d	06:31	08:06	15:56	17:36	20:06	21:06	BOZ
Alwal	d	06:34	08:09	15:59	17:39	20:09	21:09	ALW
Cavalry Barracks	d	06:37	08:12	16:02	17:42	20:12	21:12	CVB
Ammuguda	d	06:39	08:14	16:04	17:44	20:14	21:14	AMQ
Ramakistaapuram Gate	d	06:41	08:16	16:06	17:46	20:16	21:16	RKO
Safilguda	d	06:44	08:19	16:09	17:49	20:19	21:19	SFX
Dayanandnagar	d	06:46	08:21	16:11	17:51	20:21	21:21	DYE
Malkajgiri	d	06:48	08:23	16:13	17:53	20:23	21:23	MJF
Lallaguda Gate	d	06:50	08:25	16:15	17:55	20:25	21:25	LGDH
Secunderabad Jn.	a	07:10	08:55	16:35	18:10	20:40	21:45	SC
	d		08:57	16:37				
James street	d		09:01	16:41				JET
Sanjeevaiah park	d		09:05	16:44				SJVP
Begumpet	d		09:10	16:50				BMT
N.C. Hospital	d		09:13	16:53				NCHS
Fatehnagar	d		09:16	16:56				FNB
Bharatnagar	d		09:18	16:58				BTNR
Borabanda	d		09:22	17:02				BRBD
Hitech city	d		09:26	17:06				HTCY
Hafizpeta	d		09:30	17:10				HFZ
Chandanagar	d		09:34	17:14				CDNR
Lingampalli	a		09:55	17:40				LPI
Tellapur				18:10				TLPR
BHEL								
Ramachandrapuram								RCPT

(@) No Service on Saturday and (#) No Service on Sunday

FALAKNUMA-SECUNDERABAD HYDERABAD				GHATKESAR-LINGAMPALLI-GHATKESAR					
STATIONS		47201	47206		47253	47235		47236	47254
							RCPT	-	16:45
							BHEL	-	16:50
Falaknuma	d	16:10		Ghatkesar	07:30	19:45	Tellapur	-	17:00
Huppuguda	d	16:13		Charlapalli	07:43	19:58	Lingampalli	-	17:15
Yakutpura	d	16:16		Neredmet Halt	08:03	20:18	Chandanagar	-	17:20
Dabirpura	d	16:18		Ammuguda	08:11	20:26	Hafeezpet	-	17:27
Malakpet	d	16:20		Bhudevinagar H	08:18	20:33	High Tech City	-	17:32
Kacheguda	a	16:24		Suchitra Centre H	08:27	20:42	Borabanda	-	17:37
	d	16:25		Ferozguda H	08:36	20:51	Bharatnagar	-	17:40
Vidyanagar	d	16:28		Sanathnagar		21:00	Sanathnagar	21:15	-
Jamai Osmania	d	16:30		Bharatnagar	08:45	-	Ferozguda H	21:24	17:49
Arts college	d	16:32		Borabanda	08:49	-	Suchitra Centre H	21:33	17:58
Sitafalmandi	d	16:35		High Tech City	08:54	-	Bhudevinagar H	21:43	18:05
				Hafeezpet	09:00	-	Ammuguda	21:49	18:12
Secunderabad Jn.	d	16:50		Chandanagar	09:05	-	Neredmet Halt	21:57	18:19
	a	16:52	05:00	Lingampalli	09:15	-	Charlapalli	22:10	18:40
James street	d	16:56	05:04	Tellapur	09:26	-	Ghatkesar	22:30	19:00
Sanjeevaiah park	d	17:00	05:08	BHEL	09:31	-			
Necklace Road	d	17:05	05:13	RCPT	09:50	-			
Khairatabad	d	17:08	05:16						
Lakdikapul	d	17:12	05:20						
Hyderabad	a	17:50	05:50						

(@) No Service on Saturday and (#) No Service on Sunday

MEDCHAL - HYDERABAD			HYDERABAD - MEDCHAL		
STATIONS		47233 #	STATIONS		47234 #
Medchal	<i>d</i>	08:40	Hyderabad	<i>d</i>	11:00
Gowdavalli	<i>d</i>	08:46	Lakdikapul	<i>d</i>	11:04
Gundla pochampalli	<i>d</i>	08:53	Khairatabad	<i>d</i>	11:08
Bolarum	<i>d</i>	09:02	Necklace Road	<i>d</i>	11:11
Bolarum Bazar	<i>d</i>	09:06	Sanjeevaiah park	<i>d</i>	11:16
Alwal	<i>d</i>	09:09	James street	<i>d</i>	11:20
Cavalry Barracks	<i>d</i>	09:12	Secunderabad Jn.	<i>a</i>	11:35
Ammuguda	<i>d</i>	09:14		<i>d</i>	11:37
Ramakistaapuram Gate	<i>d</i>	09:16	Lallaguda Gate	<i>d</i>	11:43
Safilguda	<i>d</i>	09:19	Malkajgiri	<i>d</i>	11:47
Dayanandnagar	<i>d</i>	09:21	Dayanandnagar	<i>d</i>	11:49
Malkajgiri	<i>d</i>	09:23	Safilguda	<i>d</i>	11:51
Lallaguda Gate	<i>d</i>	09:25	Ramakistaapuram Gate	<i>d</i>	11:54
Secunderabad Jn.	<i>a</i>	09:40	Ammuguda	<i>d</i>	11:56
	<i>d</i>	09:42	Cavalry Barracks	<i>d</i>	12:01
James street	<i>d</i>	09:46	Alwal	<i>d</i>	12:05
Sanjeevaiah park	<i>d</i>	09:50	Bolarum Bazar	<i>d</i>	12:08
Necklace Road	<i>d</i>	09:55	Bolarum	<i>d</i>	12:11
Khairatabad	<i>d</i>	09:58	Gundla pochampalli	<i>d</i>	12:17
Lakdi ka pul	<i>d</i>	10:02	Gowdavalli	<i>d</i>	12:23
Hyderabad	<i>a</i>	10:20	Medchal	<i>a</i>	12:40

(@) No Service on Saturday

FALAKNUMA-MEDCHAL					MEDCHAL-FALAKNUMA				
STATIONS		47156	47244 #	Stn. Code	STATIONS	47251#	47241	47185	Stn. Code
Falaknuma	d	12:30	15:15	FM	Medchal	13:20	13:40	14:15	MED
Huppuguda	d	12:33	15:18	HPG	Gowdavalli	13:26	13:46	14:21	GWV
Yakutpura	d	12:36	15:21	YKA	Gundla Pochampalli	13:33	13:53	14:28	GDPL
Dabirpura	d	12:38	15:23	DQR	Bolarum	13:42	14:02	14:37	BMO
Malakpet	d	12:40	15:25	MXT	Bolaurm Bazar	13:46	14:06	14:41	BOZ
Kacheguda	a	12:44	15:29	KCG	Alwal	13:49	14:09	14:44	ALW
	d	12:45	15:30		Cavalry Barracks	13:52	14:12	14:47	CVB
Vidyanagar	d	12:48	15:33	VAR	Ammuguda	13:54	14:14	14:49	AMQ
Jamai Osmania	d	12:50	15:35	JOO	Ramakistapuram Gate	13:56	14:16	14:51	RKO
Arts college	d	12:52	15:37	ATC	Safilguda	13:59	14:19	14:54	SFX
Sitafalmandi	d	12:55	15:40	STPD	Dayanand nagar	14:01	14:21	14:56	DYE
Lallaguda Gate	d	13:02	15:47	LGDH	Malkajgiri	14:03	14:23	14:58	MJF
Malkajgiri	d	13:05	15:49	MJF	Lallaguda Gate	14:05	14:25	15:00	LGDH
Dayanand nagar	d	13:07	15:51	DYE	Sitafalmandi	14:13	14:33	15:08	STPD
Safilguda	d	13:09	15:53	SFX	Arts college	14:15	14:35	15:10	ATC
Ramakistapuram Gate	d	13:12	15:56	RKO	Jamai Osmania	14:17	14:37	15:12	JOO
Ammuguda	d	13:14	15:58	AMQ	Vidyanagar	14:19	14:39	15:14	VAR
Cavalry Barracks	d	13:19	16:03	CVB	Kacheguda	14:23	14:43	15:18	KCG
Alwal	d	13:23	16:07	ALW		14:24	14:44	15:19	
Bolaurm Bazar	d	13:25	16:09	BOZ	Malakpet	14:27	14:47	15:22	MXT
Bolarum	d	13:29	16:13	BMO	Dabirpura	14:29	14:49	15:24	DQR
Gundla Pochampalli	a	13:35	16:19	GDPL	Yakutpura	14:31	14:51	15:26	YKA
Gowdavalli	d	13:40	16:24	GWV	Huppuguda	14:35	14:55	15:30	HPG
Medchal	d	13:55	16:45	MED	Falaknuma	14:50	15:15	15:45	FM

(@) No Service on Saturday and (#) No Service on Sunday

HYDERABAD/SECUNDERABAD-WADI

Total Kms	System of Working		Traction
SC-WADI: 194.36 HYB-WADI: 184.9	Absolute	LPI-WADI	Electric
	Automatic	SC-LPI	
		HSJ-HYB	

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns: 24	Godamgura-Dharur	SC	WADI with SUR Division of CRly	HYB
B-Class Stns: 18		HYB		Stations with RRI Cabins
C-Class Stns: NIL		SNF		
Spl Class Stns: 06		LPI		SUH with GTL Division of SCRly
D-Class Stns: 04		TLPR		
IB signals:		VKB		
UP: 13+ DN: 16		TDU		
Total: 26		CT		

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
WADI-VKB	53	46	60	129
VKB-LPI	56	49	58	117
LPI-SNF	90	79	94	119
SNF-HSJ	90	79	79	100
HSJ-HYB	70	61	36	58
HSJ-SC	90	79	73	92

Axle Load	Sectional Speed	Engg. Allowance
22.9 (Tonnes)	110 Kmph	12 Mins

RULING GRADIENT

Section	Length (Kms)	Single/Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
SC-WADI	194.36	Double	1 in 100	3.700	1 in 100	1.700
HYB-WADI	184.9					

INTER-SECTIONAL BARE RUNNING TIME : SC - WADI - SC						
PASSENGER CARRYING TRAINS		LOADED FREIGHT TRAINS	STATIONS	LOADED FREIGHT TRAINS	PASSENGER CARRYING TRAINS	
110	100	60	SPEED IN KMPH	60	110	100
--	--	-	Wadi Jn.	20	10	10
10	10	20	Sulehalli	15	5	7
5	5	11	Chittapur	13	7	9
6	8	16	Malkhaid Road	16	7	8
7	9	21	Seram	15	6	7
5	6	15	Kurgunta	15	7	7
6	7	15	Nawandgi	16	5	6
6	8	16	Mantatti	15	6	7
6	7	15	Tandur	18	7	7
9	10	18	Rukmapur	17	8	9
8	9	17	Dharur	21	9	10
10	11	21	Godamgura	16	8	9
8	9	16	Vikarabad Jn.	17	7	9
7	7	17	Chitgidda	12	4	5
4	5	11	Gullaguda	20	7	8
7	7	21	Shankarpalli	18	8	10
6	8	18	Nagalapalli	14	6	8
5	6	14	Telapur	10	3	3
3	3	10	Lingampalli	14	6	7
6	6	14	Hafizpeta	20	7	9
6	7	17	Sanatnagar	12	6	6
5	6	12	Begumpet	8	2	2
2	3	8	Hussain Sagar Jn.	20	9	10
3	3	-	Khairatabad	-	5	5
5	5	-	Hyderabad Dn.	-	--	--
9	10	20	Secunderabad Jn.	-	--	--
154	175	363	TOTAL	362	155	178

TRAINS TO AND FROM KACHEGUDA DIRECTION AT SC POINT													
TRAINS TOWARDS KACHEGUDA							-SC-	TRAINS FROM KACHEGUDA					
17021 HYB-GTL	17039 SC-VSG	57606 VKB-KCG	17027 HYB-KRNT	12770 SC-TPTY	67786 WADI-KCG	17254 CPSN-GNT		12769 TPTY-SC	67785 FM-WADI	17022 GTL-HYB	17040 VSG-SC	17028 KRNT-HYB	17253 GNT-CPSN
Thu	Wed,Fri	Daily	Daily	Tue,Fri	Daily	Daily	DAYS	Mo,Fr	Daily	Fri	Th,Sa	Daily	Daily
Thu	Wed,Fri	Daily	Daily	Tue,Fri	--	--		Tu,Sa	Daily	Sat	Fr,Su	Daily	Daily
09:55	--	13.10	16.50	--	17:55	05:15	Arr	04.25	05.50	04:00	04:00	10.50	22.00
10.05	10.05	13.30	16.55	17.40	18:00	05:25	Dep	--	05:55	04:05	--	10.55	22.10
09:55	--	13.00	16:45	--	17:50	05.20	Skip	--	05:30	03:35	--	10:40	21:50

TRAINS T/O @ MLY'G' CABIN FROM HYDERABAD DIVISION													
Train No.	12975 MYS-JP	12193 YPR-JBP	12649 YPR-NZM	67779 KCG-NDKD	22683 YPR-LKO	12647 CBE-NZM	15024 YPR-GKP	12251 YPR-KRBA	12707 TPTY-NZM	67775 KCG-MRGA	17625 KCG-RAL	12862 MBNR-VSKP	11085 SMVB GWL
DAYS OF SERVICE	Sun, Fri	Mon	Ex. Wed, Fri	Ex. Sat	Tue	Mon	Fri	Wed, Sat	Mon, Wed, Fri	Daily	Daily	Daily	Mon
T/O @ MLY'G'	02.45	04.20	09.10	10.00	11.45	11.45	11.45	11:45	17.40	19:16	23.05	19.00	05:20

TRAINS H/O @ MLY'G' CABIN TO HYDERABAD DIVISION													
Train No.	22684 LKO-YPR	12194 JBP-YPR	12252 KRBA-YPR	12861 VSKP-MBNR	12650 NZM-YPR	12648 NZM-CBE	12708 NZM-TPTY	67776 MRGA-KCG	15023 GKP-YPR	67780 NDKD-KCG	12976 JP-MYS	11086 GWL SMVB	
DAYS OF SERVICE	Fri	Sat	Sun, Thu	Daily	Exc. Thu, Sat	Thu	Mon, Thu, Sat	Daily	Wed	Exc. Sat	Tue, Thu	Sat	
H/O @ MLY'G'	00.55	00.55	00.55	06.50	08.10	08.10	08.25	09:35	19.30	20.35	23:30	16:30	

TRAINS TOWARDS NIZAMABAD / NANDED DIRECTION															
Train No.	12793	20809	20811	77653	17058	17020	77655	12787	17231	*07020	17405	17417	18503	12720	17663
FROM - TO / TRAIN NAME / TRAIN TYPE	TPTY NZB Rayala seema Exp	SBP NED Naga- vali Exp	VSKP NED Exp	SC- SIPT DEMU	LPI- CSMT Devagi ri EXP	HYB HSR Exp	SC- SIPT DEMU	NS- NSL Exp	NS- NSL Exp	HYB-JP TOD	TPTY- ADB Krishn a Exp	TPTY- SNSI Exp	VSKP- SNSI Exp	HYB- Jaipur Exp	RC- PBN Exp
Days of service at originating station	Daily	Sun, Mon, Fri	Wed, Sat, Tue	Exc. Wed	Daily	Sat	Exc. Wed	Exc. Sun, Fri	Sun, Fri	Fri	Daily	Tue	Thu	Mon, Wed	Daily
Days of service at SC	Daily	Mon, Tue, Sat	Thu Sun, Wed	Exc. Wed	Daily	Sat	Exc. Wed	Exc. Sun, Fri	Sun, Fri	Fri	Daily	Tue	Thu	Mon, Wed	Daily
Secunderabad Jn.	a	06.00	--	--	--	13.20	15.45	--	--	--	20.30	--	20.55	--	20.55
	d	06.10	--	--	10.35	13.25	15.50	17.50	--	--	20.40	--	21.05	--	21.05
	s	05:50	--	--	--	13:10	15:40	--	--	--	20:20	--	20:45	--	20:55
Moula Ali G'Cabin	d	--	07:55	07:55	--	--	--	20:20	21:40	--	21:15	--	20:55	--	--
TRAINS FROM NIZAMABAD / NANDED DIRECTION															
Train No.	12719	*07019	17664	17019	18504	17418	77656	17057	12794	77654	20810	20812	12788	17232	17406
FROM - TO / TRAIN NAME / TRAIN TYPE	JP HYB Exp	JP- HYB TOD	NED RC Pass.	HSR HYB Exp	SNSI VSKP Exp	SNSI TPTY Exp	SIPT- SC DEMU	CSMT- LPI Exp	NZB TPTY Rayala- seema Exp	SIPT- SC DEMU	NED SBP Naga- vali Exp	NED VSKP Exp	NSL NS Exp	NSL NS Exp	ADB TPTY Krishn a Exp
Days of service at originating station	Wed, Fri	Tue	Daily	Tue	Fri	Wed	Exc. Thu	Daily	Daily	Exc. Wed	Mon, Tue, Sat	Thu, Sun, Wed	Exc. Mon, Sat	Mon, Sat	Daily
Days of service at SC	Fri, Sun	Tue	Daily	Thu	Sat	Thu	Exc. Thu	Daily	Daily	Exc. Wed	Mon, Tue, Sat	Thu, Sun, Wed	Exc. Mon, Sat	Mon, Sat	Daily
Secunderabad Jn.	a	00.25	04.00	05:05	06.50	--	09.10	10.15	15:15	17:20	17:35	--	--	--	--
	d	00.30	04.10	05:15	06:55	--	09.20		15:20	17:30	--	--	--	--	--
	s	00.10	03:40	04:55	06:25	--	09:05		15:00	17:15	--	--	--	--	--
Moula Ali G'Cabin	d	--	--	--	--	09:25	--	--	--	--	21:35	21:35	23:50	23:50	05:40

HYDERABAD - SECUNDERABAD

Kms from WADI	Inter Distance in Kms	Train No.		17011	12723	17021	17020	17027	12728	Stn. Code
		FROM - TO / TRAIN NAME / TRAIN TYPE		HYB-SKZR Exp	HYB-NDLS Telan- gana Exp	HYB-VSG Exp	HYB-HSR Exp	HYB-KRNT Hundr y Exp	HYB-VSKP Goda- vari Exp	
		Days of service		Daily	Daily	Thu	Sat	Daily	Daily	
184.90		Hyderabad Dn.	d	04:35	06.00	09.15	15.10	16.20	17.05	HYB
187.27	2.37	Khairatabad (H)	a d s							KQD
190.10	2.83	Hussain Sagar Jn.(S)	d	04:50	06.11	09.35 <i>E 5 T 5</i>	15.25	16.25	17.15	HSJ
194.36	4.26	Secunderabad Jn.	a d s	05:10 05:15 05:10	06.20 06.25 06.25	09.55 10.05 09:55	15:45 15:50 15.40	16:50 16:55 16:45	17:30 17.35 17.30	SC

HYDERABAD - SECUNDERABAD

Kms from WADI	Inter Distance in Kms	Train No.		12760	07020	12720	*107075	12721	17005	Stn. Code
		FROM - TO / TRAIN NAME / TRAIN TYPE		HYB-TBM Char- minar Exp	HYB-JP TOD	HYB-JP Exp	HYB-GKP TOD	HYB-NZM Dak- shin Exp	HYB-RXL Exp	
		Days of service		Daily	Fri	Mon, Wed	Fri	Daily	Thu	
184.90		Hyderabad Dn.	d	18.00	19.50	20.25	21.00	23.00	23.10	HYB
187.27	2.37	Khairatabad (H)	a d s							KQD
190.10	2.83	Hussain Sagar Jn. (S)	d	18.11	20.00	20.40	21.10	23.11	23.21	HSJ
194.36	4.26	Secunderabad Jn.	a d s	18.20 18.25 18.25	20.30 20.40 20.20	20.55 21.05 20.55	21.25 21.35 21.30	23.20 23.25 23.25	23.30 23.35 23.35	SC

SECUNDERABAD - HYDERABAD

Kms from WADI	Inter Distance in Kms	Train No.		12719	12722	07019	12727	17022	17019	Stn Code
		FROM - TO / TRAIN NAME / TRAIN TYPE		JP- HYB Exp	NZM- HYB Dakshin Exp	JP- HYB TOD	VSKP- HYB Goda- vari Exp	VSG- HYB Exp	HSR- HYB Exp	
		Days of service from Originating Stn.		Wed, Fri	Daily	Sun	Daily	Fri	Tue	
		Days of service at Stn.Entering the Sec.		Sun, Fri	Daily	Tue	Daily	Sat	Thu	
194.36	..	Secunderabad Jn. (S)	a d s	00.25 00.30 00.10	03.00 03.05 02.55	04.00 04.10 03:40	05.50 05.55 05.20	04:00 04:05 03:35	06.50 06:55 06.25	SC
190.10	4.26	Hussain Sagar Jn. (S)	d	00.40	03:20	04.20	05.50	04:15	07.10	HSJ
187.27	2.83	Khairatabad (D)				E5T20		E5T5	T5	KQD
184.90	2.37	Hyderabad Dn.(S)	a	00.55	03.50	05.00	06.15	04:45	07.30	HYB

SECUNDERABAD - HYDERABAD

Kms from WADI	Inter Distance in Kms	Train No.		12759	17028	07076	12724	17006	Stn Code
		FROM - TO / TRAIN NAME / TRAIN TYPE		TBM- HYB Char- minar Exp	KRNT- HYB Hundry Exp	GKP- HYB TOD	NDLS- HYB Telang ana Exp	RXL- HYB Exp	
		Days of service from Originating Stn.		Daily	Daily	Sun	Daily	Sun	
		Days of service at Stn.Entering the Sec.		Daily	Daily	Mon	Daily	Mon	
194.36	..	Secunderabad Jn. (S)	a d s	07:30 07:35 06:55	10.50 10.55 10:40	16:50 16:55 16:15	16.20 16.25 16.00	19:10 19:20 18:55	SC
190.10	4.26	Hussain Sagar Jn. (S)	d	07.50	11:10	17:10	16.40	19:30	HSJ
187.27	2.83	Khairatabad (D)	a d s	T-5	T15	E2	E2T10		KQD
184.90	2.37	Hyderabad Dn. (S)	a	08.10	11.40	17:25	17.10	19.40	HYB

WADI - LINGAMPALLI

DN

Kms from WADI	Inter Distance in Kms	Train No.		17013	11019	22732	12736	17254	12793	18112	12592	17029	12796
		FROM - TO / TRAIN NAME / TRAIN TYPE		HDP- KZJ Exp.	CSMT- BBSN Konark Exp	CSMT- HYB Exp	YPR - SC Garib- rath Exp	CPSN GNT EXP	TPTY- NZB Rayala- seema Exp	YPR- TATA Exp	YPR- GKP Exp	BJP- HYB Exp	LPI- BZA Inter- city Exp
		Days of service from Originating Stn.		Tue, Fri, Sun	Daily	Daily	Mon, Thu, Sat	Daily	Daily	Sun	Mon	Daily	Daily
		Days of service at Stn. entering the Sec.		Wed, Sat, Mon	Daily	Daily	Tue, Fri, Sun	Daily	Daily	Mon	Tue	Daily	Daily
0		Wadi Jn.	a		00:23	00:53						02:35	
			d		00:25	00:55						02:45	
			s		00:15	00:45						02:40	
4:50	04:50	Sulhalli West	d		00:38	01:05	01:40		02:30	02:45	02:45	02:58	
9.18	04:68	Sulehalli	a										
			d		00:43	01:10	01:47		02:37	02:52	02:52	03:05	
			s			T-5	E-5		T-5	T-5	T-5	T-2	
15.19	6.01	Chittapur 19/10 IBS 20/9-11 Moghlai Bridge	a			01:22	01:59		02:49	03:04		03:14	
			d		00:50	01:23	02:00		02:50	03:05	03:05	03:15	
			s			01:00	01:21		02:21	02:35		02:55	
24.86	9.67	Malkhaid Road 31/4 IBS 27/14-28/1 Bridge	a										
			d		00:56	01:31	02:08		02:57	03:13	03:13	03:23	
			s										
37.26	12.4	Seram IBS	a		01:05	01:40			03:06				
			d		01:06	01:41	02:15		03:07	03:20	03:20	03:30	
			s		00:50	\$01.20			02:40				
45.46	8.2	Kurgunta 46/10-12 Iyyala Bridge IBS	a		E-5	E-5			E-5	E-5	E-5	E-5	
			d		01:18	01:53	02:21		03:19	03:30	03:30	03:40	
			s										
53.01	7.55	Nawandgi For Bashirabad IBS	a						03:27				
			d		01:24	01:59	02:27		03:28	03:38	03:38	03:48	
			s						\$02.55				
61.97	8.96	Mantatti 64/17-65/1 Cagna Bridge	a										
			d		01:30	02:05	02:33		03:36	03:46	03:46	03:56	
			s										
70.46	8.49	Tandur 74/8 IBS 77/3-2 Kondamalli Bridge	a		01:39	02:13			03:44	03:55		04:05	
			d		01:40	02:14	02:40		03:45	03:56	03:56	04:06	
			s		01:20	01:50			03:11	03:25		03:45	
81.45	10.99	Rukmapur 86/5-6 Kottapalli Bridge	a									04:14	
			d		01:51	02:25	02:49		03:56	04:06	04:06	04:15	
			s									03:55	

\$ - experimental stoppage

WADI - LINGAMPALLI

DN

12731	12806	*12806	12756	20968	22717	67760	22691	16571	16583	17001	17205	17207	
TPTY-SC Exp	LPI - VSKP Janma-Bhoomi Exp	LPI - VSKP Janma-Bhoomi Exp	BVC-COA Exp	PBR-SC Exp	RJT-SC Exp	CT-SC	SBC-NZM Raj-dhani Exp	YPR - BIDR Exp	YPR - LUR Exp	SNSI-SC Exp	SNSI-COA Exp	SNSI-MTM	
Thu, Sun	Daily	Daily	Sat	Tue	Mon, Wed, Thu	Daily	Daily	Sun, Mon, Tue, Thu	Wed, Fri, Sat	Mon, Sat	Sun, Tue, Thu	Wed	Stn. Code
Fri, Mon	Daily	Daily	Sun	Wed	Tue, Thu, Fri	Daily	Daily	Mon, Tue, Wed, Fri	Thu, Sat, Sun	Sun, Tue	Mon, Wed, Fri	Thu	
			03:35 03:40	03:35 03:40	03:35 03:40								WADI
			03:25	03:25	03:25								
03:45			03:55	03:55	03:55		04:25	04:40	04:40				SUHW
03:52			04:02	04:02	04:02		04:30	04:47	04:47				SUH
T-5			E-5	E-5	E-5			E-5	E-5				
04:02			04:15	04:15	04:15	05:15	04:37	04:59	04:59				CT
					03:50			04:43	04:43				
04:08			04:23	04:23	04:23	05:28	04:43	05:08	05:08				MQR
						05:25							
04:15			04:32 04:33	04:33	04:33	05:40	04:52 04:53	05:17 05:18	05:17 05:18				SEM
			04:05		04:05	05:35	04:31	05:01	05:01				
						E-5							
E-5 04:25			E-5 04:45	E-5 04:45	E-5 04:45	05:54 05:55	E-5 05:05	E-2T-3 05:30	E-2T-3 05:30				KQT
						05:45							
04:31			04:51	04:51	04:51	06:05 06:06	05:12	05:36	05:36				NAW
						05:55							
04:37			04:57	04:57	04:57	06:16 06:17	05:18	05:42	05:42				MVH
						06:05							
04:43			05:05 05:06	05:05 05:06	05:05 05:06	06:27 06:29	05:24	05:50 05:51	05:50 05:51				TDU
			04:40	04:40	04:40	06:15		05:34	05:34				
04:52			05:14	05:14	05:14	06:40 06:41	05:33	06:02	06:02				RMY
						06:25							

WADI - LINGAMPALLI

DN

Kms from WADI	Inter Distance in Kms	Train No.		17013	11019	22732	12736	17254	12793	18112	12592	17029	12796
		FROM - TO / TRAIN NAME / TRAIN TYPE		HDP- KZJ Exp.	CSMT- BBS Konark Exp	CSMT- HYB Exp	YPR - SC Garib- rath Exp	AWB- GNT EXP	TPTY- NZB Rayala- seema Exp	YPR- TATA Exp	YPR- GKP Exp	BJP- HYB Exp	LPI- BZA Inter- city Exp
		Days of service from Originating Stn.		Tue, Fri, Sun	Daily	Daily	Mon, Thu, Sat	Daily	Daily	Sun	Mon	Daily	Daily
		Days of service at Stn. entering the Sec.		Wed, Sat, Mon	Daily	Daily	Tue, Fri, Sun	Daily	Daily	Mon	Tue	Daily	Daily
91.1	9.65	Dharur 96/15 IBS	a d s		01:59	02:33	02:57		04:04	04:14	04:14	04:24	
103.57	12.47	Godamgura	a d s		02:09	02:43	03:07		04:14	04:24	04:24	04:34	
					T-5	T-5			E-5	T-5	T-5	T-5	
111.87	8.3	Vikarabad Jn. 117/8-10 IBS 120/12-13 Moosi Bridge	a d s	01:35 01:37 01:10		02:58 02:59 02:30		03:28 03:30 03:05	04:29 04:30 04:05	04:39 04:40 04:10		04:49 04:50 04:25	
121.8	9.93	Chitgidda	a d s	01:45	02:30	03:09	03:27	03:39	04:39	04:49	04:49	04:58 04:59	
128.66	6.86	Gullaguda 134/17 IBS	a d s	01:50	02:35	03:13	03:32	03:44	04:44	04:54	04:54	05:04	
140.27	11.61	Shankerpalli 145/10-11 IBS	a d s	01:57	02:42	03:20	03:40	03:52 03:53 \$03.25	04:53 04:54 04.26			05:13 05:14 05:05	
151.24	10.97	Nagalapalli 154/22-24 IBS	a d s		02:03	02:48	03:26		05:02	05:12	05:12	05:22	
					E-5	E-5			E-5	E-5	E-5		
157.38	6.1	Telapur	d	02:10 E-3T-7	02:55	03:33	03:49	04:03	05:05	05:20	05:20	05:30	
161.06	3.66	Lingampalli	a d s	02:29	03:04	03:41	03:55	04:10	05:14	05:29		05:39	
				02:30	03:05	03:42	03:56	04:11	05:15	05:30	05:30	05:40	04.40
				02:00	02:40	03:10	03:20	03:40	04:50	05:00		05:25	

WADI - LINGAMPALLI

DN

12731	12806	*12806	12756	20968	22717	67760	22691	16571	16583	17001	17205	17207	
TPTY-SC Exp	LPI - VSKP Janma-Bhoomi Exp	LPI - VSKP Janma-Bhoomi Exp	BVC-COA Exp	PBR-SC Exp	RJT-SC Exp	CT-SC	SBC-NZM Rajdhani Exp	YPR - BIDR Exp	YPR - LUR Exp	SNSI-SC Exp	SNSI-COA Exp	SNSI-MTM	Stn. Code
Thu, Sun	Daily	Daily	Sat	Tue	Mon, Wed, Thu	Daily	Daily	Sun, Mon Tue, Thu	Wed, Fri, Sat	Mon, Sat	Sun, Tue, Thu	Wed	
Fri, Mon	Daily	Daily	Sun	Wed	Tue, Thu, Fri	Daily	Daily	Mon, Tue Wed, Fri	Thu, Sat, Sun	Sun, Tue	Mon, Wed, Fri	Thu	
05:00			05:22	05:22	05:22	06:53 06:54 06:35	05:41	06:10	06:10				DRR
05:10			05:32	05:32	05:32	07:07 07:08 06:50	05:51	06:20	06:20				GDQ
T-5						T-5		T-5	T-5				
05:25			05:42			07:24		06:35	06:35	06:58	06:58	06:58	VKB
05:26			05:43	05:43	05:43	07:26	05:59	07:00	07:00	07:00	07:00	07:00	
04:55			05:25			07:05		06:25	06:25	06:45	06:45	06:45	
05:35			05:52	05:52	05:52	07:35 07:36 07:15	06:06			07:05	07:05	07:05	CTF
05:40			05:57	05:57	05:57	07:43 07:44 07:25	06:11			07:10	07:10	07:10	GGD
05:47			06:04	06:04	06:04	07:54 07:55 07:35	06:18			07:20 07:21 07:09	07:20 07:21 07:09	07:20 07:21 07:09	SKP
						E-7							
05:53			06:10	06:10	06:10	08:08 12213 22705 08:25	06:24			07:30	07:30	07:30	NPL
E-5			T-5	T-5	T-5	07:50				E-3	E-3	E-3	
06:02			06:18	06:18	06:18	08:35	06:27			07:38	07:38	07:38	TLPR
			06:25 22691	06:25 22691	06:25 22691	08:43				07:47	07:47	07:47	LPI
06:10	06:15	06:55	06:40	06:40	06:40	08:44	06:33			07:48	07:48	07:48	
						08:10				07:20	07:20	07:20	

* 12806 w.e.f. 15-2-2026

WADI - LINGAMPALLI

DN

Kms from WADI	Inter Distance in Kms	Train No.		22705	12213	17009	17319	*17049	22534	17622	12219	17426	12701	20916
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY - JAT Hum- Safar AC Exp	YPR- DEE Duron to Exp	BIDR- HYB Exp	UBL- HYB Exp	UBL- HYB Exp	YPR - GKP Exp.	TPTY CPSN Exp	LTT- SC Duran to Exp	SNSI TPTY Exp	CSMT- HYB Hussain Sagar Exp	INDB- LPI Humsaf ar Exp
		Days of service from Originating Stn.		Tue	Sat	Daily	Daily	Daily	Wed	Sat	Wed, Sat	Mon	Daily	Sat
		Days of service at Stn. entering the Sec.		Wed	Sun	Daily	Daily	Daily	Thu	Sun	Thu, Sun	Tue	Daily	Sun
0		Wadi Jn.	a				07.10	07.10			08:00		08:33	10.10
			d				07.15	07.15			08:05		08:35	10.15
			s				07.05	07.05			07:53		08:20	
04:50	04:50	Sulehalli West	d	06:05	06:37		07:23	07:23	08:10	08:10	08:18		08:48	10:24
9.18	04:68	Sulehalli	a						T-10	T-5E-5				
			d	06:12	06:42		07:28	07:28	08:30	08:30	08:23		08:53	10:29
			s						E-5					T-5
15.19	6.01	Chittapur 19/10 IBS 20/9-11 Moghlai Bridge	a	T-5			07:34	07:34		08:39			09:01	
			d	06:22	06:47		07:35	07:35	08:40	08:40	08:29		09:02	10:39
			s				07:30	07:30		08:00			08:40	
24.86	9.67	Malkhaid Road 31/4 IBS 27/14-28/1 Bridge	a				07:42	07:42	08:48	08:48	08:35		09:10	10:45
			d	06:28	06:53		07:42	07:42	08:48	08:48	08:35		09:10	10:45
			s											
37.26	12.4	Seram 37/12-14 Seram Bridge IBS	a				07:50	07:50					09:19	
			d	06:35	07:00		07:51	07:51	08:55	08:55	08:42		09:20	10:52
			s				07:45	07:45					09:00	
				E-5							E-5			E-5
45.46	8.2	Kurgunta 46/10-12 Iyyala Bridge IBS	a						E-5	E-5			E-5	
			d	06:45	07.05		07:57	07:57	09:05	09:05	08:52		09:32	11:02
			s											
53.01	7.55	Nawandgi For Bashirabad IBS	a											
			d	06:51	07.11		08:03	08:03	09:11	09:11	08:58		09:38	11:08
			s											
61.97	8.96	Mantatti 64/17-65/1 Cagna Bridge	a											
			d	06:57	07.17		08:09	08:09	09:17	09:17	09:04		09:44	11:14
			s											
70.46	8.49	Tandur 74/8 IBS 77/3-2 Kondamalli Bridge	a				08:16	08:16		09:25			09:52	
			d	07:03	07.23		08:17	08:17	09:26	09:26	09:10		09:53	11:20
			s				08.10	08.10		08:40			09.30	
81.45	10.99	Rukmapur 86/5-6 Kottapalli Bridge	a											
			d	07:12	07.32		08:26	08:26	09:37	09:37	09:19		10:04	11:29
			s											

WADI - LINGAMPALLI

DN

57606	16593	12025	12748	67786	17648	18520	22881	17417	17663	12750	17321	17222	
VKB KCG Pass	SBC- NED Exp	PUNE- SC Shatab di Exp	VKB- GNT Palnadu Exp	WADI- KCG Pass	PAU- HYB Exp	LTT- VSKP Exp	PUNE- BBS Exp	TPTY- SNSI Exp	RC- PBN EXP @	BIDR- MTM Machli patnam Exp	VSG- JSME Exp	LTT- COA Exp	Stn. Code
Daily	Daily	Exc. Tue	Daily	Daily	Daily	Daily	Thu	Tue	Daily	Daily	Fri	Thu, Sun	
Daily	Daily	Exc. Tue	Daily	Daily	Daily	Daily	Thu	Tue	Daily	Daily	Fri	Thu, Sun	
		11:28 11:30		13:10		16:43 16:45	17:05 17:10					23:15 23:20	WADI
		11:20				16:25	17:00					23:10	
	11:10	11:39		13:20		16:54	17:19	18:05	18:20		20:25	23:29	SUHW
	11:17	11:44		13:30 13:31		16:59	17:25	18:12	18:30		20:32	23:34	SUH
				13:25		T-5	T-5		T-5		T-5	T-5	
				T-5									
	11:24 11:25	11:49		13:44 13:45		17:09	17:35	18:19 18:20	18:44 18:45		20:42	23:45	CT
	11:00			13:35				17:50	18:15				
	11:33	11:55		13:53 13:54		17:15	17:42	18:27	18:54		20:48	23:51	MQR
				13:45									
	11:42 11:43 11:25	12:02		14:03 14:04 13:55		17:22	17:51 17:52 \$17:36	18:34	19:04 19:05 18:40		20:55	23:58	SEM
				E-5		E-5	E-5		E-5		E-5	E-5	
	11:50	12:07		14:16 14:17		17:32	18:05	18:39	19:17		21:05	00:08	KQT
				14:05									
	11:56	12:13		14:25 14:26		17:38	18:12	18:45	19:24		21:11	00:14	NAW
				14:15									
	12:02	12:19		14:34 14:35		17:44	18:18	18:51	19:31		21:17	00:20	MVH
				14:25									
	12:11 12:12	12:27 12:28		14:44 14:45		17:52 17:53	18:59 18:25	19:00	19:40 19:41		21:23	00:29 00:30	TDU
	11:55	12:10		14:35		17:35	18:40	19:10				00:10	
	12:23	12:39		14:56 14:57		18:04	18:35	19:11	19:53		21:32	00:41	RMY
				14:45									

WADI - LINGAMPALLI

DN

Kms from WADI	Inter Distance in Kms	Train No.		22705	12213	17009	17319	*17049	22534	17622	12219	17426	12701	20916
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY - JAT Hum- Safar AC Exp	YPR- DEE Duron to Exp	BIDR- HYB Exp	UBL- HYB Exp	UBL- HYB Exp	YPR - GKP Exp.	TPTY CPSN Exp	LTT- SC Duran to Exp	SNSI TPTY Exp	CSMT- HYB Hussain Sagar Exp	INDB- LPI Humsaf ar Exp
		Days of service from Originating Stn.		Tue	Sat	Daily	Daily	Daily	Wed	Sat	Wed, Sat	Mon	Daily	Sat
		Days of service at Stn. entering the Sec.		Wed	Sun	Daily	Daily	Daily	Thu	Sun	Thu, Sun	Tue	Daily	Sun
91.1	9.65	Dharur 96/15 IBS	a d s	 07:20 	 07:40 	 	 08:33 	 08:33 	 09:45 	 09:45 	 09:27 	 	 10:12 	 11:37
103.57	12.47	Godamgura	a d s	 07:30 T-5	 07:49 	 	 08:42 	 08:42 	 09:55 T-5	 09:55 	 09:37 T-5	 	 10:22 E-5	 11:47 E-5
111.87	8.3	Vikarabad Jn. 117/8-10 IBS 120/12-13 Moosi Bridge	a d S	 07:43 	 07:57 	 08:20 08:10	 08:52 08:40	 08:52 08:40	 10:08 	 10:25 09:40	 09:50 	 10:22 09:50	 10:37 10:15	 12:03 11:25
121.8	9.93	Chitgidda	a d s	 07:50 	 08:03 	 08:29 	 08:59 	 08:59 	 10:15 	 	 09:57 	 10:32 	 10:46 	 12:12
128.66	6.86	Gullaguda 134/17 IBS	a d s s	 07:55 	 08:07 	 08:34 	 09:03 	 09:03 	 10:20 	 	 10:02 	 10:37 	 10:51 	 12:17
140.27	11.61	Shankerpalli 145/10-11 IBS	a d s	 08:02 	 08:13 	 08:44 08:45 08:40	 09:10 	 09:10 	 10:27 	 	 10:09 	 10:45 	 10:56 	 12:25
151.24	10.97	Nagalapalli 154/22-24 IBS	a d s	 08:10 	 08:19 	 08:53 E-3T-3	 09:16 	 09:16 	 10:33 E-5	 	 10:16 E-5	 10:52 	 11:04 E-5	 12:31 E-5
157.38	6.1	Telapur Jn.	d	08.16 E-5	08:24	09:02	09:22	09:22	10:40		10:23	10:59	11:11	12:38
161.06	3.66	Lingampalli	a d s	 08:27 	 08:27 	 09:10 09:11 09:05	 09:29 09:30 09:20	 09:29 09:30 09:20	 10:48 	 	 10:30 	 11:09 11:10 10:40	 11:20 	 12:55

*17049 w.e.f.06-02-2026

WADI - LINGAMPALLI

DN

57606	16593	12025	12748	67786	17648	18520	22881	17417	17663	12750	17321	17222	
VKB KCG Pass	SBC- NED Exp	PUNE- SC Shatab di Exp	VKB- GNT Palnadu Exp	WADI- KCG Pass	PAU- HYB Exp	LTT- VSKP Exp	PUNE- BBS Exp	TPTY- SNSI Exp	RC- PBN EXP @	BIDR- MTM Machli patnam Exp	VSG- JSME Exp	LTT- COA Exp	Stn. Code
Daily	Daily	Exc. Tue	Daily	Daily	Daily	Daily	Thu	Tue	Daily	Daily	Fri	Thu, Sun	
Daily	Daily	Exc. Tue	Daily	Daily	Daily	Daily	Thu	Tue	Daily	Daily	Fri	Thu, Sun	
	12:31	12:47		15:07 15:08		18:12	18:44	19:19	20:02		21:40	00:49	DRR
				14:55									
	12:41	12:57		15:20 15:21		18:22	18:54	19:29	20:12		21:50	00:59	GDQ
				15:10		T-5	T-5		T-5			T-5	
				E-5									
10.55	12:55 13:25	13:07 13:08	15:00	15:35 15:37	17:18 17:20	18:37 18:38	19:10	19:40	20:28 20:30	21.04 21.05	22:00 22:01	01:15	VKB
	12:50	12:50		15:25	16:45	18:20		19:20	20:00	20.45	21:32		
11.05 11.06		13:17	15:09	15:46 15:47	17:30	18:47	19:18	19:48	20:40	21.14	22:10	01:24	CTF
11.05				15:35									
11.14 11.15		13:22	15:25	15:55 15:56	17:35	18:52	19:23	19:53	20:45	21:19	22:15	01:29	GGD
11.14				15:45									
T-7				E-5 T-5									
11.32 11.33		13:29	15:24 15:25	16:19 16:20	17:44 17:45	18:59	19:31	20:00	20:54 20:55	21.27	22:23	01:36	SKP
11.28			15:20	16:00	\$17:10				\$20:32				
11.41 11.42		13:35	15:33	16:29 16:30	17:53	19:05	19:37	20:06	21:02	21:34	22:29	01:42	NPL
11.35				16:10	E-3T-3	E-5	E-5		E-5		E-5	E-5	
E-3T-3													
11:51		13:40	15:38	16:42	18:00	19:13	19:47	20:12	21:10	21:41	22:38	01:50	TLPR
11:59 12:00		13.43	15:47 15:48	16:51 16:52	18:10 18:11	19:21 19:22	19:55	20:17 20:18	21.20 21.21	21:46 21:47	22:45	01:59 02:00	LPI
11:55			15:40	16:25	17:30	19:00		20:00	20:50	21.30		01:35	

\$ - experimental stoppage

LINGAMPALLI - SECUNDERABAD / HYDERABAD
DN

Kms from WADI	Inter distance in Kms	Train No.		17222	11019	17013	12736	22732
		FROM TO / TRAIN NAME / TRAIN TYPE		LTT COA Exp	CSMT- BBSN Konark Exp	HDP- KZJ Exp	YPR - SC Garib- Rath Exp	CSMT- HYB Exp
		Days of service from Originating Stn.		Thu, Sun	Daily	Tue, Fri, Sun	Mon, Thu, Sat	Daily
		Days of service at Stn. entering the Sec.		Fri, Mon	Daily	Wed, Sat, Mon	Tue, Fri Sun	Daily
161.06		Lingampalli (S)	a	01:59	03:04	02:29	03:55	03:41
			d	02:00	03:05	02:30	03:56	03:42
			s	01:35	02:40	02:00	03:20	03:10
166.2	5.14	Hafizpeta (S)	a		E-2			E-2
			d	02:10	03:15	02:40	04:06	03:52
			s					
175.18	8.98	Sanatnagar (S)	a					
			d	02:18	03:22	02:50	04:13	03:59
			s					
179.12	3.94	Begumpet (D)	a		03:30	02:59	04:20	04:07
			d	02:25	03:31	03:00	04:21	04:08
			s		03:10	02:30	03:45	03:35
179.70	0.58	Hussain Sagar Jn. (S)	d	02:28	03:36	03:05	04:25	04:13
194.36	2.82	Secunderabad Jn.(S)	a	02:45	03:55	03:30	04:40	
			d	02:55	04:05	03:55		
			s	02:15	03:40	03:10		
182.52	2.38	Khairatabad (H)	a					
			d					
			s					
184.9	2.4	Hyderabad Dn.(S)	a					04.30

LINGAMPALLI - SECUNDERABAD / HYDERABAD

DN

12796	12793	18112	12592	17254	12731	12806	*12806	22691	
LPI-BZA Intercity Exp	TPTY- NZB Rayala- seema Exp	YPR- TATA Exp	YPR- GKP EXP	CPSN GNT Exp	TPTY SC Exp	LPI - VSKP Janma- Bhoomi Exp	LPI - VSKP Janma- Bhoomi Exp	SBC- NZM Raj- dhani Exp	Stn Code
Daily	Daily	Sun	Mon	Daily	Thu, Sun	Daily	Daily	Daily	
Daily	Daily	Mon	Tue	Daily	Fri Mon	Daily	Daily	Daily	
04.40	05:14 05:15	05:29 05:30	05:30	04:10 04:11	06:10	06:15	06:55	06:33	LPI
	04:50	05:00		03:40					
04:50	05:24	E-2 05:40	E-2 05:40	04:20 04:21	06:22	06:21	07:05	06:40	HFZ
				03:50					
04:58	05:33 05:34	05:47	05:47	04:30 04:31	06:32	06:27	07:12	06:48	SNF
	05:05			04:00					
05:06 05:07	05:42 05:43	05:56	05:55 05:56	04:40 04:41	06:40	06:32 06:33	07:19 07:20	06:53	BMT
05.00	05:15		05:35	04:10		06:33	07:18		
E-2 05:13	05:46	E-2T-10 06:18	E-2T-10 06:18	04:46 E-5	06:43 E-4T-20	06:37	07:23	06:55	HSJ
05.25 05.30	06.00 06.10	06:25 06:35	06:25 06:35	05:15 05:25	07.24	07:00 07:05	07:35 07:40	07.05 07.15	SC
05.25	05:50	06:00	06:00	05.20		07:00	07:35	07:10	
									KQD
									HYB

* 12806 w.e.f. 15/02/2026

LINGAMPALLI - SECUNDERABAD / HYDERABAD

DN

Kms from WADI	Inter distance in Kms	Train No.		20968	22717	12756	17029	17205
		FROM TO / TRAIN NAME / TRAIN TYPE		PBR- SC Exp	RJT- SC Exp	BVC- COA Exp	BJP- HYB Exp	SNSI- COA
		Days of service from Originating Stn.		Tue	Mon, Wed, Thu	Sat	Daily	Sun, Tue, Thu
		Days of service at Stn. entering the Sec.		Wed	Tue, Thu, Fri	Sun	Daily	Mon, Wed, Fri
161.06		Lingampalli (S)	a	06:25	06:25	06:25	05:39	07:47
				22691	22691	22691		
			d	06:40	06:40	06:40	05:40	07:48
			s				05:25	07:20
166.2	5.14	Hafizpeta (S)	a	<i>E-2</i>	<i>E-2</i>		05:51	<i>E-2</i>
			d	06:50	06:50	06:48	05:52	08:00
			s				05:35	
175.18	8.98	Sanatnagar (S)	a				06:01	
			d	06:58	06:58	06:55	06:02	08:08
			s				05:45	
179.12	3.94	Begumpet (D)	a	07:05	07:05		06:11	08:16
			d	07:06	07:06	07:03	06:12	08:17
			s	06:35	06:35		05:55	08:00
179.70	0.58	Hussain Sagar Jn. (S)					T-5	
			d	07:10	07:10	07:05	06:25	08:21
				<i>T-5</i>	<i>T-5</i>			<i>T15</i>
194.36	2.82	Secunderabad Jn.(S)	a	07:30	07:30	07:15	<i>E2-T20</i>	08.50
			d			07:25		09.15
			s			06.50		08:30
182.52	2.38	Khairatabad (H)	a					
			d					
			s					
184.9	2.4	Hyderabad Dn.(S)	a				07.10	

LINGAMPALLI - SECUNDERABAD / HYDERABAD

DN

17001	17207	67760	22705	12213	17009	17319	*17049	22534	12219	17426	12701	
SNSI-SC	SNSI-MTM	CT-SC	TPTY-JAT Hum-Safar AC Exp	YPR-DEE Duronto Exp	BIDR-HYB Exp	UBL-HYB Exp	UBL-HYB Exp	YPR - GKP Exp	LTT-SC Duranto Exp	SNSI TPTY	CSMT-HYB Hussain-sagar Exp	Stn Code
Mon, Sat	Wed	Daily	Tue	Sat	Daily	Daily	Daily	Wed	Wed, Sat	Mon	Daily	
Tue, Sun	Thu	Daily	Wed	Sun	Daily	Daily	Daily	Thu	Thu, Sun	Tue	Daily	
07:47	07:47	08:43			09:10	09:29	09:29			11:09		LPI
07:48	07:48	08:44	08:27	08:27	09:11	09:30	09:30	10:48	10:30	11:10	11:20	
07:20	07:20	08:10			09:05	09:20	09:20			10:40		
E-2	E-2	08:54						E-2				HFZ
08:00	08:00	08:55	08:33	08:33	09:21	09:37	09:37	10:58	10:38	11:19	11:29	
		08:20										
08:08	08:08	09:04			09:30							SNF
		09:05	08:39	08:39	09:31	09:43	09:43	11:05	10:46	11:27	11:37	
		08:30			09:20							
08:16	08:16	09:13			09:39	09:49	09:49				11:45	BMT
08:17	08:17	09:14	08:42	08:42	09:40	09:50	09:50	11:12	10:52	11:34	11:46	
08:00	08:00	08:40			09:30	09:40	09:40				11:15	
08:21	08:21	09:17	08:44	08:44	09:44	09:53	09:53	11:15	10:55	11:37	11:50	HSJ
T20	T15				E-2				E-2T-20			
08:55	08:50	09:30	08:55	08:55	T-10			11:30	11:30	11:50		SC
	09:15		09:05	09:05				11:40		12:00		
	08:30		08:40	08:40				11:05		11:40		
												KQD
					10.15	10:00	10:00				12.05	HYB

*17049 w.e.f.06-02-2026

LINGAMPALLI - SECUNDERABAD / HYDERABAD

DN

Kms from WADI	Inter distance in Kms	Train No.		57606	17058	12025	12748	12734	67786	17648
		FROM TO / TRAIN NAME / TRAIN TYPE		VKB- KCG Pass	LPI CSMT Devagiri Exp	PUNE- SC Shatabdi Exp	VKB GNT Palnadu Exp	LPI- TPTY Narayana- nadri Exp	WADI- KCG Pass	PAU- HYB Exp
		Days of service from Originating Stn.		Daily	Daily	Exc. Tue	Daily	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Daily	Daily	Exc. Tue	Daily	Daily	Daily	Daily
161.06		Lingampalli (S)	a	11:59			15:47		16:51	18:10
			d	12:00	12.25	13.43	15:48	17.30	16:52	18:11
			s	11:55			15:40		16:25	17:30
166.2	5.14	Hafizpeta (S)	a	12:11					17:04	18:20
			d	12:12	12.35	13:49	15:56	17:40	17:05	18:21
			s	12:05					16:35	17:45
175.18	8.98	Sanatnagar (S)	a	12:22			16:04		17:15	18:30
			d	12:23	12:45	13:56	16:05	17:48	17:16	18:31
			s	12:15			15:55		16:45	17:55
179.12	3.94	Begumpet (D)	a	12:32	12:55	14:05	16:13	17:55	17:25	18:41
			d	12:33	12:56	14:06	16:14	17:56	17:26	18:42
			s	12:25	12.55	13.40	16:05	17.50	16:55	18:05
179.70	0.58	Hussain Sagar Jn. (S)	d	12:37 <i>E-2T-10</i>	13:00 <i>E-2T-5</i>	14:10	16:18	18:00	17:35	18:45
194.36	2.82	Secunderabad Jn.(S)	a	13.10	13.20	14.20	16:30	18.10	17:55	
			d	13.30	13.25		16:35	18.15	18:00	
			s	13.00	13.10		16:20	18.10	17:50	
182.52	2.38	Khairatabad (H)	a							18:53
			d							18:54
			s							18:15
184.9	2.4	Hyderabad Dn.(S)	a							E2 19.10

LINGAMPALLI - SECUNDERABAD / HYDERABAD

DN

12776	18520	22881	17417	12738	17256	17663	12750	17321	
LPI-CCT	LTT-VSKP Exp	PUNE-BBS Exp	TPTY-SNSI Exp	LPI-COA	LPI-NS	RC-PBN EXP	BIDR-MTM Machlipatnam Exp	VSG-JSME Exp	Stn Code
Mon, Wed, Fri	Daily	Thu	Tue	Daily	Daily	Daily	Daily	Fri	
Mon, Wed, Fri	Daily	Thu	Tue	Daily	Daily	Daily	Daily	Fri	
19.00	19:21 19:22	19:55	20:17 20:18	20.30	21:00	21.20 21.21	21:46 21:47	22:45	LPI
	19:00		20:00			20:50	21:30		
19:10	E-2 19:32	20:05	20:27	E-2 20:40	E-2 21:10	21:30	21:55	E-2 22:55	HFZ
19:18	19:40	20:15	20:34	20:47	21:18	21:38	22:02	23:03	SNF
19:25 19:26	19:47	20:22	20:38	20:54 20:55	21:29 21:30	21:47 21:48	22:07	23:10	BMT
19:20				20:53	21:25	21:20			
19:30	19:49 T-15	20:25	20:40	20:58	21:35	21:54 E2T-7	22:09	23:13	HSJ
19:45 19:50	20:25 20:40	21:05 21:25	20:55 21:05	21.10 21.15	21.50 21.55	22:10 22:30	22.20 22.25	23.25 23.35	SC
19:40	20:40	21.05	20:45	21.15	21:45	22:00	22:15	23.35	
									KQD
									HYB

UP

HYDERABAD/SECUNDERABAD - LINGAMPALLI

		Train No.		17255	12749	12737	17664	67785	12733	12775	17626	17647	17418	12747	11020
		FROM - TO / TRAIN NAME / TRAIN TYPE		NS- LPI NARA SAPU R EXP	MTM- BIDR Machl ipatna m Exp	COA- LPI Gaut hami Exp	NED- RC Exp	FM- WADI	TPTY- LPI Naray a- nadri Exp	COA- LPI Koka nada Exp	RAL VKB Exp	HYB- PAU Exp	SNSI TPTY Exp	GNT- VKB Palnadu Exp	BBSN CSMT Konark Exp
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Daily	Daily	Sun, Tue, Thu	Daily	Daily	Wed	Daily	Daily
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Daily	Daily	Mon, Wed, Fri	Daily	Daily	Thu	Daily	Daily
185	..	Hyderabad Dn.	d									08.40			
183	2.38	Khairatabad	a d s									08:47 08:48 08.45			
94.36	..	Secunderabad Jn.	a d s	04:20 04:25 03:55	04:35 04:45 04.10	05:05 05:10 04:45	05:05 05:15 04:55	05.50 05:55 05.30	06.05 06.10 05.40	06.45 06.50 06.25	07.15 07.25 06:40		09.10 09:20 09:05	10:45 10:50 10.20	11.15 11.25 11.00
79.70	2.82	Hussain Sagar Jn.	d	04:37	04:57	05:27	05:37	06:07	06:20	07:01	07:37	09:00	09:32	11:02	11:37
179	0.58	Begumpet (D)	a d s	04:41 04:42 04.30		05:30 05:31 04.55	05:41 05:42 05:05	06:11 06:12 05:40	06:23 06:24 05:50	07.04 07.05 06.37	07:41 07:42 06:55	09:04 09:05 08.55		11:05 11:06 10:35	11:42 11:43 11.12
175	3.94	Sanatnagar	a d s					06:20			07:49	09:14		11:14	
			d	04:50	05:08	05:38	05:50	06:21	06:31	07:12	07:50	09:15	09.45	11:15	11:51
			s					05:50			07:10	09:05		10:45	
166	8.98	Hafizpeta	a d s					06:30			08:01	09:26			
			d	05:00	05:18	05:47	06:00	06:31	06:39	07:21	08:02	09:27	09:55	11:27	12:01
			s		E-2		E-2	06:00			07:21	09:15			
161	5.14	Lingampalli	a d s	05:15	05:29 05:30 04:50	05:55	06:11 06:12 05:25	06:38 06:39 06:10	06:45	07.30	08:14 08:15 07:31	09:36 09:37 09:25	10:04 10:05 09:45	11:38 11:39 11:05	12:10 12:11 11.40

UP

HYDERABAD/SECUNDERABAD - LINGAMPALLI

18519	12591	22533	12026	17057	12702	12755	22718	20967	17320	*17050	22882	12732	17002	17206	17208	Stn. Code
VSKP- LTT Exp	GKP- YPR Exp	GKP- YPR Exp	SC- PUNE Shat- abdi Exp	CSMT- LPI Devagir i Exp	HYB- CSMT Hussa in Sagar Exp	COA- BVC EXP	SC- RJT EXP	SC- PBR Exp	HYB- UBL Exp	HYB- UBL Exp	BBS- PUNE Exp	SC- TPTY Exp	SC- SNSI Exp	COA- SNSI Exp	MTM- SNSI Exp	
Daily	Sat	Mon	Except Tue	Daily	Daily	Thu	Mon, Tue, Sat	Wed	Daily	Daily	Tue	Wed, Sat	Fri, Sun	Mon, Wed, Sat	Tue	
Daily	Mon	Tue	Except Tue	Daily	Daily	Thu	Mon, Tue, Sat	Wed	Daily	Daily	Wed	Wed, Sat	Fri, Sun	Mon, Wed, Sat	Tue	
					14.55				15.50	15.50						HYB
																KQD
13:10	13:40	13:40		15:15		15:00					16:35			16:10	16:10	SC
13:20	13:50	13:50	14:40	15:20		15:10	15:10	15:10			16:45	16:15	16:10	16:20	16:20	
12:50	13:20	13:20		15:00		14:50					16:25			15:45	15:45	
13:32	14:02	14:02	14:52	15:32	15:07	15:22	15:22	15:22	16:02	16:02	16:57	16:27	16:37	16:37	16:37	HSJ
	14:05		14:55	15:37	15:12		15:27	15:27	16:07	16:07			16:42	16:42	16:42	BMT
13:35	14:06	14:06	14:56	15:38	15:13	15:28	15:28	15:28	16:08	16:08	17:01	16:31	16:43	16:43	16:43	
	13:55		14:52	15:15	15:05		15:22	15:22	16:00	16:00			16:25	16:00	16:00	
13:42	14:14	14:14	15:04	15:46	15:21	15:36	15:36	15:36	16:16	16:16	17:09	16:38	16:51	16:51	16:51	SNF
13:52	14:24	14:24	15:14	15:56	15:31	15:46	15:46	15:46	16:26	16:26	17:19	16:47	17:00	17:00	17:00	HFZ
				E-2T10												
14:01				16:20					16:38	16:38			17:09	17:09	17:09	LPI
14:02	14:35	14:35	15:21		15:39	15:56	15:56	15:56	16:39	16:39	17:30	16:55	17:10	17:10	17:10	
									16:30	16:30			16:50	16:25	16:25	

		Train No.		17425	12794	22692	67759	22706	17322	17012	*12805	12805
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY SNSI Exp	NZB- TPTY Rayala- Seema Exp	NZM- SBC Raj- dhani Exp	SC- CT MEMU	JAT TPTY Hum- Safar AC Exp	JSME VSG Exp	SKZR- BIDR Exp	VSKP- LPI Janma- Bhoomi Exp	VSKP- LPI Janma- Bhoomi Exp
		Days of service from Originating Stn.		Sun	Daily	Daily	Daily	Fri	Mon	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Sun	Daily	Daily	Daily	Sat	Tue	Daily	Daily	Daily
184.9	..	Hyderabad Dn.	d									
182.52	2.38	Khairatabad	a d s									
194.36	..	Secunderabad Jn.	a d s	17:10 17:20 16:10	17:20 17:30 17:15	17:30 17:40 17:25		18:10 18:20 18:05	19:10 19:20 19:05	18:50 19:00 18:40	18:30 18:35 18:15	18:55 19:00 18:35
179.70	2.82	Hussain Sagar Jn. (S)	d	17:32	17:42	17:52	18:12	18:32	19:32	19:12	18:45	19:12
179.12	0.58	Begumpet (D)	a d s		17:46 17:47 17:27		18:17 18:18 18:12			19:15 19:16 18:55	18:48 18:49 18:30	19:15 19:16 18:50
175.18	3.94	Sanatnagar	a d s		17:55 22692 17:43		18:26 18:04 18:04			19:25 19:26 19:05		
166.2	8.98	Hafizpeta	a d s				18:38 18:39 18:35					
161.06	5.14	Lingampalli	a d s	17:59 18:00 17:45	18:30 18:31 17:55		18:49 18:50 18:45			19:40 19:41 19:20	19:15	19:40

*12805 w.e.f. 15/2/2026

12735	17221	20915	17014	17030	18111	12214	17253	22731	12795	12220	Stn. Code
SC - YPR Garib- Rath Exp	COA- LTT Exp	LPI-INDB Humsa far Exp	KZJ- HDP Exp	HYB- BJP Exp	TATA- YPR Exp	DEE- YPR Dumont Exp	GNT- CPSN Exp	HYB- CSMT Exp	BZA-LPI Intercity Exp	SC- LTT Dumont Exp	
Sun, Wed, Fri	Wed, Sat	Sun	Mon Thu Sat	Daily	Thu	Mon	Daily	Daily	Daily	Tue, Fri	
Sun, Wed, Fri	Wed, Sat	Sun	Mon Thu Sat	Daily	Fri	Tue	Daily	Daily	Daily	Tue, Fri	
				21.10				22:40			HYB
				21.17 21.18 21.16							KQD
20.20	20.30 20.40		20.50 21.00		21:35 21:45	21:35 21:45	22.00 22.10		22:40 22:45	23.05	SC
	20.10		20:45		21.10	21.10	21:50		22.15		
20:32	20:52		21:12	21.25	21:52	21:52	22:22	22:52	23:05	23.17	HSJ
20:36 20:37	20:56		21:17 21:18	21:30 21:31	21:55	21:55	22:27 22:28	22:54 22:55	23:09 23:10	23.20	BMT
20:32			21:00	21.25			22:05	22:52	22.25		
20:45	21:03		21:26	21:41	22:01	22:01	22:37 22:38	23:03	23:17	23.27	SNF
				21.33			22:15				
20:55	21:12		21:35	22:00 12214G 22:15	22:09	22:09	22:49 22:50	23:12	23:26	23.36	HFZ
				21.42			22:30				
21:04 21:05	21:20 21:21	22:05	21:44 21:45	22:25 22:26	22:15 22:16	22:16	22:59 23:00	23:21 23:22	23:35	23.45	LPI
21:00	20:50		21:30	21.51	21.50		22.45	23.15			

Kms from WADI	Inter distance in Kms	Train No.		12749	17664	17621	67785	17626	17647	17418	12747	11020	18519
		FROM - TO / TRAIN NAME / TRAIN TYPE		MTM- BIDR Machi patna m Exp	NED- RC Exp	CPSN TPTY EXP	FM- WADI Pass	RAL- VKB Exp	HYB- PAU Exp	SNSI TPTY Exp	GNT- VKB Paln- adu Exp	BBSN CSMT Konark Exp	VSKP -LTT Exp
		Days of service from Originating Stn.		Daily	Daily	Fri	Daily	Daily	Daily	Wed	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Daily	Daily	Sat	Daily	Daily	Daily	Thu	Daily	Daily	Daily
161.06		Lingampalli	a	05:29	06:11		06:38	08:14	09:36	10:04	11:38	12:10	14:01
			d	05:30	06:12		06:39	08:15	09:37	10:05	11:39	12:11	14:02
			s	04:50	05:25		06:10	07:31	09:25	09:45	11:05	11:40	13:30
							E-5	E-5	E-5	E-5		E-5	E-5
157.38	3.66	Telapur 155/11-9 IBS	d	05:35	06:16		06:48	08:25	09:47	10:15	11:42	12:21	14:11
151.24	6.10	Nagalapalli 144 IBS	a				06:57	08:34					
			d	05:41	06:22		06:58	08:35	09:54	10:22	11:48	12:28	14:18
			s				06:25	07:41					
140.27	10.97	Shankarpalli 134/12-11 IBS	a		06:32		07:09	08:45	10:05		11:57		
			d	05:49	06:33		07:10	08:46	10:06	10:31	11:58	12:36	14:26
			s		05:40		06:35	07:51	\$09.40		11.14		
128.66	11.61	Gullaguda	a				07:20	08.56					
			d	05:57	06:40		07:21	08.57	10:16	10:39	12:06	12:43	14:33
			s				06:45	08:00					
							T-5		T-5	T-5		T-5	T-5
121.80	6.86	Chitgidda Moosi Bridge	a				07:32	09.05					
			d	06:01	06:44		07:33	09.06	10:26	10:49	12:10	12:53	14:43
			s				06:55	08:10					
		117/11-0 IBS						E5T15					
111.87	9.93	Vikarabad Jn.	a	06:13	06:53	06.58	07:50	09:20	10:46	11:00	12.20		14:52
			d	06:15	06:54	07.40	07:52		10:48	11:01		13:03	14:53
			s	05.40	06:10	07.00	07:10		10:15	10:25			14:25
103.57	8.30	Godamgura IBS	a				08:05						
			d		07:04	07:52	08:06			11:11		13:11	15:02
			s				07:25						
90.16	6.68	Dharur 86/6-5 Kottapalli Bridge	a				08:20						
			d		07:13	08:02	08:21			11:21		13:21	15:11
		IBS	s				07:35						

\$ - experimental stoppage

12591	22533	16594	12026	12702	12755	22718	20967	17320	*17050	12732	22882	17002	17206	17208	Stn Code
GKP- YPR Exp	GKP- YPR- Exp	NED- SBC Exp	SC- PUNE Shat- abdi Exp	HYB- CSMT Hussain Sagar Exp	COA- BVC EXP	SC- RJT EXP	SC- PBR Exp	HYB- UBL Exp	HYB- UBL Exp	SC- TPTY Exp	BBS- PUNE Exp	SC- SNSI Exp	COA- SNSI Exp	MTM - SNSI Exp	
Sat	Mon	Daily	Except Tue	Daily	Thu	Mon, Tue, Sat	Wed	Daily	Daily	Wed, Sat	Tue	Fri, Sun	Mon, Wed, Sat	Tue	
Sun	Tue	Daily	Except Tue	Daily	Thu	Mon, Tue Sat	Wed	Daily	Daily	Wed, Sat	Wed	Fri, Sun	Mon, Wed, Sat	Tue	
14:35	14:35		15:21	15:39	15:56	15:56	15:56	16:38 16:39	16:38 16:39	16:55	17:30	17:09 17:10	17:09 17:10	17:09 17:10	LPI
								16:30	16:30			16:50	16:25	16:25	
E-5	E-5			E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	
14:45	14:45		15:24	15:48	16:06	16:06	16:06	16:49	16:49	17:04	17:40	17:18	17:18	17:18	TLPR
14:51	14:51		15:30	15:54	16:12	16:12	16:12	16:55	16:55	17:10	17:47	17:24	17:24	17:24	NPL
14:59	14:59		15:38	16:02	16:20	16:20	16:20	17:03	17:03	17:18	17:55	17:33 17:34	17:33 17:34	17:33 17:34	SKP
												17:00	16:45	16:45	
15:07	15:07		15:45	16:09	16:27	16:27	16:27	17:10	17:10	17:25	18:05	17:42	17:42	17:42	GGD
T-5	T-5			T-5	T-5	T-5	T-5				T-5				
15:17	15:17		15:50	16:18	16:37	16:37	16:37	17:15	17:15	17:30	18:15	17:47	17:47	17:47	CTF
15:27	15:27	14:35 15:00	15:58 15:59	16:27 16:28	16:47 16:48	16:48	16:48	17:25 17:26	17:25 17:26	17:39 17:40	18:25	17:55 17:57	17:55 17:57	17:55 17:57	VKB
		14:30	15:45	16:02	16:15			17:11	17:11	17:15		17:30	17:30	17:30	
15:37	15:37	15:12	16:08	16:37	16:58	16:58	16:58	17:36	17:36	17:51	18:35				GDQ
15:46	15:46	15:21	16:17	16:46	17:08	17:08	17:08	17:45	17:45	18:00	18:45				DRR

*w.e.f 06/02/2026

Kms from WADI	Inter distance in Kms	Train No.		12749	17664	17621	67785	17626	17647	17418	12747	11020	18519
		FROM - TO / TRAIN NAME / TRAIN TYPE		MTM-BIDR Machi patna m Exp	NED- RC Exp	CPSN TPTY EXP	FM- WADI Pass	RAL- VKB Exp	HYB- PAU Exp	SNSI TPTY Exp	GNT- VKB Paln- adu Exp	BBSN CSMT Konark Exp	VSKP -LTT Exp
		Days of service from Originating Stn.		Daily	Daily	Fri	Daily	Daily	Daily	Wed	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Daily	Daily	Sat	Daily	Daily	Daily	Thu	Daily	Daily	Daily
81.45	9.65	Rukmapur 76/3 IBS 77/3-2 Kondamalli Bridge	a				08:34						
			d		07:21	08:12	08:35			11:30		13:29	15:19
70.46	10.99	Tandur 65/1-64/17 Cagna Bridge	s				07:45						
			a		07:29	08:22	08:45			11:40		13:39	15:29
			d		07:30	08:23	08:46			11:41		13:40	15:30
61.97	8.49	Mantatti 64/17-65/1 Cagna Bridge IBS	s		06:50	07:50	08:00			11:10		12:50	15:00
			a				08:56						
			d		07:37	08:32	08:57			11:50		13:49	15:38
53.01	8.96	Nawandgi 46/12-10 Iyyala Bridge IBS	s				08:15						
							E-5			E-5		E-5	E-5
			a			E-5	09:10						
45.46	7.55	Kurgunta 37/14-12 IBS Seram Bridge	d		07:42	08:43	09:11			12:00		13:59	15:48
			s				08:25						
			a				09:20						
37.26	8.20	Seram 30/8-7 IBS	d		07:49	08:51	09:21			12:08		14:06	15:55
			s				08:40						
			a		07:55		09:35					14:15	
24.86	12.40	Malkhaid Road 20/15 IBS 20/11-9 Moghilai Bridge	d		07:56	09:00	09:36			12:15		14:16	16:01
			s		07:30		08:50					13:20	
			a				09:49						
15.19	9.67	Chittapur	d		08:03	09:10	09:50			12:23		14:26	16:09
			s				09:00						
			a		08:09	09:20	10:05			12:34			
9.18	6.01	Sulehalli	d		08:10	09:21	10:06			12:35		14:36	16:17
			s		07:55	09:00	09:20			12:00			
			a			E-4T15	T-15			T5		T5	T-5
4.68	4.68	Sulehalli West	d		08:15	09:50	10:36			12:47		14:46	16:27
			s			T-25	T-35						
			a										
00.00	4.5	Wadi Jn.	d		08:20	10:25	11:14			12:50		14:55	16:33
			s				11:30					15:10	16:45
			a									15:12	16:47
			s									14:47	16:30

12591	22533	16594	12026	12702	12755	22718	20967	17320	*17050	12732	22882	17002	17206	17208	Stn Code
GKP- YPR Exp	GKP- YPR- Exp	NED- SBC Exp	SC- PUNE Shat- abdi Exp	HYB- CSMT Hussain Sagar Exp	COA- BVC EXP	SC- RJT EXP	SC- PBR Exp	HYB- UBL Exp	HYB- UBL Exp	SC- TPTY Exp	BBS- PUNE Exp	SC- SNSI Exp	COA- SNSI Exp	MTM - SNSI Exp	
Sat	Mon	Daily	Except Tue	Daily	Thu	Mon, Tue, Sat	Wed	Daily	Daily	Wed, Sat	Tue	Fri, Sun	Mon, Wed, Sat	Tue	
Sun	Tue	Daily	Except Tue	Daily	Thu	Mon, Tue Sat	Wed	Daily	Daily	Wed, Sat	Wed	Fri, Sun	Mon, Wed, Sat	Tue	
15:54	15:54	15:29	16:25	16:54	17:16	17:16	17:16	17:53	17:53	18:08	18:55				RMY
16:04	16:04	15:39 15:40	16:33 16:34	17:03 17:04	17:25 17:26	17:25 17:26	17:25 17:26	18:01 18:02	18:01 18:02	18:15	19:02				TDU
		15:10	16:15	16:40	16:50	16:50	16:50	17:42	17:42						
16:10	16:10	15:48	16:41	17:11	17:34	17:34	17:34	18:09	18:09	18:21	19:10				MVH
E-5	E-5	E-5		E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5				
16:20	16:20	15:58	16:46	17:21	17:44	17:44	17:44	18:19	18:19	18:31	19:20				NAW
16:27	16:27	16:08	16:53	17:28	17:52	17:52	17:52	18:26	18:26	18:38	19:28				KQT
16:34	16:34	16:16 16:17	16:59	17:36 17:37	18:00 18:01	18:00 18:01	18:01	18:33 18:34	18:33 18:34	18:44	19:35				SEM
		15:45		17:09	17:15	17:15		18:09	18:09						
16:41	16:41	16:26	17:06	17:46	18:11	18:11	18:11	18:41	18:41	18:52	19:45				MQR
16:49	16:49	16:40 12026 12591G 17:19	17:13	17:55 17:56	18:22	18:22	18:22	18:47 18:48	18:47 18:48	18:59	20:05 22692 20:30				CT
		16:15		17:28 T-5	T-5	T-5	T-5	18:25	18:25		T-5				
T5 16:59	T5 16:59	17:31	17:18	18:07	18:34	18:34	18:34	18:53	18:53	19:05	20:45				SUH
T-5	T-5										T-5				
17:10	17:10	17:35	17:22	18:08	18:38	18:38	18:38	19:00	19:00	19:15	21:00				SUHW
			17:34 17:36	18:20 18:22	18:50 18:55	18:50 18:55	18:50 18:55	19:20 19:25	19:20 19:25		21.25 21.30				WADI
			17:19	18:02	18:20	18:20	18:20	19:15	19:15		21.15				

Kms from WADI	Inter distance in Kms	Train No.		17425	22692	12794	67759	22706	17322	17012	16572	16584
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY SNSI Exp	NZM- SBC Raj- dhani Exp	NZB- TPTY Rayala seema Exp	SC- CT MEMU	JAT TPTY Hum- Safar AC Exp	JSME VSG Exp	SKZR- BIDR Exp	BIDR- YPR Exp	LUR - YPR Exp
		Days of service from Originating Stn.		Sun	Daily	Daily	Daily	Fri	Mon	Daily	Mon, Tue, Wed, Fri	Sun, Thu, Sat
		Days of service at Stn. entering the Sec.		Sun	Daily	Daily	Daily	Sat	Fri	Daily	Mon, Tue, Wed, Fri	Sun, Thu, Sat
161.06		Lingampalli	a	17.59		18:30	18:49			19:40		
			d	18.00	18:20	18:31	18:50	19:01	20:02	19:41		
			s	17.45		17:55	18:45			19:20		
157.38	3.66	Telapur Jn. <i>155/11-9</i> IBS	a			E-5		E-5	E-5			
			d	18.07	18:23	18:40	18:55	19:10	20:10	19:50		
151.24	6.10	Nagalapalli <i>144</i> IBS	a			E-5	19:03					
			d	18.13	18:29	18:46	19:04	19:17	20:17	19:58		
			s				18.54					
140.27	10.97	Shankarpalli <i>134/12-11</i> IBS	a			18:55	19:14			20:13		
			d	18.21	18:37	18:56	19:15	19:25	20:25	20:15		
			s			18.18	19.03			19:40		
128.66	11.61	Gullaguda	a				19:24					
			d	18.28	18:44	19:05	19:25	19:33	20:33	20:23		
			s			T-5	19.15	T-5	T-5			
121.80	6.86	Chitgidda <i>Moosi Bridge</i> <i>117/11-0</i> IBS	a				19:32					
			d	18.32	18:48	19:15	19:33	19:43	20:43	20:28		
			s				19.22			E-6T-20		
111.87	9.93	Vikarabad Jn.	a	18.43		19:23	19:42		20:55	21:08	19.55	19.55
			d	18.45	18:56	19:24	19:44	19:55	20:56	21:10	20.15	20.15
			s	18.30		18.40	19.32		19.30	20:20	19.55	19.55
103.57	8.30	Godamgura IBS	a				19:54 22706 16572					
			d		19:05	19:33	20:37	20:05	21:07		20.25	20.25
			s				19.40					
90.16	6.68	Dharur <i>86/6-5</i> <i>Kottanalli Bridge</i> IBS	a				20:48					
			d		19:15	19:43	20:49	20:15	21:17		20:34	20:34
			s				19.52					
81.45	9.65	Rukmapur <i>76/3</i> IBS <i>77/3-2 Kondamalli Bridge</i>	a				20:59					
			d		19:23	19:51	21:00	20:23	21:25		20:42	20:42
			s				20.05					

12735	17221	17014	20915	18111	12214	17030	22731	17253	12220	
SC - YPR Garib-Rath Exp	COA-LTT Exp	KZJ HDP Exp	LPI- INDB Humsaf ar Exp	TATA- YPR Exp	DEE- YPR Duro- nto Exp	HYB- BJP Exp	HYB- CSMT Exp	GNT- CPSN Exp	SC- LTT Duro- nto Exp	
Sun, Wed, Fri	Wed, Sat	Mon, Thu, Sat	Sun	Thu	Mon	Daily	Daily	Daily	Tue Fri	
Sun, Wed, Fri	Wed, Sat	Mon, Thu, Sat	Sun	Fri	Tue	Daily	Daily	Daily	Tue Fri	Stn Code
21:04 21:05	21:20 21:21	21:44 21:45	22:05	22:15 22:16	22:16	22:25 22:26	23:21 23:22	22:59 23:00	23:45	LPI
21:00	20:50	21:30		21:50		21:51	23:15	22:45		
E-5 21:15	E-5 21:31	E-5 21:55	E-10 22:20	22:20	22:20	E-5 22:36	E-6 23:32	23:09	23:47	TLPR
21:21	21:38	22:01	22:26	22:26	22:26	22:43	23:38	23:16	23:53	NPL
21:29	21:47	22:10	22:34	22:34	22:34	22:50 22:51	23:46	23:26 23:27	00:01	SKP
						\$22:06		\$23:15		
21:36	21:55	22:18	22:41	22:41	22:41	22:59	23:54	23:36	00:08	GGD
T-5	T-5					E-5				
21:45	22:05	22:23	22:45	22:45	22:45	23:09	23:59	23:41	00:12	CTF
21:53	22:16	22:35 22:37	22:51 22:52	22:51 22:52	22:52	23:18 23:19	00:10 12220 00:28	23:55 23:57	00:20	VKB
		22:00	22:30	22:20		22:38	23:40	23:40		
22:02	22:26		23:00	23:00	23:00	E-2 23:29	00:38		00.28	GDQ
22:11	22:36		23:09	23:09	23:09	23:38	00:47		00:37	DRR
22:19	22:43		23:17	23:17	23:17	23:46	00:57		00:45	RMY

\$ experimental stoppage

Kms from WADI	Inter distance in Kms	Train No.		17425	22692	12794	67759	22706	17322	17012	16572	16584
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY SNSI Exp	NZM- SBC Raj- dhani Exp	NZB- TPTY Rayala seema Exp	SC- CT MEMU	JAT TPTY Hum- Safar AC Exp	JSME VSG Exp	SKZR- BIDR Exp	BIDR- YPR Exp	LUR - YPR Exp
		Days of service from Originating Stn.		Sun	Daily	Daily	Daily	Fri	Mon	Daily	Mon, Tue, Wed, Fri	Sun, Thu, Sat
		Days of service at Stn. entering the Sec.		Sun	Daily	Daily	Daily	Sat	Fri	Daily	Mon, Tue, Wed, Fri	Sun, Thu, Sat
70.46	10.99	Tandur 63/1-64/1/ Canna Bridge	a			20:00	21:09				20:51	20:51
			d		19:30	20:01	21:10	20:31	21:33		20:52	20:52
			s			19.18	20.18				20.31	20.31
61.97	8.49	Mantatti 64/17-65/1 Cagna Bridge IBS	a				21:18					
			d		19:36	20:10	21:19	20:39	21:40		21:00	21:00
			s		E-5	E-5	20.30	E-5	E-5		E-5	E-5
53.01	8.96	Nawandgi 46/12-10 Iyyala Bridge IBS	a			20:22	21:29					
			d		19:46	20:23	21:30	20:49	21:50		21:10	21:10
			s			19.32	20.40					
45.46	7.55	Kurgunta 37/14-12 Seram Bridge IBS	a				21:40					
			d		19:53	20:32	21:41	20:57	21:58		21:17	21:17
			s				20.52					
37.26	8.20	Seram 30/8-7 IBS	a		20:01	20:40	21:49				21.25	21.25
			d		20:02	20:41	21:50	21:04	22:05		21.26	21.26
			s		19.30	19.49	21.05				21.10	21.10
24.86	12.40	Malkhaid Road 20/15 IBS 20/11-9 Moghlai Bridge	a				22:00 17322					
			d		20:10	20:50	22:22	21:12	22:13		21.35	21.35
			s				21.20					
							E-9				E-1	E-1
15.19	9.67	Chittapur	a			20:59	22.40				21.45	21.45
			d		20:17	21:00		21:19	22:21		21.46	21.46
			s			20.10					21.40	21.40
					E5	T-5		T-5	T-5			
9.18	6.01	Sulehalli	a									
			d		20:27	21:11		21:29	22:31		21:57	21:57
			s						T-8		T-10	T-10
4.68	4.68	Sulehalli West	d		20:40	21:15		21:35	22:50		22:20	22:20
00.00	9.18	Wadi Jn.	a									
			d									
			s									

12735	17221	17014	20915	18111	12214	17030	22731	17253	12220	
SC - YPR Garib-Rath Exp	COA-LTT Exp	HYB-HDP Exp	LPI-INDB Humsafar Exp	TATA-YPR Exp	DEE-YPR Duronto Exp	HYB-BJP Exp	HYB-CSMT Exp	GNT-CPSN Exp	SC-LTT Duro- nto Exp	
Sun, Wed, Fri	Wed, Sat	Mon, Thu, Sat	Sun	Thu	Mon	Daily	Daily	Daily	Tue Fri	
Sun, Wed, Fri	Wed, Sat	Mon, Thu, Sat	Sun	Fri	Tue	Daily	Daily	Daily	Tue Fri	Stn Code
22:27	22:53 22:54		23:24	23:23 23:24	23:24	23:55 23:56	01:04 01:05		00:52	TDU
	22:20			22:50		23:10	00:10			
22:34	23:03		23:30	23:30	23:30	00:03	01:12		00:58	MVH
E-5	E-5						E-5			
22:44	23:13		23:35	23:35	23:35	00:10	01:22		01:03	NAW
22:51	23:20		23:42	23:42	23:42	00:17	01:29		01:10	KQT
22:58	23:28		23:48	23:48	23:48	00:25 00:26	01:36 01:37		01:16	SEM
						23:50	00:50			
23:06	23:38		23:55	23:55	23:55	00:33 00:34			01:23	MQR
						00:05				
23:15 23:16	23:46		00:04	00:03 00:04	00:04	00:40 00:41	01:53 01:54		01:30	CT
22:50				23:45		00:15	01:30			
T-5	T-5									
23:26	23:58		00:08	00:10	00:10	00:48	02:00		01:35	SUH
T-20	T-30		T-25							
23:40	0.38		00:38	00:13	00:13	00:53	02:05		01:38	SUHW
	00:50 00:55		00:50 00:55			01:05 01:10	02:15 02:17		01:50 01:53	WADI
	00:10					01:05	02:02		01:43	

VIKARABAD-PARLI VAIJNATH

Total Kms	System of Working	Traction
VKB-PRLI : 267.77	Absolute	Electric

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns: 20 B-Class Stns: 20 C-Class Stns: NIL D-Class Stns: 04	Parli Vajjnath-Ghatnandur	PRLI LTRR BIDR VKB	PRLI with NED Division of SCRly LTRR with SUR Division of CRly	-

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
VKB-PRLI	24	21	28	131

Section	Axle Load	Sectional Speed	Engg. Allowance
VKB-PRLI	22.9 (Tonnes)	110kmph	17 Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
VKB-PRLI	267.77	Single	1 in 100	45.46	1 in 100	50.55

INTER-SECTIONAL BARE RUNNING TIME: VKB - PRLI - VKB

PASSENGER TRAINS	LOADED FRIEGHT TRAINS	STATIONS	LOADED FRIEGHT TRAINS	PASSENGER TRAINS
100	60	SPEED	60	100
..		Vikarabad Jn.	35	20
19	30	Sadasivpet Road	18	12
11	19	Marpalli	18	10
9	15	Kohir	19	13
13	19	Zahirabad	20	12
12	19	Matalakunta	28	16
16	24	Bidar	30	12
12	20	Khanapur	20	6
6	10	Halbarga	18	13
11	25	Bhalki	21	13
12	20	Kalgupur	18	9
8	20	Kamalnagar	25	16
15	25	Udgir	25	15
15	21	Her	25	17
--	-	Ambika Rohina H	-	--
17	30	Chakur	15	6
8	15	Latur Road	15	11
16	15	Janwal	26	17
--	-	Karepur H	-	--
18	22	Pangaon	20	15
--	-	Murti H	-	--
15	20	Ghat Nandur	40	30
27	40	Parli-Vaijnath	-	--
260	409	Total	436	263

Kms from VKB	Inter distance in Kms	Train No.		17613	11412	17253	12749	11405	16571	16583	11414
		FROM - TO/ TRAIN NAME / TRAIN TYPE		PNVL NED Exp.	SLI PRLI Exp	GNT CPSN Exp	MTM BIDR Exp.	PUNE AMI Exp.	YPR BIDR Exp.	YPR LUR Exp.	PVR NZB Exp
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Fri, Sun	Sun, Mon, Tue, Thu	Wed, Fri, Sat	Daily
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Sat, Mon	Mon, Tue, Wed, Fri	Thu, Sat, Sun	Daily
--		Vikarabad Jn.	a			23:55	06:13		06:35	06:35	
			d			23:57	06:15		07:00	07:00	
			s			23:40	05:40		06:25	06:25	
21.72	21.72	Sadashivpeth Road	a				06:35 17001G				
			d			00:18	06:38		07:22	07:22	
			s								
35.77	14.05	Marpalli	a								
			d			00:28	06:49		07:33	07:33	
			s								
45.50	9.73	Kohir (Deccan)	a			00:45 17013					
			d			00:52	07:00		07:43	07:43	
			s								
59.32	14.00	Zahirabad	a			01:09	07:12		07:59	07:59	
			d			01:10	07:13		08:00	08:00	
			s			00:40	06:40		07:30	07:30	
71.77	12.27	Matalkunta	a								
			d			01:23	07:24		08:15	08:15	
			s						E5	E5	
90.78	19.01	Bidar	a			01:50 17254	07:38		08:45	08:43	
			d			01:58				08:45	
			s			01:30				08:20	
105.07	14.92	Khanapur Jn.	a							09:05 22143	
			d			02:11				09:12	
			s								
113.53	7.83	Halbarga	a								
			d			02:17				09:20	
			s								
128.48	14.95	Bhalki	a			02:29				09:29	
			d			02:30				09:30	
			s			02:00				09:00	
142.76	14.28	Kalgupur	a								
			d			02:43				09:44	
			s								

\$ - experimental stoppage

17647	17622	11045	16593	22144	17002	17206	17208	17425	17012	11404	17014	Stn. Code
HYB PAU Exp	TPTY CPSN Exp.	KOP DHN Exp.	SBC NED Exp.	BIDR CSMT Exp.	SC SNSI Exp.	COA SNSI Exp	MTM SNSI Exp.	TPTY SNSI Exp	SKZR BIDR Exp.	KOP NGP Exp.	KZJ HDP Exp.	
Daily	Sat	Fri	Daily	Thu, Sat, Sun	Fri, Sun	Mon, Wed, Sat	Tue	Sun	Daily	Mon, Fri	Mon, Thu, Sat	
Daily	Sun	Fri	Daily	Thu, Sat, Sun	Fri, Sun	Mon, Wed, Sat	Tue	Sun	Daily	Mon, Fri	Mon, Thu, Sat	VKB
10:46	10:05		12:55		17:55	17:55	17:55	18:43	21:08		22:35	
10:48	10:25		13:25		17:57	17:57	17:57	18:45	21:10		22:37	
10:15	09:40		12:50		17:30	17:30	17:30	18:30	20:20		22:00	SSPD
11:10												
11:11	10:46		13:47		18:19	18:19	18:19	19:04	21:35		22:59	MRF
10:40												
11:24								19:17 16572G	21:49			
11:25	10:57		13:57		18:29	18:29	18:29	19:20	21:50		23:10	KOHR
10:55									\$21:00			
11:37									22:04			
11:38	11:07		14:07		18:40	18:40	18:40	19:31	22:05		23:20	ZB
11:10									21:10			
11:54	11:22		14:22		18:52 16572G	18:52 16572G	18:52 16572G	19:42	22:19		23:35	
11:55	11:23		14:23		19:00	19:00	19:00	19:43	22:20		23:36	MTV
11:30	10:40		14:00		18:30	18:30	18:30	19:30	21:25		23:05	
12:10								19:52 12750			23:55	
12:11	11:37		14:37		19:15	19:15	19:15	19:58	22:35		17013 00:32	BIDR
11:45									E5T30			
E-17												
12:50	11:55		14:55		19:30	19:30	19:30	20:18	23:10		00:50	KHNP
16594					12750	12750	12750					
12:56	11:57		15:00	19:40	19:56	19:56	19:56	20:20			00:52	
12:20	11:15		14:35		19:05	19:05	19:05	20:00			23:35	HBU
13:10												
13:11	12:05		15:14	19:54	20:10	20:10	20:10	20:36			01:10	
12:35												BHLK
13:20	12:30 16594										01:25 17254	
13:21	12:35		15:20	20:00	20:18	20:18	20:18	20:42			01:31	
12:45												KCP
13:34			15:34	20:13	20:32	20:32	20:32	20:55			01:42	
13:35	12:47		15:35	20:14	20:33	20:33	20:33	20:56			01:43	
13:05			15:10	20:00	20:00	20:00	20:00	20:40			00:15	
14:00												
17648												
14:08	12:59		15:49	20:27	20:47	20:47	20:47	21:09			01:56	
13:25												

\$ - experimental stoppage

Kms from VKB	Inter distance in Kms	Train No.		17613	11412	17253	12749	11405	16571	16583	11414
		FROM - TO / TRAIN NAME / TRAIN TYPE		PNVL NED Exp.	SLI PRLI Exp	GNT CPSN Exp	MTM BIDR Exp.	PUNE AMI Exp.	YPR BIDR Exp.	YPR LUR Exp.	PVR NZB Exp
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Fri, Sun	Sun, Mon, Tue, Thu	Wed, Fri, Sat	Daily
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Sat, Mon	Mon, Tue, Wed, Fri	Thu, Sat, Sun	Daily
152.45	9.69	Kamalnagar	a							09:55	
			d			02:51				09:56	
			s							\$09:25	
171.52	19.07	Udgir	a			03:09				10:15	
			d			03.10				10:16	
			s			02.40				09:45	
188.07	16.55	Her	a			03.50 17001G					
			d			03.55				10:36	
			s								
199.79	11.72	Chakur	a							11.00 16594	
			d							11:10	
			s							E15T20	
204.58	4.79	Latur Road Jn.	a	03.20	04.30	04:55		06.20		11.55	11.45
			d	03:50	04.40	04:57		06.40		12.00	12.12
			s	03.30	04:30	04:00		06.20		11.25	11:45
209.18	4.60	Wadwal Nagnath (D)	a		05.00	05:09					12:22
			d		05.01	05:10		06:52			12:23
			s	E-4	04:40	04:10					11:55
216.04	6.86	Janwal	a		05.11						12:34
			d	04:12	05.12	05:20		06:58			12:35
			s	T-4	04:50						12:05
232.02	15.98	Pangaon	a		05.32	05:55					12:58
			d	04:35	05.33	05:56		07:16			12:59
			s		05:15	\$04:40					12:30
244.46	12.44	Ghatnandur	a		05.49						13:16
			d	04:50	05.50	06.22		07:31			13:17
			s		05.30						12:50
267.77	23.31	Parli Vaijnath	a	05:30	06.30	06.55		08.00			13:45
			d	06.05		07.15		08.20			14:15
			s	05:35		06:45		07:50			13.50

\$ - experimental stoppage

17647	17622	11045	16593	22144	17002	17206	17208	17425	17012	11404	17014	Stn. Code
HYB PAU Exp	TPTY CPSN Exp.	KOP DHN Exp.	SBC NED Exp.	BIDR CSMT Exp.	SC SNSI Exp.	COA SNSI Exp	MTM SNSI Exp.	TPTY SNSI Exp	SKZR BIDR Exp.	KOP NGP Exp.	KZJ HDP Exp.	
Daily	Sat	Fri	Daily	Thu, Sat, Sun	Fri, Sun	Mon, Wed, Sat	Tue	Sun	Daily	Mon, Fri	Mon, Thu, Sat	
Daily	Sun	Fri	Daily	Thu, Sat, Sun	Fri, Sun	Mon, Wed, Sat	Tue	Sun	Daily	Mon, Fri	Mon, Thu, Sat	
14:20			15:57									KMNR
14:21	13:08		15:58	20:37	20:55	20:55	20:55	21:19			02:05	
13:40			15:35									
14:40	13:26		16:16	20:55	21:14	21:14	21:14	21:36			02:24	UDGR
14:41	13:27		16:17	20:56	21:15	21:15	21:15	21:37			02:25	
14:00	12:50		15:50	20:40	20:50	20:50	20:50	21:20			00:55	
14:59			16:48 16584					22:15 17013				HER
15:00	13:45		16:52	21:14	21:37	21:37	21:37	22:18			02:45	
14:20												
15:20	E-12T-10				21:55 17013	21:55 17013	21:55 17013					CKX
15:21	14:30		17:10	21:32	22:02	22:00	22:00	22:40			03:03	
14:45												
15:34	14:58	14:25	17:18	21:45	22:13	22:13	22:13	22:50		21:10 17002 17614	03:20	LTRR
15:35	15:00	14:45	17:20	21:47	22:15	22:15	22:15	22:52		22:52	03:25	
15:00	14:15	14:15	16:50	21:30	21:40	21:40	21:40	21:35		21:35	02:55	
15:48												WDLN
15:49												
15:10												
16:00					22:32 17614	22:32 17614	22:32 17614	23:10 17254		23:10 17254		JOA
16:01	15:08	15:08	17:32		22:38	22:38	22:38	23:18		23:18		
15:20												
16:20			17:45									PNF
16:21	15:36	15:36	17:46		22:56	22:56	22:56	23:40		23:40		
15:40			17:25									
16:39												GTU
16:40	15:51	15:51	18:00		23:10	23:10	23:10	23:55		23:55		
16:05								E5		E5		
17:00	16:35	16:35	18:30		23:35	23:35	23:35	00:30		00:30		PRLI
17:50	17:00	17:00	18:50		23:55	23:55	23:55	01:05		01:05		
17:25	16:30	16:30	18:30		23:40	23:40	23:40	00:35		00:35		

\$ - experimental stoppage

PARLI VAIJNATH - VIKARABAD

DN

Kms from VKB	Inter distance in Kms	Train No.		11046	17001	17205	17207	17621	11403	17426	11406	22143	11411
		FROM - TO/ TRAIN NAME/ TRAIN TYPE		DHN KOP Exp	SNSI SC Exp	SNSI COA Exp	SNSI MTM Exp	CPSN TPTY Exp	NGP KOP Exp	SNSI TPTY Exp	AMI PUNE Exp.	CSMT BIDR Exp	PRLI SLI Exp
		Days of service from Originating Stn.		Mon	Sat, Mon	Tue,Thu, Sun	Wed	Fri	Tue, Sat	Mon	Mon, Sat	Wed,Fri, Sat,	Daily
		Days of service at Stn. entering the Sec.		Wed	Sun, Tue	Wed,Fri, Mon	Thu	Sat	Wed, Sun	Tue	Tue, Sun	Thu, Sat, Sun	Daily
267.77		Parli Vajjnath	a	23:30	01.50	01.50	01.50	01.50	02.20	04:35	05.20		
			d	23:55	02.10	02.10	02.10	02.10	02:50	04:55	05.50		08.15
			s	23:35	01.55	01.55	01.55	01.55	02.30	04:35	05:20		
244.46	23.31	Ghatnandur	a										08.47
			d	00:27	02:43	02:43	02:43	02:43	03:23	05:27	06:33		08.48
			s										08.40
232.02	12.44	Pangaon	a										09.04
			d	00:43	02:58	02:58	02:58	02:58	03:28	05:45	06:48		09.05
			s										08.55
216.04	15.38	Janwal	a						04:05 17613				09.26
			d	01:05	03:16	03:16	03:16	03:16	04:15	06:05	07:06		09.27
			s										09.18
209.18	6.86	Wadwal Nagnath (D)	a										09.34
			d								07:16		09.35
			s	E-8T-15									09.25
204.58	4.60	Latur Road Jn.	a	01:50	03:29	03:29	03:29	03:29	04:30	06:23	07:30	07.15	09.45
			d	02:20	03:30	03:30	03:30	03:30	04:55	06:25	08.00	07.17	09.50
			s	02:00	03.10	03.10	03.10	03.10	04.30	05:55	07:30	07.12	09.45
199.79	4.79	Chakur	a										
			d		03:37	03:37	03:37	03:37		06:37		07.25	
			s										
188.07	11.72	Her	a		03:47	03:47	03:47	03:47		06:55		07.42	
			d										
			s										
183.84	4.23	Kumthakhurd (D)	a										
			d										
			s										
171.52	16.55	Udgir	a		04:11	04:11	04:11	04:11		07:14		08.01	
			d		04:12	04:12	04:12	04:12		07:15		08.02	
			s		03.45	03.45	03.45	03.45		06:45		07.38	
152.45	19.07	Kamalnagar	a										
			d		04:30	04:30	04:30	04:30		07:33		08:20	
			s										

PARLI VAIJNATH - VIKARABAD

DN

17009	16594	17648	16572	16584	12750	17013	17614	11413	17254	Stn. Code
BIDR HYB Exp	NED SBC Exp	PAU HYB Exp	BIDR YPR Exp	LUR YPR Exp	BIDR MTM Exp	HDP KZJ Exp	NED PNVL Exp	NZB PVR Exp	CPSN GNT Exp	
Daily	Daily	Daily	Mon,Tue, Wed, Fri	Thu, Sat, Sun	Daily	Tue, Fri, Sun	Daily	Daily	Daily	
Daily	Daily	Daily	Mon,Tue, Wed,Fri	Thu, Sat, Sun	Daily	Tue, Fri, Sun	Daily	Daily	Daily	
	09 15 09 35	10.20 10.40					21.15 21.35	19:45 20:05	21.45 22.05	PRLI
	09.20	10.30					21.05	19.40	21.50	
		11.12						20:36		GTU
	10.07	11.13					22:08	20:37	22:38	
		11:00						20:15		
	10.23	11:29						20:54	22:55	PNF
	10.24	11:30					22:23	20:55	22:56	
	10:05	11:15						20:30	22:40	
		11.48						21:19		JOA
	10.43	11.49					22:41	21:20	23:16	
		11:35						21:00		
		11:50						21:30	23:29	WDLN
		11:51						21:31	23:30	
		11:45						21:20	23:05	
	10.55 10.56	12:01 12:02		16.20 16.25		21.45 21.50	22.50 23.10	22:00 22.30	23:42 23:43	LTRR
	10:35	11:55		16.10		21.35	23.00	22.20	23.14	
		T-15								
		12:32								CKX
	11.03	12:33 12:05		16:33		22:00			23:51	
		12:54								HER
	11.20	12:55		16:50		22:18			00:09	
		12:25								
									00:19	KTKR
		E-5								
	11.37	13:20		17.07		22:39			00:29	UDGR
	11.38	17622 13:30		17.08		22:40			00:30	
	11:15	13:00		16:55		22:20			23:55	
	11:54 11.55	13:49 13:50		17.24 17.25		22:56			00:48	KMNR
	\$11:35	13:20		\$17.10						

\$ - experimental stoppage

PARLI VAIJNATH - VIKARABAD

DN

Kms from VKB	Inter distance in Kms	Train No.		11046	17001	17205	17207	17621	11403	17426	11406	22143	11411
		FROM - TO / TRAIN NAME / TRAIN TYPE		DHN KOP Exp	SNSI SC Exp	SNSI COA Exp	SNSI MTM Exp	CPSN TPTY Exp	NGP KOP Exp	SNSI TPTY Exp	AMI PUNE Exp.	CSMT BIDR Exp	PRLI SLI Exp
		Days of service from Originating Stn.		Mon	Sat, Mon	Tue,Thu, Sun	Wed	Fri	Tue, Sat	Mon	Mon, Sat	Wed,Fri, Sat	Daily
		Days of service at Stn. entering the Sec.		Wed	Sun, Tue	Wed,Fri, Mon	Thu	Sat	Wed, Sun	Tue	Tue, Sun	Thu, Sat, Sun	Daily
142.76	9.69	Kalgupur <i>140/10-9 Manjira Bridge</i>	a d s		04:40	04:40	04:40	04:40		07:43		08:30	
128.48	14.28	Bhalki	a d s		04:54 04:55 04.25	04:54 04:55 04.25	04:54 04:55 04.25	04:55		07:59 08:00 07:25		08:44 08:45 08:20	
113.53	14.95	Halbarga	a d s		05:09	05:09	05:09	05:09		08:15		09:00	
105.7	7.83	Khanapur Jn.	a d s		05:15	05:15	05:15	05:15		08:22		09:08	
90.78	14.92	Bidar	a d s		05:28 05:30 05.02	05:28 05:30 05.02	05:28 05:30 05.02	05:28 05:30 05.02		08:40 16583 08:45 08:15		09:20	
71.77	19.01	Matalakunta <i>58/1-5 Naranja Bridge</i>	a d s		05:47	05:47	05:47	05:47		09:04			
59.32	12.27	Zahirabad	a d s		06:00 06:01 05.35	06:00 06:01 05.35	06:00 06:01 05.35	06:00 06:01 05.35		09:19 09:20 08:50			
45.50	14.00	Kohir (Deccan)	a d s		06:15	06:15	06:15	06:15		09:35			
35.77	9.73	Marpalli	a d s		06:25	06:25	06:25	06:25		09:45			
21.72	14.05	Sadashivpet Road	a d s		06:37	06:37	06:37	06:37		09:57			
--	21.72	Vikarabad Jn.	a d s		06:58 07:00 06.45	06:58 07:00 06.45	06:58 07:00 06.45	06:58 07:40 07:00		10:20 10:22 09:50			

PARLI VAIJNATH - VIKARABAD

DN

17009	16594	17648	16572	16584	12750	17013	17614	11413	17254	Stn. Code
BIDR HYB Exp	NED SBC Exp	PAU HYB Exp	BIDR YPR Exp	LUR YPR Exp	BIDR MTM Exp	HDP KZJ Exp	NED PNVL Exp	NZB PVR Exp	CPSN GNT Exp	
Daily	Daily	Daily	Mon,Tue, Wed, Fri	Thu, Sat, Sun	Daily	Tue, Fri, Sun	Daily	Daily	Daily	
Daily	Daily	Daily	Mon,Tue, Wed,Fri	Thu, Sat, Sun	Daily	Tue, Fri, Sun	Daily	Daily	Daily	
	12.04	14:02 14:03 13:35		17.34		23:08			00:57	KCP
	12.19 12.20	14:19 14:20		17.48 17.49		23:24 23:25			01:13 01:14	BHLK
	12:00	13:50		17.35		23:00			00:35	
	12.27	14:35 14:36 14:05 E-7T-10		18.03		23:40			01:30	HBU
	12.39	15:10 16593 15:18 14:30		18.09		23:47			01:36	KHNP
	12.50	15:30		18.22		00:01			01:53	BIDR
06.15	12.55	15:35	18.15	18.24	19.35	00:03			01:54	
	12:35	14:50		18.15		23:40			01:20	
		15:54								MTV
06:35	13.08	15:55	18:41	18:41	19:53	00:20			02:13	
		15:10								
06:49	13.21	16:09	18:53	18:53	20:05	00:34			02:27	ZB
06:50	13.22	16:10	18:54	18:54	20:06	00:35			02:28	
06:50	13:05	15:30	18:45	18:45	20:00	00:10			01:55	
07:04 12749 07:10	13.34	16:25 16:26	19:09	19:09	20:21	00:50			02:43	KOHR
07:05		15:50								
07:30 16571G 07:40	13.44	16:39 16:40	19:19	19:19	20:31	01:00			02:53	MRF
\$07.15		16:05								
	14.00 16593	16:54								SSPD
07:55	14.08	16:55	19:32	19:32	20:45	01:12			03:05	
		16:20								
		E16								VKB
08.18	14:35	17:18	19.55	19.55	21.04	01:35			03:28	
08.20	15:00	17:20	20.15	20.15	21.05	01:37			03:30	
08:10	14:30	16:45	19.55	19.55	20:45	01:10			03:05	

\$ - experimental stoppage

KHANAPUR-TAJ SULTANPUR

Total Kms	System of Working	Traction
KHNP-TJSP: 98.5	Absolute	Traction

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns:06 B-Class Stns:06 C-Class Stns: NIL D-Class Stns:07	NIL	BIDR	TJSP with SUR Division of CRly	NIL

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
KHNP-KUKT	12	11	6	52

Section	Axle Load	Sectional Speed	Engg. Allowance
KHNP-TJSP	20.55 (Tonnes)	100 Kmph	06 Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
KHNP-TJSP	98.50	Single	1 in 100	4.891	1 in 100	4.89

SECTIONAL INFORMATION: BIDR - KLBG - BIDR					
STATIONS	SYSTEM OF WKG	NO. OF LINES	INTERSECTIONAL DISTANCE	CUM. DISTANCE	BRT
BIDAR	ABSOLUTE	5	--	--	--
KHANAPUR Jn.		4	14.92	14.92	13
KANAJI Halt		1	9.42	24.34	10
HALLIKHED B		2	8.66	33	9
HOMNABAD		3	19.17	52.17	20
HALLIKHED K		2	16.32	68.49	17
KAMALAPUR		3	12.3	80.79	12
KURUKOTTA		3	15.5	96.29	15
TAJ SULTANPUR		5	14.32	110.61	16
KALABURAGI JN		5	11.99	122.6	12
					124
MPS			BIDR-KLBG 100 Kmph		

BIDAR - KALABURAGI- BIDAR

77631	77635	77633	77637	16578	STATIONS	16577	77638	77632	77636	77634	Station Code
BIDR KLBG DEMU	BIDR KLBG DEMU	BIDR KLBG DEMU	BIDR KLBG DEMU	BIDR YPR EXP		YPR BIDR EXP	KLBG BIDR DEMU	KLBG BIDR DEMU	KLBG BIDR DEMU	KLBG BIDR DEMU	
Except Sun	Except Sun	Except Sun	Except Sun	Sun		Sun	Except Sun	Except Sun	Except Sun	Except Sun	
Arr/Dep	Arr/Dep	Arr/Dep	Arr/Dep	Arr/Dep		Arr/Dep	Arr/Dep	Arr/Dep	Arr/Dep	Arr/Dep	
07.10(D)	10.20(D)	14:15(D)	17:10(D)	14.40(D)	Bidar	13.50(A)	10:05(A)	13.45 (A)	16:35(A)	20:40:(A)	BIDR
07.25/07.26	10:33/10:34	14:30/14:31	17:22/17:23	14.55	Khanapur Jn	13.35	09:38/09:39	13:05/13:06	15:57/15:58	20:14/20:15	KHNP
07.39/07.40	10:46/10:47	14:44/14:45	17:33/17:34	15.05	KANAJI HALT	13.20	09:22/09:23	12:52/12:53	15:44/15:45	19:55/19:56	KNAG
07:54/07:55	10:58/10:59	14:56/14:57	17:43/17:44	15.15	Hallikhed	13.10	09:08/09:09	12:39/12:40	15:29/15:30	19:39/19:40	HLKH
08.19/08.20	11:21/11:22	15:19/15:20	18:04/18:05	15.40/15.41 15.20/15.21	Homnabad	12.54/12.55 12.34/12.35	08:47/08:48	12:15/12:16	15:05/15:06	19:16/19:17	HMBD
08.39/08.40	11:49/11:50	15:45/15:46	18:30/18:31	16.00	HALLIKHED K	12.30	08:32/08:33	11:54/11:55	14:44/14:45	18:59/19:00	HIKD
08.54/08.55	12:11/12:12	16:00/16:01	18:50/18:51	16.15/16.16 15.50/15.51	Kamalapur	12.14/12.15 12.04/12.05	08:18/08:19	11:39/11:40	14:29/14:30	18:43/18:44	KMPU
09.14/09.15	12:35/12:36	16:19/16:20	19:14/19:15	16.30	Kurukotta	11.47	08:03/08:04	11:19/11:20	14:09/14:10	18:24/18:25	KUKT
09.35/09.36 PTT	12:54/12:55 PTT	16:44/16:45 PTT	19:35/19:36 PTT	16:40	Taj Sultanpur	11:35	07:44/07:45 PTT	10:59/11:00 PTT	13:49/13:50 PTT	18:09/18:10 PTT	TJSP
09.50/09.51 WTT	13:01/13:02 WTT	16:59/17:00 WTT	19:39/19:40 WTT				07:48/07:49 WTT	11:09/11:10 WTT	13:55/13:56 WTT	18:14/18:15 WTT	
10.10(A)	13:20(A)	17.20 (A)	20:00(A)	17.00/17.05 WTT 16.50/16.55 PTT	Kalaburagi	11.10/11.15 WTT 10.52/10.55 PTT	07:30(D)	10.50(D)	13.35(D)	17:55(D)	KLBG
Dep.Time and Skip/PTT Timings are the same											
PARLI - PARBHANI											
Train no			77615 PRLI - ADB		57655 PRLI -AK					57658 PRLI - PAU	
Parli Vaijnath			04.40		13.15					20.15	
PARBHANI - PARLI											
Train no			57654 ADB - PRLI		57657 PAU - PRLI					77614 AK - PRLI	
Parli Vaijnath			12.00		17:45					22.25	

SECUNDERABAD/PAGIDIPALLI-KAZIPET

Total Kms	System of Working		Traction
SC-KZJ: 130.50	Automatic	SC-GT	Electric
	Absolute	GT-KZJ	

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns: 18 B-Class Stns: 13 C-Class Stns: NIL D-Class Stns: 01 Spl-Class Stns: 05 IB Signals: UP:09 + DN: 09 Total: 18	Wangapalli Bhongir	SC	SC & MLY 'G' with HYB Division of SC Rly	MLY
		MLY for KZJ Freight Trains		Stations with RRI Cabins
		BN for NDKD Section Freight Trains only	PGDP with GNT Division of SC Rly	SC KZJ

LINE CAPACITY

Section	Chartered	Effective	Utilisation	% of Utilisation
SC-MLY	90	79	83	105
SNF-MLY(Bye-Pass)	70	61	34	56
MLY-GT	90	79	101	128
GT-PGDP	82	72	97	135
PGDP-KZJ	67	59	72	122

Axle Load	Sectional Speed	Engg. Allowance	
22.9 (Tonnes)	130 Kmph	SC-KZJ: 11 Mins	SC-PGDP: 04Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
SC-MLY	05.90	Double	1 in 100	1.55	1 in 100	00.90
MLY-KZJ	124.63	Double	1 in 100	35.34	1 in 100	12.30

SANATHNAGAR-MOULA ALI (Double Line)

Total Kms	System of Working	Sectional Speed	Traction	Axle Load	Engg. Allowance
SNF-MLY C Cabin (Bye-Pass): 21.83	Automatic	75 Kmph	Electric	22.82 (Tonnes)	02 Mins

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
03	MLYC-AMQ	SNF	NIL	MLY

LINE CAPACITY

Section	Chartered	Effective	Utilisation	% of Utilisation
SNF-MLY C Cabin (Bye-Pass)	70	61	34	56

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
SNF-MLY C Cabin (Bye-Pass)	21.83	Single	1 in 100	2.4	1 in 100	2.4

INTER-SECTIONAL BARE RUNNING TIME : SC - KZJ - SC

Passenger Carrying Trains				Loaded Freight Trains	STATIONS	Loaded Freight Trains	Passenger Carrying Trains			
130	120	110	100	60	↓ Speed in KMPH ↑	60	100	110	120	130
	-	-	-		Secunderabad Jn.	15	10	9	8	8
8	10	10	10	15	Lallaguda	10	6	5	4	3
3	4	4	5	10	Maula Ali	13	7	7	7	5
5	6	6	7	12	Charlapalli	14	7	7	7	6
5	5	5	6	13	Ghatkesar	20	9	8	7	7
7	8	9	9	20	Bibinagar	12	5	5	4	4
3	4	5	5	12	Pagidipalli	15	8	7	7	6
6	6	7	7	15	Bhongir	20	11	9	9	8
7	7	8	8	20	Wangapalli	18	8	8	7	7
6	6	7	7	18	Aler	12	8	8	7	6
5	6	7	8	12	Pembarti	12	5	4	4	3
4	5	6	6	12	Jangaon	18	9	8	7	7
7	8	9	9	15	Raghunathpalli	16	8	8	7	7
5	6	7	8	16	Ippaguda	15	6	5	5	4
4	5	6	7	15	Ghanpur	10	5	5	4	4
5	5	6	6	10	Nashkal	12	7	6	4	4
4	6	7	7	12	Pindial	20	9	9	8	8
8	9	10	10	20	Kazipet Jn		-	-	-	
92	106	119	124	247	TOTAL	252	128	123	110	97
Note : All LHB stock shall run with 130 KMPH in SC-BPQ-KI section										

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		17222 LHB	12975 LHB	12774 LHB	22850 LHB	17013 ICF	11019 LHB	15294 AMTB	12193 LHB	20707 VNDB	11085 LHB	17011 ICF	12796 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT- COA Exp	MYS- JP Exp	SC- SHM AC Exp	SC- SHM Exp	HDP- KZJ Exp	CSMT BBSN Konark Exp	CHZ MFP Amrith Barath	YPR- JBP Exp	SC- VSKP VNDB	SMVB GWL Exp	HYB- SKZR Exp	LPI- BZA Inter- city EXP
		Days of service from Originating Stn.		Thu, Sun	Thu, Sat	Tue	Fri	Mon Wed Sat	Daily	Thu	Sun	Ex Thu	Sun	Daily	Daily
		Days of service at Stn. entering the Sec.		Fri, Mon	Fri, Sun	Tue	Fri	Mon Wed Sat	Daily	Thu	Mon	Ex Thu	Mon	Daily	Daily
194.36	..	Hyderabad												04:35	
		Secunderabad Jn.	a	02:45				03:30	03:55					05:10	05:25
		194/25-26	d	02:55		03:55	03:55	03:55	04:05			05:00		05:15	05:30
		Outlying siding	s	02:15				03:10	03:40					05:10	05:25
196.57	2.21	Lallaguda (Spl)	d	03:05		04:05	04:05	04:05	04:15			05:10		05:25	05:40
199.38	2.81			E-2					E-4						E-4
		Moula Ali	a	03:12											
			d	03:13		04:09	04:09	04:09	04:23			05:13		05:29	05:48
			s	02:30											
205.91	6.53	Moula Ali Gate Cabin	d		02:45						04:20		05:20		
											T-3		E-11		
		Moula Ali 'C' Cabin	d		02:52						04:33				
		Charlapalli	a					04:14						05:38	
213.84	7.93	209/22-24	d	03:20	02:58	04:15	04:15	04:15	04:29	04:05	04:40	05:18	05:45	05:39	05:55
			s					03:40		T-20				05:30	
		Ghatkesar	a												
			d	03:27	03:04	04:21	04:21	04:21	04:35	04:47	04:47	05:23	05:53	05:47	06:02
226.59	12.75	216/28-30 IBS	s												
		Bibinagar	a												
		228/9-10 Bibinagar	d	03:35	03:11	04:28	04:28	04:28	04:42	04:54	04:54	05:30	06:00	05:54	06:09
		Bridge	s												
230.61	4.02	Pagidipalli	a	T15						E-4	E-4				T-3
		237/8-10 IBS	d	04:00	03:14	04:31	04:31	04:31	04:45	05:02	05:02	05:33	06:08	05:58	06:15
			s												
		Bhongir	a					04:37						06:07	
239.85	9.24	245/13-14 IBS	d		03:21	04:38	04:38	04:38	04:52	05:09	05:09	05:39	06:18	06:08	
			s					04:10						06:00	
246.20	6.35	Yadadri (D)	a												
			d												
			s												

\$ - experimental stoppage

HYDERABAD/SECUNDERABAD - KAZIPET

DN

17406 ICF	18112 LHB	12592 LHB	20701 VNDB	12723 LHB	12806 LHB	*12806 LHB	22691 LHB	12756 LHB	12706 LHB	12757 LHB	18046 LHB	
ADB- TPTY Krishna Exp	YPR TATA Exp	YPR- GKP Exp	SC- TPTY VNDB	HYB- NDLS Telangana Exp	LPI- VSKP Janma- Bhoomi Exp	LPI- VSKP Janma- Bhoomi Exp	SBC- NZM Raj- dhani Exp	BVC- COA Exp	SC- GNT Inter-city Exp	SC- SKZR Kaghaz nagar Exp	CHZ- SHM East- Coast Exp	Stn Code
Daily	Sun	Mon	Exp.Tue	Daily	Daily	Daily	Daily	Sat	Daily	Daily	Daily	
Daily	Mon	Tue	Exp.Tue	Daily	Daily	Daily	Daily	Sun	Daily	Daily	Daily	
				06.00								HYB
	06:25 06:35	06:25 06:35	06.10	06.20 06.25	07:00 07:05	07:35 07:40	07:05 07:15	07:15 07:25	07:45	08:10		SC
	06:00	06:00		06.25	07:00	07:30	07:10	06.50	E-5			
	06:45	06:45	06.20	06.35	07:15	07:50	07:25	07:35	08:00	08:20		LGD
				E-4								
	06:52 06:53 06:15	06:53	06.23	06:43	07:18	07:53	07:28	07:39	08:04	08:24		MLY
05:40												MLY 'G'
05:47												MLY 'C'
05:55 06:05	07:01	07:01	06.28	06:49	07:26 07:27	08:00 08:01	07:35	07:46	08:10 08:11	08:32 08:33	08:40	CHZ
05:55					07:20	07:50			08:05	08:30		
06:15	07:07	07:07	06.33	06:55	07:35	08:08	07:41	07:53	08:19	08:41	08:55	GT
06:23	07:13	07:13	06.40	07:02	07:42	08:15 E-3	07:48	08:01	08:27 E3	08:48	09:03	BN
06:27	07:16	07:16	06.48	07:05	07:53	08:25	07:51	08:03	08:35	08:51	09:07	PGDP
06:37 06:38	07:23	07:23		07:12			07:58		08:44 08:45	09:00 09:01	09:16 09:17	BG
06:20									08:25	08:55	09:10	
06:46 06:47 06:30												YADD

*12806 w.e.f.15.02.2026 \$-experimental stoppage

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		17222 LHB	12975 LHB	12774 LHB	22850 LHB	17013 ICF	11019 LHB	15294 AMTB	12193 LHB	20707 VNDB	11085 LHB	17011 ICF	12796 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT- COA Exp	MYS- JP Exp	SC- SHM AC Exp	SC- SHM Exp	HDP- KZJ Exp	CSMT -BBS Konark Exp	CHZ MFP Amrith Barath	YPR- JBP Exp	SC- VSKP VNDB	SMVB GWL Exp	HYB- SKZR Exp	LPI- BZA Inter- city EXP
		Days of service from Originating Stn.		Thu, Sun	Thu, Sat	Tue	Fri	Mon Wed Sat	Daily	Thu	Sun	Ex Thu	Sun	Daily	Daily
		Days of service at Stn. entering the Sec.		Fri, Mon	Fri, Sun	Tue	Fri	Mon Wed Sat	Daily	Thu	Mon	Ex Thu	Mon	Daily	Daily
		Wangapalli 256/24-26 IBS	a d s		03:29	04:46	04:46	04:46	05:00	05:17	05:17	05:45	06:28	06:16	
252.30	6.10														
262.75	10.45	Aler 263/9-10 Aler Bridge 267/10-12 IBS	a d s		03:37	04:52	04:52	04:52	05:08	05:25	05:25	05:51	06:38	06:26 06:27 06:20	
271.58	8.83	Pembarti	a d s		03:42	04:57	04:57	04:57	05:13 E-7	05:30 E-7	05:30 E-7	05:55	06:45	06:34	
276.90	5.32	Jangaon 283/0-2 IBS 285/8-9 Nirgunda Bridge	a d s		03:46	05:01	05:01	05:01 04:40	05:24	05:41	05:41	06:00	06:56	06:41 06:42 06:35	
288.69	11.79	Raghunathpalli 294/4-6 IBS	a d s		03:54	05:09	05:09	05:09	05:32	05:49	05:49	06:07	07:05	06:52	
297.66	8.97	Ippaguda 301/8 IBS	a d s		04:00	05:15	05:15	05:15	05:38	05:55	05:55	06:12	07:15	06:58	
305.14	7.48	Ghanpur 309/1 Rajaram Bridge	a d s		04:05	05:20	05:20	05:20	05:43	06:00	06:00	06:16	07:25	07:05 07:06 07:00	
310.85	5.71	Nashkal	a d s		04:10	05:25	05:25	05:25	05:48	06:05	06:05	06:20	07:35	07:13	
316.98	6.13	Pindial 319/20-22 IBS	a d s		04:14	05:29	05:29	05:29 E11T30	05:52	06:10	06:10	06:24	07:45 T-30	07:18	
324.89	7.91	Kazipet Jn.	a d s		04:25 04:27 04:10	05:39	05:39	06:45	06:03 06:05 05:40	06:22 06:24 05:50	06:22 06:24 05:50	06:35	08.30 08.32 08:05	07:32 07:37 07:25	

HYDERABAD/SECUNDERABAD - KAZIPET

DN

17406 ICF	18112 LHB	12592 LHB	20701 VNDB	12723 LHB	12806 LHB	*12806 LHB	22691 LHB	12756 LHB	12706 LHB	12757 LHB	18046 LHB	
ADB- TPTY Krishna Exp	YPR TATA Exp	YPR- GKP Exp	SC- TPTY VNDB	HYB- NDLS Telangana Exp	LPI- VSKP Janma- Bhoomi Exp	LPI- VSKP Janma- Bhoomi Exp	SBC- NZM Raj- dhani Exp	BVC- COA Exp	SC- GNT Inter-city Exp	SC- SKZR Kaghaz nagar Exp	CHZ- SHM East- Coast Exp	Stn Code
Daily	Sun	Mon	Exp.Tue	Daily	Daily	Daily	Daily	Sat	Daily	Daily	Daily	
Daily	Mon	Tue	Exp.Tue	Daily	Daily	Daily	Daily	Sun	Daily	Daily	Daily	
06:57	07:31	07:31		07:20			08:05		08:53	09:11	09:27	
07:08 07:09	07:39	07:39		07:28			08:12		09:00 09:01	09:21 09:22	09:37 09:38	ALER
06:45									08:45	09:10	09:30	
07:16	07:44	07:44		07:33 E-7			08:17		09:08	09:29	09:48	PBP
07:24 07:25	07:54	07:54		07:44			08:21		09:20 09:21	09:35 09:36	09:56 09:57	ZN
07:00									09:00	09:25	09:45	
07:35 07:36 07:10	08:01	08:01		07:51			08:28		09:29	09:46	10:08	RGP
07:44	08:07	08:07		07:57			08:34		09:35	09:52	10:14	IPG
07:55 12723 18112									09:41	09:59		GNP
08:20	08:12	08:12		08:02			08:38		09:42	10:00	10:19	
07:40									09:20	09:40		
08:27	08:16	08:16		08:06			08:42		09:48	10:07	10:24	NSKL
08:31	08:20	08:20		08:10			08:46 E-4		09:52	10:12	10:29	PQL
08:45 08:47	08:32	08:30 08:32		08:20 08:22			09:00 09:02		10:04 10:05	10:20 10:25	10:44 10:46	KZJ
08:15		08:05		07:55			08:50		09:52	10:15	10:30	

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		12213 LHB	22705 LHB	12649 LHB	17205 LHB	17207 ICF	18504 LHB	12791 LHB	67761 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		YPR- DEE Dur- onto Exp	TPTY- JAT Ham- safir Exp	YPR-NZM K'taka Sampark kranti Exp	SNSI- COA Exp	SNSI- MTM Exp	SNSI- VSKP Exp	SC- DNR Exp	SC-WL MEMU
		Days of service from Originating Stn.		Sat	Tue	Except Tue, Thu	Tue, Thu, Sun	Wed	Fri	Daily	Daily
		Days of service at Stn. entering the Sec.		Sun	Wed	Except Wed, Fri	Wed, Fri, Mon	Thu	Sat	Daily	Daily
194.36	..	Hyderabad									
		Secunderabad Jn.	a	08:55	08:55		08:50	08:50			
		194/25-26 Outlying siding	d	09:05	09:05		09:15	09:15		09:25	09:35
			s	08:40	08:40		08:30	08:30			
196.57	2.21	Lallaguda (Spl)	d	09:15	09:15		09:25	09:25		09:35	09:45
199.38	2.81	Moula Ali	a				09:32 12791	09:32 12791			09:55
			d	09:19	09:19		09:43	09:43		09:39	09:56
			s								09:50
		Moula Ali Gate Cabin				09:10			09:25		
		Moula Ali 'C' Cabin				E-3 09:20			E-11		
205.91	6.53	Charlapalli	a				09:57	09:57	09:48		10:07
		209/22-24	d	09:26	09:26	09:36	09:58	09:58	09:58	09:47	10:08
			s				08:50	08:50	08:50		10:00
213.84	7.93	Ghatkesar	a								10:17
		216/28-30 IBS	d	09:33	09:33	09:43	10:07	10:07	10:07	09:52	10:18
			s								10:10
226.59	12.8	Bibinagar	a								10:27
		228/9-10 Bibinagar Bridge	d	09:40	09:40	09:50	10:14	10:14	10:14	10:02	10:28
			s								10:20
230.61	4.02	Pagidipalli	a								
		237/8-10 IBS	d	09:43	09:43	09:53	10:17	10:17	10:17	10:05	10:34
			s								
239.85	9.24	Bhongir	a								10:43
		245/13-14 IBS	d	09:50	09:50	10:00	10:22	10:22	10:22	10:12	10:44
			s								10:35

HYDERABAD/SECUNDERABAD - KAZIPET

DN

67779 DEMU	22534 LHB	12647 LHB	22683 LHB	12251 LHB	15024 LHB	17426 LHB	17202 LHB	17645 LHB	12437 LHB	12285 LHB	20102 VNDB	20629 LHB	Stn Code
KCG- NDKD DEMU	YPR- GKP Exp	CBE- NZM Kongu Exp	YPR- LKO Exp	YPR- KORBA Wain Ganga Exp	YPR- GKP Exp	SNSI TPTY Exp	SC-GNT Gol- conda Exp	SC- RAL Exp	SC- NZM Raj- dhani Exp	SC- NZM Duro- nto Exp	SC- NGP VNDB	SC-TVC Sabari SF	
Except Sat	Wed	Sun	Mon	Tue, Fri	Thu	Mon	Daily	Daily	Wed	Sun, Thu	Ex.Tue	Daily	
Except Sat	Thu	Mon	Tue	Wed, Sat	Fri	Tue	Daily	Daily	Wed	Sun, Thu	Ex.Tue	Daily	
													HYB
	11:30 11:40					11:50 12:00	12:30	12:40	12:50	12:50	13:00	14:25	SC
	11:05					11:40							
	11:50					12:10	12:40	12:50	13:00	13:00	13:10	14:35	LGD
	11:54					12:15	12:46 12:47	12:58 12437G 20102 13:22	13:04	13:04	13:14	14:39	MLY
							12:43						
10.00		11.45	11.45	11.45	11.45								MLY 'G'
10.08	12:00	T-8 12:00	T-8 12:00	T-8 12:00	T-8 12:00								MLY 'C'
10:17 10:18	12:03 12:03	12:03 12:03	12:03 12:03	12:03 12:03	12:03 12:03	12:30 12:30	12:56 12:57	13:32 13:33	13:11 13:11	13:11 13:11	13:21 13:21	14:48 14:49	CHZ
10:10							12:55	13:10				14:44	
10:27 10:28	12:10 12:10	12:10 12:10	12:10 12:10	12:10 12:10	12:10 12:10	12:40 12:40	13:05 13:05	13:43 13:43	13:17 13:17	13:17 13:17	13:27 13:27	14:58 14:58	GT
10:20								13:20					
10:37 10:38	12:17 12:17	12:17 12:17	12:17 12:17	12:17 12:17	12:17 12:17	12:50 12:50	13:12 13:12	13:53 13:54	13:24 13:24	13:24 13:24	13:34 13:34	15:06 15:06	BN
10:30								13:30					
	E4	E4	E4	E4	E4	E-4T-8		E4 T10					
10:45	12:24	12:24	12:24	12:24	12:24	13:10	13:15	14:15	13:27	13:27	13:37	15:10	PGDP
	12:31	12:31	12:31	12:31	12:31		13:25 12437 G 20102 13:51						BG
							13:25						

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		12213 LHB	22705 LHB	12649 LHB	17205 LHB	17207 ICF	18504 LHB	12791 LHB	67761 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		YPR- DEE Dur- onto Exp	TPTY- JAT Ham- safir Exp	YPR-NZM K'taka Sampark kranti Exp	SNSI- COA Exp	SNSI- MTM Exp	SNSI- VSKP Exp	SC- DNR Exp	SC-WL MEMU
		Days of service from Originating Stn.		Sat	Tue	Except Tue, Thu	Tue, Thu, Sun	Wed	Fri	Daily	Daily
		Days of service at Stn. entering the Sec.		Sun	Wed	Except Wed, Fri	Wed, Fri, Mon	Thu	Sat	Daily	Daily
246.20	6.35	Yadadri (D)	a d s								10:52 10:53 10:45
252.30	6.10	Wangapalli 256/24-26 IBS	a d s	09:58	09:58	10:08	10:30	10:30	10:30	10:20	11:01 11:02 10:55
262.75	10.5	Aler 263/9-10 Aler Bridge 267/10-12 IBS	a d s	10:06	10:06	10:16	10:38	10:38	10:38	10:28	11:11 11:12 11:05
271.58	8.83	Pembarti	a d s	10:11	10:11	10:21	10:43	10:43	10:43	10:33	11:19 11:20 11:15
276.90	5.32	Jangaon 283/0-2 IBS 285/8-9 Nargunda Bridge	a d s	10:15	10:15	10:25	10:48	10:48	10:48	10:38	11:27 11:28 11:20
288.69	11.80	Raghunathpalli 294/4-6 IBS	a d s	10:23	10:23	10:33	10:56	10:56	10:56	10:46	11:38 11:39 11:30
297.66	8.97	Ippaguda 301/8 IBS	a d s	10:29	10:29	10:39	11:02	11:02	11:02	10:52	11:47
305.14	7.48	Ghanpur 309/1 Rajaram Bridge	a d s	10:34	10:34	10:44	11:07	11:07	11:07	10:57	11:54 11:55 11:40
310.85	5.71	Nashkal	a d s	10:39	10:39	10:49	11:13	11:13	11:13	11:03	12:02
316.98	6.13	Pindial 319/20-22 IBS	a d s	10:44	10:44	10:54 T-5	11:18	11:18	11:18	11:08	12:09 12:10 11:55
324.89	7.91	Kazipet Jn.	a d s	11:00	10:58 11:00 10:30	11:10	11:30 11:32 11:10	11:30 11:32 11:10	11:30 11:32 11:10	11:20 11:22 11:00	12:20 12:22 12:10

HYDERABAD/SECUNDERABAD - KAZIPET

DN

67779 DEMU	22534 LHB	12647 LHB	22683 LHB	12251 LHB	15024 LHB	17426 LHB	17202 LHB	17645 LHB	12437 LHB	12285 LHB	20102 VNDB	20629 LHB	Stn Code
KCG- NDKD DEMU	YPR- GKP Exp	CBE- NZM Kongu Exp	YPR- LKO Exp	YPR- KORBA Wain Ganga Exp	YPR- GKP Exp	SNSI TPTY Exp	SC-GNT Gol- conda Exp	SC- RAL Exp	SC- NZM Raj- dhani Exp	SC- NZM Duro- nto Exp	SC- NGP VNDB	SC-TVC Sabari SF	
Except Sat	Wed	Sun	Mon	Tue, Fri	Thu	Mon	Daily	Daily	Wed	Sun, Thu	Ex.Tue	Daily	
Except Sat	Thu	Mon	Tue	Wed, Sat	Fri	Tue	Daily	Daily	Wed	Sun, Thu	Ex.Tue	Daily	
													YADD
	12:38	12:38	12:38	12:38	12:38		14:01		13:41	13:41	13:51		WP
	12:45	12:45	12:45	12:45	12:45		14:14 14:15 13:50		13:50 20102 14:03	13:50 20102 14:03	13:58		ALER
	12:50	12:50	12:50	12:50	12:50		14:23		14:12	14:12	14:02		PBP
	E-7 13:01	E-7 13:01	E-7 13:01	E-7 13:01	E-7 13:01		14:32 14:33		14:17	14:17	14:07		ZN
							14:05						
	13:08	13:08	13:08	13:08	13:08		14:43		14:24	14:24	14:14		RGP
	13:14	13:14	13:14	13:14	13:14		14:52		14:30	14:30	14:20		IPG
	13:19	13:19	13:19	13:19	13:19		15:00 15:01 14:35		14:35	14:35	14:25		GNP
	13:24	13:24	13:24	13:24	13:24		15:08		14:40	14:40	14:30		NSKL
	13:29	13:29	13:29	13:29	13:29		15:13		14:45	14:45	14:35		PQL
	13:40 13:42	13:40 13:42	13:40 13:42	13:40 13:42	13:40 13:42		15:23 15:25		14:55 14:57	14:57	14:47		KZJ
	13:10	13:10	13:10	13:10	13:10		15:05		14:40		14:30		

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		20834 VNDB	17233 LHB	12704 LHB	12748 ICF	12714 LHB	12513 LHB	*07030 LHB	17016 LHB	12604 ICF	17659 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC- VSKP VNDB	SC- SKZR Bhagya nagar Exp	SC HWH Falak- numa Exp	VKB- GNT Pal- nadu Exp	SC- BZA Sata- vahana Exp	CHZ- SCL Exp	CHZ AGTL TOD	SC- BBSN Visa-kha Exp	CHZ- MAS Exp	SC- BDCR Kaka- tiya Exp
		Days of service from Originating Stn.		Exc. Tue	Daily	Daily	Daily	Daily	Sat	Mon	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Exc. Tue	Daily	Daily	Daily	Daily	Sat	Mon	Daily	Daily	Daily
194.36	..	Hyderabad											
		Secunderabad Jn.	a				16:30						
		194/25-26 Outlying siding	d	15:00	15:35	15:55	16:35	16:25			16:50		17:00
196.57	2.21	Lallaguda (Spl)	s				16:20						
199.38	2.81	Moula Ali	d	15:09	15:45	16:05	16:45	16:35			17:00		17:10
199.38	2.81	Moula Ali	a		E-4	E-4		E-4					17:17
			d	15:12	15:53	16:13	16:53	16:43			17:04		17:18
			s										17:12
205.91	6.53	Moula Ali Gate Cabin											
		Moula Ali 'C' Cabin	d			T-2							
		Charlapalli	a		16:02			16:51					17:34
213.84	7.93	209/22-24	d	15:18	16:03	16:22	17:02	16:52	16:25	16:20	17:12	17:25	17:35
			s		15:55			\$16.45					17:30
		Ghatkesar	a										17:44
226.59	12.75	216/28-30 IBS	d	15:23	16:11	16:29	17:08	17:00	16:35	16:35	17:22	17:35	17:45
			s										17:40
		Bibinagar	a		16:20								17:54
230.61	4.02	228/9-10 Bibinagar Bridge	d	15:29	16:21	16:36	17:15	17:07	16:45	16:45	17:30	17:43	17:55
			s		16:05								17:50
		Pagidipalli	a			T-1	E3 T3	E-3			E-3	E3 T10	
239.85	9.24	237/8-10 IBS	d	15:33	16:26	16:40	17:25	17:15	17:00	17:00	17:55	18:10	18:00
			s										
		Bhongir	a		16:35								18:10
246.20	6.35	245/13-14 IBS	d	15:39	16:36			17:22					18:35
			s		16:20								18:05
		Yadadri (D)	a										18:42
252.30	6.10		d										18:43
			s										18:15
		Wangapalli	a										
252.30	6.10	256/24-26 IBS	d	15:45	16:45			17:29					18:52
			s										

\$ experimental stoppage

HYDERABAD/SECUNDERABAD - KAZIPET

DN

12707 LHB	12728 LHB	12734 LHB	12760 LHB	12764 LHB	12862 LHB	67763 MEMU	67775 MEMU	12776 LHB	22204 LHB	12740 LHB	Stn Code
TPTY- NZM A.P Sampar k Kranti Exp	HYB- VSKP Godavari Exp	LPI- TPTY Narayana- nadri Exp	HYB- TBM Char- minar Exp	SC- TPTY Padma- vathi Exp	MBNR- VSKP Exp	SC- KZJ Pass	KCG- MRGA Pass	LPI- CCT Koka- nada Exp	SC- VSKP Dur- onto Exp	SC- VSKP Garib- Rath Exp	
Mon, Wed, Fri	Daily	Daily	Daily	Except Wed, Sat	Daily	Daily	Daily	Mon, Wed, Fri	Mon, Wed, Sat	Daily	
Mon, Wed, Fri	Daily	Daily	Daily	Except Wed, Sat	Daily	Daily	Daily	Mon, Wed, Fri	Mon, Wed, Sat	Daily	
	17.05		18.00								HYB
	17.30	18.10	18.20					19.45			SC
	17.35	18.15	18.25	18.40		19:00		19.50	20.15	20.30	
	17.30	18.10	18.25					19.40			LGD
	17.45	18.25	18.35	18.50		19:12		20.00	20.25	20.40	
	E-4	E-4	E-4	E-4		19:19			E-4	E-4	MLY
	17:53	18:33	18:43	18:58		19:20		20:04	20:33	20:48	
						19:15					
17.40					19.00	T8	19:16				MLY 'G'
17.43					19.04		E4 T5 19:32				MLY 'C'
17:50	18:00	18:42	18:52	19:05	E-3 19:15	19:29 19:30	19:39 19:40	20:12	20.42	20:56	CHZ
						19:25	19:35				
17:56	18:06	18:50	19:00	19:12	19:22	19:39 19:40 19:35	19:49 19:50 19:45	20:18	20.48	21:03	GT
18:03	18:13	19:00 19:01	E-2 19:10	19:20	19:30	19:50 19:51	20:01 20:02	20:25	20.56	21:10	BN
		18.35				19:45	19:55				
E-3	E-3	T-5	E-5	E-5	T-5						PGDP
18:10	18:20	19.10	19:20	19:30	19:40	20:00	20:10	20:28	21.00	21:13	
18:17	18:27		19:27	19:37	19:47	20:10 20:11		20:35		21:20	BG
						20:00					
						20:18 20:19 20:08					YADD
18:24	18:34		19:34	19:44	19:54	20:26 20:27 20:16		20:43		21:27	WP

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		20834 VNDB	17233 LHB	12704 LHB	12748 ICF	12714 LHB	12513 LHB	*07030 LHB	17016 LHB	12604 ICF	17659 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC- VSKP VNDB	SC- SKZR Bhagya nagar Exp	SC HWH Falak- numa Exp	VKB- GNT Pal- nadu Exp	SC- BZA Sata- vahana Exp	CHZ- SCL Exp	CHZ AGTL TOD	SC- BBS Visa-kha Exp	CHZ- MAS Exp	SC- BDCR Kaka- tiya Exp
		Days of service from Originating Stn.		Exc. Tue	Daily	Daily	Daily	Daily	Sat	Mon	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Exc. Tue	Daily	Daily	Daily	Daily	Sat	Mon	Daily	Daily	Daily
262.75	10.45	Aler	a		16:54								19:00
		263/9-10 Aler Bridge	d	15:52	16:55			17:36					19:01
		267/10-12 IBS	s		16:40								18:35
271.58	8.83	Pembarti	a										
			d	15:57	17:02			17:41					19:08
			s										
276.90	5.32	Jangaon	a		17:09			17:47					19:15
		283/0-2 IBS	d	16:01	17:10			17:48					19:16
		285/8-9 Nirgunda Bridge	s		16:55			17:35					18:50
288.69	11.80	Raghunathpalli	a		17:19								19:24
		294/4-6 IBS	d	16:08	17:20			17:57					19:25
			s		17:10								19:00
297.66	8.97	Ippaguda	a										
		301/8 IBS	d	16:13	17:26			18:02					19:32
			s										
305.14	7.48	Ghanpur	a		17:32								19:40
		309/1	d	16:17	17:33			18:07					19:41
		Rajaram Bridge	s		17:25								19:15
310.85	5.71	Nashkal	a										
			d	16:21	17:40			18:12					19:48
			s										
316.98	6.13	Pindial	a		17:49								
		319/20-22 IBS	d	16:25	17:50			18:17					19:55
			s		17:40								E3
324.89	7.91	Kazipet Jn.	a		18:05			18:28					20:08
			d	16:35	18:10			18:30					20:10
			s		17:55			18:15					19:50

\$ experimental stoppage

HYDERABAD/SECUNDERABAD - KAZIPET

DN

12707 LHB	12728 LHB	12734 LHB	12760 LHB	12764 LHB	12862 LHB	67763 MEMU	67775 MEMU	12776 LHB	22204 LHB	12740 LHB	Stn Code
TPTY- NZM A.P Sampar k Kranti Exp	HYB- VSKP Goda- vari Exp	LPI- TPTY Naraya- nadri Exp	HYB- TBM Char- minar Exp	SC- TPTY Padma- vathi Exp	MBNR- VSKP Exp	SC- KZJ Pass	KCG- MRGA Pass	LPI- CCT Koka- nada Exp	SC- VSKP Dur- onto Exp	SC- VSKP Garib- Rath Exp	
Mon, Wed, Fri	Daily	Daily	Daily	Except Wed, Sat	Daily	Daily	Daily	Mon, Wed, Fri	Mon, Wed, Sat	Daily	
Mon, Wed, Fri	Daily	Daily	Daily	Except Wed, Sat	Daily	Daily	Daily	Mon, Wed, Fri	Mon, Wed, Sat	Daily	ALER
18:31	18:41		19:41	19:51	20:01	20:37 20:38		20:50		21:34	
						20:26					
18:36	18:46		19:46	19:56	20:06	20:48 12776 21:01 20:35		20:55		21:39	PBP
18:40	18:50		19:51	20:02 20:03	20:13	21:09 21:10		21:00		21:44	ZN
				19:42		20:45					
18:47	18:57		19:58	20:11	20:21	21:19 21:20		21:07		21:51	RGP
						21:00					
18:53	19:03		20:03	20:16	20:26	21:28		21:13		21:56	IPG
18:58	19:08		20:08	20:21	20:31	21:36 21:37		21:18		22:01	GNP
						21:15					
19:03	19:13		20:13	20:26	20:36	21:44		21:22		22:06	NSKL
19:08	19:18		20:18	20:30	20:40	21:50		21:27		22:11	PQL
	E-2										
19:20	19:30		20:30	20:40	E-9 21:05	22:05		E-11		E-5	KZJ
19:22	19:32		20:32	20:42	21:10	-		21:48		22:25	
19:00	19:15		20:20	20:30	20:40						

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		18520 LHB	12738 LHB	22881 LHB	12590 LHB	07075 LHB	12784 LHB	20812 LHB	20810 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT- VSKP Exp	LPI- COA Gau- thami Exp	PUNE- BBS Exp	CHZ- GKP Exp	HYB- GKP TOD	SC- VSKP AC Exp	NED- VSKP Exp	NED- SBP Naga- vali Exp
		Days of service from Originating Stn.		Daily	Daily	Thu	Thu	Fri	Sat	Thu, Sun, Wed	Mon, Tue, Sat
		Days of service at Stn. entering the Sec.		Daily	Daily	Thu	Thu	Fri	Sat	Thu, Sun, Wed	Mon, Tue, Sat
194.36	..	Hyderabad						21:00			
		Secunderabad Jn.	a	20:25	21:10	21:05		21:25			
		194/25-26	d	20:40	21:15	21:25		21:35	21:40		
		Outlying siding	s	20:40	21:15	21:05		21:30			
								E-3T-5	E-3		
196.57	2.21	Lallaguda (Spl)	d	20:50	21:25	21:35		21:50	21:50		
199.38	2.81	Moula Ali	a d s	E-4 20:58	E-4 21:33	21:43		21:53	21:53		
		Moula Ali Gate Cabin								21:35	21:35
		Moula Ali 'C' Cabin								E-11	E-11
205.91	6.53	Charlapalli	a d s	21:08 21:10 21:00	21:42	21:52	21:45	22:03	22:03	22:00 22:15 21:40	22:00 22:15 21:40
213.84	7.93	Ghatkesar	a d s	21:18	21:49	22:00	T-15 22:10	22:10	22:10	22:24	22:24
226.59	12.8	Bibinagar	a d s	21:25	21:56	22:08	22:17	22:17	22:17	22:31	22:31
		228/9-10 Bibinagar Bridge							T-5		
230.61	4.02	Pagidipalli Jn.	a d			E-3T-8 22:25	22:20	22:20	22:25	22:35	22:35
		237/8-10 IBS		21:28	21:59						
239.85	9.24	Bhongir	a d s		22:08 22:09 22:00			22:27	22:27	22:42	22:42
		245/13-14 IBS		21:35							
246.20	6.35	Yadadri (D)	a d								
252.30	6.10	Wangapalli	a d s								
		256/24-26 IBS		21:43	22:18		22:35	22:35		22:50	22:50

HYDERABAD/SECUNDERABAD - KAZIPET

DN

17256 ICF	12710 LHB	12750 LHB	12771 LHB	17007 LHB	17625 LHB	12721 LHB	17005 LHB	22737 LHB	17321 LHB	12745 LHB	12788 ICF	17232 ICF	Stn Code
LPI- NS Exp	SC- GDR Simha- puri Exp	BIDR- MTM Exp	SC- R Exp	SC- DBG Exp	KCG- RAL Exp	HYB- NZM Dakshin Exp	HYB- RXL Exp	SC- HSR Exp	VSG- JSME Exp	SC- MUGR Exp	NSL- NS Exp	NSL- NS Exp	
Daily	Daily	Daily	Mon, Wed, Fri	Tue, Sat	Daily	Daily	Thu	Tue, Wed	Fri	Daily	Except Mon, Sat	Mon, Sat	
Daily	Daily	Daily	Mon, Wed, Fri	Tue, Sat	Daily	Daily	Thu	Tue, Wed	Fri	Daily	Except Mon, Sat	Mon, Sat	HYB
21.50		22.20				23:00	23:10						
21.55	22.05	22.25	22.40	22.40		23:20	23:30		23:25				
21.45		22:15				23:25	23:35		23:35	23:45			SC
E-3													
22.05	22.15	22.35	22.50	22.50		23:35	23:45	23:45	23:45	23:55			
22:13	E-4 22:23	E-4 22:43	E-4 22:58	E-4 22:58		E-4 23:43	E-4 23:53	E-4 23:53	E-4 23:53	E-4 00:03			MLY
					23:05						23:50	23:50	
					23:10						E-4T-5	E-4T-5	
22:26	22:36	22:52	23:07	23:07	23:29 23:30 23:10	23:51	00:02	00:02	00:01 00:02 23:55	00:11 00:12 00:05	00:15 00:25 23:40	00:15 00:25 23:40	CHZ
22:34	22:44	23:00	23:14	23:14	23:40 23:41 23:20	23:58	T-2 00:11	T-2 00:11	T-2 00:11	00:21	00:34	00:34	
22:41 22:42 22:20	22:52	23:07	23:21	23:21	23:50 23:51 23:30	00:05	00:18	00:18	00:18	00:28	00:41	00:41	
22:47	T-5 23:02				E-4 23:58								PGDP
	23:09	23:19	23:32	23:32		00:17 00:18 00:10	00:28	00:28	00:28	00:38	00:52		
	23:17	23:27	23:40	23:40		00:27	00:37	00:37	00:37	00:47	01:00		YADD
													WP

HYDERABAD/SECUNDERABAD - KAZIPET

DN

Kms from WADI	Inter distance in Kms	Train No.		18520 LHB	12738 LHB	22881 LHB	12590 LHB	07075 LHB	12784 LHB	20812 LHB	20810 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT- VSKP Exp	LPI- COA Gau- thami Exp	PUNE- BBS Exp	CHZ- GKP Exp	HYB- GKP TOD	SC- VSKP AC Exp	NED- VSKP Exp	NED- SBP Naga- vali Exp
		Days of service from Originating Stn.		Daily	Daily	Thu	Thu	Fri	Sat	Thu, Sun, Wed	Mon, Tue, Sat
		Days of service at Stn. entering the Sec.		Daily	Daily	Thu	Thu	Fri	Sat	Thu, Sun, Wed	Mon, Tue, Sat
262.75	10.5	Aler 263/9-10 <i>Aler Bridge</i> 267/10-12 <i>IBS</i>	a d s	21:51	22:27 22:28 22:20		22:43	22:43		22:58	22:58
271.58	8.83	Pembarti	a d s	21:56	22:35		22:48 <i>E-7</i>	22:48 <i>E-7</i>		23:06	23:06
276.90	5.32	Jangaon 283/0-2 <i>IBS</i> 285/8-9 <i>Nirgunda Bridge</i>	a d s	22:01	22:42 22:43 22:35		22:58	22:58		23:11	23:11
288.69	6.06	Raghunathpalli 294/4-6 <i>IBS</i>	a d s	22:08	22:52		23:06	23:06		23:16	23:16
297.66	8.97	Ippaguda 301/8 <i>IBS</i>	a d s	22:13	22:57		23:12	23:12		23:21	23:21
305.14	7.48	Ghanpur 309/1 <i>Rajaram Bridge</i>	a d s	22:18	23:02		23:18	23:18		23:26	23:26
310.85	5.71	Nashkal	a d s	22:23	23:07		23:23	23:23		23:31	23:31
316.98	6.13	Pindial 319/20-22 <i>IBS</i>	a d	22:28	23:13		23:28	23:28		23:36	23:36
				<i>E-7T-3</i>	<i>E7</i>		<i>T-8</i>	<i>T-8</i>			
324.89	7.91	Kazipet Jn.	a d s	22:50 22:52 22:30	23:30 23:35 23:20		23:48 23:50 23:30	23:48 23:50 23:30		00:02 00:04 23:40	00:02 00:04 23:40

HYDERABAD/SECUNDERABAD - KAZIPET

DN

17256 ICF	12710 LHB	12750 LHB	12771 LHB	17007 LHB	17625 LHB	12721 LHB	17005 LHB	22737 LHB	17321 LHB	12745 LHB	12788 ICF	17232 ICF	Stn Code
LPI- NS Exp	SC- GDR Simha- puri Exp	BIDR- MTM Exp	SC- R Exp	SC- DBG Exp	KCG- RAL Exp	HYB- NZM Dakshin Exp	HYB- RXL Exp	SC- HSR Exp	VSG- JSME Exp	SC- MUGR Exp	NSL- NS Exp	NSL- NS Exp	
Daily	Daily	Daily	Mon, Wed, Fri	Tue, Sat	Daily	Daily	Thu	Tue, Wed	Fri	Daily	Except Mon, Sat	Mon, Sat	
Daily	Daily	Daily	Mon, Wed, Fri	Tue, Sat	Daily	Daily	Thu	Tue, Wed	Fri	Daily	Except Mon, Sat	Mon, Sat	
	23:25	23:35	23:48	23:48		00:35	00:45	00:45	00:45	00:55	01:08		ALER
	23:30	23:40	23:53	23:53		00:40	00:50	00:50	00:50	01:00	01:13		PBP
	23:35	23:47 23:48	00:01 00:02	00:02		00:49 00:50	T-5 01:00	T-5 01:00	T-5 01:00	01:09 01:10	01:20		ZN
		23:20	23:50			00:35				01:00			
	23:42	23:57	00:11	00:11		00:59	01:09	01:09	01:09	01:19	01:29		RGP
	23:47	00:02	00:16	00:16		01:04	01:14	01:14	01:14	01:25	01:35		IPG
	23:52	00:07	00:21	00:21		01:09	01:19	01:19	01:19	01:30	01:40		GNP
	23:57	00:13	00:26	00:26		01:14	01:24	01:24	01:24	01:35	01:45		NSKL
	00:02	00:18	00:31	00:31		01:19	01:29	01:29	01:29	01:40	01:50		PQL
	E7	E-7	E-7	E-7		E-7 T-2	E-7	E-7	E-7	E-7 T-2	T12		KZJ
	00:18 00:20	00:35 00:40	00:50 00:52	00:50 00:52		01:38 01:40	01:50 01:52	01:50 01:52	01:50 01:52	02:00 02:02	02:13 02:15		
	23:55	00:20	00:35	00:35		01:20	01:30	01:30	01:30	01:40	01:50		

Kms from WADI	Inter Distance in Kms	Train No.		12514 LHB	12722 LHB	12746 LHB	12749 LHB	17255 ICF	12737 LHB	12709 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SCL CHZ Exp	NZM HYB Dakshin Exp	MUGR SC Exp	MTM BIDR Exp	NS LPI Exp	COA LPI Gau- thami Exp	GDR- SC Simha- puri Exp
		Days of service from Originating Stn.		Thu	Daily	Daily	Daily	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Sat	Daily	Daily	Daily	Daily	Daily	Daily
324.89		Kazipet Jn. 320/17-19 <i>IBS</i>	a		00.28	01:20	02:18		02.43	02.58
			d		00.30	01:22	02:20		02.45	03.00
			s		00.20	01:15	01:50		02.20	02:35
316.98	7.91	Pindial	a							
			d		00.40	01:32	02:32		02.55	03.10
310.85	6.13	Nashkal 309/1 <i>Rajaram Bridge</i>	s							
			a							
			d		00.44	01:37	02:36		02:59	03.14
305.14	5.71	Ghanpur 301/5 <i>IBS</i>	s							
			a							
			d		00.48	01:43	02:40		03:03	03.18
297.66	7.48	Ippaguda 294/4-6 <i>IBS</i>	s							
			a		T-5		T-5		T-5	T-5
			d		00:57	01:48	02:50		03:12	03:28
288.69	8.97	Raghunathpalli 285/9-8 <i>Nirgunda Bridge</i> 280/6-5 <i>River</i> 282-11-09 <i>IBS</i>	s							
			a		01:04	01:56	02:57		03:19	03:36
			d							
276.90	11.79	Jangaon	s							
			a		01:12	02:06	03:06		03.27	
			d		01:13	02:07	03:07		03.28	03:43
271.58	5.32	Pembarti 267/13-11 <i>IBS</i> 263/10-9 <i>Aler Bridge</i>	s		01:00	01:55	02:35		03:00	
			a							
			d		E-7		E-7		E-7	E-7
262.75	8.83	Aler 255/29-27 <i>IBS</i>	s		01:24	02:13	03:18		03:39	03:53
			a							
			d		01:30	02:20	03:24		03:47	
252.30	10.45	Wangapalli	s						03:48	04:00
			a						03:15	
			d		01:37	02:28	03:31		03:56	04:07
246.20	6.10	Yadadri (D) 245/5-6 <i>IBS</i>	s							
			a							
			d							T-15

12603 ICF	12763 LHB	12727 LHB	12733 LHB	22203 LHB	17626 LHB	12861 LHB	12775 LHB	12783 LHB	12759 LHB	17015 LHB	Stn. Code
MAS CHZ Exp	TPTY- SC Padma vathi Exp	VSKP HYB Goda- vari Exp	TPTY - LPI Naraya- nadri Exp	VSKP SC Dumont o Exp	RAL VKB Exp	VSKP- MBNR Exp	CCT LPI Koka- nada AC Exp	VSKP SC AC Exp	TBM HYB Char- Minar Exp	BBSN SC Visak ha Exp	
Daily	Except Thu, Sun	Daily	Daily	Tue, Thu Sun	Daily	Daily	Tue, Thu, Sun	Sun	Daily	Daily	
Daily	Except Fri, Mon	Daily	Daily	Wed, Fri, Mon	Daily	Daily	Wed, Fri, Mon	Mon	Daily	Daily	KZJ
	03:13 03:15	03:36 03:38				04:10 04:15	04.36		05:03 05:05		
	02:55	03:05				03.40			04.40		
	03:25	03:48				04:25	04.46		05:17		PQL
	03:30	03:53				04:30	04:51		05:22		
											NSKL
	03:35	03:58				04:35	04:56		05:27		
	T-5 03:45	T-5 04:08				T-5 04:45	T-5 05:06		T-5 05:37		GNP
	03:52	04:15				04:52	05:13		05:44		
											IPG
	04:01 04:02	04:22				04:59	05:20		05:51		
	03.30										
	E-7 04:14	E-7 04:32				E-7 05:09	E-7 05:30		E-7 06:01		RGP
	04:20	04:38				05:15	05:36		06:07		
											ZN
	04:27	04:45				05:24	05:43		06:14		
											PBP
											ALER
											WP
											YADD

Kms from WADI	Inter Distance in Kms	Train No.		12514 LHB	12722 LHB	12746 LHB	12749 LHB	17255 ICF	12737 LHB	12709 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SCL CHZ Exp	NZM HYB Dakshin Exp	MUGR SC Exp	MTM BIDR Exp	NS LPI Exp	COA LPI Gau- thami Exp	GDR- SC Simha- puri Exp
		Days of service from Originating Stn.		Thu	Daily	Daily	Daily	Daily	Daily	Daily
		Days of service at Stn. entering the Sec.		Sat	Daily	Daily	Daily	Daily	Daily	Daily
239.85	6.35	Bhongir 235/5-7 IBS	a		01:47				04:05	
			d		01:48	02:40	03:39		04:06	04:30
			s		01:35				03:35	
230.61	*9.24	Pagidipalli 228/10-9 Bibinagar Bridge	a		T-3		T-3		T-3	
			d	03.20	01:58	02:48	03:49	03:35	04:17	04:40
226.59	4.02	Bibinagar 221/17-19 IBS	a	3.41						T-5
			d	03:40	02:02	02:55	03:53	03:42	04:21	04:50
			s					\$03:15		
213.84	12.75	Ghatkesar 210/3-1	a							
			d	03:50	02:10	03:03	04:00	03:50	04:28	05:00
			s							
205.91	7.93	Charlapalli (B)	a	E-2T-10	E-4	03:15	E-4		E-4	E-4T-5
			d	04:20	02:22	03:17	04:12	04:00	04:41	05:20
			s			02:55				
		Moula Ali C Cabin	d							
		Moula Ali Gate Cabin	d							
199.38	6.53	Moula Ali	a							
			d		02:28	03:25	04:18	04:05	04:47	05:26
			s			E-6				
196.57	2.81	Lallaguda (S) 194/26-25 Outlying siding	d		02:33 T-10	03:35 E5	04:23	04:10	04:51 T-5	05:30
194.36	2.21	Secunderabad Jn.	a		03:00	03:52	04:35	04:20	05:05	05.45
			d		03:05		04:45	04:25	05:10	
			s		02:55		04:10	03:55	04:45	
		Hyderabad			03.50					

\$ experimental stoppage

12603 ICF	12763 LHB	12727 LHB	12733 LHB	22203 LHB	17626 LHB	12861 LHB	12775 LHB	12783 LHB	12759 LHB	17015 LHB	Stn. Code
MAS CHZ Exp	TPTY- SC Padma vathi Exp	VSKP HYB Goda- vari Exp	TPTY - LPI Naraya- nadri Exp	VSKP SC Dumont o Exp	RAL VKB Exp	VSKP- MBNR Exp	CCT LPI Koka- nada AC Exp	VSKP SC AC Exp	TBM HYB Char- Minar Exp	BBSN SC Visak- ha Exp	
Daily	Except Thu, Sun	Daily	Daily	Tue, Thu Sun	Daily	Daily	Tue, Thu, Sun	Sun	Daily	Daily	
Daily	Except Fri, Mon	Daily	Daily	Wed, Fri, Mon	Daily	Daily	Wed, Fri, Mon	Mon	Daily	Daily	
						05:40 12775 12783 06:05					BG
	04:43	04:53					05:51		06:22		
04:25	T-3 04:53	T-3 05:03	05:05	05:30	05:50	T-3 06:15	T-3 06:00	06:05	T-3 06:32	06:35	PGDP
04:35	5.00 12727 12733 05:28	05:10	05:18 05:19	05:40	05:56	06:26	06:06	T-5 06:16	06:37	T-5 06:47	BN
			04:50								
04:45	05:39	05:18	05:29	05:49	06:05 06:06	06:34	06:15	06:25	06:45	06:56	GT
					05:30						
E-2T-10 05:10	E-4 05:50	E-4 05:30	E-4 05:40	E-4 06:00	06:15 06:16	06:43	E-4 06:25	E-4 06:35	E-4 06:57	E-4 07:07	CHZ
					05:45						
											MLY'C'
						06.50					MLY'G'
	05:56	05:36	05:46	06:06	06.25 12775 12783 06:51		06:30	06:45	07:05	07:15	MLY
					06:00						
	06:00	05:40	05:50	06:10 T-10	07:02		06:35	06:50	07:15	07:25	LGD
	06:15	05.50 05.55	06.05 06.10	06.35	07:15 07:25		06:45 06:50	07:04	07:30 07:35	07:45	SC
		05:20	05:40		06:40		06:25		06:55		
		06.15							08.10		HYB

KAZIPET - SECUNDERABAD/HYDERABAD

Kms from WADI	Inter Distance in Kms	Train No.		12772 LHB	20809 ICF	20811 LHB	67764 MEMU	12739 LHB	12650 LHB	12648 LHB	67776 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		R- SC Exp	SBP NED Naga- vali Exp	VSKP NED Exp	KZJ-SC MEMU	VSKP SC Garib- Rath Exp	NZM YPR K'taka Sam- park Kranti Exp	NZM- CBE Kongu Exp	MRGA KCG Pass
		Days of service from Originating Stn.		Tue, Thu Sat	Sun, Mon, Fri	Wed, Sat, Tue	Daily	Daily	Except Wed, Fri	Wed	Daily
		Days of service at Stn. entering the Sec.		Wed, Fri, Sun	Mon, Tue, Sat	Thu Sun, Wed	Daily	Daily	Except Thu, Sat	Thu	Daily
324.89	7.91	Kazipet Jn.	a	05:13	05:23	05:23				05:50	
			d	05:15	05:25	05:25				05:51	
		320/17-19 IBS	s	05:05	04:50	04:50	05:35	06:10	05:51	05:51	
316.98	6.13	Pindial	a								
			d	05:25	05:37	05:37	05:47	06:20	06:01	06:01	
			s								
310.85	5.71	Nashkal	a								
		309/1 Rajaram Bridge	d	05:32	05:43	05:43	05:55	06:25	06:06	06:06	
			s								
305.14	7.48	Ghanpur	a	05:42			06:05				
		301/5 IBS	d	20809G			12650G				
			s	05:58	05:48	05:48	12739 06:41 06:10	06:30	06:11	06:11	
297.66	8.97	Ippaguda	a	E-5	T-5	T-5		T-5	T-5	T-5	
		294/4-6 IBS	d	06:08	05:58	05:58	06:50	06:40	06:21	06:21	
			s								
288.69	11.79	Raghunathpalli	a				07:00				
		285/9-8 Nirgunda Bridge	d				22738G				
		282-11-09 IBS	s	06:15	06:05	06:05	07:18 06:30	06:47	06:29	06:29	
276.90	5.32	Jangaon	a	06:22			07:28				
			d	06:23	06:12	06:12	07:29	06:54	06:37	06:37	
			s	05.30			06:40				
271.58	8.83	Pembarti	a		E-7	E-7	07:36	E-7	E-7	E-7	
		267/13-11 IBS	d	06:32	06:22	06:22	07:37	07:04	06:47	06:47	
		263/10-9 Aler Bridge	s				06:50				
262.75	10.45	Aler	a				07:45				
		255/29-27 IBS	d	06:39	06:29	06:29	07:46	07:10	06:53	06:53	
			s				07:00				
252.30		Wangapalli	a				07:54				
			d	06:47	06:37	06:37	07:55	07:18	07:01	07:01	
			s				07:10				

22738 LHB	12708 LHB	17234 LHB	12703 LHB	12747 ICF	20630 LHB	17660 ICF	11020 LHB	12713 LHB	20101 VNDB	18519 LHB	17201 LHB	12438 LHB	
HSR SC Exp	NZM- TPTY AP Sampark Kranti Exp	SKZR- SC Bhagya- nagar Exp	HWH SC Falak- numa Exp	GNT- VKB Palnad u Exp	TVC SC Sabari SF Exp	BDCR SC Kaka- tiya Exp	BBSN CSMT Konar k Exp	BZA- SC Sata- vahana Exp	NGP SC Vande bharat Exp	VSKP- LTT Exp	GNT- SC Gol- conda Exp	NZM- SC Raj- dhani Exp	Stn. Code
Fri, Sun	Wed, Fri, Sun	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex.Tue	Daily	Daily	Sun	
Sun, Tue	Thu, Sat, Mon	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex.Tue	Daily	Daily	Mon	
06:23	06:23	07:30				08:25	08:45	10:09	10:23	10:48	11:30	11.15	KZJ
06:25	06:25	07:32				08:27	08:47	10:10	10:25	10:50	11:32	11.17	
05:45	05:45	07:20				08:10	08:20	09:50	10:06	10:30	11:00	11.05	
06:35 、	06:35 、	07:44 07:45 07.30				08:39 08:40 08:20	08:57	10:20	10:35	11:00	11:42	11.27	PQL
06:40	06:40	07:52				08:47	09:03	10:25	10:39	11:05	11:47	11.32	NSKL
06:51	06:51	08:00 08:01 07.46				08:54 08:55 08:40	09:08	10:30	10:43	11:10	11:56 11:30	11:37	GNP
T-5 07:01	T-5 07:01	08:08				09:02	T-5 09:18	10:34	10:47	T-5 11:20	12:03	T-5 11:47	IPG
07:09	07:09	08:17 08:18 08.00				09:12 09:13 08:55	09:25	10:41	10:54	11:27	12:11	11:55	RGP
07:17	07:17	08:28 08:29 08.10				09:24 11020 09:43 09:20	09:32	10:50 20101 11:08 \$10:40	11:01	11:34	12:20 12:21 11:50	12:02	ZN
E-7 07:27	E-7 07:27	08:36				09:52	E-7 09:42	11:20 E-7	11:04	E-7 11:44	12:27	E-7 12:12	PBP
07:34	07:34	08:46 08:47 08.26				10:01 10:02 09:35	09:49	11:26	11:10	11:51	12:36 12:37 12:05	12:19	ALER
07:42	07:42	08:57				10:12	09:56	11:34	11.17	11:59	12:46	12:27	WP

Kms from WADI	Inter Distance in Kms	Train No.		12772 LHB	20809 ICF	20811 LHB	67764 MEMU	12739 LHB	12650 LHB	12648 LHB	67776 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		R- SC Exp	SBP NED Naga- vali Exp	VSKP NED Exp	KZJ-SC MEMU	VSKP SC Garib- Rath Exp	NZM YPR K'taka Sam- park Kranti Exp	NZM- CBE Kongu Exp	MRGA KCG Pass
		Days of service from Originating Stn.		Tue, Thu Sat	Sun, Mon, Fri	Wed, Sat, Tue	Daily	Daily	Except Wed, Fri	Wed	Daily
		Days of service at Stn. entering the Sec.		Wed, Fri, Sun	Mon, Tue, Sat	Thu Sun, Wed	Daily	Daily	Except Thu, Sat	Thu	Daily
2.00	6.10	Yadadri (D) 245/5-6 <i>IBS</i>	a d s				08:02 08:03 07:20				
239.85	6.35	Bhongir 235/5-7 <i>IBS</i>	a d s	06:56	06:46	06:46	08:10 08:11 07:30				
230.61	*9.24	Pagidipalli 228/10- Bibinagar Bridge	a d	<i>E-3</i> 07:06	<i>E-3</i> 06:56	<i>E-3</i> 06:56		<i>T-3</i> 07:36	<i>T-3</i> 07:20	<i>T-3</i> 07:20	08:25
226.59	4.02	Bibinagar 221/17-19 <i>IBS</i>	a d s	07:11	07:01	07:01	08:26 08:27 07:45	07:41	07:25	07:25	08:37 08:38 08:00
213.84	12.75	Ghatkesar 210/3-1	a d s	07:22	07:10	07:10	08:36 08:37 07:55	07:49	07:35	07:35	08:47 08:48 08:10
205.91	7.93	Charlapalli (B)	a d s	<i>E-3</i> 07:32	07:25 07:40 07:00	07:25 07:40 07:00	08:46 08:47 08:05	E-4 08:00	E-4 07:50	E-4 07:50	09:02 09:03 08:20
		Moula Ali C Cabin	d		07:47	07:47			07:55	07:55	09:10
		Moula Ali Gate Cabin	d		7.55	7.55			08.10	08.10	<i>E-3</i> 09:35
199.38	6.53	Moula Ali	a d s	07:50 12739 08:10 <i>T-5</i>			08:54 08:55 08:20	08:05			
196.57	2.81	Lallaguda (S) 194/26-25 Outlying siding	d	08:20			09:00	08:09			
194.36	2.21	Secunderabad Jn.	a d s	08.30			09:10	08.20			
		Hyderabad									

KAZIPET - SECUNDERABAD/HYDERABAD

22738 LHB	12708 LHB	17234 LHB	12703 LHB	12747 ICF	20630 LHB	17660 ICF	11020 LHB	12713 LHB	20101 VNDB	18519 LHB	17201 LHB	12438 LHB	
HSR SC Exp	NZM- TPTY AP Sampark Kranti Exp	SKZR- SC Bhagya- nagar Exp	HWH SC Falak- numa Exp	GNT- VKB Palnad u Exp	TVC SC Sabari SF Exp	BDCR SC Kaka- tiya Exp	BBS- CSMT Konar k Exp	BZA- SC Sata- vahana Exp	NGP SC Vande bharat Exp	VSKP- LTT Exp	GNT- SC Gol- conda Exp	NZM- SC Raj- dhani Exp	Stn. Code
Fri, Sun	Wed, Fri, Sun	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex.Tue	Daily	Daily	Sun	
Sun, Tue	Thu, Sat, Mon	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex.Tue	Daily	Daily	Mon	
						10:20 10:21 09:50							YADD
07:50	07:50	09:09 09:10 08.45				10:30 10:31 10:05	10:10	11:42	11.25	12:08	12:58 12:59 12:30	12:35	BG
07:56	07:56	09:19	09.40	10.05	10:20	10:40	T-3 10:30	E-3 11:52	11:31	T-3 12:18	13:08	T-3 12:45	PGDP
08:00	08:00	09:27 09:28 09.05	09.45	10.10	10:25	10:49 10:50 10:25	10:35	11:57	11:36	12:23	13:13	12:50	BN
08:07	08:07	09:39	09:53	10.17	10:32	11:00 11:01 10:35	10:42	12:05	11:43	12:31 E-4	13:21	12:58 E-4	GT
08:14	08:14	09:50 09:52 09:35	E-4 10:05	10:25	10:40 10:41 10:25	11:12 11:14 10:45	10:52	12:16 12:17 \$11.55	11:50	12:43 12:45 12:20	13:34 13:35 13:05	13:10	CHZ
													MLY'C'
E-4	08.25												MLY'G'
08.30		10:04 12747 10.35	10:11	10:30	10:48	11:22 11:23 10:55 E-5	10:58	12:24	11:55	12:52	13:43 13:44 13:15	13:15	MLY
08:35 T-5		10:45	10:15 T-5	10:35	10:52	11:30	11:05	12:28	12.00	12:56	13:50	13:20	LGD
08.50		10:55	10.30	10:45 10:50 10.20	11:02	11:40	11:15 11:25 11.00	12:40	12.15	13.10 13.20 12:50	14:05 、	13.40	SC
													HYB

\$-experimental stoppage.

Kms from WADI	Inter Distance in Kms	Train No.		12591 LHB	12589 LHB	22533 LHB	12286 LHB	22849 LHB	20833 VNDB	11086 LHB	*07076	12755 LHB	17646 LHB	22882 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		GKP- YPR Exp	GKP- CHZ Exp	GKP- YPR Exp	NZM- SC Durgam Exp	SHM- SC Exp	VSKP- SC Vande Bharat Exp	GWL SMVB Exp	GKP- HYB TOD	COA- BVC Exp	RAL- SC Exp	BBS- PUNE Exp
		Days of service from Originating Stn.		Sat	Wed	Mon	Fri, Mon	Wed	Excp Tue	Fri	Sun	Thu	Daily	Tue
		Days of service at Stn. entering the Sec.		Sun	Thu	Tue	Sat, Tue	Thu	Excp Tue	Sat	Mon	Thu	Daily	Wed
324.89	7.91	Kazipet Jn.	a	11.15	11.15	11.15		11.50		13.25	13.25			
			d	11.17	11.17	11.17	11.52	11.52	12:45	13.27	13.27			
		320/17-19 IBS	s	11.05	11.05	11.05		11.15		13:00	13:00			
316.98	6.13	Pindial	a											
			d	11.27	11.27	11.27	12:05	12:05	12:54	13.39	13.39			
			s											
310.85	5.71	Nashkal	a											
		309/1 Rajaram Bridge	d	11.32	11.32	11.32	12:10	12:10	12:57	13.44	13.44			
			s											
305.14	7.48	Ghanpur	a											
		301/5 IBS	d	11.37	11.37	11.37	12:15	12:15	13:01	13.49	13.49			
			s											
297.66	8.97	Ippaguda	a	T-5	T-5	T-5	T-5	T-5		T-5	T-5			
		294/4-6 IBS	d	11:47	11:47	11:47	12:25	12:25	13:05	13:59	13:59			
			s											
288.69	11.79	Raghunathpalli	a											
		285/9-8 Nirgunda Bridge												
		282-11-09 IBS	d	11:55	11:55	11:55	12:32	12:32	13:11	14:07	14:07			
	5.32	280/6-5 River	s											
276.90		Jangaon	a											
			d	12:02	12:02	12:02	12:40	12:40	13:14	14:14	14:14			
			s											
271.58	8.83	Pembarti	a	E-7	E-7	E-7	E-7	E-7		E-7	E-7			
		267/13-11 IBS	d	12:12	12:12	12:12	12:50	12:50	13:20	14:24	14:24			
		263/10-9 Aler Bridge	s											
262.75	10.45	Aler	a											
		255/29-27 IBS	d	12:19	12:19	12:19	12:56	12:56	13:26	14:31	14:31			
			s											
252.30		Wangapalli	a											
			d	12:27	12:27	12:27	13:04	13:04	13:33	14:39	14:39			
			s											

17208 ICF	17206 LHB	12724 LHB	17425 LHB	67762 MEMU	18045 LHB	12773 LHB	17012 ICF	22692 LHB	22706 LHB	*12805 LHB	12805 LHB	17006 LHB	17008 LHB	17322 LHB	Stn. Code
MTM- SNSI Exp	COA- SNSI Exp	NDLS- HYB Telan- gana Exp	TPTY SNSI Exp	WL- SC MEMU	SHM- CHZ East Coast Exp	SHM- SC AC Exp	SKZR- BIDR Exp	NZM- SBC Raj- dhani Exp	JAT TPTY Ham- sagar AC Exp	VSKP- LPI Janma- Bhoom i Exp	VSKP- LPI Janma- Bhoom i Exp	RXL- HYB Exp	DBG- SC Exp	JSME VSG Exp	
Tue	Wed, Sat, Mon	Daily	Sun	Daily	Daily	Wed	Daily	Daily	Fri	Daily	Daily	Sun	Fri, Tue	Mon	
Tue	Wed, Sat, Mon	Daily	Sun	Daily	Daily	Thu	Daily	Daily	Sat	Daily	Daily	Mon	Sat, Wed	Tue	
13.43 13.45 13:15	13.43 13.45 13:15	14.05 14.06 13.55		14.15 14.20 14.05	14:38 14:40 14:15		15:40 15:42 15:25	15.18 15.20 15.10	15.55 15.57 15.50			16:55 16:57 16:30	16:55 16:57 16:30	16:55 16:57 16:30	KZJ
13:57	13:57	14:19		14:30 14:31 14:15	14:52	15:42	15:52	15.30	16:06			17:08	17:08	17:08	PQL
14:02	14:02	14:23		14:38 14:39 14:22	14:57	15:47	15:57	15:35	16:10			17:12	17:12	17:12	NSKL
14:07	14:07	14:27		14:46 14:47 14:35	15:02	15:53	16:08 16:22 16:05	15:40	16.15			17:16	17:16	17:16	GNP
T-5 14:17	T-5 14:17	T-5 14:37		14:55 14:56 14:43	T-5 15:12	T-5 16:03	T-5 16:35	T-5 15:50	T-5 16:25			T-5 17:26	T-5 17:26	T-5 17:26	IPG
14:24	14:24	14:44		15:06 15:07 14:55	15:20	16:10	16:43	15:57	16:32			17:33	17:33	17:33	RGP
14:31	14:31	14:51		15:16 15:17 15:07	15:30 15:31 15:05	16:18	16:52 16:53 16:30	16:04	16:39			17:40	17:40	17:40	ZN
E-7 14:41	E-7 14:41	E-7 15:01		15:23 15:24 15:15	E-7 15:43	E-7 16:28	E-7 17:05	E-7 16:14	E-7 16:49			E-7 17:50	E-7 17:50	E-7 17:50	PBP
14:48	14:48	15:07		15:34 15:35 15:25	15:52 15:53 15:20	16:35	17:13 17:14 16:50	16:20	16:55			17:56	17:56	17:56	ALER
14:55	14:55	15:14		15:45 15:46 15:35	16:02	16:43	17:23	16:27	17:02			18:03	18:03	18:03	WP

Kms from WADI	Inter Distance in Kms	Train No.		12591 LHB	12589 LHB	22533 LHB	12286 LHB	22849 LHB	20833 VNDB	11086 LHB	*07076	12755 LHB	17646 LHB	22882 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		GKP- YPR Exp	GKP- CHZ Exp	GKP- YPR Exp	NZM- SC Durgam Exp	SHM- SC Exp	VSKP- SC Vande Bharat Exp	GWL SMVB Exp	GKP- HYB TOD	COA- BVC Exp	RAJ- SC Exp	BBS- PUNE Exp
		Days of service from Originating Stn.		Sat	Wed	Mon	Fri, Mon	Wed	Excp Tue	Fri	Sun	Thu	Daily	Tue
		Days of service at Stn. entering the Sec.		Sun	Thu	Tue	Sat, Tue	Thu	Excp Tue	Sat	Mon	Thu	Daily	Wed
246.20	6.10	Yadadri (D) 245/5-6 <i>IBS</i>	a d s											
239.85	6.35	Bhongir 235/5-7 <i>IBS</i>	a d s							14:54 17208G 12724	14:54 17208G 12724			
230.61	*9.24	Pagidipalli 228/10-9 Bibinagar Bridge	a d s	T-3 12:45	T-3 12:45	T-3 12:45	T-3 13:23	T-3 13:23		T-3 15:45	T-3 15:45	14.10	14.45	15.20
226.59	4.02	Bibinagar 221/17-19 <i>IBS</i>	a d s	12:50	12:50	12:50	13:28	13:28	13:50	15:50	15:50	14:20	14.52 14.53 14.45	15.25
213.84	12.75	Ghatkesar 210/3-1	a d s										15.03	
				12:58 E-4	12:58 E-4	12:58 E-4	13:36 E-4	13:36 E-4	13:57	15:58 E-4	15:58 E-4	14:28	15.04 14.55	15.33
205.91	7.93	Charlapalli (B)	a d s										15:14 15:15 15.05	15:45 16:00
		Moula Ali C Cabin	d							16:25				
		Moula Ali Gate Cabin	d							16:30				
199.38	6.53	Moula Ali	a d s				14:00 20833 14:12	14:00 20833 14:12						
				13:15		13:15	14:12	14:12	14:08		16:20	14:46	15:25	16:10
196.57	2.81	Lallaguda (S) 194/26-25 Outlying siding	d	13:20		13:20	14:22	14:22	14:11		16:30	14:50	15:32	16.20
				T-5		T-5								E-4
194.36	2.21	Secunderabad Jn.	a d s	13:40 13:50 13:20		13:40 13:50 13:20	14:35	14:35	14.20		16:50 16:55 16:15	15.00 15.10 14:50	15.55	16.35 16.45 16.25
		Hyderabad									17.25			

17208 ICF	17206 LHB	12724 LHB	17425 LHB	67762 MEMU	18045 LHB	12773 LHB	17012 ICF	22692 LHB	22706 LHB	*12805 LHB	12805 LHB	17006 LHB	17008 LHB	17322 LHB	Stn. Code
MTM- SNSI Exp	COA- SNSI Exp	NDLS- HYB Telan- gana Exp	TPTY SNSI Exp	WL- SC MEMU	SHM- CHZ East Coast Exp	SHM- SC AC Exp	SKZR- BIDR Exp	NZM- SBC Raj- dhani Exp	JAT TPTY Ham- sagar AC Exp	VSKP- LPI Janma- Bhoom i Exp	VSKP- LPI Janma- Bhoom i Exp	RXL- HYB Exp	DBG- SC Exp	JSME VSG Exp	
Tue	Wed, Sat, Mon	Daily	Sun	Daily	Daily	Wed	Daily	Daily	Fri	Daily	Daily	Sun	Fri, Tue	Mon	
Tue	Wed, Sat, Mon	Daily	Sun	Daily	Daily	Thu	Daily	Daily	Sat	Daily	Daily	Mon	Sat, Wed	Tue	
				15:54 15:55 15:45											YADD
15:03	15:03	15:22		16:04 16:05 15:55	16:14 16:15 15:45		17:33 17:34 17:10	16:35 17:10				18:11	18:11	18:11	BG
15:10	15:10	T-3 15:32	15:40	16:14	T-3 16:27	T-3 17:01	T-10 18:00	T-3 16:45	T-3 17:20	17:48	18:00	T-3 18:21	T-3 18:21	T-3 18:21	PGDP
15:15	15:15	15:36	E-3T-10 16:00	16:22 16:23 16:10	16:35	17:10	18:05	16:50	17:24	18:53	18:05	18:25	18:25	18:25	BN
15:22	15:22	15:43	16:10	16:34 16:35	16:50 17:05	22692 17:18	18:13	16:58	17:31	18:00	18:13	18:32	18:32	18:32	GT
E-4	E-4	E-4		16:20			E-4								
15:33	15:33			16:45		E-4	18:24	E-4	E-4	18:09	18:24	E-4	E-4	E-4	CHZ
15:34	15:34	15:53	16:25	16:47	17:20	17:30	18:25	17:08	17:41	18:10	18:25	18:44	18:44	18:43	
15:05	15:05			16:30			\$18:00			17:45	18:00			18:30	
															MLY'C'
															MLY'G'
15:42	15:42	15:58	16:35	17:05 22692 17:20 16:40		17:36	18:32	17:13	17:46	18:15	18:32	18:50	18:50	18:50	MLY
15:47	15:47	16:02	16:50	17:30 T-5		17:42	18:37	17:16	17:52	18:18	18:37	18:55	18:55	18:55	LGD
				E-11							E-3		T-20		
16:10	16:10	16:20	17:10	17:55		18:00	18:50	17:30	18:10	18:30	18:55	19:10	20:25	19:10	SC
16:20	16:20	16:25	17:20				19:00	17:40	18:20	18:35	19:00	19:20		19:20	
15:45	15:45	16:00	16:10				18:40	17:25	18:05	18:15	18:35	18:55		19:05	
		17:10										19:40			HYB

Kms from WADI	Inter Distance in Kms	Train No.		15023 LHB	17405 ICF	12787 ICF	17231 ICF	12758 LHB	17221 LHB	*07029	67780 MEMU	18503 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		GKP- YPR Exp	TPTY- ADB Krishna Exp	NS- NSL Exp	NS- NSL Exp	SKZR- SC Kagazh- nagar Exp	COA- LTT Exp	AGTL CHZ TOD	NDKD- KCG DEMU	VSKP- SNSI Exp
		Days of service from Originating Stn.		Tue	Daily	Expt Sun Fri	Sun, Fri	Daily	Wed, Sat	Fri	Except Sat	Thu
		Days of service at Stn. entering the Sec.		Wed	Daily	Expt Sun Fri	Sun, Fri	Daily	Wed, Sat	Sun	Except Sat	Thu
324.89	7.91	Kazipet Jn.	a	17:10	17:43	17:55		18:05				18:23
			d	17:12	17:45	17:57		18:07				18:25
		320/17-19 IBS	s	16:45	17:15	17:30		17:40				17:50
316.98	6.13	Pindial	a									
			d	17:23	17:55	18:07		18:17				18:35
			s									
310.85	5.71	Nashkal	a									
		309/1 Rajaram Bridge	d	17:28	18:00	18:12		18:22				18:42
			s									
305.14	7.48	Ghanpur	a		18:05			18:29				
		301/5 IBS	d	17:33	18:06	18:17		18:30				18:50
			s		17:45			18:10				
297.66	8.97	Ippaguda	a	T-5								
		294/4-6 IBS	d	17:43	18:12	18:27		18:36				18:56
			s									
288.69	11.79	Raghunathpalli	a		18:21							
		285/9-8 Nirgunda Bridge	d	17:50	18:22	18:34		18:44				19:04
		282-11-09 IBS	s		18:00							
276.90	5.32	Jangaon	a		18:30			18:53				
			d	17:58	18:31	18:43		18:54				19:16
			s		18:10			18:35				
271.58	8.83	Pembarti	a	E-7								
		267/13-11 IBS	d	18:08	18:36	18:49		19:00				19:23
		263/10-9 Aler Bridge	s									
262.75	10.5	Aler	a		18:43			19:09				
		255/29-27 IBS	d	18:15	18:44	18:57		19:10				19:31
			s		18:30			18:50				
252.30		Wangapalli	a		18:55							
			d	18:23	12787 12758 19:48	19:05		19:19				19:41

*Special trains will be operated until further advice

17014 ICF	18111 LHB	12214 LHB	12792 LHB	12705 LHB	15293 AMTB	12795 LHB	12976 LHB	20708 VNDB	20702 VNDB	12252 LHB	12194 LHB	22684 LHB	Stn. Code
KZJ- HDP Exp	TATA YPR Exp	DEE- YPR Duront o Exp	DNR- SC Exp	GNT- SC Inter- city Exp	MFP CHZ Amrith Barath Exp	BZA- LPI Inter- city Exp	JP- MYS Exp	VSKP- SC VNDB	TPTY- SC Vande Bharat Exp	KRBA- YPR Wain- Ganga Exp	JBP- YPR Exp	LKO- YPR Exp	
Mon Thu Sat	Thu	Mon	Daily	Daily	Tue	Daily	Mon, Wed	Ex.Thu	Excp Tue	Thu, Sun	Sat	Thu.	
Mon Thu Sat	Fri	Tue	Daily	Daily	Wed	Daily	Tue, Thu	Ex.Thu	Excp Tue	Thu, Sun	Sat	Fri	KZJ
18:15	18:52	19:35	18:35 18:37 18:25	20:10 20:12 19:50	20:43 20:45 20:10		21:48 21:50 21:20	21:38		22:20 22:22 22:05	22:20 22:22 22:05	22:20 22:22 22:05	
18:27	19:02	19:43	18:48	20:22	20:57		22:00	21:46		22:32	22:32	22:32	PQL
18:32	19:07	19:47	18:54	20:27	21:02		22:04	21:50		22:37	22:37	22:37	NSKL
18:40	19:12	19:51	19:00	20:33 20:34 20:20	21:07		22:08	21:54		22:42	22:42	22:42	GNP
18:46	T-5 19:22	19:55	T-5 19:10	20:41	T-5 21:18		22:12	21:58		22:52	22:52	22:52	IPG
18:54	19:29	20:02	19:17	20:48	21:26		22:19	22:05		23:00	23:00	23:00	RGP
19:05				20:55									ZN
19:06 18:50	19:37	20:09	19:25	20:56 20:40	21:34		22:26	22:12		23:07	23:07	23:07	
19:12	E-7 19:47	20:12	E-7 19:35	21:04	E-7 21:45		22:29	22:18		23:17	23:17	23:17	PBP
19:20	19:53	20:18	19:41	21:14 21:15 20:55	21:52		22:35	22:24		23:24	23:24	23:24	ALER
19:30	20:08	20:25	T-5 19:58	21:24	22:00		22:42	22:31		23:31	23:31	23:31	WP

Kms from WADI	Inter Distance in Kms	Train No.		15023 LHB	17405 ICF	12787 ICF	17231 ICF	12758 LHB	17221 LHB	*07029	67780 MEMU	18503 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		GKP- YPR Exp	TPTY- ADB Krishna Exp	NS- NSL Exp	NS- NSL Exp	SKZR- SC Kagazh- nagar Exp	COA- LTT Exp	AGTL CHZ TOD	NDKD- KCG DEMU	VSKP- SNSI Exp
		Days of service from Originating Stn.		Tue	Daily	Expt Sun Fri	Sun, Fri	Daily	Wed, Sat	Fri	Except Sat	Thu
		Days of service at Stn. entering the Sec.		Wed	Daily	Expt Sun Fri	Sun, Fri	Daily	Wed, Sat	Sun	Except Sat	Thu
246.20	6.10	Yadadri (D) 245/5-6 <i>IBS</i>	a d s		19:55 19:56 19:25							
239.85	6.35	Bhongir 235/5-7 <i>IBS</i>	a d s		20:03 18:33 20:04 19:35			19:28 19:29 19:10				19:56
230.61	*9.24	Pagidipalli Jn. 228/10-9 <i>Bibinagar Bridge</i>	a d	T-3 18:43	20:15	19:21	20:35	19:36	19:35	19:35	19:55	E-3 20:05
226.59	4.02	Bibinagar 221/17-19 <i>IBS</i>	a d s		18:48 20:25	19:26	T-10 20:55	19:40	E-3T-7 19:50	E-3T-7 19:50	20:07 20:08 19:50	E-7 20:16
213.84	12.8	Ghatkesar 210/3-1	a d s		18:56 20:35 E-4	19:34	21:05	19:47	19:57	19:57	20:17 20:18 20:00	
205.91	7.93	Charlapalli (B)	a d s		20:50 19:08 21:00 20:25	19:45 19:55 19:25	21:15 21:25 20:40	20:00 20:01 19:40		T-25 20:40	20:27 20:28 20:10	20:35 20:45 20:05
		Moula Ali C Cabin	d									
		Moula Ali Gate Cabin	d		19:30 21:15	20:20	21:40				20:35	20:55
199.38	6.53	Moula Ali	a d s					20:07 20:15 20:16 19:40				
196.57	2.81	Lallaguda (S) 194/26-25 <i>Outlying siding</i>	d					20:10	20:21			
194.36	2.21	Secunderabad Jn.	a d s					20:18	20:30 20:40 20:10			
		Hyderabad										

17014 ICF	18111 LHB	12214 LHB	12792 LHB	12705 LHB	15293 AMTB	12795 LHB	12976 LHB	20708 VNDB	20702 VNDB	12252 LHB	12194 LHB	22684 LHB	Stn. Code
KZJ- HDP Exp	TATA YPR Exp	DEE- YPR Duront o Exp	DNR- SC Exp	GNT- SC Inter- city Exp	MFP CHZ Amrith Barath Exp	BZA- LPI Inter- city Exp	JP- MYS Exp	VSKP- SC VNDB	TPTY- SC Vande Bharat Exp	KRBA- YPR Wain- Ganga Exp	JBP- YPR Exp	LKO- YPR Exp	
Mon Thu Sat	Thu	Mon	Daily	Daily	Tue	Daily	Mon, Wed	Ex.Thu	Excp Tue	Thu, Sun	Sat	Thu.	
Mon Thu Sat	Fri	Tue	Daily	Daily	Wed	Daily	Tue, Thu	Ex.Thu	Excp Tue	Thu, Sun	Sat	Fri	
													YADD
19:39			T-5	21:34									BG
19:40 19:20	20:26	20:33	20:14	21:35 21:15	22:10		22:50	22:39		23:40	23:40	23:40	
19:47	E-5 20:39	20:39	20:25	21:43	22:20	21:55	22:55	22:45	23:06	23:50	23:50	23:50	PGDP
19:58	20:45	20:45	T-5 20:35	21:47	22:30	E-3 22:02	23:00	22:49	23:10	23:58	23:58	23:58	BN
20:05	20:55	E-3 20:55	20:45	21:55	22:45 20702 20708 23:25	22:10	23:07	22:55	23:17	00:06	00:06	00:06	GT
20:17		E-2		22:04	E-3T-10								CHZ
20:18 19:50	21:05	21:05	20:55	22:05 \$21:45	23:50	22:20	23:14	23:01	23:23	00:18	00:18	00:18	
													MLY'C'
E-5		E-7	E-5				E-7 23.30			T20 00.55	T20 00.55	T20 00.55	MLY'G'
20:30 E-7	21:19 21:20 20:50	21:20	21:10	22:12		22:27		23:05	23:29				MLY
20:40	21:25	21:25	21:15	22:16		22:31		23:10	23:32				LGD
20:50 21:00 20:45	21:35 21:45 21:10	21:35 21:45 21:10	21:30	22:28		22:40 22:45 22:15		23:25	23:42				SC
													HYB

\$- experimental stoppage

KAZIPET - KONDAPALLI

Total Kms	System of Working	Traction
KZJ-KI : 201.11	Absolute	Electric

3 RD LINE		QUADRUPLE LINE	
KI-KMT	83.70	KZJ-WL	10.25
MABD-WL	60.38	-	-
TOTAL	144.10	TOTAL	10.25

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns:23 B-Class Stns: 20 C-Class Stns: 03 D-Class Stns: 02 Spl-Class Stns: NIL IB Signals: UP: 13+DN: 13 Total: 26	Khammam-Papatpalli	KZJ	KI with BZA Division of SCRly	KZJ BP MTMI BP
		WL		Stations with RRI Cabins
		DKJ		
		MTMI		KZJ
		KI		DKJ

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
KZJ-WL	90	79	67	85
WL-MABD	82	72	77	107
MABD-DKJ	68	60	74	124
DKJ-MTMI	82	72	73	101
MTMI-KI	82	72	76	105

Axle Load	Sectional Speed	Engg. Allowance
22.9 (Tonnes)	130 Kmph	17 Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
KZJ-DKJ	94.56	Double	1 in 100	19.90	1 in 100	12.40
DKJ-KI	106.55	Double	1 in 100	23.60	1 in 100	15.55

INTER-SECTIONAL BARE RUNNING TIME:KZJ-BZA-KZJ

Passenger Trains				Loaded Freight Trains	STATIONS	Loaded Freight Trains	Passenger Trains			
130	120	110	100	60	Speed in KMPH	60	100	110	120	130
	..	..	..	-	Kazipet	18	12	11	10	10
10	10	11	12	18	Warangal	20	10	10	9	9
11	11	12	13	20	Chintalpalli	12	5	5	5	4
4	5	5	6	13	Yelgur	14	7	6	5	5
5	5	6	6	15	Nekonda	18	7	6	5	5
4	4	5	7	-	Intekanne	-	6	5	4	4
4	5	5	6	21	Kesamudram	16	6	5	5	4
5	5	6	7	16	Tadalapusapalli	10	5	4	4	4
4	4	5	5	12	Mahbubabad	17	8	7	6	6
6	6	7	8	15	Gundratimadugu	20	9	8	7	7
-	..	..	-	-	Garla	-			..	-
8	8	9	10	20	Dornakal Jn.	17	8	7	6	6
5	5	6	7	14	Papatapalli	12	5	5	4	4
4	4	5	5	12	Mallemadugu	16	6	6	5	5
5	5	6	6	16	Khammam	15	7	6	6	5
5	5	6	6	14	Pandillapalli	12	6	5	5	4
4	4	5	6	12	Chintakani	20	9	8	7	7
7	8	8	9	20	Bonakalu	18	7	6	5	5
5	5	6	6	18	Motumari	10	6	5	4	4
4	5	5	6	10	Madhira	15	7	6	6	5
5	5	6	6	15	Tondalagopavaram	12	6	5	5	4
4	5	5	6	12	Errupalem	17	7	6	5	5
5	6	6	8	17	Gangineni	12	5	5	4	4
4	5	5	6	12	C'Madavaram	14	6	5	5	4
4	4	5	6	15	Kondapalli	12	6	5	5	4
4	4	5	6	12	Rayanapadu	17	13	12	12	11
11	12	12	13	17	VijayawadaJn.	-	..	..	..	-
137	145	162	182	366	TOTAL	364	179	159	144	135
Note:All LHB stock MPS is 130 KMPH in SC-BPQ-KI section										

KAZIPET-VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		18520 LHB	22632 LHB	20498 LHB	12296 LHB	12738 LHB	20812 LHB	20810 ICF	12710 LHB	*03679 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT VSKP Exp	BKN MDU Anuv- Rath Exp	FZR RMM Humsaf ar Exp	DNR SMVB Sanga - mitra Exp	LPI- COA Gau- thami Exp	NED VSKP Exp	NED SBP Exp	SC GDR Simha - puri Exp	GAYA CBE TOD
		Days of service from Originating Stn.		Daily	Sun	Sat	Daily	Daily	Wed, Thu, Sun	Mon, Tue, Sat	Daily	Sat
		Days of service at Stn. entering the Sec.		Daily	Mon	Sun	Daily	Daily	Wed, Thu, Sun	Mon, Tue, Sat	Daily	Mon
366.86	10.04	Kazipet Jn	a d s	22:50 22:52 22.30				23:30 23:35 23:20	00:02 00:04 23.40	00:02 00:04 23.40	00:18 00:20 23:55 T-15	
		Kazipet F Cabin Kazipet Town	d d	23:00	23.18	23.18	23:33	23:46	00:10	00:10	00:43	00.28
376.9		Warangal 383/77 IBS	a d s		23:29 23:31 22.45	23:29 23:31 22.45	23:43 23:45 23.05	23:57 23:59 23:40			00:54 00:56 00:20	00.40 00.42 00.10
389.21		Chintalpalli	a d s		23:20	23:42	23:42	23:56	00:11	00:30	01:07	00:53
396.86		Yelgur 400/2-4 IBS	a d s		23:25	23:47	23:47	00:01	00:16	00:34	01:11	00:58
406.41		Nekonda 410/16-18 IBS	a d s		23:30 E-6	23:52 E-6	23:52 E-6	00:06 E-6	00:23 00:24 00:02	00:39 00:39 E-6	01:16 E-6	01:03 E-6
415.99		Intekanne (C)	a d s		23:40	00:02	00:02	00:16	E-6 00:35	00:49	01:26	01:13
422.03		Kesamudram 426/16-18 IBS	a d s		23:45	00:07	00:07	00:21	00:40	00:54	01:31	01:18
431.17		Tadalapusapalli (C)	a d s		23:50	00:12	00:12	00:26	00:45	00:59	01:36	01:23
437.07		Mahbubabad 442/28-30 IBS	a d s		23:55	00:17	00:17	00:32	00:53 00:54 00:25	01:05	01:42 01:43 01:10	01:30 01:31 01.10

KAZIPET-VIJAYAWADA

DN

22351 LHB	12577 LHB	22353 LHB	20804 LHB	20820 LHB	12750 LHB	12670 LHB	12745 LHB	12788 ICF	22614 LHB	
SHC- PPTA SMVB Exp	DBG MYS Bagh- mathi Exp	PNBE SMVB Humsafa r Exp	GIMB VSKP Exp	OKHA PURI Exp	BIDR- MTM Exp	CPR MAS Gangaka veri Exp.	SC MUGR Exp	NSL NS Exp	AYC RMM Shradha Sethu Exp	Stn. Code
Fri	Tue	Thu	Sun	Wed	Daily	Mon,Wed	Daily	Except Mon, Sat	Wed	
Sun	Thu	Sat	Tue	Fri	Daily	Wed,Fri	Daily	Except Tue, Sun	Fri	
					00:35 00:40 00:20 T-8		02:00 02:02 01:40	02:13 02:15 01:50		KZJ
00.28	00.28	00.28	00.28	00.28	00:57	01.35	02:09	02:23	02:38	KZJF
00.40 00.42 00.10	00.40 00.42 00.10	00.40 00.42 00.10	00.40 00.42 00.10	00.40 00.42 00.10	01:08 01:10 00:40	01:48 01:50 01.25	02:20 02:21 02:00	02:35 02:37 02:20	02:50 02:52 02.30	WL
00:53	00:53	00:53	00:53	00:53	01:21	02.01	02:31	02:49	03:03	CLE
00:58	00:58	00:58	00:58	00:58	01:26	02.06	02:36	02:54	03:08	YGL
01:03 E-6	01:03 E-6	01:03 E-6	01:03 E-6	01:03 E-6	01:31 E-6	02.11 E-6	02:41	02:59 E-6	03:13 E-6	NKD
01:13	01:13	01:13	01:13	01:13	01:41	02:21	02:46	03:09	03:23	INK
01:18	01:18	01:18	01:18	01:18	01:46	02:26	02:51	03:14	03:28	KDM
01:23	01:23	01:23	01:23	01:23	01:51	02:31	02:56	03:19	03:33	TAA
01:31	01:31	01:31	01:31	01:31	01:59 02:00 01:30	02:36	03:03 03:04 02:50	03:26 03:27 \$03:10	03:38	MABD

KAZIPET-VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		18520 LHB	22632 LHB	20498 LHB	12296 LHB	12738 LHB	20812 LHB	20810 ICF	12710 LHB	*03679 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT VSKP Exp	BKN MDU Anuv- Rath Exp	FZR RMM Humsaf ar Exp	DNR SMVB Sanga - mitra Exp	LPI- COA Gau- thami Exp	NED VSKP Exp	NED SBP Exp	SC GDR Simha - puri Exp	GAYA CBE TOD
		Days of service from Originating Stn.		Daily	Sun	Sat	Daily	Daily	Wed, Thu, Sun	Mon, Tue, Sat	Daily	Sat
		Days of service at Stn. entering the Sec.		Daily	Mon	Sun	Daily	Daily	Wed, Thu, Sun	Mon, Tue, Sat	Daily	Mon
448.29	11.22	Gundratimadugu 445/6-9 Pakal Bridge	a d	T-3 00:05	T-3 00:27	T-3 00:27	T-3 00:42	T-3 01:06	T-3 01:16	T-3 01:16	T-3 01:54	T-3 01:42
456.52	8.23	Garla (D) IBS	a d s						T-3	T-3		
461.32	4.8	Dornakal Jn. 468/2-3 Booga Bridge 465/24-26 IBS	a d s	00:15	00:37	00:37	00:52	01:19 01:20 \$00.45	01:30	01:30	02:04	01:52
469.71	8.39	Papatapalli	a d	00:20	00:42	00:42	00:57	01:27	01:37	01:37	02:09	01:57
475.1	5.39	Malleamadugu (C) 480/8-10 IBS	a d s	00:25	00:47	00:47	01:03	01:33	01:43	01:43	02:13	02:02
484.41	9.31	Khammam 488/12-19 IBS	a d s	00:32	00:55 00:56 00:15	00:56	01:10 01:11 00:30	01:41 01:42 01:10	01:52	01:52	02:20 02:21 01:50	02:09 02:10 01:50
493.8	9.39	Pandillapalli	a d s	E-5 00:42	E-5 01:07	E-5 01:07	E-5 01:22	E-5 01:54	E-5 02:04	E-5 02:04	E-5 02:32	E-5 02:21
500.22	6.42	Chintakani 506/8-10 IBS	a d s	00:48	01:12	01:12	01:27	01:59	02:09	02:09	02:37	02:26
506.33	6.11	Nagalwancha (D)	a d s	T-3	T-3	T-3	T-5	T-5	T-3	T-3	T-3	T-3
512.6	6.27	Bonakalu 516/18-20 IBS	a d s	00:58 E6	01:22	01:22	01:40	02:09	02:19	02:19	02:47	02:36

KAZIPET-VIJAYAWADA

DN

22351 LHB	12577 LHB	22353 LHB	20804 LHB	20820 LHB	12750 LHB	12670 LHB	12745 LHB	12788 ICF	22614 LHB	
SHC- PPTA SMVB Exp	DBG MYS Bagh- mathi Exp	PNBE SMVB Humsafa r Exp	GIMB VSKP Exp	OKHA PURI Exp	BIDR- MTM Exp	CPR MAS Gangaka veri Exp.	SC MUGR Exp	NSL NS Exp	AYC RMM Shradha Sethu Exp	Stn. Code
Fri	Tue	Thu	Sun	Wed	Daily	Mon,Wed	Daily	Except Mon, Sat	Wed	
Sun	Thu	Sat	Tue	Fri	Daily	Wed,Fri	Daily	Except Tue, Sun	Fri	
T-3 01:42	T-3 01:42	T-3 01:42	T-3 01:42	T-3 01:42	T-3 02:11	T-3 02:46	03:13	T-3 03:39	T-3 03:49	GUU
							03:21 03:22 \$03:00			GLA
01:52	01:52	01:52	01:52	01:52	02:21	02:56	03:30 03:32 03.10	03:49	03:59	DKJ
01:57	01:57	01:57	01:57	01:57	02:26	03:01		03:54	04:04	PPY
02:02	02:02	02:02	02:02	02:02	02:31	03:06		03:59	04:09	MLMG
02:09 02:10 01.50	02:10	02:10	02:09 02:10 01.50	02:10	02:39 02:40 02:10	03:14 03:15 03.05		04:06 04:07 03:40	04:18	KMT
E-5 02:21	E-5 02:21	E-5 02:21	E-5 02:21	E-5 02:21	E-5 02:51	E-5 03:26		04:19	E-5 04:29	PNDP
02:26	02:26	02:26	02:26	02:26	02:56	03:31		04:24	04:34	CKN
T-3	T-3	T-3	T-3	T-3	T-3	T-3		T-3	T-3	NVC
02:36	02:36	02:36	02:36	02:36	03:06	03:41		04:34	04:44	BKL

KAZIPET-VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		18520 LHB	22632 LHB	20498 LHB	12296 LHB	12738 LHB	20812 LHB	20810 ICF	12710 LHB	*03679 ICF
		FROM - TO / TRAIN NAME / TRAIN TYPE		LTT VSKP Exp	BKN MDU Anuv- Rath Exp	FZR RMM Humsaf ar Exp	DNR SMVB Sanga - mitra Exp	LPI- COA Gau- thami Exp	NED VSKP Exp	NED SBP Exp	SC GDR Simha - puri Exp	GAYA CBE TOD
		Days of service from Originating Stn.		Daily	Sun	Sat	Daily	Daily	Wed, Thu, Sun	Mon, Tue, Sat	Daily	Sat
		Days of service at Stn. entering the Sec.		Daily	Mon	Sun	Daily	Daily	Wed, Thu, Sun	Mon, Tue, Sat	Daily	Mon
522.72	10.12	Motumari 526/13-14 Wyra Bridge	a d s		E5 01:32	E5 01:32	E5 01:50	E5 02:19	E5 02:29	E5 02:29	E5 02:57	E5 02:46
529.06	6.34	Madhira 532/16-18 IBS	a d s		01:15	01:37	01:37	02:00	02:27	02:37	02:37	03:02 02:50
538.28	9.22	Tondalagopavaram 541/7-8 Cutlair Bridge	a d	T-10 01:30			T-5 02:10					02:58 12710 03:11
544.67	6.39	Errupalem 548/2-4 IBS	a d s	T5 01:40	T5 01:53	T5 01:53	T5 02:20	T5 02:44	T5 02:54	T5 02:54		T5 03:23
554.65	9.98	Gangineni	a d s	T-5 01:50		02:00	02:00	02:25	02:50	02:59	02:59	03:16 03:29
561.14	6.49	Cheruvumadhavaram	a d s	T-5 02:00	T-5 02:10	T-5 02:10	T-5 02:35					
				T-20			T-5		T-5	T-5		T-10
569.01	7.87	Kondapalli	a d s									
				02:30	02:15	02:15	02:45	03:00	3.15	3.15	03:25	03:50
574.45	5.44	Rayanapadu	a d s					03:05	03:20	03:20	T5	
				02:34	02:18	02:18	02:48	03:10	03:25	03:25	03:33	03:53
								02:40	02:55	02:55		
586.5	12.05	Vijayawada Jn.	a d s	02:55	02:40	02:40	03:10				03:55	04:15
				03:15	02:50	02:50	03:20				04:05	04:25
				02:50	02:20	02:20	03:00				03:40	03:55

KAZIPET-VIJAYAWADA

DN

22351 LHB	12577 LHB	22353 LHB	20804 LHB	20820 LHB	12750 LHB	12670 LHB	12745 LHB	12788 ICF	22614 LHB	
SHC- PPTA SMVB Exp	DBG MYS Bagh- mathi Exp	PNBE SMVB Humsafa r Exp	GIMB VSKP Exp	OKHA PURI Exp	BIDR- MTM Exp	CPR MAS Gangaka veri Exp.	SC MUGR Exp	NSL NS Exp	AYC RMM Shradha Sethu Exp	Stn. Code
Fri	Tue	Thu	Sun	Wed	Daily	Mon,Wed	Daily	Except Mon, Sat	Wed	
Sun	Thu	Sat	Tue	Fri	Daily	Wed,Fri	Daily	Except Tue, Sun	Fri	
E5 02:46	E5 02:46	E5 02:46	E5 02:46	E5 02:46	E5 03:16	E5 03:51		E5 04:44	E5 04:54	MTMI
02:50	02:50	02:50	02:50	02:50	03:24 03:25 02:55	03:56		04:49	04:57	MDR
02:58 12710 03:11	02:58 12710 03:11	02:58 12710 03:11	02:58 12710 03:11	02:58 12710 03:11	03:32	04:01		04:54	05:04	TNGM
T5 03:23	T5 03:23	T5 03:23	T5 03:23	T5 03:23	T5 03:42	T5 04:11		T5 05:04	T5 05:14	YP
03:29	03:29	03:29	03:29	03:29	03:47	T-10 04:25		05:09	05:20	GNN
									T-5	
03:35	03:35	03:35	03:35	03:35	03:52	04:40		05:15	05:30	CVV
T-10	T-10	T-10	T-10	T-10	T-5	T-5		T-10	T-5	
03:50	03:50	03:50	03:50	03:50	04:05 04:06 03:35	05:00		05:25	05:40	KI
03:53	03:53	03:53	03:53	03:53	04:10	05:03		05:28	05:43	RYP
04:15 04:25 03:55	04:15 04:25 03:55	04:15 04:25 03:55	04:15 04:30 04:15	04:15 04:30 04:15	04:30 04:45 04:20	05:25 05:40 05:20		05:50 06:05 05:40	06:05 06:15 05:55	BZA

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12646 LHB	12644 LHB	12804 LHB	12642 LHB	12652 LHB	12774 LHB	22850 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NZM ERS Mille - nium Exp	NZM TVC Swarna Jayanthi Exp	NZM VSKP Swarna Jayanthi Exp	NZM CAPE Thiru - kkural Exp	NZM MDU Sampark Kranthi Exp	SC SHM AC Exp	SC SHM Exp
		Days of service from Originating Stn.		Tue	Fri	Wed, Sun	Sat, Mon	Tue, Thu	Tue	Fri
		Days of service at Stn. entering the Sec.		Wed	Sat	Thu, Mon	Sun, Tue	Wed, Fri	Tue	Fri
366.9		Kazipet Jn	a d s						05.39	05.37 05.39 05.20
		Kazipet F Cabin	d	04:32	04:32	04:32	05:20	05:20	05:45	05:45
376.9	10.04	Kazipet Town	a d s							
		Warangal	a	04:44	04:44	04:44			05:58	05:58
		383/77 IBS	d	04:46	04:46	04:46	05:33	05:33	06:00	06:00
			s	04:25	04:25	04:25			05:35	05:35
389.2	12.31	Chintalpalli	a d s	04:58	04:58	04:58	05:43	05:43	06:11	06:11
396.9	7.65	Yelgur	a							
		400/2-4 IBS	d	05:03	05:03	05:03	05:48	05:48	06:16	06:16
			s							
406.4	9.55	Nekonda	a							
		410/16-18 IBS	d	05:08	05:08	05:08	05:53	05:53	06:21	06:21
			s							
416	9.58	Intekanne (C)	a d s	E-6 05:18	E-6 05:18	E-6 05:18	E-6 06:03	E-6 06:03	E-6 06:31	E-6 06:31
422	6.04	Kesamudram	a							
		426/16-18 IBS	d	05:23	05:23	05:23	06:08	06:08	06:36	06:36
			s							
431.2	9.14	Tadalapusapalli (C)	a d s	05:28	05:28	05:28	06:13	06:13	06:41	06:41
437.1	5.9	Mahbubabad	a							
		442/28-30 IBS	d	05:33	05:33	05:33	06:18	06:18	06:46	06:46
			s							

KAZIPET - VIJAYAWADA

DN

22664 LHB	12389 LHB	11019 LHB	20707 VNDB	67765 MEMU	67767 MEMU	18112 LHB	17406 ICF	12706 LHB	18046 LHB	16602 AMTB	
JU MS Exp	GAYA MAS Exp	CSTM BBSN Konark Exp	SC- VSKP VNDB	KZJ DKJ Pass	DKJ BZA Pass	YPR TATA Exp	ADB TPTY Krishna Exp	SC GNT Inter - city Exp	HYB SHM East Coast Exp	JBN ED AMTB Exp	Stn. Code
Tue	Sun	Daily	Ex.Mo	Daily	Daily	Sun	Daily	Daily	Daily	Sun	
Wed	Mon	Daily	Ex.Mo	Daily	Daily	Mon	Daily	Daily	Daily	Tue	
`		06:03 06:05 05:40	06:35	06:55		08:32	08:45 08:47 08:15	10:04 10:05 9.52	10:44 10:46 10:30		KZJ
05.45	05.45	06:12	06:40	07:02		08:37	08:54	10:12	10:54	10:40	KZJ'F'
05:58 06:00 05:35	05:58 06:00 05:35	06:23 06:25 06:00	06:52 06:53 06:40	07:18 07:20 07:15		08:50 08:52 08:00	09:06 09:08 08:40	10:22 10:24 10:05	11:06 11:08 10:50	10:53 10:55 10:30	WL
06:11	06:11	06:37	07:04	07:32 07:33 07:25		09:03	09:20	10:36	11:18	11:06	CLE
06:16	06:16	06:41	07:08	07:41 07:42 07:35		09:07	09:25	10:41	11:23	11:11	YGL
06:21	06:21	06:46	07:13	07:50 07:52 07:45		09:12	09:33 09:34 09:00	10:48 10:49 \$10.30	11:28	11:16	NKD
E-6 06:31	E-6 06:31	E-6 06:56	07:18	08:00 08:01 07:55		E-6 09:22	E-6 09:46	E-6 11:01	E-6 11:38	E-6 11:26	INK
06:36	06:36	07:01	07:23	08:09 08:10 08:05		09:27	09:54 09:55 09:20	11:06	11:43	11:31	KDM
06:41	06:41	07:06	07:28	08:18 08:19 08:14		09:32	10:02	11:11	11:48	11:36	TAA
06:46	06:46	07:12 07:13 06:50	07:33	08:26 08:27 08:22		09:37	10:09 10:10 09:40	11:18 11:19 10:50	11:55 11:56 11:40	11:41	MABD

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12646 LHB	12644 LHB	12804 LHB	12642 LHB	12652 LHB	12774 LHB	22850 LHB
		FROM - TO/ TRAIN NAME / TRAIN TYPE		NZM ERS Mille - nium Exp	NZM TVC Swarna Jayanthi Exp	NZM VSKP Swarna Jayanthi Exp	NZM CAPE Thiru - kkural Exp	NZM MDU Sampark Kranthi Exp	SC SHM AC Exp	SC SHM Exp
		Days of service from Originating Stn.		Tue	Fri	Wed, Sun	Sat, Mon	Tue, Thu	Tue	Fri
		Days of service at Stn. entering the Sec.		Wed	Sat	Thu, Mon	Sun, Tue	Wed, Fri	Tue	Fri
448.3	11.22	Gundratimadugu 445/6-9 Pakal bridge	a d s	T-3 05:43	T-3 05:43	T-3 05:43	T-3 06:28	T-3 06:28	T-3 06:56	T-3 06:56
456.5	8.23	Garla (D) IBS	a d s							
461.3	4.8	Dornakal Jn. 468/2-3 Booga Bridge 465/24-26 IBS	a d s	05:53	05:53	05:53	06:38	06:38	07:06	07:06
469.7	8.39	Papatapalli	a d s	05:58	05:58	05:58	06:43	06:43	07:11	07:11
475.1	5.39	Mallemadugu (C) 480/8-10 IBS	a d s	06:03	06:03	06:03	06:48	06:48	07:16	07:16
484.4	9.31	Khammam 488/12-19 IBS	a d s	06:08	06:08	06:08	06:55	06:55	07:25	07:25
493.8	9.39	Pandillapalli	a d s	E-5 06:18	E-5 06:18	E-5 06:18	E-5 07:05	E-5 07:05	E-5 07:37	E-5 07:37
500.2	6.42	Chintakani 506/8-10 IBS	a d s	06:23	06:23	06:23	07:10	07:10	07:42	07:42
506.3	6.11	Nagalwancha (D)	a d s	T-3	T-3	T-3	T-3	T-3	T-3	T-3
512.6	6.27	Bonakalu 516/18-20 IBS	a d s	06:33 E-5	06:33 E-5	06:33 E-5	07:20 E-5	07:20 E-5	07:52 E-5	07:52 E-5
522.7	10.12	Motumari 526/13-14 Wyra Bridge	a d s	06:43	06:43	06:43	07:30	07:30	08:02	08:02

KAZIPET - VIJAYAWADA

DN

22664 LHB	12389 LHB	11019 LHB	20707 VNDB	67765 MEMU	67767 MEMU	18112 LHB	17406 ICF	12706 LHB	18046 LHB	16602 AMTB	
JU MS Exp	GAYA MAS Exp	CSTM BBSN Konark Exp	SC- VSKP VNDB	KZJ DKJ Pass	DKJ BZA Pass	YPR TATA Exp	ADB TPTY Krishna Exp	SC GNT Inter - city Exp	HYB SHM East Coast Exp	JBN ED AMTB Exp	Stn. Code
Tue	Sun	Daily	Ex.Mo	Daily	Daily	Sun	Daily	Daily	Daily	Sun	
Wed	Mon	Daily	Ex.Mo	Daily	Daily	Mon	Daily	Daily	Daily	Tue	
T-3 06:56	T-3 06:56	E-3 07:25	07:40	08:36 08:37 08:32		T-3 09:47	T-3 10:22	11:28	T-3 12:08	T-3 11:51	GUU
				08:45 08:46 08:42 E-5			10:29 10:30 10:00				GLA
07:06	07:06	07:35	07:50	09:00	09:10	09:57	10:37 10:38 10:10	11:40 11:41 11:05	12:18	12:01	DKJ
07:11	07:11	07:40	07:55		09:19 09:20 09:18	10:03	10:45	11:47	12:23	12:06	PPY
07:16	07:16	07:45	07:59		09:28 09:29 09:26	10:08	10:50	11:52	12:28	12:11	MLMG
07:24 07:25 07:00	07:25	07:52 07:53 07:25	08:05 08:06 07:45		09:38 09:39 09:35	10:15 10:16 09:40	10:59 11:00 10:35	12:00 12:01 11:30	12:35 12:36 12:25	12:19 12:20 12:00	KMT
E-5 07:37	E-5 07:37	08:00	08:12		09:47 09:48 09:44	E-5 10:28	E-5 11:12	E-5 12:13	E-5 12:46	E-5 12:31	PNDP
07:42	07:42	08:05	08:17		09:56 09:57 09:53	10:33	11:17	12:18	12:51	12:37	CKN
T-3	T-3				10:05 10:06 10:00	T-3			T-3	T-3	NVC
07:52 E-5	07:52 E-5	08:12	08:24		10:15 10:16 10:08	10:43 E-5	11:29 11:30 11:00 E-5	12:25	13:01 E-5	12:47	BKL
08:02	08:02	08:17	08:29		10:23 10:24 10:18	10:53	11:42	12:30	13:11	12:57	MTMI

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12646 LHB	12644 LHB	12804 LHB	12642 LHB	12652 LHB	12774 LHB	22850 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NZM ERS Mille - nium Exp	NZM TVC Swarna Jayanthi Exp	NZM VSKP Swarna Jayanthi Exp	NZM CAPE Thiru - kkural Exp	NZM MDU Sampark Kranthi Exp	SC SHM AC Exp	SC SHM Exp
		Days of service from Originating Stn.		Tue	Fri	Wed, Sun	Sat, Mon	Tue, Thu	Tue	Fri
		Days of service at Stn. entering the Sec.		Wed	Sat	Thu, Mon	Sun, Tue	Wed, Fri	Tue	Fri
		Madhira	a							
529.1	6.34	532/16-18 IBS	d s	06:48	06:48	06:48	T-5 07:40	T-5 07:40	08:07	08:07
538.3	9.22	Tondalagopavaram	a				T10	T10		
		541/7-8 Cutlair Bridge	d s	06:53	06:53	06:53	07:55	07:55	08:12	08:12
544.7	6.39	Errupalem	a	T-6	T-6	T-6	T-6	T-6	T-6	T-6
		548/2-4 IBS	d s	07:03	07:03	07:03	08:05	08:05	08:22	08:22
554.7	9.98	Gangineni	a	T10	T10	T10				
			d s	07:20	07:20	07:20	08:12	08:12	08:27	08:27
561.1	6.49	Cheruvumadhavaram	a	T-10	T-10	T-10				
			d s	07:40	07:40	07:40	08:18	08:18	08:33	08:33
569	7.87	Kondapalli	a	T-10	T-10	T-10	T-5	T-5	T-8	T-8
			d s	08.00	08.00	08.00	08.30	08.30	08.48	08.48
574.5	5.44	Rayanapadu	a						08.55	08.55
			d s	08.03	08.03	08.03	08.33	08.33	09.00	09.00
									08:30	08:30
586.5	12.05	Vijayawada Jn.	a	08.25	08.25	08.25	08.55	08.55		
			d	08.35	08.35	08.45	09.05	09.05		
			s	08:05	08:05	08:30	08:35	08.25		

KAZIPET - VIJAYAWADA

DN

22664 LHB	12389 LHB	11019 LHB	20707 VNDB	67765 MEMU	67767 MEMU	18112 LHB	17406 ICF	12706 LHB	18046 LHB	16602 AMTB	
JU MS Exp	GAYA MAS Exp	CSTM BBSN Konark Exp	SC- VSKP VNDB	KZJ DKJ Pass	DKJ BZA Pass	YPR TATA Exp	ADB TPTY Krishna Exp	SC GNT Inter - city Exp	HYB SHM East Coast Exp	JBN ED AMTB Exp	Stn. Code
Tue	Sun	Daily	Ex.Mo	Daily	Daily	Sun	Daily	Daily	Daily	Sun	
Wed	Mon	Daily	Ex.Mo	Daily	Daily	Mon	Daily	Daily	Daily	Tue	
08:07	08:07	08:25 20707 08:40 08:00	08:34		10:33 10:34 10:26	10:58	11:50 11:51 11:20	12:37 12:38 12:00	13:16	13:02	MDR
08:12	08:12	08:49	08:39		10:42 10:43 10:35	11:02	11:58 T-6	12:45	13:21	13:07	TNGM
T-6 08:22	T-6 08:22	E-6 08:59	08:44		10:49 10:50 10:43	T-6 11:12	12:10 12:11 11:40	12:50	T-6 13:31	T-6 13:17	YP
08:27	08:27	09:04	08:49		10:59 11:00 10:55	11:17	12:19	12:55	13:41	13:25 18046 12434G 14:01	GNN
08:33	08:33	09:09	08:54		11:09 11:10 11:05	11:23	12:25	13:00 E-5	13:46	14:10	CVV
T-8 08.48	T-8 08.48	09.15	08:58		11:30	T-10 11.50	12.30 12.32 12:00	13.10	T-5 14.05	T-10 14.30	KI
08:53	08:53	09.18	09.03		11.41 11.43 11:15	11:53	12.38	13:13	14.08	14:33	RYP
09:15 09:25 08:55	09:15 09:25 08:55	09.40 09.55 09:35	09.21 09.26 09.05		12.10	12:15 12:17 12.25	13.00 13.10 13.00	13:40 13:45 13.20	14.30 14.50 14:45	15:00 15:10 14:50	BZA

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		17207 ICF	17205 LHB	18504 LHB	12270 LHB	12612 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SNSI-MTM Exp	SNSI COA Exp	SNSI VSKP Exp	NZM MAS Duroto Exp	NZM MAS Garibrath Exp
		Days of service from Originating Stn.		Wed	Tue, Thu, Sun	Fri	Tue, Sat	Mon
		Days of service at Stn. entering the Sec.		Thu	Wed, Fri, Mon	Sat	Wed, Sun	Tue
366.9		Kazipet Jn	a d s	11:30 11:32 11.10	11:30 11:32 11.10	11:30 11:32 11.10		
		Kazipet F Cabin	d	11:39	11:39	11:39	11.18	11.18
		Kazipet Town	a d s					
376.9	10	Warangal 383/77 IBS	a d s	11:51 11:52 11:30	11:51 11:52 11:30	11:51 11:52 11:30	11:30	11:30
389.2	12.31	Chintalpalli	a d s	12:03	12:03	12:03	11:41	11:41
396.9	7.65	Yelgur 400/2-4 IBS	a d s	12:08	12:08	12:08	11:46	11:46
406.4	9.55	Nekonda 410/16-18 IBS	a d s	12:13	12:13	12:13	11:51	11:51
416	9.58	Intekanne (C)	a d s	E-6 12:23	E-6 12:23	E-6 12:23	E-6 12:01	E-6 12:01
422	6.04	Kesamudram 426/16-18 IBS	a d s	12:35 12:36 \$12:00	12:35 12:36 \$12:00	12:36	12:06	12:06
431.2	9.14	Tadalapusapalli (C)	a d s	12:42	12:42	12:42	12:11	12:11
437.1	5.9	Mahbubabad 442/28-30 IBS	a d s	12:48 12:49 12:15	12:48 12:49 12:15	12:49	12:16	12:16

\$ - experimental stoppage

A 115 (SC)

KAZIPET - VIJAYAWADA

DN

12434 LHB	12511 LHB	12521 LHB	22645 LHB	22647 LHB	20626 LHB	67761 MEMU	67216 MEMU	17202 LHB	
NZM MAS Raj-dhani Exp	GKP KCVL Rapti- Sagar Exp	BJU ERS Rapti -Sagar Exp	INDB KCVL Ahilya Nagari Exp	KRBA TVCN Exp	BGKT- MAS Exp	SC WL	BDCR BZA	SC GNT Gol- conda Exp	Stn. Code
Wed, Fri	Thu, Fri, Sun	Mon	Mon	Wed Sat	Ex.Tu,Sa	Daily	Daily	Daily	
Thu, Sat	Fri, Sat, Mon	Wed	Tue	Thu Sun	Ex.We,Su	Daily	Daily	Daily	
						12:20 12:22 12.10 T-10		15:23 15:25 15:05	KZJ
11.18	12.08	12.08	12.08	12.08	12:25	12:40		15:33	KZJ F
						E-12 T-10			KZJT
11:29 11:30 11.15	12.20 12.22 11.20	12.20 12.22 11.20	12.20 12.22 12.00	12.20 12.22 12.00	12:38 12:40 12:10	13.15		15:45 15:47 15:25	WL
11:41	12:33	12:33	12:33	12:33	12:51			15:59	CLE
11:46	12:38	12:38	12:38	12:38	12:56			16:04	YGL
11:51	12:43	12:43	12:43	12:43	13:01			16:12 16:13 15:45	NKD
E-6 12:01	E-6 12:53	E-6 12:53	E-6 12:53	E-6 12:53	E-6 13:11			16:20	INK
12:06	12:58	12:58	12:58	12:58	13:16			16:29 16:30 16:00	KDM
12:11	13:03	13:03	13:03	13:03	13:21			16:38	TAA
12:16	13:08	13:08	13:08	13:08	13:26			16:45 16:46 16:15	MABD

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		17207 ICF	17205 LHB	18504 LHB	12270 LHB	12612 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SNSI-MTM Exp	SNSI COA Exp	SNSI VSKP Exp	NZM MAS Durgonto Exp	NZM MAS Garibrath Exp
		Days of service from Originating Stn.		Wed	Tue, Thu, Sun	Fri	Tue, Sat	Mon
		Days of service at Stn. entering the Sec.		Thu	Wed, Fri, Mon	Sat	Wed, Sun	Tue
		Gundratimadugu 445/6-9 Pakal bridge	a d s	T-3 13:00	T-3 13:00	T-3 13:00	T-3 12:26	T-3 12:26
456.5	8.23	Garla (D) IBS	a d s					
461.3	4.8	Dornakal Jn. 468/2-3 Booga Bridge 465/24-26 IBS	a d s	13:11 13:12 12:40	13:11 13:12 12:40	13:12	12.36	12.36
469.7	8.39	Papatapalli	a d s	13:18	13:18	13:18	12.41	12.41
475.1	5.39	Mallemadugu (C) 480/8-10 IBS	a d s	13:23	13:23	13:23	12:46	12:46
484.4	9.31	Khammam 488/12-19 IBS	a d s	13:29 13:30 13:00	13:29 13:30 13:00	13:29 13:30 13:00	12:51	12:51
493.8	9.39	Pandillapalli	a d s	E-5 13:40	E-5 13:40	E-5 13:40	E-5 13:01	E-5 13:01
500.2	6.42	Chintakani 506/8-10 IBS	a d s	13:45	13:45	13:45	13:06	13:06
506.3	6.11	Nagalwancha (D)	a d s	T-3	T-3	T-3	T-3	T-3
512.6	6.27	Bonakalu 516/18-20 IBS	a d s	13:55	13:55	13:55	13:16 E-5	13:16 E-5
522.7	10.1	Motumari 526/13-14 Wyra Bridge	a d s	14:05	14:05	14:05	13.26	13.26

KAZIPET - VIJAYAWADA

DN

12434 LHB	12511 LHB	12521 LHB	22645 LHB	22647 LHB	20626 LHB	67761 MEMU	67216 MEMU	17202 LHB	
NZM MAS Raj-dhani Exp	GKP KCVL Rapti- Sagar Exp	BJU ERS Rapti -Sagar Exp	INDB KCVL Ahilya Nagari Exp	KRBA TVCN Exp	BGKT- MAS Exp	SC WL	BDCR BZA	SC GNT Gol- conda Exp	Stn. Code
Wed, Fri	Thu, Fri, Sun	Mon	Mon	Wed Sat	Ex.Tu,Sa	Daily	Daily	Daily	
Thu, Sat	Fri, Sat, Mon	Wed	Tue	Thu Sun	Ex.We,Su	Daily	Daily	Daily	
T-3 12:26	T-3 13:18	T-3 13:18	T-3 13:18	T-3 13:18	T-3 13:36			16:55	GUU
								17:03 17:04 16:30	GLA
12.36	13.28	13.28	13.28	13.28	13:46		16:00 16:10 15:45	17:12 17:13 16:40	DKJ
12.41	13.33	13.33	13.33	13.33	13:51		16:19 16:20 16:00	17:21	PPY
12:46	13.38	13.38	13.38	13.38	13:56		16:28 16:29 16:10	17:28	MLMG
12:51	13.46 13.47 12.45	13.46 13.47 12.45	13.46 13.47 13:15	13.46 13.47 13:15	14:04 14:05 13:25		16:39 16:40 16:20	17:37 17:38 17:05	KMT
E-5 13:01	E-5 13:59	E-5 13:59	E-5 13:59	E-5 13:59	E-5 14:16		16:52 16:53 16:30	E-5 17:50	PNDP
13:06	14:04	14:04	14:04	14:04	14:21		17:02 17:03 16:40	17:56	CKN
T-3	T-3	T-3	T-3	T-3	T-3		17:11 17:12 16:50		NVC
13:16 E-5	14:14 E-5	14:14 E-5	14:14 E-5	14:14 E-5	14:31 E-5		17:20 17:21 17:05	18:10 20834 18:25 18:00	BKL
13.26	14:24	14:24	14:24	14:24	14:41		17:29 17:30 17:15	18:34	MTMI

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		17207 ICF	17205 LHB	18504 LHB	12270 LHB	12612 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SNSI-MTM Exp	SNSI COA Exp	SNSI VSKP Exp	NZM MAS Durgonto Exp	NZM MAS Garibrath Exp
		Days of service from Originating Stn.		Wed	Tue, Thu, Sun	Fri	Tue, Sat	Mon
		Days of service at Stn. entering the Sec.		Thu	Wed, Fri, Mon	Sat	Wed, Sun	Tue
529.1	6.34	Madhira 532/16-18 IBS	a d s	14:10 14:11 13:40	14:10 14:11 13:40	14:11	13:31	13:31
538.3	9.22	Tondalagopavaram 541/7-8 Cutlair Bridge	a d s	14:18	14:18	14:18	13:36	13:36
544.7	6.39	Errupalem 548/2-4 IBS	a d s	T-6 14:28	T-6 14:28	T-6 14:28	T-6 13:46	T-6 13:46
554.7	9.98	Gangineni	a d s	14:33	14:33	14:33	13:51	13:51
561.1	6.49	Cheruvumadhavaram	a d s	14:38	14:38	14:38	14:00 T10	14:00 T10
569	7.87	Kondapalli	a d s	14:45	14:45	14:45	14:20	14:20
574.5	5.44	Rayanapadu	a d s	14:48	14:48	14:48	14:23	14:23
586.5	12.1	Vijayawada Jn.	a d s	15:10 15:30 15:05	15:10 15:30 15:10	15:10 15:30 15:10	14:43 14:53 14:30	14:43 14:53 14:30

KAZIPET - VIJAYAWADA

DN

12434 LHB	12511 LHB	12521 LHB	22645 LHB	22647 LHB	20626 LHB	67761 MEMU	67216 MEMU	17202 LHB	
NZM MAS Raj-dhani Exp	GKP KCVL Rapti- Sagar Exp	BJU ERS Rapti -Sagar Exp	INDB KCVL Ahilya Nagari Exp	KRBA TVCN Exp	BGKT- MAS Exp	SC WL	BDCR BZA	SC GNT Gol- conda Exp	Stn. Code
Wed, Fri	Thu, Fri, Sun	Mon	Mon	Wed Sat	Ex.Tu,Sa	Daily	Daily	Daily	
Thu, Sat	Fri, Sat, Mon	Wed	Tue	Thu Sun	Ex.We,Su	Daily	Daily	Daily	
13.31	14:29	14:29	14:29	14:29	14:46		17:38 17:39 17:25	18:42 18:43 18:20	MDR
13.36	14:34	14:34	14:34	14:34	14:51		17:49 17:50 17:35	18:50	TNGM
T-6 13:46	T-6 14:44	T-6 14:44	T-6 14:44	T-6 14:44	T-6 15:01		18:04 18:05 17:45	18:58 18:59 18:35	YP
13:51	14:49	14:49	14:49	14:49	15:06		18:14 18:15 17:55 E-8T-10	19:07	GNN
14.00 T10	14:54 T-10	14:54 T-10	14:54 T-10	14:54 T-10	15:15 T-10		18:35 20834 18:52 18:05	19:12	CVV
14.20	15.10	15.10	15.10	15.10	15:35		19.03 19:05 18:35	19:18 19:20 18:50	KI
14.23	15.13	15.13	15.13	15.13	15:48		19:12 19:13 18:45	19:26	RYP
14.43 14.53 14.30	15.35 15.45 15.30	15.35 15.45 15.30	15.35 15.45 15.30	15.35 15.45 15.30	16:00 16:10 15:55		19:35	19.50 20.10 19:40	BZA

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		17034 MEMU	20834 VNDB	16318 LHB	16032 LHB	20494 LHB	16368 LHB	16788 LHB	16094 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SRUR BDCR Singa- reni Exp	SC-VSKP VNDB	SVDK CAPE Him- Sagar Exp	SVDK MAS Anda-man Exp	CDG MDU Exp	BNRS CAPE	SVDK TEN Navyug Exp	LJN MAS Exp
		Days of service from Originating Stn.		Daily	Except Tue	Mon	Tue, Fri, Sat	Mon, Fri	Sun	Thu	Mon, Thu
		Days of service at Stn. entering the Sec.		Daily	Except Tue	Wed	Thu, Sun, Mon	Tue, Sat	Mon	Sat	Tue, Fri
366.86		Kazipet Jn	a								
			d		16:35						
			s								
376.9	10.04	Kazipet F Cabin	d		16:40	16:52	16:52	16:52	17:08	17:08	17:08
		Kazipet Town	a	16.10							
			d	16.15							
			s								
		Warangal 383/77 <i>IBS</i>	a	16.28	16:50	17:04	17:04	17:04	17:20	17:20	17:20
			d	16.30	16:51	17:05	17:05	17:05	17:22	17:22	17:22
			s	15:55	16.36	16.10	16.10	16.10	16.20	17:10	17:10
389.21	12.31	Chintalpalli	a	16:41							
			d	16:42	17:01	17:16	17:16	17:16	17:33	17:33	17:33
			s	16:05							
396.86	7.65	Yelgur 400/2-4 <i>IBS</i>	a	16:49							
			d	16:50	17:05	17:21	17:21	17:21	17:40	17:40	17:40
			s	16:15							
406.41	9.55	Nekonda 410/16-18 <i>IBS</i>	a	17:00 20834 20494G							
			d	17:33	17:10	17:26	17:26	17:26	17:45	17:45	17:45
			s	16:50							
415.99	9.58	Intekanne (C)	a	17:40					E-6	E-6	E-6
			d	17:41	17:14	17:31	17:31	17:31	17:55	17:55	17:55
			s	17:00							
422.03	6.04	Kesamudram 426/16-18 <i>IBS</i>	a	17:48			17:38				18:02
			d	17:49	17:19	17:39	17:39	17:39	18:03	18:03	18:03
			s	17:10			17:10				17:25
431.17	9.14	Tadalapusapalli (C)	a								
			d	17:58	17:24	17:45	17:45	17:45	18:08	18:08	18:08
			s						T-8	T-8	T-8
437.07	5.9	Mahbubabad 442/28-30 <i>IBS</i>	a	18:05			17:51				18:25
			d	18:06	17:28	17:52	17:52	17:52	18:26	18:26	18:26
			s	17:25			17:24				17:50

KAZIPET - VIJAYAWADA

DN

20806 LHB	12616 LHB	12655 LHB	12714 LHB	12626 LHB	12728 LHB	12622 LHB	12760 LHB	12851 LHB	22536 LHB	17659 ICF	Stn. Code
NDLS VSKP A.P AC Exp	NDLS MAS G.T Exp	ADI MAS Nav- jeevan Exp	SC BZA Sata- vahana Exp	NDLS TVC Kerala Exp	HYB VSKP Goda- vari Exp	NDLS MAS Tamil- Nadu Exp	HYB TBM Char- Minar Exp	BSP MAS Exp	BNRS RMM Exp	SC BDCR EXP	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sun	Sun	Daily	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sun	Mon	Daily	
			18:28 18:30		19:30 19:32		20:30 20:32			20:08 20:10	KZJ
			18:15		19:15		20:20			19:50	
								T-15			
17:50	18:05	18:20	18:35	18:48	19:38	19:50	21:00	20:45	20:45	20:17	
											KZJT
18:02 18:04	18:17 18:19	18:32 18:34	18:46 18:47	19:00 19:02	19:48 19:50	20:02 20:04	21:10 21:12	20:57 20:59	20:57 20:59	20:29 20:30	WL
17:30	17:50	18:00	18:35	18:30	19:35	19:50	20:45	20:35	20:35	20:10	
18:15	18:30	18:45	18:58	19:12	20:02	20:15	21:22	21:10	21:10	20:40 20:41 20:20	CLE
18:20	18:35	18:50	19:03	19:17	20:07	20:20	21:27	21:15	21:15	20:48 20:49	YGL
										20:30	
18:25	18:40	18:55	19:08	19:23	20:12	20:25	21:32	21:20	21:20	20:57 20:58	NKD
										20:40	
E-6 18:35	E-6 18:50	E-6 19:05	E-6 19:18	E-6 19:33	E-6 20:22	E-6 20:35	E-6 21:42	E-6 21:30	E-6 21:30	21:05 21:06	INK
										20:48	
18:40	18:55	19:10	19:23 19:24	19:38	20:27	20:40	21:47	21:35	21:35	21:13 21:14	KDM
			19:05							20:56	
18:45	19:00	19:15	19:29	19:43	20:32	20:45	21:53	21:40	21:40	21:21	TAA
18:50	19:05	19:22 19:23	19:36 19:37	19:48	20:38 20:39	20:50	21:59 22:00	21:45	21:45	21:28 21:29	MABD
		18:50	19:20		20:20		21:35			21:10	

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		17034 MEMU	20834 VNDB	16318 LHB	16032 LHB	20494 LHB	16368 LHB	16788 LHB	16094 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SRUR BDCR Singa- reni Exp	SC-VSKP VNDB	SVDK CAPE Him- Sagar Exp	SVDK MAS Anda-man Exp	CDG MDU Exp	BNRS CAPE	SVDK TEN Navyug Exp	LJN MAS Exp
		Days of service from Originating Stn.		Daily	Except Tue	Mon	Tue, Fri, Sat	Mon, Fri	Sun	Thu	Mon, Thu
		Days of service at Stn. entering the Sec.		Daily	Except Tue	Wed	Thu, Sun, Mon	Tue, Sat	Mon	Sat	Tue, Fri
448.29	11.22	Gundratimadugu 445/6-9 Pakal bridge	a						T-3	T-3	T-3
			d	18:16	17:35	18:00	18:00	18:00	18:38	18:38	18:38
			s								
456.52	8.23	Garla (D) IBS	a	18:23							
			d	18:24							
			s	17:45							
461.32	4.8	Dornakal Jn. 468/2-3 Booga Bridge 465/24-26 IBS	a	18.35			18:11				18.49
			d	18.40	17:44	18:12	18:12	18:12	18:50	18.50	18.50
			s	18:10		17.46					18.25
469.71	8.39	Papatapalli	a								
			d		17:49	18:18	18:18	18:18	18:56	18:56	18:56
			s								
475.1	5.39	Mallemadugu (C) 480/8-10 IBS	a								
			d		17:53	18:23	18:23	18:23	19:01	19:01	19:01
			s								
484.41	9.31	Khammam 488/12-19 IBS	a		18:00	18:30	18:30		19:08	19:08	19:08
			d		18:01	18:31	18:31	18:31	19:09	19:09	19:09
			s		17.46	18.10	18.10		17.40	18.20	18.50
493.8	9.39	Pandillapalli	a			E-5	E-5	E-5	E-5	E-5	E-5
			d		18:07	18:43	18:43	18:43	19:20	19:20	19:20
			s								
500.22	6.42	Chintakani 506/8-10 IBS	a								
			d		18:12	18:49	18:49	18:49	19:25	19:25	19:25
			s								
506.33	6.11	Nagalwancha (D)	a								
			d								
			s			T-3	T-3	T-3	T-3	T-3	T-3
512.6	6.27	Bonakalu 516/18-20 IBS	a								
			d		18:19	19:00	19:00	19:00	19:35	19:35	19:35
			s			E-5	E-5	E-5	E-5	E-5	E-5

KAZIPET - VIJAYAWADA

DN

20806 LHB	12616 LHB	12655 LHB	12714 LHB	12626 LHB	12728 LHB	12622 LHB	12760 LHB	12851 LHB	22536 LHB	17659 ICF	Stn. Code
NDLS VSKP A.P AC Exp	NDLS MAS G.T Exp	ADI MAS Nav- jeevan Exp	SC BZA Sata- vahana Exp	NDLS TVC Kerala Exp	HYB VSKP Goda- vari Exp	NDLS MAS Tamil- Nadu Exp	HYB TBM Char- Minar Exp	BSP MAS Exp	BNRS RMM Exp	SC BDCR EXP	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sun	Sun	Daily	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sun	Mon	Daily	
T-3 19:00	T-3 19:15	T-3 19:35	T-3 19:49	T-3 19:58	T-3 20:50	T-3 21:00	T-3 22:10	T-3 21:55	T-3 21:55	21:38	GUU
										21:45 21:46	GLA
										21:25	
19:10	19:25	19:45	19:59 20:00	20:10	20:58	21:10	22:20 22:21	22:10	22:10	21:58 22:00	DKJ
			19:40				21:55			21:35	
19:15	19:30	19:50	20:06	20:16	21:03	21:15	22:27	22:15	22:15		PPY
19:20	19:35	19:55	20:11	20:21	.. 21:08	21:20	22:32	22:20	22:20		MLMG
19:28 19:29	19:42 19:43	20:02 20:03	20:18 20:19	20:29	21:15 21:16	21:27 21:28	22:39 22:40	22:25	22:25		KMT
19:00	19:20	19:10	20:00		20:50	\$21.00	22:15				
E-5 19:41	E-5 19:55	E-5 20:15	E-5 20:30	E-5 20:40	E-5 21:28	E-5 21:40	E-5 22:51	E-5 22:35	E-5 22:35		PNDP
19:46	20:00	20:20	20:35	20:45	21:33	21:45	22:56	22:40	22:40		CKN
											NVC
T-3	T-3	T-3	T-3	T-3	T-3	T-3	T-3	T-3	T-3		
19:56	20:10	20:30	20:45	20:55	21:43	21:55	23:06	22:50	22:50		BKL
E-5	E-5	E-5	E-5	E-5		E-5	E-5	E-5	E-5		

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		17034 MEMU	20834 VNDB	16318 LHB	16032 LHB	20494 LHB	16368 LHB	16788 LHB	16094 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SRUR BDCR Singa- reni Exp	SC-VSKP VNDB	SVDK CAPE Him- Sagar Exp	SVDK MAS Anda-man Exp	CDG MDU Exp	BNRS CAPE	SVDK TEN Navyug Exp	LJN MAS Exp
		Days of service from Originating Stn.		Daily	Except Tue	Mon	Tue, Fri, Sat	Mon, Fri	Sun	Thu	Mon, Thu
		Days of service at Stn. entering the Sec.		Daily	Except Tue	Wed	Thu, Sun, Mon	Tue, Sat	Mon	Sat	Tue, Fri
522.72	10.12	Motumari 526/13-14 Wyra Bridge	a								
			d		18:24	19:10	19:10	19:10	19:45	19:45	19:45
			s								
529.06	6.34	Madhira 532/16-18 IBS	a				19:17				
			d		18:28	19:18	19:18	19:18	19:50	19:50	19:50
			s				18:35				
538.28	9.22	Tondalagopavaram 541/7-8 Cutlair Bridge	a								
			d		18:32	19:25	19:25	19:25	19:55	19:55	19:55
			s						T-6	T-6	T-6
544.67	6.39	Errupalem 548/2-4 IBS	a								20:09
			d		18:36	19:30	19:30	19:30	20:10	20:10	20:10
			s								19:30
554.65	9.98	Gangineni	a			E-6	E-6	E-6			
			d		18:40	19:45	19:45	19:45	20:17	20:17	20:17
			s								
561.14	6.49	Cheruvumadhavaram	a			T-8	T-8	T-8			
			d		18:44	20:00	20:00	20:00	20:23	20:23	20:23
			s			T20	T35	T20		T15	T15
569.01	7.87	Kondapalli	a								
			d		18:50	20:30	20:45	20:30	20:30	20:45	20:45
			s								
574.45	5.44	Rayanapadu	a								
			d		18:53	20:33	20:48	20:33	20:33	20:48	20:48
			s								
586.5	12.05	Vijayawada Jn.	a		19:11	20:55	21:10	20:55	20:55	21:10	21:10
			d		19:16	21:05	21:20	21:05	21:05	21:20	21:20
			s		18:55	20:40	20:50	20:40	20:40	20:55	20:50

KAZIPET - VIJAYAWADA

DN

20806 LHB	12616 LHB	12655 LHB	12714 LHB	12626 LHB	12728 LHB	12622 LHB	12760 LHB	12851 LHB	22536 LHB	17659 ICF	Stn. Code
NDLS VSKP A.P AC Exp	NDLS MAS G.T Exp	ADI MAS Nav- jeevan Exp	SC BZA Sata- vahana Exp	NDLS TVC Kerala Exp	HYB VSKP Goda- vari Exp	NDLS MAS Tamil- Nadu Exp	HYB TBM Char- Minar Exp	BSP MAS Exp	BNRS RMM Exp	SC BDCR EXP	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sun	Sun	Daily	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sun	Mon	Daily	
20:06	20:20	20:40	20:55	21:05	21:53	22:05	23:16	23:00	23:00		MTMI
20:11	20:25	20:45	21:02 21:03	21:13	21:58	22:10	23:21	23:05	23:05		MDR
			20:40								
20:16	20:30	20:50	21:10	21:20	22:02	22:15	23:26	23:10	23:10		TNGM
T-6	T-6	T-6	T-6	T-6	T-6	T-6					
20:26	20:40	21:00	21:20	21:30	22:12	22:25	23:30	23:15	23:15		YP
20:31	20:45	T-5 21:10	T5 21.30	T5 21.40	22:17	22:30	23:35	23:20	23:20		GNN
20:45	21:00	T-5 21:20	T5 21:40	21:50	22:22	22:45	23:40	23.30 12764 23.45	23.30 12764 23.45		CVV
T15	T15	T-10		T-10		T-15		T25	T25		
21.05	21.20	21.35	21.53	22.05	22.35	23.05	23.45	00.20	00.20		KI
21.08	21.23	21.38	21.56	22.08	22.38	23.08	23.48	00.23	00.23		RYP
21.30 22.05 21:40	21.45 21.55 21.35	22.00 22.10 21.45	22:20	22.30 22.40 22.25	23:00 23.20 22:50	23.30 23.40 23.10	00.10 00.20 00:10	00.45 00.55 00.30	00.45 00.55 00.30		BZA

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12764 LHB	12862 LHB	12968 LHB	12970 LHB	12762 LHB	12776 LHB
		FROM - TO/ TRAIN NAME/ TRAIN TYPE		SC TPTY Padma -vathi Exp	MBNR- VSKP Link Exp	JP MAS Exp	JP - CBE Exp	KRMR TPTY Exp	LPI- CCT Koka- nada AC Exp
		Days of service from Originating Stn.		Except Wed, Sat	Daily	Fri, Sun	Tue	Thu, Sun	Mon, Wed, Fri
		Days of service at Stn. entering the Sec.		Except Wed, Sat	Daily	Sat, Mon	Wed	Thu, Sun	Mon, Wed, Fri
366.86		Kazipet Jn	a	20:40	21:05				
			d	20:42	21:10				21.48
			s	20.30	20.40				
				T-15	T8				
		Kazipet F Cabin	d	21:13	21:26	21:40	21:40	21:40	21:56
		Kazipet Town	a						
			d						
			s						
		Warangal 383/77 IBS	a	21:23	21:38	21:53	21:53	21:53	22:08
			d	21:25	21:40	21:55	21:55	21:55	22:10
			s	20:55	20:55	21:25	21:25	21:25	21:40
389.21	12.31	Chintalpalli	a						
			d	21:36	21:51	22:06	22:06	22:06	22:20
396.86	7.65	Yelgur 400/2-4 IBS	a						
			d	21:40	21:55	22:10	22:10	22:10	22:25
			s						
406.41	9.55	Nekonda 410/16-18 IBS	a	21:46					
			d	21:47	22:00	22:15	22:15	22:15	22:30
			s	21:20					
415.99	9.58	Intekanne (C)	a		E-6	E-6	E-6	E-6	
			d	21:53	22:10	22:25	22:25	22:25	22:35
			s						
422.03	6.04	Kesamudram 426/16-18 IBS	a	21:59					
			d	22:00	22:15	22:30	22:30	22:30	22:40
			s	21:30					
431.17	9.14	Tadalapusapalli (C)	a						
			d	22:06	22:20	22:35	22:35	22:35	22:45
			s						
437.07	5.9	Mahbubabad 442/28-30 IBS	a	22:12	22:26			22:43	
			d	22:13	22:27	22:58	22:58	22:58	22:50
			s	21.40	21:45			22:20	

KAZIPET - VIJAYAWADA

DN

22815 LHB	22619 LHB	22670 LHB	*05074 LHB	12740 LHB	*04717 LHB	12540 LHB	20481 LHB	22404 LHB	22673 LHB	Stn. Code
BSP ERS Exp	BSP TEN Exp	PNBE ERS Exp	LKU SBC TOD	SC VSKP Garib- Rath Exp	HSR TPTY TOD	LKO YPR Exp	BGKT- TPJ Humsaf ar Exp	NDLS PDY Exp	BGKT MQ Exp	
Mon	Tue	Tue	Sat	Daily	Sat	Fri	Wed	Sun	Thu	
Mon	Tue	Wed	Sun	Daily	Mon	Sat	Thu	Mon	Fri	
				22.25						KZJ
22.11	22.11	22.11	22.11	22.30	22.45	22.45	22.45	22.45	22.45	KZJ 'F'
22:22	22:22	22:22	22:22	22.41	22:56	22:56	22:56	22:56	22:56	WL
22:24	22:24	22:24	22:24	22.42	22:58	22:58	22:58	22:58	22:58	
21:50	21:50	21:50	21:50	22:20	22.50	22.50	22.50	22.50	22.50	
22:34	22:34	22:34	22:34	22:53	23:09	23:09	23:09	23:09	23:09	CLE
22:39	22:39	22:39	22:39	22:58	23:14	23:14	23:14	23:14	23:14	YGL
22:44	22:44	22:44	22:44	23:03	23:19	23:19	23:19	23:19	23:19	NKD
E-6 22:54	E-6 22:54	E-6 22:54	E-6 22:54	E-6 23:13	E-6 23:29	E-6 23:29	E-6 23:29	E-6 23:29	E-6 23:29	INK
22:59	22:59	22:59	22:59	23:18	23:34	23:34	23:34	23:34	23:34	KDM
23:04	23:04	23:04	23:04	23:23	23:39	23:39	23:39	23:39	23:39	TAA
23:12	23:12	23:12	23:11 23:12 22:50	23:28	23:44	23:44	23:44	23:44	23:44	MABD

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12764 LHB	12862 LHB	12968 LHB	12970 LHB	12762 LHB	12776 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC TPTY Padma -vathi Exp	MBNR- VSKP Link Exp	JP MAS Exp	JP - CBE Exp	KRMR TPTY Exp	LPI- CCT Koka- nada AC Exp
		Days of service from Originating Stn.		Except Wed, Sat	Daily	Fri, Sun	Tue	Thu, Sun	Mon, Wed, Fri
		Days of service at Stn. entering the Sec.		Except Wed, Sat	Daily	Sat, Mon	Wed	Thu, Sun	Mon, Wed, Fri
448.29	11.22	Gundratimadugu 445/6-9 Pakal bridge	a d s	22:22	T-3 22:38	23:07	23:07	23:07	22:57
456.52	8.23	Garla (D) IBS	a d s						
461.32	4.8	Dornakal Jn. 468/2-3 Booga Bridge	a d	22:32	22:49 22:50	23:17	23:17	23:17	23:07
		465/24-26 IBS	s		22:05				
469.71	8.39	Papatapalli	a d s	22:37	22:56	23:22	23:22	23:22	23:12
475.1	5.39	Mallemadugu (C) 480/8-10 IBS	a d s	22:42	23:01	23:27	23:27	23:27	23:17
484.41	9.31	Khammam 488/12-19 IBS	a d s	22:49 22:50 22:20	23:08 23:09 22:35			23:34 23:35 23:00	23:23 23:24 23:00
493.8	9.39	Pandillapalli	a d s	E-5 23:01	E-5 23:20	23:42	23:42	23:42	23:31
500.22	6.42	Chintakani 506/8-10 IBS	a d s	23:06	23:25	23:47	23:47	23:47	23:36
506.33	6.11	Nagalwancha (D)	a d s						
			s	E-3	T-3	T-3	T-3	T-3	T-2
512.6	6.27	Bonakalu 516/18-20 IBS	a d s	23:16	23:35	23:57	23:57	23:57	23:45
522.72	10.12	Motumari 526/13-14 Wyras Bridge	a d s	E-5 23:26	E-5 23:45	E-5 00:07	E-5 00:07	E-5 00:07	E-5 23:55

KAZIPET - VIJAYAWADA

DN

22815 LHB	22619 LHB	22670 LHB	*05074 LHB	12740 LHB	*04717 LHB	12540 LHB	20481 LHB	22404 LHB	22673 LHB	Stn. Code
BSP ERS Exp	BSP TEN Exp	PNBE ERS Exp	LKU SBC TOD	SC VSKP Garib- Rath Exp	HSR TPTY TOD	LKO YPR Exp	BGKT- TPJ Humsaf ar Exp	NDLS PDY Exp	BGKT MQ Exp	
Mon	Tue	Tue	Sat	Daily	Sat	Fri	Wed	Sun	Thu	
Mon	Tue	Wed	Sun	Daily	Mon	Sat	Thu	Mon	Fri	
T-3 23:23	T-3 23:23	T-3 23:23	T-3 23:23	T-3 23:38	T-3 23:54	T-3 23:54	T-3 23:54	T-3 23:54	T-3 23:54	GUU
										GLA
23:33	23:33	23:33	23:33	23:48	00:04	00:04	00:04	00:04	00:04	DKJ
23:39	23:39	23:39	23:39	23:53	00:09	00:09	00:09	00:09	00:09	PPY
23:44	23:44	23:44	23:44	23:58	00:14	00:14	00:14	00:14	00:14	MLMG
23:52	23:52	23:51	23:51	00:05	00:21				00:21	KMT
		23:52	23:52	00:06	00:22	00:22	00:22	00:22	00:22	
		23:20	23:20	23:35	00:10				00:10	
E-5 00:03	E-5 00:03	E-5 00:03	E-5 00:03	E-5 00:17	E-5 00:33	E-5 00:33	E-5 00:33	E-5 00:33	E-5 00:33	PNDP
00:08	00:08	00:08	00:08	00:23	00:38	00:38	00:38	00:38	00:38	CKN
										NVC
T-3	T-3	T-3	T-3	T-3	T-3	T-3	T-3	T-3	T-3	
00:18	00:18	00:18	00:18	00:33	00:48	00:48	00:48	00:48	00:48	BKL
E-5 00:28	E-5 00:28	E-5 00:28	E-5 00:28	E-5 00:43	E-5 00:58	E-5 00:58	E-5 00:58	E-5 00:58	E-5 00:58	MTMI

KAZIPET - VIJAYAWADA

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12764 LHB	12862 LHB	12968 LHB	12970 LHB	12762 LHB	12776 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC TPTY Padma -vathi Exp	MBNR- VSKP Link Exp	JP MAS Exp	JP - CBE Exp	KRMR TPTY Exp	LPI- CCT Koka- nada AC Exp
		Days of service from Originating Stn.		Except Wed, Sat	Daily	Fri, Sun	Tue	Thu, Sun	Mon, Wed, Fri
		Days of service at Stn. entering the Sec.		Except Wed, Sat	Daily	Sat, Mon	Wed	Thu, Sun	Mon, Wed, Fri
529.06	6.34	Madhira 532/16-18 IBS	a	23:32	23:51			00:12	
			d	23:33	23:52	00:13	00:13	00:13	00:02
			s	23:05	23:05			23:40	
538.28	9.22	Tondalagopavaram 541/7-8 Cutlair Bridge	a						E-5
			d	23:40	00:00	00:25	00:25	00:25	00:12
			s	T-5					T-5
544.67	6.39	Errupalem 548/2-4 IBS	a						
			d	23:45	00:10	00:35	00:35	00:35	00:22
			s			T-5	T-5	T-5	
554.65	9.98	Gangineni	a						E-1
			d	23:50	00:15	00:45	00:45	00:45	00:30
			s			E-5	E-5	E-5	E-5
561.14	6.49	Cheruvumadhavaram	a						
			d	23:55	00:20	00:55	00:55	00:55	00:40
			s	E-3		T-5	T-5	T-5	
569.01	7.87	Kondapalli	a		T-8				
			d	00:05	00:35	01:05	01:05	01:05	00:50
			s						
574.45	5.44	Rayanapadu	a		00:40				00:55
			d	00:08	00:45	01:08	01:08	01:08	01:00
			s		00:15				00:30
586.5	12.05	Vijayawada Jn.	a	00:30		01:30	01:30	01:30	
			d	00:40		01:40	01:40	01:40	
			s	00:20		01:10	01:10	01:10	

KAZIPET - VIJAYAWADA

DN

22815 LHB	22619 LHB	22670 LHB	*05074 LHB	12740 LHB	*04717 LHB	12540 LHB	20481 LHB	22404 LHB	22673 LHB	Stn. Code
BSP ERS Exp	BSP TEN Exp	PNBE ERS Exp	LKU SBC TOD	SC VSKP Garib- Rath Exp	HSR TPTY TOD	LKO YPR Exp	BGKT- TPJ Humsaf ar Exp	NDLS PDY Exp	BGKT MQ Exp	
Mon	Tue	Tue	Sat	Daily	Sat	Fri	Wed	Sun	Thu	
Mon	Tue	Wed	Sun	Daily	Mon	Sat	Thu	Mon	Fri	
00:33	00:33	00:33	00:33	00:48	01:05	01:05	01:05	01:05	01:05	MDR
00:42	00:42	00:42	00:42	T-5 00:58	T-5 01:20	T-5 01:20	T-5 01:20	T-5 01:20	T-5 01:20	TNGM
T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5	
01:00 12740	01:00 12740	01:00 12740	01:00 12740	01:08	01:30	01:30	01:30	01:30	01:30	YP
01:20	01:20	01:20	01:20							
01:30	01:30	01:30	01:30	01:15	01:40	01:40	01:40	01:40	01:40	GNN
01:35	01:35	01:35	01:35	01:20	T-5 01:50	T-5 01:50	T-5 01:50	T-5 01:50	T-5 01:50	CVV
01:40	01:40	01:40	01.40	01:25	01.55	1.55	1.55	1.55	1.55	KI
01.43	01.43	01.43	01.43	01.28	01.58	01.58	01.58	01.58	01.58	RYP
02.05 02.15	02.05 02.15	02.05 02.20	02.05 02.15	01.50 02.05	02.20 02.40	02.20 02.30	02.20 02.30	02.20 02.30	02.20 02.30	BZA
02.00	02.00	02:00	01:45	01:50	02:10	02.10	02.00	02.10	02.00	

UP

VIJAYAWADA-KAZIPET

Kms from Wardha	Inter Distance in Kms	Train No.		12763 LHB	12727 LHB	20803 LHB	20819 LHB	12669 LHB	12967 LHB	12969 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY SC Padma - vathi Exp	VSKP HYB Godavari Exp	VSKP GIMB Exp	PURI OKHA Exp	MAS CPR SF Exp	MAS JP Exp	CBE JP Exp
		Days of service from Originating Stn.		Except Thu, Sun	Daily	Thu	Sun	Mon, Sat	Tue, Sun	Fri
		Days of service at Stn. entering the Sec.		Except Thu, Sun		Fri	Mon	Tue, Sun	Wed, Mon	Sat
586.50	12.05	Vijayawada Jn.	a	23.25	23.35	23.55	23.55	00.10	00.10	00.10
			d	23.40	23.55	00.10	00.10	00.25	00.25	00.25
			s	23.10	23.30	23.45	23.45	23.55	23.55	23.55
574.45	5.44	Rayanapadu	a	T5						
			d	00.09	00.15	00.30	00.30	00.45	00.45	00.45
			s							
569.01	7.87	Kondapalli	a		T5	T6	T6	T1	T1	T1
			d	00.15	00.26	00:42	00:42	00:52	00:52	00:52
			s							
561.14	6.49	Cheruvumadhavaram	a							
			d	00.20	00.31	00.47	00.47	00.57	00.57	00.57
			s							
554.65	9.98	Gangineni 548/2-4 IBS	a							
			d	00:25	00.36	00:52	00:52	01:02	01:02	01:02
			s	T-3	T-3	T-3	T-3	T-3	T-3	T-3
544.67	6.39	Errupalem 541/8-7 Cutlair Bridge	a							
			d	00:33	00:44	01:00	01:00	01:10	01:10	01:10
			s							
538.28	9.22	Tondalagopavaram 534/17-15 IBS	a							
			d	00:38	00:49	01:05	01:05	01:15	01:15	01:15
			s							
529.06	6.34	Madhira 526/14-13 Wyra Bridge	a							
			d	00:46	00:56	01:10	01:10	01:20	01:20	01:20
			s							
522.72	10.12	Motumari 515/19 - 17 IBS	a	E-4	E-4	E-4	E-4	E-4	E-4	E-4
			d	00:55	01:05	01:18	01:18	01:28	01:28	01:28
			s							
512.60		Bonakalu	a							
			d	01:00	01:10	01:23	01:23	01:33	01:33	01:33
			s							

UP

VIJAYAWADA-KAZIPET

12861 LHB	12775 LHB	12615 LHB	12759 LHB	20809 ICF	20811 LHB	12761 LHB	20625 LHB	12739 LHB	Stn Code
VSKP MBNR Exp	CCT LPI Kokanada AC Exp	MAS NDLS G.T. Exp	TBM HYB Charminar Exp	SBP NED Exp	VSKP NED Exp	TPTY KRMR Exp	MAS BGKT SF Exp	VSKP SC Garibrath Exp	
Daily	Tue, Thu, Sun	Daily	Daily	Sun, Mon, Fri	Tue, Wed, Sat	Wed, Sat	Ex.We, Sa	Daily	
Daily	Wed, Fri, Mon	Daily	Daily	Mon, Tue, Sat	Wed, Thu, Sun	Thu, Sun	Ex.Th,Su	Daily	
		01.15 01.25 00:55	01.30 01.40 01:10			02.05 02.15 01:50	02.05 02.15 01:50	02.20 02.35 02:10	BZA
00.49	01.26	01.45	02.00	02.05	02.05	T4	T4	02.55	RYP
00.54	01.31			02.10	02.10	02.39	02.39		
00:25	01:05			01:40	01:40				
T5 01.05	01.40	T4 01.55	02.06	02:20	02:20	T5 02.50	T5 02.50	T1 03.02	KI
01.10	01.45	02.00	02.11	02:24	02:24	02.55	02.55	03.07	CVV
01:15	01.50 T-3	02.05 T-3	02.16 T-3	02:29 T-3	02:29 T-3	03.00 T-3	03.00 T-3	03.12 T-3	GNN
01:21	01:58	02:13	02:24	02:37	02:37	03:08	03:08	03:20	YP
01:26	02:03	02:18	02:29	02:42	02:42	03:13	03:13	03:25	TNGM
01:34	02:08	02:23	02:34	02:47	02:47	03:21 03:22 02.55	03:22	03:32	MDR
E-4 01:44	E-4 02:16	E-4 02:31	E-4 02:42	E-4 02:55	E-4 02:55	E-4 03:32	E-4 03:32	E-4 03:42	MTMI
01:49	02:21	02:36	02:47	03:00	03:00	03:37	03:37	03:47	BKL

UP

VIJAYAWADA-KAZIPET

Kms from Wardha	Inter Distance in Kms	Train No.		12763 LHB	12727 LHB	20803 LHB	20819 LHB	12669 LHB	12967 LHB	12969 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY SC Padma - vathi Exp	VSKP HYB Godavari Exp	VSKP GIMB Exp	PURI OKHA Exp	MAS CPR SF Exp	MAS JP Exp	CBE JP Exp
		Days of service from Originating Stn.		Except Thu, Sun	Daily	Thu	Sun	Mon, Sat	Tue, Sun	Fri
		Days of service at Stn. entering the Sec.		Except Thu, Sun		Fri	Mon	Tue, Sun	Wed, Mon	Sat
506.33	6.27	Nagalwancha (D) 506/19-21 IBS	a d s	T-3	T-3	T-3	T-3	T-3	T-3	T-3
500.22	6.11	Chintakani	a d s	01:10	01:20	01:33	01:33	01:43	01:43	01:43
493.80	6.42	Pandillapalli 488/3-5 IBS	a d s	01:14	01:24	01:38	01:38	01:48	01:48	01:48
484.41	9.39	Khammam 480/7-9 IBS	a d s	01:21 01:22 00:55	01:31 01:32 01.12	01:45 01:46 01.25		01:55 01:56 01.35	01:56	01:56
475.10	9.31	Mallemadugu (C)	a d s	01:29 E-4	01:39 E-4	01:53 E-4	01:53 E-4	02:03 E-4	02:03 E-4	02:03 E-4
469.71	5.39	Papatapalli 468/3-2 Booga Bridge 465/24-26 IBS	a d s	01:37	01:47	02:01	02:01	02:11	02:11	02:11
461.32	8.39	Dornakal Jn.	a d s	01:43	01:53	02:07	02:07	02:17	02:17	02:17
456.52	4.80	Garla (D) IBS 445/9-6 Pakal Bridge	a d s	T-3	T-3	T-3	T-3	T-3	T-3	T-3
448.29	8.23	Gundratimadugu 445/7-9 IBS	a d s	01:53	02:03	02:17	02:17	02:27	02:27	02:27
437.07	11.22	Mahbubabad	a d s	02:01 02:02 01:30	02:11 02:12 01.50	02:23	02:23	02:33	02:33	02:33

UP

VIJAYAWADA-KAZIPET

12861 LHB	12775 LHB	12615 LHB	12759 LHB	20809 ICF	20811 LHB	12761 LHB	20625 LHB	12739 LHB	Stn Code
VSKP MBNR Exp	CCT LPI Kokanada AC Exp	MAS NDLS G.T. Exp	TBM HYB Charminar Exp	SBP NED Exp	VSKP NED Exp	TPTY KRMR Exp	MAS BGKT SF Exp	VSKP SC Garibrath Exp	
Daily	Tue, Thu, Sun	Daily	Daily	Sun, Mon, Fri	Tue, Wed, Sat	Wed, Sat	Ex.We, Sa	Daily	
Daily	Wed, Fri, Mon	Daily	Daily	Mon, Tue, Sat	Wed, Thu, Sun	Thu, Sun	Ex.Th,Su	Daily	
<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	NVC
01:59	02:31	02:46	02:57	03:10	03:10	03:47	03:47	03:57	CKN
02:04	02:36	02:51	03:03	03:15	03:15	03:52	03:52	04:02	PNDP
02:11 02:12 01.45	02:43 02:44 02.19	02:59 03:00 02:30	03:10 03:11 02:40	03:23	03:23	03:59 04:00 03:30	03:59 04:00 03:30	04:10 04:11 03:40	KMT
02:19 E-4	02:51 E-4	03:07 E-4	03:18 E-4	03:29 E-4	03:29 E-4	04:07 E-4	04:07 E-4	04:18 E-4	MLMG
02:27	02:59	03:15	03:26	03:37	03:37	04:15	04:15	04:28	PPY
02:36 02:37 02.05	03:05	03:21	03:33 03:34 \$03:05	03:43	03:43	04:21	04:21	04:34	DKJ
<i>T-3</i>	<i>T-3</i>	<i>T-3</i>		<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	<i>T-3</i>	GLA
02:49	03:15	03:31	03:42	03:53	03:53	04:31	04:31	04:44	GUU
02:57 02:58 02.25	03:21	03:37	03:50 03:51 03:20	04:02	04:02	04:39 04:40 04:10	04:40	04:50	MABD

UP

VIJAYAWADA-KAZIPET

Kms from Wardha	Inter Distance in Kms	Train No.		12763 LHB	12727 LHB	20803 LHB	20819 LHB	12669 LHB	12967 LHB	12969 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY SC Padma - vathi Exp	VSKP HYB Godavari Exp	VSKP GIMB Exp	PURI OKHA Exp	MAS CPR SF Exp	MAS JP Exp	CBE JP Exp
		Days of service from Originating Stn.		Except Thu, Sun	Daily	Thu	Sun	Mon, Sat	Tue, Sun	Fri
		Days of service at Stn. entering the Sec.		Except Thu, Sun		Fri	Mon	Tue, Sun	Wed, Mon	Sat
431.17	5.90	Tadalapusapalli (C) 427/1-3 IBS	a d s	E-4 02:11	E-4 02:21	E-4 02:31	E-4 02:31	E-4 02:41	E-4 02:41	E-4 02:41
422.03	9.14	Kesamudram	a d s	02:16	02:26	02:36	02:36	02:46	02:46	02:46
415.99	6.04	Intekanne (C) 411/1-13 IBS	a d s	T-3 02:24	T-3 02:34	T-3 02:44	T-3 02:44	T-3 02:54	T-3 02:54	T-3 02:54
406.41	9.58	Nekonda 400/15-17 IBS	a d s	02:30	02:39	02:49	02:49	02:59	02:59	02:59
396.86	9.55	Yelgur	a d s	E-4 02:39	E-4 02:48	E-4 02:58	E-4 02:58	E-4 03:08	E-4 03:08	E-4 03:08
389.21	7.65	Chintalpalli 383.77 IBS	a d s	02:43	02:52	03:02	03:02	03:12	03:12	03:12
376.90	13.31	Warangal	a d s	02:53 02:55 02:35	03:05 03:07 02:40	03:18 03:20 02:51	03:18 03:20 02:51	03:18 03:20 02:51	03:33 03:35 03:02	03:33 03:35 03:02
		Kazipet Town	d			T-5	T-5	T-5	T40	T40
		KZJ F Cabin	d	03:06	03:18	03:35	03:35	03:35	04:25	04:25
366.86	10.04	Kazipet Jn	a d s	03:13 03:15 02:55	03:36 03:38 03:05					

UP

VIJAYAWADA-KAZIPET

12861 LHB	12775 LHB	12615 LHB	12759 LHB	20809 ICF	20811 LHB	12761 LHB	20625 LHB	12739 LHB	Stn Code
VSKP MBNR Exp	CCT LPI Kokanada AC Exp	MAS NDLS G.T. Exp	TBM HYB Charminar Exp	SBP NED Exp	VSKP NED Exp	TPTY KRMR Exp	MAS BGKT SF Exp	VSKP SC Garibrath Exp	
Daily	Tue, Thu, Sun	Daily	Daily	Sun, Mon, Fri	Tue, Wed, Sat	Wed, Sat	Ex.We, Sa	Daily	
Daily	Wed, Fri, Mon	Daily	Daily	Mon, Tue, Sat	Wed, Thu, Sun	Thu, Sun	Ex.Th,Su	Daily	
E-4 03:08	E-4 03:29	E-4 03:45	E-4 04:00	E-4 04:11	E-4 04:11	E-4 04:50	E-4 04:50	E-4 05:00	TAA
03:13	03:34	03:50	04:05	04:16	04:16	04:55	04:55	05:05	KDM
T-3 03:20	T-3 03:42	T-3 03:57	T-3 04:12	T-3 04:23	T-3 04:23	T-3 05:02	T-3 05:02	T-3 05:12	INK
03:25	03:47	04:02	04:17	04:29	04:29	05:07	05:07	05:17	NKD
E-4 03:34	E-4 03:56	E-4 04:11	E-4 04:26	E-4 04:38	E-4 04:38	E-4 05:16	E-4 05:16	E-4 05:26	YGL
03:39	04:01	04:16	04:31	04:46	04:46	05:21	05:21	T-4 05:36	CLE
03:52 03:54 03:20	04:13 04:15 03:47	04:28 04:30 04:00	04:43 04:45 04:20	04:58	04:58	05:33 05:35 05:10	05:33 05:35 05:10	05:48 05:50 05:20	WL
									KZJT
04:04	04:25	04:45	04:57	05:12	05:12	05:47	05:47	06:02	KZJ F
04:10 04:15 03:40	04:36		05:03 05:05 04:40	05:23 05:25 04:50	05:23 05:25 04:50			06:10	KZJ

Kms from Wardha	Inter Distance in Kms	Train No.		22354 LHB	22352 LHB	12539 LHB	12578 LHB	22631 LHB	22674 LHB	22620 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SMVB PNBE Humsafar Exp	SMVB PPTA Exp	YPR LKO Exp	MYS DBG Bagh- mati Exp	MDU BKN Anuvrath Exp	MQ-JU BGKT Exp	TEN BSP Exp
		Days of service from Originating Stn.		Sun	Mon	Wed	Fri	Thu	Mon	Sun
		Days of service at Stn. entering the Sec.		Mon	Tue	Thu	Sat	Fri	Tue	Mon
586.50	12.05	Vijayawada Jn.	a d s	02.45 03.00 02.35	02.45 03.00 02.35	02.45 03.00 02.35	02.45 03.00 02.35	03.00 03.15 02.45	03.00 03.15 02.45	03.30 03.40 03.10
574.45		Rayanapadu	a d s	03.20	03.20	03.20	03.20	T3 03.38	T3 03.38	04.00
569.01	5.44	Kondapalli	a d s	T4 03.30	T4 03.30	T4 03.30	T4 03.30	T4 03.48	T4 03.48	04.06
561.14	7.87	Cheruvumadhavaram	a d s	03.35	03.35	03.35	03.35	03.53	03.53	04:11
554.65	6.49	Gangineni 548/2-4 IBS	a d s	03.40 T-3	03.40 T-3	03.40 T-3	03.40 T-3	03.58 T-3	03.58 T-3	04:16 T-3
544.67	9.98	Errupalem 541/8-7 Cutlair Bridge	a d s	03:48	03:48	03:48	03:48	04:06	04:06	04:24
538.28	6.39	Tondalagopavaram 534/17-15 IBS	a d s	03:53	03:53	03:53	03:53	04:11	04:11	04:29
529.06	9.22	Madhira 526/14-13 Wyra Bridge	a d s	03:58	03:58	03:58	03:58	04:16	04:16	04:34
522.72	6.34	Motumari 515/19 - 17 IBS	a d s	E-4 04:06	E-4 04:06	E-4 04:06	E-4 04:06	E-4 04:24	E-4 04:24	E-4 04:42
512.60	10.12	Bonakalu	a d s	04:11	04:11	04:11	04:11	04:29	04:29	04:47

UP

VIJAYAWADA-KAZIPET

22816 LHB	20805 LHB	12621 LHB	17660 ICF	11020 LHB	17033 MEMU	12512 LHB	12522 LHB	22646 LHB	22648L HB	12713 LHB	17201 LHB	18519 LHB	Stn Code
ERS BSP Exp	VSKP NDLS A.P Exp	MAS NDLS Tamil Nadu Exp	BDCR SC KAKA TIYA EXP	BBSN CSMT Konark Exp	BDCR BPQ Singa - reni Pass	KCVL GKP Rapti Sagar Exp	ERS BJU Rapti Sagar Exp	KCVL INDB Ahalya Nagari Exp	TVCN KRBA Exp	BZA SC Satava- hana Exp	GNT SC Gol- conda Exp	VSKP LTT Exp	
Wed	Daily	Daily	Daily	Daily	Daily	Tue, Wed, Sun	Fri	Sat	Mon, Thu	Daily	Daily	Daily	
Thu	Daily	Daily	Daily	Daily	Daily	Wed, Thu, Mon	Sat	Sun	Tue, Fri	Daily	Daily	Daily	
03.30 03.40 03.10	03.45 04.05 03.40	04.10 04.20 03.50		04.55 05.15 04.55		06.00 06.10 05.45	06.00 06.10 05.45	06.00 06.10 05.45	06.00 06.10 05.45		07.05 07.10 07.00	06.55 07.25 06:55	BZA
04.00	04.25	04.39		05.35 T5		06.30	06.30	06.30	06.30	06.44	07.32	T4 07.49	RYP
04.06	04.31	04.45		05.46		06.36	06.36	06.36	06.36	06.52	07.41 07.42 07.30	T5 08.00	KI
04:11	04.36	04.50		05.51		06.41	06.41	06.41	06.41	06.57	07:49	08.05	CVV
04:16 T-3	04:41 T-3	04:55 T-3		05.56 T-3		06.46 T-3	06.46 T-3	06.46 T-3	06.46 T-3	07:02 T-3	07:54	08.10 T-3	GNN
04:24	04:49	05:03		06:04		06:54	06:54	06:54	06:54	07:10	08.01 08.02 07:50	08:18	YP
04:29	04:54	05:08		06:09		06:59	06:59	06:59	06:59	07:15	08:09	08:23	TNGM
04:34	05:01	05:13		06:17 06:18 06.00		07:04	07:04	07:04	07:04	07:22 07:23 07:15	08:20 18519 08:38 08:10	08:28	MDR
E-4 04:42	E-4 05:10	E-4 05:21		E-4 06:28		E-4 07:12	E-4 07:12	E-4 07:12	E-4 07:12	E-4 07:33	08:46	E-4 08:36	MTMI
04:47	05:15	05:26		06:33		07:17	07:17	07:17	07:17	07:38	08:54 08:55 08:25	08:41	BKL

Kms from Wardha	Inter Distance in Kms	Train No.		22354 LHB	22352 LHB	12539 LHB	12578 LHB	22631 LHB	22674 LHB	22620 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SMVB PNBE Humsafar Exp	SMVB PPTA Exp	YPR LKO Exp	MYS DBG Bagh- mati Exp	MDU BKN Anuvrath Exp	MQ-JU BGKT Exp	TEN BSP Exp
		Days of service from Originating Stn.		Sun	Mon	Wed	Fri	Thu	Mon	Sun
		Days of service at Stn. entering the Sec.		Mon	Tue	Thu	Sat	Fri	Tue	Mon
506.33	6.27	Nagalwancha (D) 506/19-21 IBS	a d s	T-3	T-3	T-3	T-3	T-3	T-3	T-3
500.22	6.11	Chintakani	a d s	04:21	04:21	04:21	04:21	04:39	04:39	04:57
493.80	6.42	Pandillapalli 488/3-5 IBS	a d s	04:26	04:26	04:26	04:26	04:45	04:45	05:02
484.41	9.39	Khammam 480/7-9 IBS	a d s	04:35	04:35 04:05	04:35	04:35	04:54 04:55 04:20	04:54 04:55 04:20	05:10
475.10	9.31	Mallemadugu (C)	a d s	04:42 E-4	04:42 E-4	04:42 E-4	04:42 E-4	05:02 E-4	05:02 E-4	05:16 E-4
469.71	5.39	Papatapalli 468/3-2 Booga Bridge 465/24-26 IBS	a d	04:50	04:50	04:50	04:50	05:08	05:08	05:24
461.32	8.39	Dornakal Jn.	a d s	04:56	04:56	04:56	04:56	05:16	05:16	05:30
456.52	4.80	Garla (D) IBS 445/9-6 Pakal Bridge	a d s	T-3	T-3	T-3	T-3	T-3	T-3	T-3
448.29	8.23	Gundratimadugu 445/7-9 IBS	a d s	05:06	05:06	05:06	05:06	05:26	05:26	05:40
437.07	11.22	Mahbubabad	a d s	05:12	05:12	05:12	05:12	05:32	05:32	05:46

UP

VIJAYAWADA-KAZIPET

22816 LHB	20805 LHB	12621 LHB	17660 ICF	11020 LHB	17033 MEMU	12512 LHB	12522 LHB	22646 LHB	22648L HB	12713 LHB	17201 LHB	18519 LHB	Stn Code
ERS BSP Exp	VSKP NDLS A.P Exp	MAS NDLS Tamil Nadu Exp	BDCR SC KAKA TIYA EXP	BBSN CSMT Konark Exp	BDCR BPQ Singa - reni Pass	KCVL GKP Rapti Sagar Exp	ERS BJU Rapti Sagar Exp	KCVL INDB Ahalya Nagari Exp	TVCN KRBA Exp	BZA SC Satava- hana Exp	GNT SC Gol- conda Exp	VSKP LTT Exp	
Wed	Daily	Daily	Daily	Daily	Daily	Tue, Wed, Sun	Fri	Sat	Mon, Thu	Daily	Daily	Daily	
Thu	Daily	Daily	Daily	Daily	Daily	Wed, Thu, Mon	Sat	Sun	Tue, Fri	Daily	Daily	Daily	
													NVC
T-3	T-3	T-3		T-3		T-3	T-3	T-3	T-3	T-3		T-3	
04:57	05:25	05:36		06:43		07:27	07:27	07:27	07:27	07:48	09:04	08:51	CKN
05:02	05:30	05:41		06:48		07:32	07:32	07:32	07:32	07:53	09:09	08:56	PNDP
05:10	05:38 05:39 05.10	05:49 05:50 \$05.20		06:56 06:57 06:35		07:40 07:41 07.20	07:40 07:41 07.20	07:40 07:41 07.20	07:40 07:41 07.20	08:01 08:02 07:50	09:17 09:18 08:45	09:04	KMT
05:16 E-4	05:46 E-4	05:57 E-4		07:04 E-4		07:48 E-4	07:48 E-4	07:48 E-4	07:48 E-4	08:09 E-4	09:25	09:09 E-4	MLMG
05:24	05:54	06:05		07:12		07:56	07:56	07:56	07:56	08:17	09:30	09:17	PPY
05:30	06:00	06:11	06:30 06:32 06:20	07:18	07:25 07:27 07.15	08:02	08:02	08:02	08:02	08:25 08:26 08:10	09:39 09:40 09:10	09:24	DKJ
T-3	T-3	T-3	06:39 06:40 06:28	T-3	07:35 07:36 07:25	T-3	T-3	T-3	T-3	T-3	09:48 09:49 09:20	T-3	GLA
05:40	06:10	06:22	06:47 06:48 06:36	07:28	07:44	08:12	08:12	08:12	08:12	08:38	09:56	09:34	GUU
05:46	06:16	06:28	06:57 06:58 06:48	07:37 07:38 07.10	07:53 07:54 07:35	08:19	08:19	08:19	08:19	08:46 08:47 08:30	10:04 10:05 09:35	09:40	MABD

Kms from Wardha	Inter Distance in Kms	Train No.		22354 LHB	22352 LHB	12539 LHB	12578 LHB	22631 LHB	22674 LHB	22620 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SMVB PNBE Humsafar Exp	SMVB PPTA Exp	YPR LKO Exp	MYS DBG Baghmatti Exp	MDU BKN Anuvrath Exp	MQ-JU BGKT Exp	TEN BSP Exp
		Days of service from Originating Stn.		Sun	Mon	Wed	Fri	Thu	Mon	Sun
		Days of service at Stn. entering the Sec.		Mon	Tue	Thu	Sat	Fri	Tue	Mon
431.17	5.90	Tadalapusapalli (C) 427/1-3 IBS	a d s	E-4 05:20	E-4 05:20	E-4 05:20	E-4 05:20	E-4 05:40	E-4 05:40	E-4 05:54
422.03	9.14	Kesamudram	a d s	05:25	05:25	05:25	05:25	05:45	05:45	05:59
415.99	6.04	Intekanne (C) 411/1-13 IBS	a d s	T-3 05:32	T-3 05:32	T-3 05:32	T-3 05:32	T-3 05:52	T-3 05:52	T-3 06:06
406.41	9.58	Nekonda 400/15-17 IBS	a d s	05:37	05:37	05:37	05:37	05:57	05:57	06:11
396.86	9.55	Yelgur	a d s	E-4 05:46	E-4 05:46	E-4 05:46	E-4 05:46	E-4 06:06	E-4 06:06	E-4 06:20
389.21	7.65	Chintalpalli 383.77 IBS	a d s	05:51	05:51	05:51	05:51	06:11	06:11	06:26
376.90	13.31	Warangal	a d s	06:03 06:05 05:35	06:03 06:05 05:35	06:03 06:05 05:35	06:03 06:05 05:35	06:23 06:25 05:55	06:23 06:25 05:55	06:38 06:40 06:10
		Kazipet Town	a d s					T-10	T-10	T10
		KZJ F Cabin	d	06:17	06:17	06:17	06:17	06:53	06:53	07.04
366.86	10.04	Kazipet Jn	a d s							

UP

VIJAYAWADA-KAZIPET

22816 LHB	20805 LHB	12621 LHB	17660 ICF	11020 LHB	17033 MEMU	12512 LHB	12522 LHB	22646 LHB	22648L HB	12713 LHB	17201 LHB	18519 LHB	Stn Code
ERS BSP Exp	VSKP NDLS A.P Exp	MAS NDLS Tamil Nadu Exp	BDCR SC KAKA TIYA EXP	BBSN CSMT Konark Exp	BDCR BPQ Singa - reni Pass	KCVL GKP Rapti Sagar Exp	ERS BJU Rapti Sagar Exp	KCVL INDB Ahalya Nagari Exp	TVCN KRBA Exp	BZA SC Satava- hana Exp	GNT SC Gol- conda Exp	VSKP LTT Exp	
Wed	Daily	Daily	Daily	Daily	Daily	Tue, Wed, Sun	Fri	Sat	Mon, Thu	Daily	Daily	Daily	
Thu	Daily	Daily	Daily	Daily	Daily	Wed, Thu, Mon	Sat	Sun	Tue, Fri	Daily	Daily	Daily	
E-4 05:54	E-4 06:24	E-4 06:36	07:05 07:06 06:56	E-4 07:48	08:02	E-4 08:27	E-4 08:27	E-4 08:27	E-4 08:27	E-4 08:57	10:12	E-4 09:48	TAA
05:59	06:29	06:41	07:14 07:15 07:05	07:53	08:09 08:10 07:50	08:32	08:32	08:32	08:32	09:04 09:05 08.45	10:19 10:20 09:50	09:53	KDM
T-3 06:06	T-3 06:36	T-3 06:49	07:22 07:23 07:15	T-3 08:00	08:17 08:18 07:58	T-3 08:39	T-3 08:39	T-3 08:39	T-3 08:39	T-3 09:14	10:27	T-3 10:00	INK
06:11	06:41	06:54	07:31 07:32 07:25	08:05	08:26 08:27 08:08	08:44	08:44	08:44	08:44	09:19	10:35 10:36 10:05	10:05	NKD
E-4 06:20	E-4 06:50	E-4 07:00	07:40 07:41 07:33	E-4 08:14	08:40 12512G 09:00 08:30	E-4 08:53	E-4 08:53	E-4 08:53	E-4 08:53	E-4 09:28	10:43	E-4 10:15	YGL
06:26	06:55	07:09	07:49 07:50 07:42	08:19	09:09 09:10 08:40	08:58	08:58	08:58	08:58	09:33	10:48	10:20	CLE
06:38 06:40 06:10	07:08 07:10 06:45	07:20 07:25 06:55	08:03 08:05 07:55	08:23 08:25 08.00	09:25 09:27 09.00	09:10 09:12 08.50	09:10 09:12 08.50	09:10 09:12 08.50	09:10 09:12 08.50	09:45 09:47 09:30	11:00 11:02 10:40	10:30	WL
T10					09.38 09.43								KZJT
07.04	07:22	07:47	08:17	08:37	09.45	09.25	09.25	09.25	09.25	09:58	11:14	10:40	KZJ F
			08:25 08:27 08:10	08:45 08:47 08:20						10:09 10:10 09:50	11:30 11:32 11.00	10:48 10:50 10.30	KZJ

Kms from Wardha	Inter Distance in Kms	Train No.		67215 MEMU	22849 LHB	*04718 ICF	20833 VNDB	17206 LHB	17208 ICF	67762 MEMU	18045 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BZA BDCR	SHM SC Exp	TPTY- HSR TOD	VSKP-SC VANDE BHARAT Exp	COA SNSI Exp	MTM SNSI Exp	WL SC	SHM CHZ East Coast Exp
		Days of service from Originating Stn.		Daily	Wed	Mon	Except Tue	Mon, Wed, Sat	Tue	Daily	Daily
		Days of service at Stn.Entering the Sec.		Daily	Thu	Tue	Except Tue	Mon, Wed, Sat	Tue	Daily	Daily
586.50	12.05	Vijayawada Jn.	a d s	08:15 T5		07.50 08.00 07.20	10.02 10.07 09.45	09.05 09.25 09.10	09.00 09.25 09.10		10.55 11.10 10.45
574.45		Rayanapadu	a d s	08:46 08:48 08:20	08.27 08.32 08:00	T5 08.35		T5 09.54	T5 09.54		11.31
569.01	5.44	Kondapalli	a d s	08:58 09:00 08:30	T9 08.50	T9 08.50		T5 10.05	T5 10.05		11.34
561.14	7.87	Cheruvumadhavaram	a d s	09:09 09:10 08:40		08.55 08.55		10:36 10:10 10:10			11.39
554.65	6.49	Gangineni 548/2-4 IBS	a d s	09:18 09:19 08:50		09.00 09.00		10:40 10:15 10:15			11.44
544.67	9.98	Errupalem 541/8-7 Cutlair Bridge	a d s	09:29 09:30 09:00	T-3 09:08	T-3 09:08		T-3 10:23 10:23	T-3 10:23 10:23		T-3 11:52
538.28	6.39	Tondalagopavaram 534/17-15 IBS	a d s	09:39 09:40 09:10		09.13 09.13		10:49 10:28 10:28			11:57
529.06	9.22	Madhira 526/14-13 Wyra Bridge	a d s	09:49 09:50 09:20		09.18 09.18		10:35 10:36 10:20	10:35 10:36 10:20		12:02
522.72	6.34	Motumari		E-5	E-4	E-4		E-4	E-4		E-4
		515/19 - 17 IBS	a d s	10:04 10:05 09:35				10:50 20833 11:05	10:50 20833 11:05		12:10
512.60	10.12	Bonakalu	a d s	10:14 10:15 09:45		09.31 09.31		11.03 11:13 11:13			12:15

12625 LHB	12433 LHB	12611 LHB	12773 LHB	12269 LHB	17405 ICF	12787 ICF	16031 LHB	16093 LHB	18111 LHB	Stn Code
TVC NDLS Kerala Exp	MAS NZM Rajdhani Exp	MAS NZM Garibrath Exp	SHM SC AC Exp	MAS NZM Duronto Exp	TPTY ADB Krishna Exp	NS NSL Exp	MAS- SVDK Anda- man Exp	MAS- LJN Exp	TATA YPR Exp	
Daily	Fri Sun	Sat	Wed	Mon, Fri	Daily	Except Sun, Fri	Wed, Thu, Sun	Tue, Sat	Thu	
Daily	Fri Sun	Sat	Thu	Mon, Fri	Daily	Except Sun, Fri	Wed, Thu, Sun	Tue, Sat	Fri	BZA
11.10 11.20 10.55	11.50 12.00 11:40	11.50 12.00 11:40		12.21 12.31 12.20	13.15 13.25 13.00	14.10 14.25 14.00	14.35 14.50 14:20	14.35 14.50 14:20	14.50 15.05 14.40	
11.40	12.19	12.19	12.08 12.13 11:45	12.49	T4 13.49	14.45	T5 15.19	T5 15.19	15.24	
T5 12:00	12.25	12.25	T3 12.25	12.55	14:04 14:05 13.35	14.51	T 5 15.30	T 5 15.30	15.30	KI
12:05	12.30	12.30	12.30	13.00	14:13	14.56	15.35	15.35	15.35	
12:10	12.35	12.35	12.35	13.05	14:19	15.01	15.40 T-3	15.40 T-3	15.40 T-3	
T-3 12:18	12.40	12.40	12.40	13.10	14:28 14:29 14.00	T-3 15:10	15:50	15:49 15:50 15:10	15:50	YP
12:23	12.45	12.45	12.45	13.15	14:37	15:15	15:57	15:57	15:57	
12:28	12.50	12.50	12.50	13.20	14:46 14:47 14.22	15:20	16:05 16:06 15:35	16:06	16:06	
E-4				E-4		E-4	E-4	E-4	E-4	MDR
12:36	12:54	12:54	12:54	13:29	14:54	15:29	16:16	16:16	16:06	
12:41	12:59	12:59	12:59	13:34	15:03 15:04 14.41	15:34	16:21	16:21	16:21	
										MTMI
										BKL

Kms from Wardha	Inter Distance in Kms	Train No.		67215 MEMU	22849 LHB	*04718 ICF	20833 VNDB	17206 LHB	17208 ICF	67762 MEMU	18045 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BZA BDCR	SHM SC Exp	TPTY- HSR TOD	VSKP-SC VANDE BHARAT Exp	COA SNSI Exp	MTM SNSI Exp	WL SC	SHM CHZ East Coast Exp
		Days of service from Originating Stn.		Daily	Wed	Mon	Except Tue	Mon, Wed, Sat	Tue	Daily	Daily
		Days of service at Stn. entering the Sec.		Daily	Thu	Tue	Except Tue	Mon, Wed, Sat	Tue	Daily	Daily
506.33	6.27	Nagalwancha (D) 506/19-21 IBS	a d s	10:24 10:25 09:55	T-3	T-3		T-3	T-3		T-3
500.22	6.11	Chintakani	a d s	10:34 10:35 10:05 E-4	09:41	09:41	11:10	11:25	11:25		12:25
493.80	6.42	Pandillapalli 488/3-5 IBS	a d s	10:48 10:49 10:20	09:46	09:46	11:15	11:30	11:30		12:30
484.41	9.39	Khammam 480/7-9 IBS	a d s	10:59 11:00 10:30	09:55	09:55 09:30	11:21 11:22 11:10	11:37 11:38 11:10	11:37 11:38 11:10		12:38 12:39 12:20
475.10	9.31	Malleamadugu (C)	a d s	11:09 11:10 10:40	10:02 E-4	10:02 E-4	11:28	11:45 E-4	11:45 E-4		12:46 E-4
469.71	5.39	Papatapalli 465/24-26 IBS	a d s	11:25 20833 11:40 11:00	10:10	10:10	11:32	11:53	11:53		12:54
461.32	8.39	Dornakal Jn.	a d s	11:50 11:55 11:20	10:16	10:16	11:38	12:04 12:05 11:35	12:04 12:05 11:35		13:02
456.52	4.80	Garla (D) IBS 445/9-6 Pakal Bridge	a d s		T-3	T-3		T-3	T-3		T-3
448.29	8.23	Gundratimadugu 445/7-9 IBS	a d s		10:26	10:26	11:45	12:17	12:17		13:12
437.07	11.22	Mahbubabad	a d s		10:32	10:32	11:51	12:25 12:26 11:55	12:25 12:26 11:55		13:20 13:21 13:00

12625 LHB	12433 LHB	12611 LHB	12773 LHB	12269 LHB	17405 ICF	12787 ICF	16031 LHB	16093 LHB	18111 LHB	Stn Code
TVC NDLS Kerala Exp	MAS NZM Rajdhani Exp	MAS NZM Garibrath Exp	SHM SC AC Exp	MAS NZM Duronto Exp	TPTY ADB Krishna Exp	NS NSL Exp	MAS- SVDK Anda- man Exp	MAS- LJN Exp	TATA YPR Exp	
Daily	Fri Sun	Sat	Wed	Mon, Fri	Daily	Except Sun, Fri	Wed, Thu, Sun	Tue, Sat	Thu	
Daily	Fri Sun	Sat	Thu	Mon, Fri	Daily	Except Sun, Fri	Wed, Thu, Sun	Tue, Sat	Fri	
T-3						T-3	T-3	T-3	T-3	NVC
12:51	13:06	13:06	13:06	13:41	15:15	15:44	16:31	16:31	16:31	CKN
12:56	13:10	13:10	13:10	13:46	15:21	15:49	16:36	16:36	16:36	PNDP
13:04	13:14	13:14	13:14	13:51	15:30 15:31 15:05	15:57 15:58 15:30	16:44 16:45 16:15	16:44 16:45 16:15	16:44 16:45 16:10	KMT
13:10 E-4	13:20 E-4	13:20 E-4	13:20 E-4	13:56 E-4	15:39 E-4	16:05 E-4	16:52 E-4	16:52 E-4	16:52 E-4	MLMG
13:18	13:28	13:28	13:28	14:05	15:48	16:15	17:00	17:00	17:00	PPY
13:24	13:34	13:34	13:34	14:11	15:58 15:59 15:30	16:21	17:08 17:09 16:35	17:08 17:09 16:35	17:09	DKJ
T-3	E-3	E-3	E-3		16:07 16:08 15:40	T-3	T-3	T-3	T-3	GLA
13:34	13:44	13:44	13:44	14:19	16:18	16:31	17:21	17:21	17:21	GUU
13:42	13:52	13:52	13:52	14:24	16:27 16:28 15:55	16:40 16:41 \$16.10	17:30 17:31 16:55	17:30 17:31 16:55	17:31	MABD

Kms from Wardha	Inter Distance in Kms	Train No.		67215 MEMU	22849 LHB	*04718 ICF	20833 VNDB	17206 LHB	17208 ICF	67762 MEMU	18045 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BZA BDCR	SHM SC Exp	TPTY- HSR TOD	VSKP-SC VANDE BHARAT Exp	COA SNSI Exp	MTM SNSI Exp	WL SC	SHM CHZ East Coast Exp
		Days of service from Originating Stn.		Daily	Wed	Mon	Except Tue	Mon, Wed, Sat	Tue	Daily	Daily
		Days of service at Stn. entering the Sec.		Daily	Thu	Tue	Except Tue	Mon, Wed, Sat	Tue	Daily	Daily
431.17	5.90	Tadalapusapalli (C) 427/1-3 IBS	a d s		E-4 10:40	E-4 10:40		E-4 12:36	T-3 12:36		T-3 13:31
422.03	9.14	Kesamudram	a d s		10:45	10:45	12:00	12:42	12:42		13:36
415.99	6.04	Intekanne (C) 411/1-13 IBS	a d s		T-3 10:52	T-3 10:52	12:04	T-3 12:50	T-3 12:50		T-3 13:44
406.41	9.58	Nekonda 400/15-17 IBS	a d s		10:57	10:57	12:09	12:55	12:55		13:49
396.86	9.55	Yelgur	a d s		E-4 11:06	E-4 11:06		E-4 13:04	E-4 13:04		E-4 13:58
389.21	7.65	Chintalpalli 383.77 IBS	a d s		11:11	11:12	12:18	13:09	13:09		14:03
376.90	13.31	Warangal	a d s		11:23 11:25 10:55	11:23 11:25 11:00	12:29 12:30 12:10	13:20 13:22 12:50	13:20 13:22 12:50		14:15 14:17 13:55
		Kazipet Town	a d s			T-40					
		KZJ F Cabin	d		11:38	12:28	12:38	13:33	13:33	14.00	14:29
366.86	10.04	Kazipet Jn	a d s		11:50 11:52 11:15		12:45	13:43 13:45 13:15	13:43 13:45 13:15	14:15 14:20 14:05	14:38 14:40 14:15

12625 LHB	12433 LHB	12611 LHB	12773 LHB	12269 LHB	17405 ICF	12787 ICF	16031 LHB	16093 LHB	18111 LHB	Stn Code
TVC NDLS Kerala Exp	MAS NZM Rajdhani Exp	MAS NZM Garibrath Exp	SHM SC AC Exp	MAS NZM Duronto Exp	TPTY ADB Krishna Exp	NS NSL Exp	MAS- SVDK Anda- man Exp	MAS- LJN Exp	TATA YPR Exp	
Daily	Fri Sun	Sat	Wed	Mon, Fri	Daily	Except Sun, Fri	Wed, Thu, Sun	Tue, Sat	Thu	
Daily	Fri Sun	Sat	Thu	Mon, Fri	Daily	Except Sun, Fri	Wed, Thu, Sun	Tue, Sat	Fri	
T-3 13:50	E-3 14:00	E-3 14:00	E-3 14:00	E-4 14:33	16:35	E-4 16:52	E-4 17:41	E-4 17:41	E-4 17:41	TAA
13:55	14:05	14:05	14:05	14:38	16:42 16:43 16:15	16:57	17:48 17:49 17:15	17:48 17:49 17:15	17:49	KDM
T-3 14:02	E-3 14:12	E-3 14:12	E-3 14:12	14:43	16:50	T-3 17:05	T-3 17:58	T-3 17:58	T-3 17:58	INK
14:07	14:17	14:17	14:17	14:48	16:58 16:59 16:30	17:10	18:03	18:03	18:03	NKD
E-4	E-3	E-3	E-3	E-4		E-4	E-4	E-4	E-4	YGL
14:16	14:26	14:26	14:26	14:57	17:07	17:19	18:12	18:12	18:12	
14:21	14:31 T-5	14:31 T-5	14:31 T-5	15:02	17:12	17:24	18:17	18:17	18:17	CLE
14:30 14:35 13:45	14:48 14:50 14:20	14:48 14:50 \$14:20	14:48 14:50 14:20	15:12	17:22 17:24 16:55	17:36 17:38 17:10	18:28 18:30 18:00	18:28 18:30 18:00	18:28 18:30 17:50	WL
				T-5						KZJT
14:48	15:05	15:05	15:05 T10	15:29	17:35	17:49	18:42	18:42	18:42	KZJ F
			15.30		17:43 17:45 17:15	17:55 17:57 17:30			18.52	KZJ

Kms from Wardha	Inter Distance in Kms	Train No.		12803 LHB	12645 LHB	12643 LHB	18503 LHB
		From-To/Train Name/Type.		VSKP NZM Swarna Jayanthi Exp	ERS NZM Mille- nium Exp	TVC NZM Exp	VSKP SNSI Exp
		Days of service from Originating Stn.		Mon, Fri	Sat	Tue	Thu
		Days of service at Stn. entering the Sec.		Mon, Fri	Sun	Wed	Thu
586.50	12.05	Vijayawada Jn.	a d s	14.10 14.35 14.10	14.05 14.35 14.10	14.05 14.35 14.10	14.10 14.35 14.10
574.45		Rayanapadu	a d	14.55	14.55	14.55	14.55
569.01	5.44	Kondapalli	a d s	T3 15.04	T3 15.04	T3 15.04	T3 15.04
561.14	7.87	Cheruvumadhavaram	a d s	15:09	15:09	15:09	15:09
554.65	6.49	Gangineni 548/2-4 IBS	a d s	15:14	15:14	15:14	15:14
544.67	9.98	Errupalem 541/8-7 Cutlair Bridge	a d s	T-3 15:22	T-3 15:22	T-3 15:22	T-3 15:22
538.28	6.39	Tondalagopavaram 534/17-15 IBS	a d s	15:27	15:27	15:27	15:27
529.06	9.22	Madhira 526/14-13 Wyra Bridge	a d s	15:33	15:33	15:33	15:33
522.72	6.34	Motumari 515/19 - 17 IBS	a d s	E-4 15:41	E-4 15:41	E-4 15:41	E-4 15:41
512.60	10.12	Bonakalu	a d s	15:46	15:46	15:46	15:46

UP

VIJAYAWADA-KAZIPET

16787 LHB	16317 LHB	12651 LHB	12641 LHB	20493 LHB	20497 LHB	12390 LHB	12705 LHB	Stn Code
TEN SVDK Nava - yug Exp	CAPE SVDK Him- sagar Exp	MDU- NZM Sampark kranti Exp	CAPE NZM Thiru- kkural Exp	MDU CDG Exp	MMM FZR Humsafar Exp	MAS GAYA Exp	GNT SC Inter - city Exp	
Mon	Fri	Tue, Sun	Wed, Fri	Wed, Sun	Tue	Tue	Daily	
Tue	Sat	Tue, Sun	Thu, Sat	Thu, Mon	Wed	Tue	Daily	
15.35 15.45 15.15	15.35 15.45 15.15	15.55 16.05 15.40	15.55 16.05 15.40	16.10 16.20 15.50	15.55 16.20 15.50	16.00 16.20 15.50	16:35 16:40 16.25	BZA
16.05	16.05	T4 16.29	T4 16.29	T2 16.42	T2 16.42	T2 16.42	17:00	RYP
16.11	16.11	T4 16.39	T4 16.39	T3 16.51	T3 16.51	T3 16.51	T2 17:08	KI
16.16	16.16	16:44	16:44	16.56	16.56	16.56	17:13	CVV
16.21	16.21	16:49	16:49	17.01	17.01	17.01	17:18	GNN
T-3 16:29	T-3 16:29	T-3 16:57	T-3 16:57	T-3 17:09	T-3 17:09	T-3 17:09	17:23	YP
16:34	16:34	17:02	17:02	17:14	17:14	17:14	17:28	TNGM
16:39	16:39	17:07	17:07	17:19	17:19	17:19	17:35 17:36 17.15	MDR
E-4 16:47	E-4 16:47	E-4 17:15	E-4 17:15	E-4 17:27	E-4 17:27	E-4 17:27	E-4 17:46	MTMI
16:52	16:52	17:20	17:20	17:32	17:32	17:32	17:51	BKL

Kms from Wardha	Inter Distance in Kms	Train No.		12803 LHB	12645 LHB	12643 LHB	18503 LHB
		From-To/Train Name/Type.		VSKP NZM Swarna Jayanthi Exp	ERS NZM Mille- nium Exp	TVC NZM Exp	VSKP SNSI Exp
		Days of service from Originating Stn.		Mon, Fri	Sat	Tue	Thu
		Days of service at Stn. entering the Sec.		Mon, Fri	Sun	Wed	Thu
506.33	6.27	Nagalwancha (D) 506/19-21 IBS	a d s	T-3	T-3	T-3	T-3
500.22	6.11	Chintakani	a d s	15:56	15:56	15:56	15:56
493.80	6.42	Pandillapalli 488/3-5 IBS	a d s	16:01	16:01	16:01	16:01
484.41	9.39	Khammam 480/7-9 IBS	a d s	16:10	16:10	16:10	16:09 16:10 15:45
475.10	9.31	Malleamadugu (C)	a d s	16:16 E-4	16:16 E-4	16:16 E-4	16:16 E-4
469.71	5.39	Papatapalli 468/3-2 Booga Bridge 465/24-26 IBS	a d s	16:25	16:25	16:25	16:25
461.32	8.39	Dornakal Jn.	a d s	16:31	16:31	16:31	16:31
456.52	4.80	Garla (D) IBS 445/9-6 Pakal Bridge	a d s	T-3	T-3	T-3	T-3
448.29	8.23	Gundratimadugu 445/7-9 IBS	a d s	16:42	16:42	16:42	16:42
437.07	11.22	Mahbubabad	a d s	16:52	16:52	16:52	16:52

UP

VIJAYAWADA-KAZIPET

16787 LHB	16317 LHB	12651 LHB	12641 LHB	20493 LHB	20497 LHB	12390 LHB	12705 LHB	Stn Code
TEN SVDK Nava - yug Exp	CAPE SVDK Him- sagar Exp	MDU- NZM Sampark kranti Exp	CAPE NZM Thiru- kkural Exp	MDU CDG Exp	MMM FZR Humsafar Exp	MAS GAYA Exp	GNT SC Inter - city Exp	
Mon	Fri	Tue, Sun	Wed, Fri	Wed, Sun	Tue	Tue	Daily	
Tue	Sat	Tue, Sun	Thu, Sat	Thu, Mon	Wed	Tue	Daily	
T-3	T-3	T-3	T-3	T-3	T-3	T-3		NVC
17:02	17:02	17:30	17:30	17:42	17:42	17:42	17:58	CKN
17:07	17:07	17:35	17:35	17:47	17:47	17:47	18:03	PNDP
17:15 17:16 16.50	17:15 17:16 16.50	17:40	17:40	17:56	17:56	17:56	18:11 18:12 17:50	KMT
17:23 E-4	17:23 E-4	17:45 E-4	17:45 E-4	18:02 E-4	18:02 E-4	18:02 E-4	18:19 E-4	MLMG
17:31	17:31	17:53	17:53	18:11	18:11	18:11	18:28	PPY
17:37	17:37	17:59	17:59	18:16	18:16	18:16	18:36 18:37 18:10	DKJ
T-3	T-3	T-3	T-3	T-3	T-3	T-3		GLA
17:47	17:47	18:09	18:09	18:26	18:26	18:26	18:46	GUU
17:53	17:53	18:15	18:15	18:32	18:32	18:32	18:55 18:56 18:30	MABD

UP

VIJAYAWADA-KAZIPET

Kms from Wardha	Inter Distance in Kms	Train No.		12803 LHB	12645 LHB	12643 LHB	18503 LHB
		From-To/Train Name/Type.		VSKP NZM Swarna Jayanthi Exp	ERS NZM Mille- nium Exp	TVC NZM Exp	VSKP SNSI Exp
		Days of service from Originating Stn.		Mon, Fri	Sat	Tue	Thu
		Days of service at Stn. entering the Sec.		Mon, Fri	Sun	Wed	Thu
431.17	5.90	Tadalapusapalli (C) 427/1-3 IBS	a d s	E-4 17:03	E-4 17:03	E-4 17:03	E-4 17:03
422.03	9.14	Kesamudram	a d s	17:10	17:10	17:10	17:10
415.99	6.04	Intekanne (C) 411/1-13 IBS	a d s	T-3 17:16	T-3 17:16	T-3 17:16	T-3 17:16
406.41	9.58	Nekonda 400/15-17 IBS	a d s	17:21	17:21	17:21	17:21
396.86	9.55	Yelgur	a d s	E-4 17:30	E-4 17:30	E-4 17:30	E-4 17:30
389.21	7.65	Chintalpalli 383.77 IBS	a d s	17:35	17:35	17:35	17:35
376.90	13.31	Warangal	a d s	17:50 17:52 17:15	17:50 17:52 17:15	17:50 17:52 17:15	17:50 17:52 17:15
		Kazipet Town	a d s				
		KZJ F Cabin	d	18:05	18:05	18:05	18:03
366.86	10.04	Kazipet Jn	a d s				18:23 18:25 17:50

UP

VIJAYAWADA-KAZIPET

16787 LHB	16317 LHB	12651 LHB	12641 LHB	20493 LHB	20497 LHB	12390 LHB	12705 LHB	Stn Code
TEN SVDK Nava - yug Exp	CAPE SVDK Him- sagar Exp	MDU- NZM Sampark kranti Exp	CAPE NZM Thiru- kkural Exp	MDU CDG Exp	MMM FZR Humsafar Exp	MAS GAYA Exp	GNT SC Inter - city Exp	
Mon	Fri	Tue, Sun	Wed, Fri	Wed, Sun	Tue	Tue	Daily	
Tue	Sat	Tue, Sun	Thu, Sat	Thu, Mon	Wed	Tue	Daily	
E-4 18:01	E-4 18:01	E-4 18:23	E-4 18:23	E-4 18:41	E-4 18:41	E-4 18:41	E-4 19:06	TAA
18:06	18:06	18:28	18:28	18:46	18:46	18:46	19:11	KDM
T-3 18:14	T-3 18:14	T-3 18:35	T-3 18:35	T-3 18:54	T-3 18:54	T-3 18:54	19:16	INK
18:19	18:19	18:40	18:40	18:59	18:59	18:59	19:24 19:25 \$18.55	NKD
E-4 18:28	E-4 18:28	E-4 18.49	E-4 18.49	E-4 19:09	E-4 19:09	E-4 19:09	19:32	YGL
18:34	18:34	18.54	18.54	19:14	19:14	19:14	19:37	CLE
18:45 18:47 18.15	18:45 18:47 18.15	19:05	19:05	19:26 19:28 19.00	19:26 19:28 19.00	19:26 19:28 19.00	19:48 19:50 19:30	WL
				T-5	T-5	T-5		KZJT
18.58	18.58	19:20	19:20	19:45	19:45	19:45	20:02	KZJ F
							20:10 20:12 19.50	KZJ

\$ - experimental stoppage

UP

VIJAYAWADA-KAZIPET

Kms from Wardha	Inter Distance in Kms	Train No.		12656 LHB	67768 MEMU	67766 MEMU	20708 VNDB	22669 LHB	22535 LHB	22403 LHB	16367 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		MAS ADI Nav- jeevan Exp	BZA DKJ	DKJ KZJ	VSKP-SC VNDB	ERS PNBE Exp	RMM BNRS Exp	PDY NDLS Exp	CAPE- BNRS
		Days of service from Originating Stn.		Daily	Daily	Daily	Ex.Mon	Sat	Wed	Wed	Thu
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Ex.Mon	Sun	Thu	Wed	Fri
586.50	12.05	Vijayawada Jn.	a	16.50			18.57	20.15	20.15	20.15	20.15
			d	17.00	18.20		19.02	20.25	20.25	20.25	20.25
			s	16.35	T5		18.45	20.10	20.10	20.10	20.10
574.45	5.44	Rayanapadu	a		18.46			T3	T3	T3	T3
			d	17.20	18.48		19.21	20.48	20.48	20.48	20.48
			s	T2	18.35						
569.01	7.87	Kondapalli	a		18.58			T4	T4	T4	T4
			d	17.28	19.00		19.27	20.58	20.58	20.58	20.58
			s		18.45						
561.14	6.49	Cheruvumadhavaram	a		19:08						
			d	17:33	19:09		19:31	21:03	21:03	21:03	21:03
			s		18:55						
554.65	9.98	Gangineni 548/2-4 IBS	a		19:17						
			d	17:38	19:18		19:35	21:08	21:08	21:08	21:08
			s		19:05						
544.67	6.39	Errupalem 541/8-7 Cutlair Bridge	a	T-3	19:30 20708			T-3	T-3	T-3	T-3
			d	17:47	19:45		19:40	21:17	21:17	21:17	21:17
			s		19:25						
538.28	9.22	Tondalagopavaram 534/17-15 IBS	a		19:54						
			d	17:52	19:55		19:44	21:22	21:22	21:22	21:22
			s		19:35						
529.06	6.34	Madhira 526/14-13 Wyra Bridge	a		20:04						
			d	17:57	20:05		19:49	21:27	21:27	21:27	21:27
			s		19:45						
522.72	10.12	Motumari 515/19 - 17 IBS	a	E-4	20:14			E-4	E-4	E-4	E-4
			d	18:06	20:15		19:53	21:36	21:36	21:36	21:36
			s		19:55						
512.60		Bonakalu	a		20:24						
			d	18:11	20:25		19:58	21:41	21:41	21:41	21:41
			s		20:05						

UP

VIJAYAWADA-KAZIPET

22613 LHB	20482 LHB	*05073 LHB	12295 LHB	22663 LHB	12852 LHB	*03680 ICF	12746 LHB	12749 LHB	16601 AMTB	12737 LHB	12709 LHB	Stn Code
RMM AYC Shradha Sethu Exp	TPJ-JU BGKT Hamsafar Exp	SBC LKU TOD	SMVB DNR Sanga mitra Exp	MS JU Exp	MAS BSP Exp	CBF GAYA TOD	MUGR SC Exp	MTM- BIDR Exp	ED JBN Amrit Bharat Exp	COA LPI Gauthami Exp	GDR SC Simhapuri Exp	
Sun	Sat	Tue	Daily	Sat	Mon	Tue	Daily	Daily	Thu	Daily	Daily	
Mon	Sat	Tue	Daily	Sat	Mon	Tue	Daily	Daily	Thu	Daily	Daily	
20.15 20.25 20.10	20.15 20.25 20.10	20.15 20.25 20.10	21.55 22.05 21.40	22.15 22.25 22.00	22.15 22.25 22.00	22.05 22.25 21:55		22.30 22.50 22.30	22:30 22:40 21:25		23.15 23.25 23.00	BZA
T3 20.48	T3 20.48	T3 20.48	22.25	22.44	22.44	22.44		23.03	23:14	23.32 23.37 23:05	T5 23.54	RYP
T4 20.58	T4 20.58	T4 20.58	T5 22.36	22.50	22.50	22.50		23.15 23.16 22.55	23:25	23.46	T5 00.05	KI
21:03	21:03	21:03	22:41	22:55	22:55	22:55		23:22	23:32	23:51	00:10	CVV
21:08	21:08	21:08	22:46	23:00	23:00	23:00		23:27	23:37	23:56	00:15	GNN
T-3 21:17	T-3 21:17	T-3 21:17	T-3 22:55	T-3 23:09	T-3 23:09	T-3 23:09		23:32	23:44	00:01	00:20	YP
21:22	21:22	21:22	23:00	23:14	23:14	23:14		23:38	23:49	00:06	00:25	TNGM
21:27	21:27	21:27	23:05	23:19	23:19	23:19		23:45 23:46 23.30	23:56	00:11	00:30	MDR
E-4 21:36	E-4 21:36	E-4 21:36	E-4 23:14	E-4 23:28	E-4 23:28	E-4 23:28		E-4 23:56	E-4 00:06	E-4 00:19	E-4 00:38	MTMI
21:41	21:41	21:41	23:19	23:33	23:33	23:33		00:01	00:11	00:24	00:43	BKL

Kms from Wardha	Inter Distance in Kms	Train No.		12656 LHB	67768 MEMU	67766 MEMU	20708 VNDB	22669 LHB	22535 LHB	22403 LHB	16367 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		MAS ADI Nav- jeevan Exp	BZA DKJ	DKJ KZJ	VSKP-SC VNDB	ERS PNBE Exp	RMM BNRS Exp	PDY NDLS Exp	CAPE- BNRS
		Days of service from Originating Stn.		Daily	Daily	Daily	Ex.Mon	Sat	Wed	Wed	Thu
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Ex.Mon	Sun	Thu	Wed	Fri
506.33	6.27	Nagalwancha (D) 506/19-21 IBS	a d s	T-3 20:33 20:34 20:15				T-3	T-3	T-3	T-3
500.22	6.11	Chintakani	a d s	18:21 20:42 20:43 20:25			20:05	21:51	21:51	21:51	21:51
493.80	6.42	Pandillapalli 488/3-5 IBS	a d s	18:26 20:52 20:53 20:35			20:09	21:56	21:56	21:56	21:56
484.41	9.39	Khammam 480/7-9 IBS	a d s	18:34 18:35 17:56 21:02 21:03 20:45			20:15 20:16 20:05	22:04 22:05 \$21.30	22:05	22:05	22:04 22:05 21.30
475.10	9.31	Malleamadugu (C)	a d s	18:42 21:11 21:12 20:55 E-4			20:23	22:12 E-4	22:12 E-4	22:12 E-4	22:12 E-4
469.71	5.39	Papatapalli 468/3-2 Booga Bridge 465/24-26 IBS	a d s	18:51 21:22 21:23 21:05 E-9			20:27	22:21	22:21	22:21	22:21
461.32	8.39	Dornakal Jn.	a d s	18:57 21:40		21:50	20:33	22:27	22:27	22:27	22:27
456.52	4.80	Garla (D) IBS 445/9-6 Pakal Bridge	a d s	T-3 21:58 21:59 21:58		21:58		T-3	T-3	T-3	T-3
448.29	8.23	Gundratimadugu 445/7-9 IBS	a d s	19:07 22:07 22:08 22:05		22:07	20:40	22:37	22:37	22:37	22:37
437.07	11.22	Mahbubabad	a d s	19:15 19:16 18.42 22:18 22:19 22:15		22:18	20:46	22:43	22:43	22:43	22:43

UP

VIJAYAWADA-KAZIPET

22613 LHB	20482 LHB	*05073 LHB	12295 LHB	22663 LHB	12852 LHB	*03680 ICF	12746 LHB	12749 LHB	16601 AMTB	12737 LHB	12709 LHB	Stn Code
RMM AYC Shradha Sethu Exp	TPJ-JU BGKT Hamsafar Exp	SBC LKU TOD	SMVB DNR Sanga mitra Exp	MS JU Exp	MAS BSP Exp	CBF GAYA TOD	MUGR SC Exp	MTM- BIDR Exp	ED JBN Amrit Bharat Exp	COA LPI Gauthami Exp	GDR SC Simhapuri Exp	
Sun	Sat	Tue	Daily	Sat	Mon	Tue	Daily	Daily	Thu	Daily	Daily	
Mon	Sat	Tue	Daily	Sat	Mon	Tue	Daily	Daily	Thu	Daily	Daily	
T-3	T-3	T-3	T-3	T-3	T-3	T-3						NVC
21:51	21:51	21:51	23:29	23:43	23:43	23:43		00:08	00:18	00:31	00:50	CKN
21:56	21:56	21:56	23:34	23:48	23:48	23:48		00:13	00:23	00:36	00:55	PNDP
22:05	22:05	22:04 22:05 21:30	23:42 23:43 23:25	23:56 23:57 23:40	23:57	23:56 23:57 23:40		00:20 00:21 00:05	00:31 00:32 00:05	00:43 00:44 00:25	01:02 01:03 00:40	KMT
22:12 E-4	22:12 E-4	22:12 E-4	23:50 E-4	00:04 E-4	00:04 E-4	00:04 E-4		00:28 E-4	00:39 E-4	00:51 E-4	01:10 E-4	MLMG
22:21	22:21	22:21	23:59	00:13	00:13	00:13		00:36	00:47	00:59	01:18	PPY
22:27	22:27	22:27	00:05	00:19	00:19	00:19	23:45 23:47 23:40	00:42	00:53	01:07 01:08 \$00.45	01:24	DKJ
T-3	T-3	T-3	T-3	T-3	T-3	T-3	23:55 23:56 \$23:50		T-3			GLA
22:37	22:37	22:37	00:15	00:29	00:29	00:29	00:02	00:49	01:03	01:17	01:31	GUU
22:43	22:43	22:44 22:45 22:05	00:21	00:39	00:39	00:38 00:39 00:10	00:10 00:11 00:03	00:57 00:58 00:40	01:09	01:25 01:26 01:05	01:39 01:40 01:20	MABD

A 160 (SC)

\$ - experimental stoppage

UP

VIJAYAWADA-KAZIPET

Kms from Wardha	Inter Distance in Kms	Train No.		12656 LHB	67768 MEMU	67766 MEMU	20708 VNDB	22669 LHB	22535 LHB	22403 LHB	16367 LHB
		FROM - TO/ TRAIN NAME/ TRAIN TYPE		MAS ADI Nav- jeevan Exp	BZA DKJ	DKJ KZJ	VSKP-SC VNDB	ERS PNBE Exp	RMM BNRS Exp	PDY NDLS Exp	CAPE- BNRS
		Days of service from Originating Stn.		Daily	Daily	Daily	Ex.Mon	Sat	Wed	Wed	Thu
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Ex.Mon	Sun	Thu	Wed	Fri
431.17	5.90	Tadalapusapalli (C) 427/1-3 IBS	a d s	E-4 19:27		22:27 22:28 22:23		E-4 22:52	E-4 22:52	E-4 22:52	E-4 22:52
422.03	9.14	Kesamudram	a d s			22:36 22:37 22:32					
415.99	6.04	Intekanne (C) 411/1-13 IBS	a d s	T-3 19:41		22:46 22:47 22:40		T-3 23:05	T-3 23:05	T-3 23:05	T-3 23:05
406.41	9.58	Nekonda 400/15-17 IBS	a d s			22:56 22:57 22:50					
396.86	9.55	Yelgur	a d s	E-4 19:56		23:06 23:07 23:00		E-4 23:20	E-4 23:20	E-4 23:20	E-4 23:20
389.21	7.65	Chintalpalli 383.77 IBS	a d s			23:15 23:16 23:08					
376.90	13.31	Warangal	a d s	20:13 20:18 19.45		23:28 23:30 23:20	21:21 21:22 21:15	23:42 23:44 23.10	23:42 23:44 23.10	23:42 23:44 23.10	23:42 23:44 23.10
		Kazipet Town	a d s					T-10	T-10	T-10	T-10
		KZJ F Cabin	d	20:30		23:42 E-5	21:32	00.02	00.02	00.02	00.02
366.86	10.04	Kazipet Jn	a d s			23:55	21:38				

UP

VIJAYAWADA-KAZIPET

22613 LHB	20482 LHB	*05073 LHB	12295 LHB	22663 LHB	12852 LHB	*03680 ICF	12746 LHB	12749 LHB	16601 AMTB	12737 LHB	12709 LHB	Stn Code
RMM AYC Shradha Sethu Exp	TPJ-JU BGKT Hamsafar Exp	SBC LKU TOD	SMVB DNR Sanga mitra Exp	MS JU Exp	MAS BSP Exp	CBF GAYA TOD	MUGR SC Exp	MTM- BIDR Exp	ED JBN Amrit Bharat Exp	COA LPI Gauthami Exp	GDR SC Simhapuri Exp	
Sun	Sat	Tue	Daily	Sat	Mon	Tue	Daily	Daily	Thu	Daily	Daily	
Mon	Sat	Tue	Daily	Sat	Mon	Tue	Daily	Daily	Thu	Daily	Daily	
E-4 22:52	E-4 22:52	22:52	E-4 00:30	E-4 00:50	E-4 00:50	E-4 00:50	00:17	E-4 01:09	E-4 01:19	E-4 01:36	E-4 01:50	TAA
22:57	22:57	22:57	00:35	00:55	00:55	00:55	00:22	01:14	01:24	01:41	01:55	KDM
T-3 23:05	T-3 23:05	T-3 23:05	T-3 00:43	T-3 01:03	T-3 01:03	T-3 01:03	00:27	01:19	01:31	01:46	02:00	INK
23:10	23:10	23:10	00:48	01:08	01:08	01:08	00:33	01:24	01:36	01:51	02:05	NKD
E-4	E-4	E-4	E-4	E-4	E-4	E-4		E-4	E-4	E-4		
23:20	23:20	23:20	00:58	01:18	01:18	01:18	00:39	01:33	01:46	02:00	02:14	YGL
23:25	23:25	23:25	01:03	01:23	01:23	01:23	00:44	01:40	01:51	02:05	02:20	CLE
23:42 23:44 23:10	23:42 23:44 23:10	23:42 23:44 23:10	01:15 01:17 00:50	01:35 01:37 01:10	01:35 01:37 01:10	01:35 01:37 01:10	00:58 01:00 00:55	01:55 01:57 01:30	02:03 02:05 01:40	02:20 02:22 02:00	02:33 02:35 02:15	WL
T-10	T-10	T-10				T85						
00:02	00:02	00:02	01:30	01:52	01:52	03:35	01:12	02:08	02:20	02:35	02:47	KZJ F
							01:20 01:22 01:15	02:18 02:20 01:50		02:43 02:45 02:20	02:58 03:00 02:35	KZJ

DORNAKAL Jn – MANUGURU (Excl: DKJ)

Total Kms	System of Working	Traction
DKJ-MUGR: 103.69	Absolute (Single Line)	Electric

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns: 13 B-Class Stns: 13 C-Class Stns: Nil D-Class Stns: NIL Spl Class Stns: Nil IBS : Nil	Pandurangapuram-Manuguru	KRA Jn BDCR GLE MUGR	NIL	BDCR

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
BDCR-KRA	20	18	20	114
KRA-DKJ	28	25	22	90
KRA-SYI	18	16	2	13
BDCR-MUGR	24	21	15	71

Axle Load	Sectional Speed	Engg. Allowance
22.9 (Tonnes)	100 Kmph	06 Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
DKJ-BDCR	54.65	Single	1 in 100	02.80	1 in 100	02.70
BDCR-MUGR	49.18	Single	1 in 100	08.95	1 in 100	08.95

INTER-SECTIONAL BARE RUNNING TIME: DKJ - MUGR - DKJ

Passenger	Loaded Goods	STATIONS	Passenger	Loaded Goods
110	60	Speed in KMPH	110	60
..	..	Dornakal Jn.	9	20
8	20	Pocharam	7	17
6	25	Karepalli	6	15
6	12	Gandhipuram	5	10
6	15	Chimalpahad	8	20
8	20	Thadikalpudi	7	16
7	14	Bethampudi	8	19
9	16	Bhadrachallam Road	10	23
10	20	Gajulagudem	12	30
12	30	Pandurangapuram	10	21
10	21	Aswapuram	6	23
8	23	Manuguru	..	..
90	216	Total	88	214

DORNAKAL - BHADRACHALAM ROAD - MANUGURU

Kms from DKJ	Inter distance in Kms	Train No.		17659	*57145	67215	17034	12745	Stn. Code
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC BDCR Kakatiya Exp.	DKJ BDCR Pass	BZA- BDCR MEMU	SRUR- BDCR Singareni Exp.	SC MUGR Exp	
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Daily	
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Daily	
6.98	6.98	Dornakal Jn.	a	21:58		11:50	18:35	03:30	DKJ
			d	22:00	08.20	11:55	18.40	03:32	
			s	21:35		11:20	18:10	03:10	
15.47	8.49	Pocharam	a	22:11	08.30	12:06	18:54		PCZ
			d	22:12	08.31	12:07	18:55	03:42	
		13/8-9 Bhooga Bridge	s	21:50	08.29	11:35	18:20		
20.12	4.65	Karepalli Jn.	a	22:20	08.39	12:16	19:05	03:51	KRA
			d	22:21	08.40	12:17	19:06	03:52	
			s	22:00	08.36	11:45	18:30	\$03:30	
28.55	8.43	Gandhipuram	a	22:30	08.45	12:26	19:15		GHPU
			d	22:31	08.46	12:27	19:16	04:00	
			s	22:10	08.44	11:55	18:40		
37.84	9.29	Chimalpahad	a		08.58	12:36	19:25		CMW
			d	22:40	08.59	12:37	19:26	04:06	
			s		08.52	12:05	18:50		
44.91	7.07	Tadikalapudi	a	22:58	09.10	12:47			TPY
			d	12746					
			s	23:05	09.11	12:48	19:40	04:14	
54.65	9.74	Bethampudi Jn.	a	\$22:30	09.02	12:20			BTPD
			d	23:16	09.20	12:59	19:50		
			s	23:17	09.21	13:00	19:51	04:21	
64.67	10.02	Bhadrachalam Road	a	22:40	09.11	12:35	\$19.20		BDCR
			d	E-5-10	E 5 T 5	E-5T-10	E 5 T 20		
			s	23:45	09.40	13:25	20.20	04:35	
82.29	17.62		a					05:00	GLE
		Gajulagudem	d					04:30	
			s					05:12	
95.7	13.41	Pandurangapuram	a						PGP
			d					05:24	
			s						
103.69	7.99	Aswapuram	a						AWM
			d					05:34	
			s						
									MUGR
			a						
		Manuguru	a					05:52	

\$Experimental Stops.*yet to be notified

MANUGURU - BHADRACHALAM ROAD - DORNAKAL

Kms from DKJ	Inter distance in Kms	Train No.		17033	67216	*57146	12746	17660	Stn. Code
		FROM - TO / TRAIN NAME / TRAIN TYPE		BDCR- BPQ Singareni Exp.	BDCR BZA MEMU	BDCR DKJ Pass.	MUGR SC Exp.	BDCR SC Exp.	
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Daily	
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Daily	
103.69	7.99	Manuguru	d				21:45		MUGR
95.7		Aswapuram	a d s				21:53		AWM
82.29	13.41	Pandurangapuram	a d s				22:03		PGP
64.67	17.62	Gajulagudem	a d s				22:15		GLE
54.65	10.02	Bhadrachalam Road	a d s	06:00	14:15	17:30	22:30 22:50 22:35	5:10	BDCR
44.91	9.74	Bethampudi Jn.	a d s	06:12 06:13 \$06:10	14:26 14:27 14:25	17:40 17:41 17:40	23:00	05:22 05:23 \$'05:20	BTPD
37.84	7.07	Tadikalapudi	a d s	06:23	14:37 14:38 14:35	17:50 17:51 17:50	23:07	05:33 05:34 \$'05:30	TPY
28.55	9.29	Chimalpahad	a d s	06:34 06:35 06:30	14:49 14:50 14:45	18:02 18:03 18:02	23:15	05:45	CMW
20.12	8.43	Gandhipuram	a d s	06:43 06:44 06:38	14:59 15:00 14:55	18:11 18:12 18:11	23:20	05:53 05:54 05:45	GHPU
15.47	4.65	Karepalli Jn. 13/8-9 Bhooga Bridge	a d s	06:53 06:54 06:46	15:15 15:16 15:05	18:20 18:21 18:18	23:26 23:27 23:20	06:03 06:04 05:55	KRA
6.98	8.49	Pocharam	a d s	07:05 07:06 06:56	15:35 15:36 15:25	18:30 17034 18:38 18:28	23:35	06:14 06:15 06:05	PCZ
	6.98	Dornakal Jn.	a d s	07:25 07:27 07:15	16:00 16:10 15:45	19:00	23:45 23:47 23:40	06:30 06:32 06:20	DKJ

\$Experimental Stoppage' *yet to be notified

KAZIPET - BALHARSHAH

Total Kms	System of Working	Traction
KZJ-BPQ: 234.23	Absolute	Electric
Automatic Block Sections	HSP-JMKT – 23.69kms, RDM-MMZ – 24.01kms MKDI-BPQ – 40.35kms	

3 rd LINE		QUADRUPLE LINE	
HSP-MMZ	104.49	KZJ-HSP	11.90
BPA-MAGH	98.94		
TOTAL	203.43	TOTAL	11.90

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns: 23 B-Class Stns: 9 C-Class Stns: NIL D-Class Stns: 03 Spl-Class Stns: 13 IB Signals: UP: 15 + DN: 15 Total:30 IB Bidirectional 03/03	Sirpur Town- Sirpur Kaghaznagar Jamikunta Bisugirshariff	KZJ PDPL SKZR SRUR RDM BPA	BPQ with NGP Division of CRly	RDM MMZ KZJ Stations with RRI Cabins KZJ

LINE CAPACITY

Section	Chartered	Effective	Utilisation	% of Utilisation
KZJ-HSP	90	79	63	80
HSP-JMKT	79	69	82	119
JMKT-RDM	79	69	82	119
RDM-MMZ	118	103	82	79
MMZ-BPA	65	57	71	124
BPA-ASAF	69	79	70	101
ASAF-SKZR	65	57	70	122
SKZR-MKDI	79	69	71	103
MKDI-MAGH	118	103	75	73
MAGH-BPQ	90	79	71	90

Axle Load	Sectional Speed	Engg. Allowance
22.9 (Tonnes)	130 Kmph	19 Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
KZJ-BPA	125.37	Double	1 in 100	20.30	1 in 100	31.90
BPA-BPQ	105.89	Double	1 in 100	19.10	1 in 100	20.00

INTER-SECTIONAL BARE RUNNING TIME:KZJ-BPQ-KZJ

Passenger Trains				Loaded Frieght Trains 60	STATIONS	Loaded Frieght Trains 60	Passenger Trains			
130	120	110	100		Speed in KMPH		100	110	120	130
-	--	--	--	-	Kazipet	25	15	15	14	13
-	--	--	--	-	F.Cabin	-	--	--	--	--
15	16	16	17	25	Hasanparti Road	16	8	8	7	7
7	8	8	9	15	Uppal	17	7	7	7	6
7	8	8	9	15	Jamikunta	10	5	4	4	4
3	3	4	4	10	Bisugirshariff	14	7	7	6	6
6	6	7	7	14	Potkapalli	13	6	5	5	5
6	6	7	7	13	Kolanur	19	8	8	7	7
7	8	8	9	19	Peddapalli	12	6	5	5	5
5	6	6	7	12	Raghavapuram	18	6	6	5	5
5	5	6	6	15	Ramgundam	10	4	3	3	3
3	3	3	4	8	Peddampet	14	7	6	6	6
6	7	7	8	14	Manchiryal	16	8	7	7	7
7	8	9	9	16	Mandamari	15	8	6	6	6
6	6	7	7	15	Bellampalli	18	9	9	8	7
5	5	6	6	18	Rechni Road	26	10	9	8	8
7	7	9	9	25	Asifabad Road	22	11	11	9	9
8	8	10	10	22	Sirpur Kaghaznagar	27	14	12	12	11
10	10	12	12	26	Sirpur Town	16	8	7	7	6
7	7	8	8	16	Makudi	17	9	8	8	7
7	7	8	9	17	Wirur	15	6	6	5	5
5	6	6	7	15	Whirgaon	14	6	5	5	5
5	6	6	7	14	Manikgarh	17	9	9	8	8
8	9	9	10	17	Balharshah	-	--	--	--	--
145	155	170	181	361	Total	371	177	163	152	146
Note:All LHB stock shall run with 130KMPH in SC-BPQ-KI section										

Kms from Wardha	Inter Distance in Kms	Train No.		22535 LHB	22669 LHB	22613 LHB	22403 LHB	20482 LHB	16367 LHB	05073 LHB	12771 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		RMM BNRS Exp	ERS PNBE Exp	RMM AYC Shradha Sethu Exp	PDY NDLS Exp	TPJ- BGKT Exp	CAPE- BNRS	SBC LKU TOD	SC R Exp
		Days of service from Originating Stn.		Wed	Sat	Sun	Wed	Sat	Thu	Mon	Mon, Wed, Fri
		Days of service at Stn. entering the Sec.		Fri	Mon	Tue	Thu	Sun	Sat	Wed	Tue, Thu, Sat
366.86	..	Kazipet Jn.	a								00:50
			d								00:52
			s								00:35
		Kazipet Town (H)	a								
			d								
			s								
		Kazipet 'F' Cabin IBS	d	00:02	00:02	00:02	00:02	00:02	00:02	00:02	
		Hasanparti Road 343/12-344/1 Uppalnala	a								
			d	00:16	00:16	00:16	00:16	00:16	00:16	00:16	01:06
			s								
		Uppal 334/15-13 Maddapalli Bridge	a								
			d	00:24	00:24	00:24	00:24	00:24	00:24	00:24	01:14
			s	E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4
342.97	11.77	Jammikunta	a								01:27
			d	00:35	00:35	00:35	00:35	00:35	00:35	00:35	01:28
			s								\$01.15
330.98	11.99	Bisugirshariff (C) 318/23-25 IBS 319/21-319/1 Manair Bridge	a								
			d	00:39	00:39	00:39	00:39	00:39	00:39	00:39	01:34
			s								
324.64	6.34	Potkapalli	a								
			d	00:45	00:45	00:45	00:45	00:45	00:45	00:45	01:40
			s								
314.22	10.42	Odela (H) 310/17-1 IBS	a								
			d								
			s	T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4
310.80	3.42	Kolanur 296/27-25 Kothapalli Bridge	a								
			d	00:55	00:55	00:55	00:55	00:55	00:55	00:55	01:50
			s								
305.29	5.51		a								
			d								
			s								

\$experimental stoppage

17007 LHB	12295 LHB	12721 LHB	22663 LHB	17005 LHB	22737 LHB	17321 LHB	12852 LHB	16601 AMTB	12669 LHB	20803 LHB	20819 LHB	03680 ICF	Stn. Code
SC DBG Exp	SMVB DNR Sanga- mitra Exp	HYB NZM Dakshin Exp	MS JU Exp	HYB RXL Exp	SC HSR Exp	VSG JSME Exp	MAS BSP Exp	ED JBN Amrit Bharat Exp	MAS CPR Ganga Kaveri Exp	VSKP GIMB Exp	PURI OKHA Exp	GAYA CBE TOD	
Tue, Sat	Daily	Daily	Sat	Thu	Tue, Wed	Fri	Mon	Thu	Mon, Sat	Thu	Sun	Tue	
Wed, Sun	Daily	Daily	Sun	Fri	Wed, Thu	Sat	Tue	Thu	Tue, Sun	Fri	Mon	Wed	KZJ
00:50		01:38		01:50	01:50	01:50							
00:52		01:40		01:52	01:52	01:52							
00:35		01:20		01:30	01:30	01:30							KZJT
	01:30		01:52				01:52	02:20	03:35	03:35	03:35	03:35	KZJ'F'
01:06	01:44	01:55	02:07	02:07	02:07	02:07	02:07	02:25	03:50	03:50	03:50	03:50	HSP
01:14	01:52	02:04	02:15	02:15	02:15	02:15	02:15	02:43	03:58	03:58	03:58	03:58	OPL
E-4	E-4		E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	
01:28	02:03	02:13 22663G 02:32	02:26	02:26	02:26	02:26	02:26	02:55	04:09	04:09	04:09	04:09	JMKT
		\$02:00											
01:34	02:07	02:40	02:30	02:30	02:30	02:30	02:30	02:59	04:13	04:13	04:13	04:13	BGSF
01:40	02:13	02:46	02:36	02:36	02:36	02:36	02:36	03:05	04:19	04:19	04:19	04:19	PTKP
T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4	E-4	E-4	E-4	E-4	OEA
01:50	02:23	02:56	02:46	02:46	02:46	02:46	02:46	03:15	04:29	04:29	04:29	04:29	KOLR

Kms from Wardha	Inter Distance in Kms	Train No.		22535 LHB	22669 LHB	22613 LHB	22403 LHB	20482 LHB	16367 LHB	05073 LHB	12771 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		RMM BNRS Exp	ERS PNBE Exp	RMM AYC Shradha Sethu Exp	PDY NDLS Exp	TPJ- BGKT Exp	CAPE- BNRS	SBC LKU TOD	SC R Exp
		Days of service from Originating Stn.		Wed	Sat	Sun	Wed	Sat	Thu	Mon	Mon, Wed, Fri
		Days of service at Stn. entering the Sec.		Fri	Mon	Tue	Thu	Sun	Sat	Wed	Tue, Thu, Sat
		Peddapalli	a							01.01	
291.73	13.56	288/3-5 IBS	d	01:02	01:02	01:02	01:02	01:02	01:02	01:02	02:00
			s							00.30	
283.67	8.06	Raghavapuram	a	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5
		279/7-9 IBS	d	01:13	01:13	01:13	01:13	01:13	01:13	01:13	02:13
			s								
274.25	9.42	Ramgundam	a	01:21	01:21						02:21
			d	01:22	01:22	01:22	01:22	01:22	01:22	01:22	02:22
			s	\$00.50	\$00.50						02:00
269.58	4.67	Peddampet	a	E-5	E-5	E-5	E-5	E-5	E-5	E-5	T-5
		265/17-264/19 Godavari Bridge	d	01:32	01:32	01:32	01:32	01:32	01:32	01:32	02:32
			s								
260.54	9.04	Manchiryal	a							01:41	02:41
			d	01:42	01:42	01:42	01:42	01:42	01:42	01:42	02:42
			s							\$01.10	02:15
254	6.54	Ravindrakhani (D)	a								
			d								
250.25	3.75	Mandamari	a								
		243/21-23 IBS	d	01:58	01:58	01:58	01:58	01:58	01:58	01:58	02:51
			s								E-5
240.85	9.40	Bellampalli	a		02:05						03:05
		233.21 IBS	d	02:06	02:06	02:06	02:06	02:06	02:06	02:06	03:06
			s		\$01.30						\$02.35
230.45	10.40	Rechni Road	a								
		IBS	d	02:14	02:14	02:14	02:14	02:14	02:14	02:14	03:14
			s								

\$ experimental stoppage

17007 LHB	12295 LHB	12721 LHB	22663 LHB	17005 LHB	22737 LHB	17321 LHB	12852 LHB	16601 AMTB	12669 LHB	20803 LHB	20819 LHB	03680 ICF	Stn. Code
SC DBG Exp	SMVB DNR Sanga- mitra Exp	HYB NZM Dakshin Exp	MS JU Exp	HYB RXL Exp	SC HSR Exp	VSG JSME Exp	MAS BSP Exp	ED JBN Amrit Bharat Exp	MAS CPR Ganga Kaveri Exp	VSKP GIMB Exp	PURI OKHA Exp	GAYA CBE TOD	
Tue, Sat	Daily	Daily	Sat	Thu	Tue, Wed	Fri	Mon	Thu	Mon, Sat	Thu	Sun	Tue	
Wed, Sun	Daily	Daily	Sun	Fri	Wed, Thu	Sat	Tue	Thu	Tue, Sun	Fri	Mon	Wed	
02:00	02:30	03:10	02:56	02:55 02:56	02:55 02:56	02:56	02:56	03:25	04:40	04:40	04:40	04:39 04:40	PDPL
				\$02.35	\$02.35							04:10	
E-5 02:13	E-5 02:41	E-5 03:23	E-5 03:09	E-5 03:09	E-5 03:09	E-5 03:09	E-5 03:09	E-5 03:36	E-5 04:53	E-5 04:53	E-5 04:53	E-5 04:53	RGPM
02:21 02:22	02:49 02:50	03:31 03:32	03:19	03:19	03:19	03:19	03:19	03:45	05:02 05:03	05:02 05:03	05:02 05:03	05:03	RDM
02:00	\$02.20	\$02:55								04:35	04:35		
T-5 02:32	T-5 03:00	T-5 03:43	T-5 03:29	T-5 03:29	T-5 03:29	T-5 03:29	T-5 03:29	T-5 03:55	T-5 05:13	T-5 05:13	T-5 05:13	T-5 05:13	PPZ
02:41 02:42	03:07	03:53 03:54	03:40	03:39 03:40	03:40	03:39 03:40	03:40	04:05 04:06	05:23	05:23	05:22 05:23	05:22 05:23	MCI
02:15		03:20		03:10		02:50		03:35			04:50	04:50	
													RVKH
02:51	03:17	04:05	03:49	03:49	03:49	03:49	03:49	04:20	05:32	05:32	05:32	05:32	MMZ
E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	
03:06	03:26	04:19 04:20	04:04	04:04	04:04	04:04	04:04	04:33	05:47	05:47	05:47	05:47	BPA
		\$03:45											
03:14	03:33	04:28	04:12	04:12	04:12	04:12	04:12	04:40	05:54	05:54	05:54	05:54	RECH

Kms from Wardha	Inter Distance in Kms	Train No.		22535 LHB	22669 LHB	22613 LHB	22403 LHB	20482 LHB	16367 LHB	05073 LHB	12771 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		RMM BNRS Exp	ERS PNBE Exp	RMM AYC Shradha Sethu Exp	PDY NDLS Exp	TPJ- BGKT Exp	CAPE- BNRS	SBC LKU TOD	SC R Exp
		Days of service from Originating Stn.		Wed	Sat	Sun	Wed	Sat	Thu	Mon	Mon, Wed, Fri
		Days of service at Stn. entering the Sec.		Fri	Mon	Tue	Thu	Sun	Sat	Wed	Tue, Thu, Sat
		Asifabad Road 224/23-21 IBS	a d		02:21	02:21	02:21	02:21	02:21	02:21	03:21
		208/14-24 Bibara Bridge	s								T-5
202.18	14.39	Sirpur Kaghaznagar 194/5-3 IBS	a d	02:34 02:35			02:34 02:35		02:34 02:35	02:34 02:35	03:37 03:38
		Chanda Bridge Koya Bridge	s	02:10			02:10		02:10	02:10	03:15
184.09	18.09	Sirpur Town 176/3-7 IBS	a d	02:47	02:47	02:47	02:47	02:47	02:47	02:47	03:50
			s								
172.73	11.36	Makudi	a d	02:54	02:54	02:54	02:54	02:54	02:54	02:54	03:57
			s								
159.84	12.89	Wirur 158/21-27 Wirur Bridge	a d	03:01	03:01	03:01	03:01	03:01	03:01	03:01	04:04
			s	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5
150.55	9.29	Wihirgaon	a d	03:11	03:11	03:11	03:11	03:11	03:11	03:11	04:14
		Manikgarh Bye-Pass I Cabin	d								
141.91	8.64	Manikgarh 137/1-5 Wardha Bridge	a d	03:18	03:18	03:18	03:18	03:18	03:18	03:18	04:25
			s								T-5
132.40	9.51	Balharshah	a d	03:30 03:35	03:30 03:35	03:30 03:35	03:30 03:35	03:30 03:35	04:00 04:15	03:30 03:35	04:45 04:50
			s	03:25	03:25	03:25	03:25	03:25	04:15	03:25	04:40

17007 LHB	12295 LHB	12721 LHB	22663 LHB	17005 LHB	22737 LHB	17321 LHB	12852 LHB	16601 AMTB	12669 LHB	20803 LHB	20819 LHB	03680 ICF	Stn. Code
SC DBG Exp	SMVB DNR Sanga- mitra Exp	HYB NZM Dakshin Exp	MS JU Exp	HYB RXL Exp	SC HSR Exp	VSG JSME Exp	MAS BSP Exp	ED JBN Amrit Bharat Exp	MAS CPR Ganga Kaveri Exp	VSKP GIMB Exp	PURI OKHA Exp	GAYA CBE TOD	
Tue, Sat	Daily	Daily	Sat	Thu	Tue, Wed	Fri	Mon	Thu	Mon, Sat	Thu	Sun	Tue	
Wed, Sun	Daily	Daily	Sun	Fri	Wed, Thu	Sat	Tue	Thu	Tue, Sun	Fri	Mon	Wed	ASAF
03:21	03:40	04:35	04:19	04:19	04:19	04:19	04:19	04:47	06:01	06:01	06:01	06:01	
T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5					
03:37	03:57	04:54		04:35	04:35		04:35		06:14	06:14	06:14	06:14	SKZR
03:38	03:58	04:55	04:36	04:36	04:36	04:36	04:36	05:10	06:15	06:15	06:15	06:15	
03:15	03:35	04:30		04:00	04:00		04:00		05:20	05:20	05:20	05:20	
03:50	04:10	05:07	04:48	04:48	04:48	04:48	04:48	05:22	06:27	06:27	06:27	06:27	SRUR
03:57	04:17	05:14	04:55	04:55	04:55	04:55	04:55	05:30	06:34	06:34	06:34	06:34	MKDI
04:04	04:24	05:21	05:02	05:02	05:02	05:02	05:02	05:38	06:41	06:41	06:41	06:41	WIRR
E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5					
04:14	04:34	05:31	05:12	05:12	05:12	05:12	05:12	05:50	06:46	06:46	06:46	06:46	VHGN
		E-5T-5							E-1	E-1	E-1	E-1	
04:25	04:45	05:50	05:20	05:20	05:20	05:20	05:20	06:10	06:55	06:55	06:55	06:55	MAGH
T-5	T-5	T-5		T-10		T-10	T-10						
04.45	05.00	06.05	05.30	05.40	05.30	05.40	05.40	06:25	07.05	07.05	07.05	07:00	BPQ
05:00	05.05	06.10	05.35	05.55	05.35	05.50	05.55	06:30	07.10	07.10	07.10	07:05	
04:55	04.55	06:00	05.25	05:45	05:25	05.40	05:40	06:15	07.00	07.00	07.00	07:05	

Kms from Wardha	Inter Distance in Kms	Train No.		12975 LHB	12967 LHB	12969 LHB	12615 LHB	12761 LHB	20625 LHB	17003 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		MYS JP Exp	MAS JP Exp	CBE JP Exp	MAS NDLS GT Exp	TPTY KRM Exp	MAS BGKT SF Exp	KZJ- SRUR Exp
		Days of service from Originating Stn.		Thu, Sat	Tue, Sun	Fri	Daily	Wed, Sat	Ex. We,Sa	Daily
		Days of service at Stn. entering the Sec.		Fri, Sun	Wed, Mon	Sat	Daily	Thu Sun	Ex.Th, Su	Daily
366.86	..	Kazipet Jn.	a	04:25						
			d	04:27						05.25
			s	04.10						
354.74	6.26	Kazipet Town (H) Kazipet 'F' Cabin IBS	d							
			d		04:25	04:25	04:45	05.47	05.47	
		Hasanparti Road	a							05:42
342.97	11.77	343/12-344/1 Uppalnala	d	04:44	04:44	04:44	05:00	06:02	06:02	05:43
			s							05:40
		Uppal	a							05:53
330.98	11.99	334/15-13 Maddapalli Bridge	d	04:52	04:52	04:52	05:08	06:10	06:10	05:54
			s	E-4	E-4	E-4	E-4	E-4	E-4	05:50
		Jamikunta	a					06:24		06:03
324.64	6.34	318/23-25 IBS 319/21-319/1 Manair Bridge	d	05:04	05:04	05:04	05:19	06:25	06:25	06:04
			s					06:00		06:00
		Bisugirshariff (C)	a							06:11
314.22	10.42	Potkapalli	d	05:07	05:07	05:07	05:23	06:31	06:31	06:12
			d	05:13	05:13	05:13	05:29	06:38	06:38	06:21
			s							06:18
310.80	3.42	Odela (H) 310/17-19 IBS	a							06:29
			d							06:30
			s				T-4	T-4	T-4	06:28
305.29	5.51	Kolanur 296/27-25 Kothapalli Bridge	a							06:40
			d	05:20	05:20	05:20	05:39	06:50	06:50	20625 06:58
			s							06.43

22352 LHB	22354 LHB	12578 LHB	12539 LHB	12193 LHB	15294 LHB	22631 LHB	22674 LHB	22816 LHB	22620 LHB	Stn Code
SMVB PPTA Exp	SMVB PNBE Humsafar Exp	MYS DBG Bagh- mathi Exp	YPR LKO Exp	YPR JBP Exp	CHZ MFP Amrith Barath Exp	MDU BKN Anuvrat AC Exp	MQ BGKT Exp	ERS BSP Exp	TEN BSP Exp	
Mon	Sun	Fri	Wed	Sun	Thu	Thu	Mon	Wed	Sun	
Tue	Mon	Sa	Thu	Mon	Thu	Fri	Tue	Thu	Mon	
				06.22 06.24	06.22 06.24					KZJ
				05.50	05.50					
										KZJT
06:17	06:17	06:17	06:17	T-15	T-15	06.53	06.53	07.04	07.04	KZJ'F'
06:35	06:35	06:35	06:35	07:08	07:08	07:08	07:08	07:20	07:20	HSP
06:43	06:43	06:43	06:43	07:16	07:16	07:16	07:16	07:28	07:28	OPL
E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	
06:54	06:54	06:54	06:54	07:27	07:27	07:27	07:27	07:40	07:40	JMKT
06:58	06:58	06:58	06:58	07:30	07:30	07:30	07:30	07:44	07:44	BGSF
07:04	07:04	07:04	07:04	07:36	07:36	07:36	07:36	07:50	07:50	PTKP
T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4	OEA
07:14	07:14	07:14	07:14	07:46	07:46	07:46	07:46	08:00	08:00	KOLR

Kms from Wardha	Inter Distance in Kms	Train No.		12975 LHB	12967 LHB	12969 LHB	12615 LHB	12761 LHB	20625 LHB	17003 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		MYS JP Exp	MAS JP Exp	CBE JP Exp	MAS NDLS GT Exp	TPTY KRMR Exp	MAS BGKT SF Exp	KZJ- SRUR Exp
		Days of service from Originating Stn.		Thu, Sat	Tue, Sun	Fri	Daily	Wed, Sat	Ex. We,Sa	Daily
		Days of service at Stn.entering the Sec.		Fri, Sun	Wed, Mon	Sat	Daily	Thu Sun	Ex.Th, Su	Daily
291.73	8.44	Peddapalli 288/3-5 IBS	a					07:00		07:10
			d	05:27	05:27	05:27	05:47	07:20	07:00	07:11
			s					06:50		06:50
283.67	8.06	Raghavapuram 279/7-9 IBS	a	E-5 05:38	E-5 05:38	E-5 05:38	E-5 05:58		E-5 07:11	07:21
274.25	9.42	Ramgundam	a				06:06			07:31
			d	05:45	05:45	05:45	06:07		07:18	07:32
			s				05:30			07:05
269.58	13.56	Peddampet 265/17-264/19 Godavari Bridge	a	T-5	T-5	T-5	T-5		T-5	07:45
			d	05:53	05:53	05:53	06:17		07:26	22352G 08:02
			s							
260.54	9.04	Manchiryal	a	06:02	06:02	06:02	06:26			08:12
			d	06:03	06:03	06:03	06:27		07:34	08:13
			s	05:35	05:35	05:35	05:50			07:35
254	6.54	Ravindrakhani (D)	a							08:22
			d							08:23
			s							07:45
250.25	3.75	Mandamari 243/21-23 IBS	a							
			d	06:12	06:12	06:12	06:36		07:42	08:31
			s							
240.85	9.40	Bellampalli 233.21 IBS	a	06:26						08:40
			d	06:27	06:27	06:27	06:48		07:54	08:41
			s	05:55						08:05
230.45	10.40	Rechni Road IBS	a							
			d	06:35	06:35	06:35	06:55		08:00	08:50
			s							

22352 LHB	22354 LHB	12578 LHB	12539 LHB	12193 LHB	15294 LHB	22631 LHB	22674 LHB	22816 LHB	22620 LHB	Stn Code
SMVB PPTA Exp	SMVB PNBE Humsafar Exp	MYS DBG Bagh- mathi Exp	YPR LKO Exp	YPR JBP Exp	CHZ MFP Amrith Barath Exp	MDU BKN Anuvrat AC Exp	MQ BGKT Exp	ERS BSP Exp	TEN BSP Exp	
Mon	Sun	Fri	Wed	Sun	Thu	Thu	Mon	Wed	Sun	
Tue	Mon	Sa	Thu	Mon	Thu	Fri	Tue	Thu	Mon	
07:23	07:23	07:23	07:23	07:56	07:55 07:56	07:56	07:55 07:56	08:10	08:10	PDPL
					07:25		07:25			
E-5 07:34	E-5 07:34	E-5 07:34	E-5 07:34	E-5 08:09	E-5 08:09	E-5 08:09	E-5 08:09	E-5 08:21	E-5 08:21	RGPM
07:42 07:43	07:43	07:42 07:43	07:43	08:17 08:18	08:17 08:18	08:17 08:18	08:17 08:18	08:29	08:29	RDM
07:15		07:15		07:50	07:50	07:50	07:50			
T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5	E-5	E-5	PPZ
07:54	07:54	07:54	07:54	08:28	08:28	08:28	08:28	08:40	08:40	
08:03	08:03	08:03	08:03	08:38	08:38	08:38	08:38	08:49	08:49	MCI
										RVKH
08:11	08:11	08:11	08:11	08:47	08:47	08:47	08:47	09:03	09:03	MMZ
E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5	
08:24	08:24	08:24	08:24	09:03	09:02 09:03	09:03	09:03	09:13	09:13	BPA
					08:35					
08:31	08:31	08:31	08:31	09:11	09:11	09:11	09:11	09:22	09:22	RECH

Kms from Wardha	Inter Distance in Kms	Train No.		12975 LHB	12967 LHB	12969 LHB	12615 LHB	12761 LHB	20625 LHB	17003 MEMU
		FROM - TO / TRAIN NAME / TRAIN TYPE		MYS JP Exp	MAS JP Exp	CBE JP Exp	MAS NDLS GT Exp	TPTY KRM Exp	MAS BGKT SF Exp	KZJ- SRUR Exp
		Days of service from Originating Stn.		Thu, Sat	Tue, Sun	Fri	Daily	Wed, Sat	Ex. We,Sa	Daily
		Days of service at Stn. entering the Sec.		Fri, Sun	Wed, Mon	Sat	Daily	Thu Sun	Ex.Th, Su	Daily
216.57	13.88	Asifabad Road	a							08:59
		224/23-21 IBS	d	06:42	06:42	06:42	07:02		08:07	09:00
		208/14-24 Bibara Bridge	s				T-5		T-5	08:25
202.18	14.39	Sirpur Kaghaznagar	a	06:55	06:55	06:55	07:19			09:18
		194/5-3 IBS	d	06:56	06:56	06:56	07:20		08:24	09:20
		Chanda Bridge Koya Bridge	s	06:30	06:30	06:30	06:45			08:55
										E-14
184.09	18.09	Sirpur Town	a							09:45
		176/3-7 IBS	d	07:08	07:08	07:08	07:32		08:34	
			s							
172.73	11.36	Makudi	a							
			d	07:15	07:15	07:15	07:39		08:41	
			s							
159.84	12.89	Wirur	a							
		158/21-27 Wirur Bridge	d	07:22	07:22	07:22	07:46		08:49	
			s	E-5	E-5	E-5	E-5		E-5	
150.55	9.29	Wihirgaon	a							
			d	07:32	07:32	07:32	07:56		08:59	
			s							
141.91	8.64	Manikgarh Bye-Pass I Cabin	d							
		Manikgarh	a							
		137/1-5	d	07:40	07:40	07:40	08:03		09:09	
		Wardha Bridge	s							
132.40	9.51	Balharshah	a	07:50	07:50	07:50	08:15		09:25	
			d	07:55	07:55	07:55	08:20		09:30	
			s	07:45	07:45	07:45	08:10		09:25	

22352 LHB	22354 LHB	12578 LHB	12539 LHB	12193 LHB	15294 LHB	22631 LHB	22674 LHB	22816 LHB	22620 LHB	Stn Code
SMVB PPTA Exp	SMVB PNBE Humsafar Exp	MYS DBG Bagh- mathi Exp	YPR LKO Exp	YPR JBP Exp	CHZ MFP Amrith Barath Exp	MDU BKN Anuvrat AC Exp	MQ BGKT Exp	ERS BSP Exp	TEN BSP Exp	
Mon	Sun	Fri	Wed	Sun	Thu	Thu	Mon	Wed	Sun	
Tue	Mon	Sa	Thu	Mon	Thu	Fri	Tue	Thu	Mon	
08:39 T-5	08:39 T-5	08:39 T-5	08:39 T-5	09:18	09:18	09:18	09:18	09:30 T-5	09:30 T-5	ASAF
08:56				09:31	09:31	09:31	09:31	09:47		SKZR
08:57	08:57	08:57	08:57	09:32	09:32	09:32	09:32	09:48	09:48	
\$08.25				09:05	09:05	09:05	09:05	09:20		
09:10	09:10	09:10	09:10	09:44	09:44	09:44	09:44	10:00	10:00	SRUR
09:17	09:17	09:17	09:17	09:51	09:51	09:51	09:51	10:07	10:07	MKDI
09:24	09:24	09:24	09:24	09:58	09:58	09:58	09:58	10:14	10:14	WIRR
09:35	09:35	09:35	09:35	10:04	10:04	10:04	10:04	10:19	10:19	VHGN
T-05	T-05	T-05	T-05							Bye pass
09:50 T-05	09:50 T-05	09:50 T-05	09:50 T-05	10:10	10:10	10:10	10:10	10:25	10:25	MAGH
10:05	10:05	10:05	10:05	10:20	10:15	10:20	10:20	10:35	10:35	BPQ
10:10	10:10	10:10	10:10	10:25	10:25	10:25	10:25	10:40	10:40	
10:00	10:00	10:00	10:00	10:15	10:15	10:15	10:15	10:30	10:30	

Kms from Wardha	Inter Distance in Kms	Train No.		12621 LHB	20805 LHB	67772 MEMU	17011 ICF	12723 LHB	11085 LHB	12592 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		MAS NDLS Tamil Nadu Exp	VSKP NDLS AP AC Exp	KRMR SRUR DEMU	HYB SKZR Exp	HYB NDLS Telan- gana Exp	SMVB GWL Exp	YPR GKP Exp
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Daily	Sun	Mon
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Daily	Mon	Tue
366.86	..	Kazipet Jn.	a				07.32	08.20	08.30	08.30
			d				07.37	08.22	08.32	08.32
			s				07:25	07:55	08:05	08:05
		Kazipet Town (H)	a							
			d							
			s							
354.74	6.26	Kazipet 'F' Cabin IBS	d	07:47	07:22		E-14			
		Hasanparti Road	a							
			d	08:00	07:38		08:11	08:40	08:50	08.50
		343/12-344/1 Uppalnala	s							
342.97	11.77	Uppal	a				08:22			
			d	08:08	07:46		08:23	08:48	08:58	08:58
			s	E-4	E-4		07:50	E-4	E-4	E-4
		334/15-13 Maddapalli Bridge	s							
330.98	11.99	Jamikunta	a				08:32			
			d	08:19	07:57		08:33	08:59	09:10	09:10
			s				08:00			
324.64	6.34	Bisugirshariff (C)	a							
			d	08:23	08:01		08:39	09:03	09:15	09:15
			s							
		319/21-319/1 Manair Bridge	s							
314.22	10.42	Potkapalli	a				08:48			
			d	08:29	08:07		08:49	09:09	09:21	09:21
			s				08:15			
310.80	3.42	Odelā (H)	a				08:56			
			d				08:57			
			s		T-4		08:25	T-4	T-4	T-4
		310/17-19 IBS	s							
305.29	5.51	Kolanur	a				09:04			
			d	08:36	08:18		09:05	09:19	09:31	09:31
			s				08:35			
291.73	13.56	Peddapalli	a		08:27	08:53	09:14			
			d	08:43	08:28	08:55	09:15	09:27	09:38	09:38
			s		08.15	08:45	08:55			
		288/3-5 IBS	s							

22691 LHB	12512 LHB	22648 LHB	22646 LHB	12522 LHB	17033 MEMU	12757 LHB	12213 LHB	12649 LHB	22705 LHB	Stn Code
SBC NZM Rajdhani Exp	KCVL GKP Rapti- sagar Exp	TVCN KRBA Exp	KCVL INDB Ahilya- Nagari Exp	ERS BJU Rapti- sagar Exp	BDCR BPQ Singa- reni Exp	SC SKZR Kagazh nagar Exp	YPR DEE Duronito Exp	YPR NZM K'taka Sampark Kranti Exp	TPTY JAT Ham- Safar AC Exp	
Daily	Sun, Tue, Wed	Mon, Thu	Sat	Fri	Daily	Daily	Sat	Except Tue, Thu	Tue	
Daily	Mon, Wed Thu	Tue, Fri	Sun	Sat	Daily	Daily	Sun	Except Wed, Fri	Wed	KZJ
09.00						10:20			10:58	
09.02						10:25	11:00	11:10	11:00	
08.50						10:15			10:30	KZJT
					09.38 09.43					
	09.25	09.25	09.25	09.25	09.45					KZJ'F'
09:16	09:40	09:40	09:40	09:40	10:00 10:01	10:42	11:14	11:25	11:25	HSP
					09:30					
09:24	09:48	09:48	09:48	09:48	10:12 10:13	10:50 10:51	11:22	11:33	11:33	OPL
E-4	E-4	E-4	E-4	E-4	09:43	10.35		E-4	E-4	
					E-4					JMKT
09:35	09:59	09:59	09:59	09:59	10:27 10:28	11:00 11:01	11:29	11:44	11:44	
					09:55	10.45				
09:39	10:03	10:03	10:03	10:03	10:35 10:36	11:06	11:32	11:48	11:48	BGSF
					10:08					
09:45	10:09	10:09	10:09	10:09	10:45 10:46	11.12	11:38	11:54	11:54	PTKP
					10:20					
					10:54 10:55	11:19 11:20				OEA
					10:28	11:10				
					E-4					KOLR
09:51	10:16	10:16	10:16	10:16	11:09 11:10	11:27	11:44	12:00	12:00	
					10:40					
09:58	10:24	10:24	10:24	10:24	11:19 11:20	11:36 11:37	11:51	12:07	12:07	PDPL
					10:50	11.30				

Kms from Wardha	Inter Distance in Kms	Train No.		12621 LHB	20805 LHB	67772 MEMU	17011 ICF	12723 LHB	11085 LHB	12592 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		MAS NDLS Tamil Nadu Exp	VSKP NDLS AP AC Exp	KRMR SRUR DEMU	HYB SKZR Exp	HYB NDLS Telan- gana Exp	SMVB GWL Exp	YPR GKP Exp
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Daily	Sun	Mon
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Daily	Mon	Tue
283.67	8.06	Raghavapuram 279/7-9 <i>IBS</i>	a	E-5	E-5	09:04		E-5	E-5	E-5
			d	08:54	08:40	09:05	09:24	09:39	09:51	09:51
			s			08:55				
274.25	9.42	Ramgundam	a		08:50	09:17	09:33	09:48		10:00
			d	09:01	09:08	09:18	09:34	09:49	10:01	10:01
			s		08:35	09:05	09:15	09:30		09:40
269.58	4.67	Peddampet 265/17-264/19 <i>Godavari Bridge</i>	a			09:28		T-5	T-5	T-5
			d	09:05	09:18	09:29	09:44	10:00	10:09	10:09
			s			09:10				
260.54	9.04	Manchiryal	a			09:38	09:55	10:09	10:20	10:20
			d	09:13	09:28	09:39	09:56	10:10	10:35	10:35
			s			09:20	09:30	09:46		10:00
254	6.54	Ravindrakhani (D)	a			09:45	10:02			
			d			09:46	10:03			
			s			09:28	09:38			
250.25	3.75	Mandamari 243/21-23 <i>IBS</i>	a			09:52	10:09			
			d	09:21	09:35	09:53	10:10	10:19	10:45	10:45
			s		E-5	09:40	09:50		E-5	E-5
240.85	9.40	Bellampalli 233.21 <i>IBS</i>	a			10:03	10:16	10:27	10:59	10:59
			d	09:32	09:48	10:04	10:17	10:28	11:00	11:00
			s			09:50	10:00	10:05	10:30	10:30

22691 LHB	12512 LHB	22648 LHB	22646 LHB	12522 LHB	17033 MEMU	12757 LHB	12213 LHB	12649 LHB	22705 LHB	Stn Code
SBC NZM Rajdhani Exp	KCVL GKP Rapti- sagar Exp	TVCN KRBA Exp	KCVL INDB Ahilya- Nagari Exp	ERS BJU Rapti- sagar Exp	BDCR BPQ Singa- reni Exp	SC SKZR Kagazh nagar Exp	YPR DEE Duronto Exp	YPR NZM K'taka Sampark Kranti Exp	TPTY JAT Ham- Safar AC Exp	
Daily	Sun, Tue, Wed	Mon, Thu	Sat	Fri	Daily	Daily	Sat	Except Tue, Thu	Tue	
Daily	Mon, Wed Thu	Tue, Fri	Sun	Sat	Daily	Daily	Sun	Except Wed, Fri	Wed	
E-5 10:09	E-5 10:35	E-5 10:35	E-5 10:35	E-5 10:35	11:29	11:45	11:57	12:13	12:13	RGPM
10:16	10:43 10:44	10:43 10:44	10:43 10:44	10:43 10:44	11:38 11:39	11:55 12213 12649 12:25	12:03	12:19	12:19	RDM
	10:10	10:10	10:10	10:10	11:05	11:55				
10:20	10:50	10:50	10:50	10:50	11:45	12:34	12:06	12:24	12:24	PPZ
10:28	10:59 11:00	10:59 11:00	10:59 11:00	10:59 11:00	11:55 11:56	12:42 12:43	12:13	12:31	12:31	MCI
	10:30	10:30	10:30	10:30	11:25	12:10				
					12:04 12:05	12:50 12:51				RVKH
					11:35	12:20				
10:36	11:09	11:09	11:09	11:09	12:12 12213 12649G 12:46	12:58	12:20	12:38	12:38	MMZ
	E-5	E-5	E-5	E-5						
10:42	11:23 11:24	11:23 11:24	11:23 11:24	11:23 11:24	12:55 12:56	13:07 13:08	12:27	12:45	12:45	BPA
	10:50	10:50	10:50	10:50	12:30	12:35				

Kms from Wardha	Inter Distance in Kms	Train No.		12621 LHB	20805 LHB	67772 MEMU	17011 ICF	12723 LHB	11085 LHB	12592 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		MAS NDLS Tamil Nadu Exp	VSKP NDLS AP AC Exp	KRMR SRUR DEMU	HYB SKZR Exp	HYB NDLS Telan- gana Exp	SMVB GWL Exp	YPR GKP Exp
		Days of service from Originating Stn.		Daily	Daily	Daily	Daily	Daily	Sun	Mon
		Days of service at Stn. entering the Sec.		Daily	Daily	Daily	Daily	Daily	Mon	Tue
230.45	10.40	Rechni Road IBS	a			10:12	10:24			
			d	09:39	09:55	10:13	10:25	10:35	11:08	11:08
			s			10:00	10:10			
216.57	13.88	Asifabad Road 224/23-21 IBS 208/14-24 Bibara Bridge	a			10:23	10:35 12724 22691			
			d	09:46	10:02	10:24	11:00	10:42	11:15	11:15
			s		T5	10:15	10:25		T5	T5
202.18	14.39	Sirpur Kaghaznagar 194/5-3 IBS Chanda Bridge Koya Bridge	a		10:20	10:45 12723 12592	11:20	10:54	11:31	11:31
			d	10:00	10:21	11:12		10:55	11:32	11:32
			s		09:55	10:35		10:40	11:00	\$11:00
184.09	18.09	Sirpur Town 166/3-7 IBS	a			11:35				
			d	10:10	10:32			11:06	11:43	11:43
			s							
172.73	11.36	Makudi	a							
			d	10:17	10:39			11:13	11:50	11:50
			s							
159.84	12.89	Wirur 158/21-27 Wirur Bridge	a							
			d	10:25	10:46			11:20	11:57	11:57
			s	E-5	E-5			E-5	E-5	E-5
150.55	9.29	Wihirgaon	a							
			d	10:35	10:56			11:30	12:07	12:07
			s							
141.91	8.64	Manikgarh 137/1-5 Wardha Bridge	a					E-5T-5		
			d	10:41	11:08			11:58	12:20	12:20
			s							
132.40	9.51	Balharshah	a	10:50	11:20			12:10	12:40	12:40
			d	10:55	11:25			12:15	12:45	12:45
			s	10:35	11:10			12:00	12:30	12:30

\$ experimental stoppage

22691 LHB	12512 LHB	22648 LHB	22646 LHB	12522 LHB	17033 MEMU	12757 LHB	12213 LHB	12649 LHB	22705 LHB	Stn Code
SBC NZM Rajdhani Exp	KCVL GKP Rapti- sagar Exp	TVCN KRBA Exp	KCVL INDB Ahilya- Nagari Exp	ERS BJU Rapti- sagar Exp	BDCR BPQ Singa- reni Exp	SC SKZR Kagazh nagar Exp	YPR DEE Duronto Exp	YPR NZM K'taka Sampark Kranti Exp	TPTY JAT Ham- Safar AC Exp	
Daily	Sun, Tue, Wed	Mon, Thu	Sat	Fri	Daily	Daily	Sat	Except Tue, Thu	Tue	
Daily	Mon, Wed Thu	Tue, Fri	Sun	Sat	Daily	Daily	Sun	Except Wed, Fri	Wed	
10:48	11:32	11:32	11:32	11:32	13:08 12757 13:24	13:16	12:33	12:51	12:51	RECH
10:55	11:39	11:39	11:39	11:39	13:35	13:23	12:40	12:58	12:58	ASAF
11:05	11:51 11:52	11:51 11:52	11:51 11:52	11:51 11:52	13:51 13:52	13:37				SKZR
	11:30	11:30	11:30	11:30	13:30		12:49	13:07	13:07	
11:15	12:04	12:04	12:04	12:04	14:05 12791 14:27		12:59	13:17	13:17	SRUR
					13:50					
11:22	12:11	12:11	12:11	12:11	14:39 14:40		13:06	13:24	13:24	MKDI
					14:10					
11:30	12:18	12:18	12:18	12:18	14:50 14:51		13:13	13:31	13:31	WIRR
E-5	E-5	E-5	E-5	E-5	14:25			E-5	E-5	
11:40	12:28	12:28	12:28	12:28	E-5 15:04		13:18	13:41	13:41	VHGN
					E-6					Bye pass
E-5T-5 12:10	T-4 12:40	T-4 12:40	T-4 12:40	T-4 12:40	15:20 15:21		13:24	E-10 14.00	E-10 14.00	MAGH
					14:50					
	T-5	T-5	T-5	T-5	T-10		E-6	T-10	T-10	
12.25	12.55	12.55	12.55	12.55	15.45		13.40	14.20	14.20	BPQ
12.30	13.00	13.00	13.00	13.00			13.45	14.25	14.25	
12.15	12.45	12.45	12.45	12.55			13:35	14:10	14:10	

UP

KAZIPET - BALHARSHAH

[illegible]

22534 LHB	22152 LHB	20102 VNDB	12625 LHB	12437 LHB	12433 LHB	12611 LHB	12285 LHB	12269 LHB	Stn Code
YPR GKP Exp	KZJ PUNE Exp	SC-NGP VNDB	TVC NDLS Kerala Exp	SC NZM Rajdhani Exp	MAS NZM Rajdhani Exp	MAS NZM Garibrath Exp	SC NZM Duronto Exp	MAS NZM Duronto Exp	
Wed	Sun	Ex.Tue	Daily	Wed	Fri, Sun	Sat	Thu, Sun	Mon, Fri	
Thu	Sun	Ex.Tue	Daily	Wed	Fri, Sun	Sat	Thu, Sun	Mon, Fri	
13:40		14:45		14:55					KZJ
13:42	13:25	14:47		14:57			14:57		
13.10		14:30		14:40			E-19T-10		
									KZJT
	T-10		14:48	E-13	15.05	15.05		15.29	KZJ'F'
13:56	13:56	15:01	15:15 12437G 12285G 15:49	15:25	15:25	15:25	15:40	15:40	HSP
14:05 E-4	14:05 E-4	15:09	15:58	15:33	15:33	15:33	15:48	15:48	OPL
14:16	14:16	15:16	16:05	15:40	15:40	15:40	15:55	15:55	JMKT
14:20	14:20	15:19	16:08	15:43	15:43	15:43	15:58	15:58	BGSF
14:26	14:26	15:25	16:15	15:50	15:50	15:50	16.04	16.04	PTKP
T-4	T-4								OEA
14:36	14:36	15:31	16:21	15:56	15:56	15:56	16.10	16.10	KOLR

Kms from Wardha	Inter Distance in Kms	Train No.		12791 LHB	04718 ICF	12647 LHB	22683 LHB	12251 LHB	15024 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC DNR Exp	TPTY HSR TOD	CBE NZM Kongu Exp	YPR LKO Exp	YPR KRBA Wain Ganga Exp	YPR GKP Exp
		Days of service from Originating Stn.		Daily	Mon	Sun	Mon	Tue, Fri	Thu
		Days of service at Stn. entering the Sec.		Daily	Tue	Mon	Tue	Wed, Sat	Fri
291.73	13.56	Peddapalli 288/3-5 IBS	a	12:27					
			d	12:28	13:30	14:46	14:46	14:46	14:46
			s	12.10					
283.67	8.06	Raghavapuram 279/7-9 IBS	a	E-5	E-5	E-5	E-5	E-5	E-5
			d	12:39	13:41	14:59	14:59	14:59	14:59
			s						
274.25	9.42	Ramgundam	a	12:48			15:08		
			d	12:49	13:49	15:09	15:09	15:09	15:09
			s	12.30			14.30		
269.58	4.67	Peddampet 265/17-264/19 Godavari Bridge	a	T-5					
			d	12:59	13:54	15:20	15:20	15:20	15:20
			s						
260.54	9.04	Manchiryal	a	13:09					
			d	13:10	14:03	15:30	15:30	15:30	15:30
			s	12.50					
254	6.54	Ravindrakhani (D)	a						
			d						
250.25	3.75	Mandamari 243/21-23 IBS	a						
			d	13:19	14:12	15:40	15:40	15:40	15:40
			s	E-5	E-5	E-5	E-5	E-5	E-5
240.85	9.40	Bellampalli 233.21 IBS	a	13:33					
			d	13:34	14:25	15:55	15:55	15:55	15:55
			s	13.00					
230.45	10.40	Rechni Road IBS	a						
			d	13:42	14:32	16:03	16:03	16:03	16:03
			s						

UP

KAZIPET - BALHARSHAH

22534 LHB	22152 LHB	20102 VNDB	12625 LHB	12437 LHB	12433 LHB	12611 LHB	12285 LHB	12269 LHB	Stn Code
YPR GKP Exp	KZJ PUNE Exp	SC-NGP VNDB	TVC NDLS Kerala Exp	SC NZM Rajdhani Exp	MAS NZM Rajdhani Exp	MAS NZM Garibrath Exp	SC NZM Duronto Exp	MAS NZM Duronto Exp	
Wed	Sun	Ex.Tue	Daily	Wed	Fri, Sun	Sat	Thu, Sun	Mon, Fri	
Thu	Sun	Ex.Tue	Daily	Wed	Fri, Sun	Sat	Thu, Sun	Mon, Fri	
14:46	14:45 14:46	15:38	16:30	16:03	16:03	16:03	16:17	16:17	PDPL
	14.16								
E-5 14:59	E-5 14:59	15:44	16:36	16:10	16:10	16:10	16:23	16:23	RGPM
15:09	15:08 15:09	15:51 15:52	16:44 16:45	16:16	16:16	16:16	16:29	16:29	RDM
	14.30	15:30	15:15						
15:20	15:20	15:56	16:50	16:20	16:20	16:20	16:33	16:33	PPZ
15:30	15:29 15:30	16:04 16:05	16:57	16:27	16:27	16:27	16:40	16:40	MCI
	\$14.41	\$15:45							
									RVKH
15:40 E-5	15:40 E-5	16:13	17:04	16:34	16:34	16:34	16:47	16:47	MMZ
15:55	15:55	16:20	17:11	16:41	16:41	16:41	16:54	16:54	BPA
16:03	16:03	16:26	17:18	16:48	16:48	16:48	17:00	17:00	RECH

Kms from Wardha	Inter Distance in Kms	Train No.		12791 LHB	04718 ICF	12647 LHB	22683 LHB	12251 LHB	15024 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		SC DNR Exp	TPTY HSR TOD	CBE NZM Kongu Exp	YPR LKO Exp	YPR KRBA Wain Ganga Exp	YPR GKP Exp
		Days of service from Originating Stn.		Daily	Mon	Sun	Mon	Tue, Fri	Thu
		Days of service at Stn. entering the Sec.		Daily	Tue	Mon	Tue	Wed, Sat	Fri
216.57	13.88	Asifabad Road	a						
		224/23-21 IBS	d	13:49	14:39	16:10	16:10	16:10	16:10
		208/14-24 Bibara Bridge	s	T-5	T-5				
202.18	14.39	Sirpur Kaghaznagar	a	14:06	14:57		16:24		16:24
		194/5-3 IBS	d	14:07	14:58	16:25	16:25	16:25	16:25
		Chanda Bridge Koya Bridge	s	13:30	14:35		15:20		15:20
184.09	18.09	Sirpur Town	a						
		176/3-7 IBS	d	14:19	15:10	16:36	16:36	16:36	16:36
			s						
172.73	11.36	Makudi	a						
			d	14:26	15:17	16:43	16:43	16:43	16:43
			s						
159.84	12.89	Wirur	a						
		158/21-27 Wirur Bridge	d	14:33	15:24	16:50	16:50	16:50	16:50
			s	E-5	E-5	E-5	E-5	E-5	E-5
150.55	9.29	Wihirgaon	a						
			d	14:45	15:38	17:02	17:02	17:02	17:02
		Manikgarh Bye-Pass I Cabin	d						
141.91	8.64	Manikgarh	a	.					
			d	14:55	15:50	17:10	17:10	17:10	17:10
		137/1-5 Wardha Bridge	s	T5	T10				
132.40	9.51	Balharshah	a	15:20	16:00	17:20	17:20	17:20	17:20
			d	15:25	16:10	17:40	17:40	17:35	17:40
			s	15:10	16:00	17:15	17:15	17:25	17:15

22534 LHB	22152 LHB	20102 VNDB	12625 LHB	12437 LHB	12433 LHB	12611 LHB	12285 LHB	12269 LHB	Stn Code
YPR GKP Exp	KZJ PUNE Exp	SC-NGP VNDB	TVC NDLS Kerala Exp	SC NZM Rajdhani Exp	MAS NZM Rajdhani Exp	MAS NZM Garibrath Exp	SC NZM Duronto Exp	MAS NZM Duronto Exp	
Wed	Sun	Ex.Tue	Daily	Wed	Fri, Sun	Sat	Thu, Sun	Mon, Fri	
Thu	Sun	Ex.Tue	Daily	Wed	Fri, Sun	Sat	Thu, Sun	Mon, Fri	
16:10	16:10	16:33	17:25	16:55	16:55	16:55	17:07	17:07	ASAF
16:24	16:24	16:43							SKZR
16:25	16:25	16:44	17:35	17:05	17:05	17:05	17:17	17:17	
15.20	15.20	\$16:25							
16:36	16:36	16:55	17:45	17:15	17:15	17:15	17:27	17:27	SRUR
16:43	16:43	17:02	17:52	17:22	17:22	17:22	17:34	17:34	MKDI
16:50	16:50	17:09	17:59	17:29	17:29	17:29	17:41	17:41	WIRR
E-5	E-5								
17:02	17:02	17:14	18:04	17:34	17:34	17:34	17:48	17:48	VHGN
									Bye pass
									MAGH
17:10	17:10	17:20	18:10	17:40	17:40	17:40	17:55	17:55	
17:20	17:20	17:30	18:20	17:50	17:50	17:50	18:05	18:05	BPQ
17:25	17:40	17:35	18:25	17:55	17:55	17:55	18:10	18:10	
17:15	17:15	17:30	18:15	17:45	17:45	17:45	18:00	18:00	

Kms from Wardha	Inter Distance in Kms	Train No.		12643 LHB	12803 LHB	12645 LHB	17233 LHB	16031 LHB	16093 LHB	16317 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		TVC NZM Exp	VSKP NZM Swarna Jayanti Exp	ERS NZM Mille- nium Exp	SC SKZR Bhagya Nagar Exp/ F. Pass	MAS SVDK Anda- man Exp	MAS LJN Exp	CAPE SVDK Him- sagar Exp
		Days of service from Originating Stn.		Tue	Mon, Fri	Sat	Daily	Wed, Thu, Sun	Tue, Sat	Fri
		Days of service at Stn. entering the Sec.		Wed	Mon, Fri	Sun	Daily	Wed, Thu, Sun	Tue, Sat	Sat
366.86	..	Kazipet Jn.	a				18:05			
			d				18:10			
			s				17:55			
		Kazipet Town (H)	d							
		Kazipet 'F' Cabin IBS	d	18:05	18:05	18:05		18:42	18:42	18:58
354.74	6.26	Hasanparti Road 343/12-344/1 Uppalnala	a				18:27			
			d	18:19	18:19	18:19	18:28	18:56	18:56	19:14
			s				18:15			
342.97	11.77	Uppal 334/15-13 Maddapalli Bridge	a				18:39			
			d	18:27	18:27	18:27	18:40	19:04	19:04	19:22
			s	E-4	E-4	E-4	18:25	E-4	E-4	E-4
330.98	11.99	Jamikunta	a				18:50	19:18	19:18	
			d	18:39	18:39	18:39	18:51	19:19	19:19	19:33
			s				18:35	18:50	18:50	
324.64	6.34	Bisugirshariff (C) 318/23-25 IBS 319/21-319/1 ManairBridge	a				18:58			
			d	18:42	18:42	18:42	18:59	19:24	19:24	19:37
			s				18:43			
314.22	10.42	Potkapalli	a				19:08			
			d	18:48	18:48	18:48	19:09	19:30	19:30	19:43
			s				18:53			
310.80	3.42	Odela (H) 310/17-19 IBS	a	T-4	T-4	T-4	19:16	T-4	T-4	T-4
			d				19:17			
			s				19:00			
305.29	5.51	Kolanur 296/27-25 Kothapalli Bridge	a				19:24			
			d	18:58	18:58	18:58	19:25	19:40	19:40	19:53
			s				19:10			

16787 LHB	12707 LHB	12641 LHB	12651 LHB	20497 LHB	20493 LHB	12390 LHB	12656 LHB	17035 ICF	12590 LHB	07075 LHB	Stn. Code
TEN SVDK Navyug Exp Mon	TPTY NZM AP Sampark Kranti Exp Mon, Wed, Fri	CAPE NZM Thiru- kkural Exp Wed, Fri	MDU NZM T'Nadu Sampark Kranti Exp Tue, Sun	RMM- FZR Humsafar Exp Tue	MDU CDG Exp Wed, Sun	MAS GAYA Exp Tue	MAS ADI Nav- jeevan Exp Daily	KZJ BPQ Exp Daily	CHZ GKP Exp Thu	HYB- GKP TOD Fri	
Tue	Mon, Wed, Fri	Thu, Sat	Tue, Sun	Wed	Thu, Mon	Tue	Daily	Daily	Thu	Fri	
	19.20 19.22								23.48 23.50	23.48 23.50	KZJ
	19.00								23.30	23.30	
											KZJT
18.58		19:20	19:20	19:45	19:45	19:45	20:30				KZJ'F'
19:14	19:37	19:37	19:37	19:59	19:59	19:59	20:45	23.10	00:05	00:05	HSP
19:22	19:45	19:45	19:45	20:07	20:07	20:07	20:53	23.19 23.20	00:13	00:13	OPL
E-4	E-4	E-4	E-4	E-4	E-4	E-4	E-4	23:15	E-4	E-4	
19:33	19:56	19:56	19:56	20:18	20:18	20:18	21:04	23.29 23.30	00:24	00:24	JMKT
								23:25			
19:37	20:00	20:00	20:00	20:22	20:22	20:22	21:08	23.37	00:29	00:29	BGSF
19:43	20:06	20:06	20:06	20:28	20:28	20:28	21:15	23.45	00:35	00:35	PTKP
T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4	23.53 23.54	T-4	T-4	OEA
								23:45			
19:53	20:17	20:17	20:17	20:38	20:38	20:38	21:26	00.01	00:45	00:45	KOLR
								E-10			

Kms from Wardha	Inter Distance in Kms	Train No.		12643 LHB	12803 LHB	12645 LHB	17233 LHB	16031 LHB	16093 LHB	16317 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		TVC NZM Exp	VSKP NZM Swarna Jayanti Exp	ERS NZM Mille- nium Exp	SC SKZR Bhagya Nagar Exp/ F. Pass	MAS SVDK Anda- man Exp	MAS LJN Exp	CAPE SVDK Him- sagar Exp
		Days of service from Originating Stn.		Tue	Mon, Fri	Sat	Daily	Wed, Thu, Sun	Tue, Sat	Fri
		Days of service at Stn. entering the Sec.		Wed	Mon, Fri	Sun	Daily	Wed, Thu, Sun	Tue, Sat	Sat
291.73	13.56	Peddapalli 288/3-5 <i>IBS</i>	a				19:35	19:49	19:49	
			d	19:05	19:05	19:05	19:36	19:50	19:50	20:00
			s				19:20	19:25	19:25	
283.67	8.06	Raghavapuram 279/7-9 <i>IBS</i>	a	E-5	E-5	E-5	19:45	E-5	E-5	E-5
			d	19:16	19:16	19:16	19:46	20:03	20:03	20:13
			s				19:30			
274.25	9.42	Ramgundam	a				19:55	20:11	20:11	20:23
			d	19:22	19:22	19:22	19:56	20:12	20:12	20:24
			s				19:40	19:55	19:55	20:05
269.58	4.67	Peddampet 265/17-264/19 Godavari Bridge	a	T-5	T-5	T-5	20:03	T-5	T-5	T-5
			d	19:30	19:30	19:30	20:04	20:22	20:22	20:34
			s				19:48			
260.54	9.04	Manchiryal	a				20:14	20:31	20:31	
			d	19:37	19:37	19:37	20:15	20:32	20:32	20:42
			s				20:00	20:10	20:10	
254	6.54	Ravindrakhani (D)	a				20:23			
			d				20:24			
			s				20:08			
250.25	3.75	Mandamari 243/21-23 <i>IBS</i>	a				20:32			
			d	19:44	19:44	19:44	20:33	20:41	20:41	20:52
			s				20:16			
240.85	9.40	Bellampalli 233.21 <i>IBS</i>	a				20:43	20:55	20:55	
			d	19:56	19:56	19:56	20:44	20:56	20:56	21:06
			s				20:30	20:30	20:30	
230.45	10.40	Rechni Road <i>IBS</i>	a				20:55 16031G 16317G			
			d	20:02	20:02	20:02	21:23	21:04	21:04	21:15
			s				20:50			

16787 LHB	12707 LHB	12641 LHB	12651 LHB	20497 LHB	20493 LHB	12390 LHB	12656 LHB	17035 ICF	12590 LHB	07075 LHB	Stn. Code
TEN SVDK Navyug Exp	TPTY NZM AP Sampark Kranti Exp	CAPE NZM Thiru- kkural Exp	MDU NZM T'Nadu Sampark Kranti Exp	RMM- FZR Humsafar Exp	MDU CDG Exp	MAS GAYA Exp	MAS ADI Nav- jeevan Exp	KZJ BPQ Exp	CHZ GKP Exp	HYB- GKP TOD	
Mon	Mon, Wed, Fri	Wed, Fri	Tue, Sun	Tue	Wed, Sun	Tue	Daily	Daily	Thu	Fri	
Tue	Mon, Wed, Fri	Thu, Sat	Tue, Sun	Wed	Thu, Mon	Tue	Daily	Daily	Thu	Fri	PDPL
20:00	20:25	20:25	20:25	20:45	20:45	20:45	21:35 21:36	00:24 00:25	00:52	00:51 00:52	
							\$21.00	00:05		00:25	
E-5 20:13	E-5 20:36	E-5 20:36	E-5 20:36	E-5 20:56	E-5 20:56	E-5 20:56	E-5 21:44	00:34 00:35	E-5 01:03	E-5 01:03	RGPM
								\$00:15			
20:23 20:24	20:44 20:45	20:45	20:45	21:06	21:06	21:06	21:52	00:44 00:45	01:10 01:11	01:11	
20:05	20:20				20:30			00:25	00:45		PPZ
T-5 20:34	T-5 20:55	T-5 20:55	T-5 20:55	T-5 21:11	T-5 21:11	T-5 21:11	T-5 22:00	00:51	01:20	01:20	
20:42	21:05 21:06	21:06	21:06	21:20	21:20	21:20	22:10 22:11	01:00 01:01	01:29 01:30	01:29 01:30	MCI
	20:35						21:40	00:40	01:00	\$01:00	
											RVKH
20:52	21:17	21:17	21:17	21:28	21:28	21:28	22:20	01:11 01:12	01:39	01:39	MMZ
								\$00.50			
E-5	E-5	E-5	E-5	E-5	E-5	E-5	E-5		E-5	E-5	
21:06	21:31 21:32	21:32	21:32	21:42	21:42	21:42	22:33	01:22 01:23	01:52 01:53	01:53	BPA
	21:00							01:00	\$01.15		
21:15	21:41	21:41	21:41	21:52	21:52	21:52	22:40	01:32 01:33	02:01	02:01	RECH
								\$01:10			

\$ - experimental stoppage

Kms from Wardha	Inter Distance in Kms	Train No.		12643 LHB	12803 LHB	12645 LHB	17233 LHB	16031 LHB	16093 LHB	16317 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		TVC NZM Exp	VSKP NZM Swarna Jayanti Exp	ERS NZM Mille- nium Exp	SC SKZR Bhagya Nagar Exp/ F. Pass	MAS SVDK Anda- man Exp	MAS LJN Exp	CAPE SVDK Him- sagar Exp
		Days of service from Originating Stn.		Tue	Mon, Fri	Sat	Daily	Wed, Thu, Sun	Tue, Sat	Fri
		Days of service at Stn. entering the Sec.		Wed	Mon, Fri	Sun	Daily	Wed, Thu, Sun	Tue, Sat	Sat
216.57	13.88	Asifabad Road	a				21:33			
		224/23-21 IBS	d	20:09	20:09	20:09	21:34	21:11	21:11	21:23
		208/14-24 Bibara Bridge	s		T-5	T-5	21:05	E-5	E-5	E-5
202.18	14.39	Sirpur Kaghaznagar	a				22:30	21:37	21:30	
		194/5-3 IBS	d	20:23	20:23	20:23		21:38	21:48	21:38
		Chanda Bridge, Koya Bridge	s					21:10	21:10	
184.09	18.09	Sirpur Town	a							
		176/3-7 IBS	d	20:33	20:33	20:33		21:50	22:00	21:50
			s							
172.73	11.36	Makudi	a							
			d	20:40	20:40	20:40		21:57	22:08	21:57
			s							
159.84	12.89	Wirur	a							
		158/21-27 Wirur Bridge	d	20:47	20:47	20:47		22:04	22:15	22:04
			s	E-5	E-5	E-5				
150.55	9.29	Wihirgaon	a							
			d	20:57	20:57	20:57		22:09	22:20	22:09
			s							
141.91	8.64	Manikgarh Bye-Pass I Cabin	d							
		Manikgarh	a							
			d	21:05	21:05	21:05		22:15	22:30	22:15
		137/1-5 Wardha Bridge	s							
132.40	9.51								T-5	
		Balharshah	a	21:15	21:15	21:15		22:25	22:45	22:25
			d	21:20	21:20	21:20		22:30	22:50	22:30
			s	21:10	21:15	21:10		22:20	22:40	22:20

16787 LHB	12707 LHB	12641 LHB	12651 LHB	20497 LHB	20493 LHB	12390 LHB	12656 LHB	17035 ICF	12590 LHB	*07075	Stn. Code
TEN SVDK Navyug Exp	TPTY NZM AP Sampark Kranti Exp	CAPE NZM Thiru- kkural Exp	MDU NZM T'Nadu Sampark Kranti Exp	RMM- FZR Humsafar Exp	MDU CDG Exp	MAS GAYA Exp	MAS ADI Nav- jeevan Exp	KZJ BPQ Exp	CHZ GKP Exp	HYB- GKP TOD	
Mon	Mon, Wed, Fri	Wed, Fri	Tue, Sun	Tue	Wed, Sun	Tue	Daily	Daily	Thu	Fri	
Tue	Mon, Wed, Fri	Thu, Sat	Tue, Sun	Wed	Thu, Mon	Tue	Daily	Daily	Thu	Fri	
21:23	21:48	21:48	21:48	22:00	22:00	22:00	22:48	01:43	02:08	02:08	ASAF
E-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5		T-5	T-5	
	22:06						23:07	01:59	02:26		SKZR
21:38	22:07	22:07	22:07	22:20	22:20	22:20	23:08	02:00	02:27	02:27	
	21:40						22:40	01:30	01:55		
21:50	22:19	22:19	22:19	22:30	22:30	22:30	23:20	02:12	02:39	02:39	SRUR
21:57	22:26	22:26	22:26	22:38	22:38	22:38	23:27	02:20	02:46	02:46	MKDI
22:04	22:33	22:33	22:33	22:48	22:48	22:48	23:34	02:30 02:31	02:53	02:53	WIRR
	E-5	E-5	E-5	E-5	E-5	E-5	E-5	02:00	E-5	E-5	
22:09	22:43	22:43	22:43	22:58	22:58	22:58	23:44	E-5 02:43	03:03	03:03	VHGN
											Bye pass
22:15	22:50	22:50	22:50	23:10	23:10	23:10	23:55	02:54 02:55	03:10	03:10	MAGH
								02:20			
							T-5	E-4			
22:25	23:00	23:00	23:00	23:20	23:20	23:20	00:10	03:10	03:20	03:25	BPQ
22:30	23:05	23:05	23:05	23:25	23:25	23:30	00:15		03:25	03:30	
22:20	22:55	22:55	22:55	23:15	23:15	23:20	00:10		03:10	03:10	

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12644 LHB	12804 LHB	12646 LHB	12772 LHB	12642 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NZM TVC Swarna Jayanthi Exp	NZM VSKP Swarna Jayanthi Exp	NZM ERS Mille- nium Exp	R SC Exp	NZM CAPE Thiru- kkural Exp
		Days of service from Originating Stn.		Fri	Wed, Sun	Tue	Tu, Thu, Sat	Sat, Mon
		Days of service at Station entering the Sec.		Sat	Thu, Mon	Wed	Wed, Fri, Sun	Sun, Tue
132.40		Balharshah	a	01.30	01.30	01.30	01.45	02.00
		<i>137/1-5 Wardha Bridge</i>	d	01.35	01.35	01.35	01.50	02.05
			s	01.20	01.20	01.20	01.30	01.50
141.91	9.51	Manikgarh	a					
			d	01.45	01.45	01.45	02.00	02.15
			s					
150.55	8.64	Wihirgaon	a					
		<i>158/22-28 Wirur Bridge</i>	d	01.50	01.50	01.50	02.05	02.20
			s					
159.84	9.29	Wirur	a					
			d	01.55	01.55	01.55	02.10	02.25
			s	T-4	T-4	T-4	T-4	T-4
172.73	12.89	Makudi	a					
			d	02:05	02:05	02:05	02.20	02:35
		<i>178/38 IBS</i>	s					
184.09	11.36	Sirpur Town	a					
		<i>193/20-22 IBS</i>	d	02:11	02:11	02:11	02:26	02:41
		<i>Chanda & Koya Bridge</i>	s					
202.18	18.09	Sirpur Kaghaznagar	a				02:38	
		<i>208/14-24 Bibara Bridge</i>	d	02:21	02:21	02:21	02:39	02:53
		<i>208/5-7 IBS</i>	s				02.28	
216.57	14.39	Asifabad Road	a	E-6	E-6	E-6	E-6	E-6
		224/6-8 IBS	d	02:38	02:38	02:38	02:57	03:11
			s					

BALHARSHAH - KAZIPET

DN

12652 LHB	12708 LHB	22664 LHB	22738 LHB	12389 LHB	12650 LHB	12648 LHB	17234 LHB	17036 ICF	16602 AMTB	20101 VNDB	
NZM MDU T'nadu Sampark Kranti Exp	NZM TPTY AP Sampark Kranti Exp	JU MS Exp	HSR-SC Exp	GAYA MAS Exp	NZM YPR K'taka Sampark Kranthi Exp	NZM CBE Kongu Exp	SKZR SC Bhagya nagar Exp	BPQ- KZJ Exp	JBN- ED Amrit Bhrat	NGP SC Vande barath	Stn. Code
Tue, Thu	Wed, Fri, Sun	Tue	Fri, Sun	Sun	Except Wed, Fri	Wed	Daily	Daily	Sun	Ex.Tue	
Wed, Fri	Thu, Sat Mon	Wed	Sun, Tue	Mon	Except Thu, Sat	Thu	Daily	Daily	Tue	Ex.Tue	
02.00	02.00	02.15	02.15	02.10	02.35	02.35			07:15	07:35	BPQ
02.05	02.05	02.20	02.20	02.20	02.40	02.40		03.50	07:20	07:40	
01.50	01.50	02.05	02.05	02.10	02:25	02:25			07:10	07:25	
02.15	02.15	02.30	02.30	02.30	02.50	02.50		04.01 04.02 04.00	07:30	07:50	MAGH
02.20	02.20	02.35	02.35	02.35	02.55	02.55		04:08	07:35	07:55	VHGN
02.25 T-4	02.25 T-4	02.40 T-4	02.40 T-4	02.40 T-4	03.00 T-4	03.00 T-4		04:14 T-4	07:40 T-4	08:00	WIRR
02:35	02:35	02:50	02:50	02:50	03:10	03:10		04:25	07:50	08:06	MKDI
02:41	02:41	02:56	02:56	02:56	03:16	03:16		04:35	07:56	08:12	SRUR
02:53	02:52 02:53 02.45	03.08	03.07 03.08 03.01	03.08	03:26	03:26	03.35	04:48 04:49 04.46	08:06	08:23 08:24 \$08:10	SKZR
E-6 03:11	E-6 03:11	E-6 03:26	E-6 03:26	E-6 03:26	E-6 03:43	E-6 03:43	03:54 03:55 03:47	E-6 05:10	E-6 08:23	08:36	ASAF

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12644 LHB	12804 LHB	12646 LHB	12772 LHB	12642 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NZM TVC Swarna Jayanthi Exp	NZM VSKP Swarna Jayanthi Exp	NZM ERS Mille- nium Exp	R SC Exp	NZM CAPE Thiru- kkural Exp
		Days of service from Originating Stn.		Fri	Wed, Sun	Tue	Tu, Thu, Sat	Sat, Mon
		Days of service at Station entering the Sec.		Sat	Thu, Mon	Wed	Wed, Fri, Sun	Sun, Tue
230.45	13.88	Rechni Road 235/16-18 IBS	a d s	02:45	02:45	02:45	03:04	03:18
240.85	10.40	Bellampalli 244/26-28 IBS	a d s	02:50	02:50	02:50	03:11 03:12 02.55	03:25
250.25	9.36	Mandamari	a d s	02:55	02:55	02:55	03:18	03:31
254.00	3.75	Ravindrakhani (D)						
260.54	6.54	Manchiryal 264/18-265/18 Godavari Bridge	a d s	03:01 E-6	03:01 E-6	03:01 E-6	03:25 03:26 03.10	03:39 E-6
269.58	9.04	Peddampet	a d s	03:13	03:13	03:13	E-6 03:39	03:52
274.25	4.67	Ramgundam 280/20 IBS	a d s	03:16 T-5	03:16 T-5	03:16 T-5	03:44 03:45 03.25	03:58 T-5
283.67	9.42	Raghavapuram 288/2-4 IBS	a d s	03:26	03:26	03:26	T-5 03:56	04:08
291.73	8.06	Peddapalli	a d s	03:30	03:30	03:30	04:03	04:13

BALHARSHAH - KAZIPET

DN

12652 LHB	12708 LHB	22664 LHB	22738 LHB	12389 LHB	12650 LHB	12648 LHB	17234 LHB	17036 ICF	16602 AMTB	20101 VNDB	
NZM MDU T'nadu Sampark Kranti Exp	NZM TPTY AP Sampark Kranti Exp	JU MS Exp	HSR-SC Exp	GAYA MAS Exp	NZM YPR K'taka Sampark Kranthi Exp	NZM CBE Kongu Exp	SKZR SC Bhagya nagar Exp	BPQ- KZJ Exp	JBN- ED Amrit Bhrat	NGP SC Vande barath	Stn. Code
Tue, Thu	Wed, Fri, Sun	Tue	Fri, Sun	Sun	Except Wed, Fri	Wed	Daily	Daily	Sun	Ex.Tue	
Wed, Fri	Thu, Sat Mon	Wed	Sun, Tue	Mon	Except Thu, Sat	Thu	Daily	Daily	Tue	Ex.Tue	
03:18	03:18	03:33	03:33	03:33	03:50	03:50	04:04 04:05 03:57	05:20 05:21 05:08	08:30	08:43	RECH
03:25	03:24 03:25 \$03.10	03:39	03:39	03:39	03:55	03:55	04:13 04:14 04:07	05:29 05:30 05:16	08:35	08:48	BPA
03:31	03:31	03:45	03:45	03:45	04:00	04:00	04:23 04:24 04:15	05:38 05:39 \$05.23	08:40	08:53	MMZ
							04:30 04:31 04:20				RVKH
03:39 E-6	03:38 03:39 \$03.30	03:51 E-6	03:51 E-6	03:51 E-6	04:06 E-6	04:06 E-6	04:39 04:40 04:25	05:49 05:50 05:31	08:49 08:50 08:40	09:00 09:01 \$08:50	MCI
							E-6				
03:52	E-6 03:52	04:03	04:03	04:03	04:18	04:18	04:54 04:55 04:35	E-6 06:03	E-6 09:03	09:08	PPZ
03:58 T-5	03:57 03:58 03:40	04:09 T-5	04:09 T-5	04:09 T-5	04:21 T-5	04:21 T-5	05:02 05:03 04:40	06:09 06:10 05:48	09:07 T-5	09:14 09:15 09:10	RDM
							T-5	T-5			
04:08	T-5 04:08	04:19	04:19	04:19	04:31	04:31	05:16 05:17 04:50	06:24 06:25 \$05.58	09:17	09:21	RGPM
04:13	04:13	04:29 12650G 04:40	04:29 12650G 04:40	04:29 12650G 04:40	04:35	04:35	05:25 05:26 05:00	06:32 06:33 06:18	T-10 09:35	09:25	PDPL

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12644 LHB	12804 LHB	12646 LHB	12772 LHB	12642 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NZM TVC Swarna Jayanthi Exp	NZM VSKP Swarna Jayanthi Exp	NZM ERS Mille- nium Exp	R SC Exp	NZM CAPE Thiru- kkural Exp
		Days of service from Originating Stn.		Fri	Wed, Sun	Tue	Tu, Thu, Sat	Sat, Mon
		Days of service at Station entering the Sec.		Sat	Thu, Mon	Wed	Wed, Fri, Sun	Sun, Tue
305.29	13.56	Kolanur	a					
		311/4-6 IBS	d s	03:37	03:37	03:37	04:11	04:22
310.80	5.51	Odela (D)	a d s					
314.22	3.42	Potkapalli 319/12-30 Manair Bridge 318/10-12 IBS	a d s	03:42 T-5	03:42 T-5	03:42 T-5	04:16 T-5	04:27 T-5
324.64	10.42	Bisugirshariff (C)	a d s	03:52	03:52	03:52	04:26	04:37
330.98	6.34	Jamikunta 334/5-4 Maddapalli Bridge	a d s	03:56 E-7	03:56 E-7	03:56 E-7	04:32 04:33 04:12	04:44
342.97	11.99	Uppal 343/12-344/1 Uppalnala	a d s	04:10	04:10	04:10	E-7 04:48	E-7 04:59
354.74	11.77	Hasanparti Road	a d s	04:17	04:17	04:17	04:55	05:06
		IBS						
		Kazipet Town (F)	a d s	04:32	04:32	04:32		05:20
366.86	5.86	Kazipet Jn.	a d s				05:13 05:15 05:05	

BALHARSHAH - KAZIPET

DN

12652 LHB	12708 LHB	22664 LHB	22738 LHB	12389 LHB	12650 LHB	12648 LHB	17234 LHB	17036 ICF	16602 AMTB	20101 VNDB	
NZM MDU T'nadu Sampark Kranti Exp	NZM TPTY AP Sampark Kranti Exp	JU MS Exp	HSR-SC Exp	GAYA MAS Exp	NZM YPR K'taka Sampark Kranthi Exp	NZM CBE Kongu Exp	SKZR SC Bhagya nagar Exp	BPQ- KZJ Exp	JBN- ED Amrit Bhrat	NGP SC Vande barath	Stn. Code
Tue, Thu	Wed, Fri, Sun	Tue	Fri, Sun	Sun	Except Wed, Fri	Wed	Daily	Daily	Sun	Ex.Tue	
Wed, Fri	Thu, Sat Mon	Wed	Sun, Tue	Mon	Except Thu, Sat	Thu	Daily	Daily	Tue	Ex.Tue	
04:22	04:22	04:52	04:52	04:52	04:42	04:42	05:44 05:45 05:15	06:42	09:41	09:32	KOLR
							05:52 05:53 05:20	06:49 06:50 06:35			OEA
04:27 T-5	04:27 T-5	04:57 T-5	04:57 T-5	04:57 T-5	04:47 T-5	04:47 T-5	06:01 06:02 05:30	06:58 06:59 06:48	09:46 T-5	09:37	PTKP
							T-5	T-5			
04:37	04:37	05:07	05:07	05:07	04:57	04:57	06:15 06:16 05:40	07:15 T10	09:56	09:42	BGSF
04:44	04:44	05:11	05:11	05:11	05:01	05:01	06:24 06:25 05:50 E-7	07:23 07:24 07:21 E-7	10:05	09:46	JMKT
E-7 04:59	E-7 04:59	E-7 05:25	E-7 05:25	E-7 05:25	E-7 05:15	E-7 05:15	06:42 06:43 06:15	07:40 07:41 07:31	E-7 10:20	09:53	OPL
05:06	05:06	05:32	05:32	05:32	05:22	05:22	06:54 06:55 06:25	07:50 07:51 07:44	10:27	10:00	HSP
05:20	T-30	05:45	T-25	05:45			T-15	T-30	10:40		KZJF
	06:23 06:25 05:45		06:23 06:25 05:45		05:51	05:50 05:51 05:35	07:30 07:32 07:20	08:50		10:23 10:25 10:06	KZJ

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12521 LHB	12511 LHB	12589 LHB	12591 LHB	22533 LHB	12438 LHB	12612 LHB	12434 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BJU ERS Rapti- sagar Exp	GKP KCVL Raptisa gr Exp	GKP CHZ Exp	GKP YPR Exp	GKP YPR Exp	NZM SC Raj- dhani Exp	NZM MAS Garib Rath Exp	NZM MAS Raj- dhani Exp
		Days of service from Originating Stn.		Mon	Thu, Fri,Sun	Wed	Sat	Mon	Sun	Mon	Wed, Fri
		Days of service at Station entering the Sec.		Wed	Fri, Sat Mon	Thu	Sun	Tue	Mon	Tue	Thu, Sat
132.40	9.51	Balharshah	a	07.50	07.50	07.50	07.50	07.50	08.10	08.10	08.10
		137/1-5 Wardha Bridge	d	07.55	07.55	07.55	07.55	07.55	08.15	08.15	08.15
		136/13-15	s	07.40	07.40	07.40	07.40	07.40	08.05	08.05	08.05
141.91	8.64	Manikgarh	a								
			d	08.05	08.05	08.05	08.05	08.05	08.25	08.25	08.25
			s								
150.55	9.29	Wihirgaon	a								
		158/22-28 Wirur Bridge	d	08.10	08.10	08.10	08.10	08.10	08.30	08.30	08.30
		154/8-10	s								
159.84	12.89	Wirur	a								
		166/28-30	d	08.15	08.15	08.15	08.15	08.15	08.35	08.35	08.35
			s								
172.73	11.36	Makudi	a	T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4
			d	08:25	08:25	08:25	08:25	08:25	08:45	08:45	08:45
		178/38 IBS	s								
184.09	18.09	Sirpur Town	a								
		193/20-22 IBS	d	08:31	08:31	08:31	08:31	08:31	08:51	08:51	08:51
		Chanda & Koya Bridge	s								
202.18	14.39	Sirpur Kaghaznagar	a	08:42	08:42	08:42	08:42				
		208/14-24 Bibara Bridge	d	08:43	08:43	08:43	08:43	08:43	09:01	09:01	09:01
		208/5-7 IBS	s	08.35	08.35	08.35	08:35				
216.57		Asifabad Road	a	E-6	E-6	E-6	E-6	E-6	E-6	E-6	E-6
		224/6-8 IBS	d	09:01	09:01	09:01	09:01	09:01	09:18	09:18	09:18
			s								

BALHARSHAH - KAZIPET

DN

12286 LHB	12270 LHB	22647 LHB	22645 LHB	20626 LHB	11086 LHB	07076 LHB	12724 LHB	67771 MEMU	17012 ICF	17034 MEMU	22692 LHB	Stn. Code
NZM SC Duron to Exp	NZM MAS Duron to Exp	KRBA TVCN Exp	INDB KCVL Ahilya Nagari Exp	BGKT- MAS SF Exp	GWL SMVB Exp	GKP- HYB TOD	NDLS HYB Telan- gana Exp	SRUR KRM MEMU	SKZR BIDR Exp	SRUR BDCR Singa- reni Exp	NZM SBC Raj- dhani Exp	
Mon, Fri	Tue, Sat	Wed, Sat	Mon	Ex.Tu, Sa	Fri	Sun	Daily	Daily	Daily	Daily	Daily	
Tue, Sat	Wed, Sun	Thu, Sun	Tue	Ex.We, Su	Sat	Mon	Daily	Daily	Daily	Daily	Daily	
08.40	08.40	08.50	08.30	09:05	10.00	10.00	10.55				12.25	BPQ
08.45	08.45	09.00	09.00	09:10	10.05	10.05	11.00				12.30	
08.35	08.35	08.45	08.45	09:00	09:55	10.05	10.45				12.20	
08.55	08.55	09.10	09.10	09:20	10.15	10.15	11.10 E-2				12.40 E-2	MAGH
09.00	09.00	09.15	09.15	09:25	10:25	10:25	11:20				12.50	VHGN
09.05	09.05	09.20	09.20	09:30	10:30	10:30	11:25				12.55	WIRR
T-4 09:15	E-4 09:15	T-4 09:30	T-4 09:30	T-4 09:40	T-4 10:40	T-4 10:40	T-4 11:35				E-4 13:05	MKDI
09:21	09:21	09:36	09:36	09:46	10:46	10:46	11:41	10:55		12.30	13:11	SRUR
09:31	09:31	09:48 09:49 09.35	09:48 09:49 09.35	09:56	10:58 10:59 10:47	10:59	11:52 11:53 11.39	11:09 11:10 11:07	12.20	12.44 12.45 12.45	13:21	SKZR
E-6 09:48	E-6 09:48	E-6 10:07	E-6 10:07	E-6 10:17	E-6 11:17	E-6 11:17	E-6 12:11	11:28 11:29 11:20	12:37 12:38 12.30	13:02 13:03 12.55	E-6 13:38	ASAF

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12521 LHB	12511 LHB	12589 LHB	12591 LHB	22533 LHB	12438 LHB	12612 LHB	12434 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BJU ERS Rapti- sagar Exp	GKP KCVL Raptisa gr Exp	GKP CHZ Exp	GKP YPR Exp	GKP YPR Exp	NZM SC Raj- dhani Exp	NZM MAS Garib Rath Exp	NZM MAS Raj- dhani Exp
		Days of service from Originating Stn.		Mon	Thu, Fri,Sun	Wed	Sat	Mon	Sun	Mon	Wed, Fri
		Days of service at Station entering the Sec.		Wed	Fri, Sat Mon	Thu	Sun	Tue	Mon	Tue	Thu, Sat
230.45	13.88	Rechni Road <i>235/16-18 IBS</i>	a <i>d</i> <i>s</i>	09:09	09:09	09:09	09:09	09:09	09:25	09:25	09:25
240.85	10.40	Bellampalli <i>244/26-28 IBS</i>	a <i>d</i> <i>s</i>	09:15 09:16 09:00	09:15 09:16 09:00	09:15 09:16 09:00	09:15 09:16 \$09.00	09:16	09:30	09:30	09:30
250.25	9.36	Mandamari	a <i>d</i> <i>s</i>	09:22	09:22	09:22	09:22	09:22	09:35	09:35	09:35
254.00	3.75	Ravindrakhani (D)	a <i>d</i> <i>s</i>								
260.54	6.54	Manchiryal <i>264/18-265/18 Godavari Bridge</i>	a <i>d</i> <i>s</i>	09:30 09:31 09:16	09:30 09:31 09:16	09:30 09:31 09:16	09:30 09:31 09:16	09:31	09:41	09:41	09:41
269.58	9.04	Peddampet	a <i>d</i> <i>s</i>	E-6 09:45	E-6 09:45	E-6 09:45	E-6 09:45	E-6 09:45	E-6 09:55	E-6 09:55	E-6 09:55
274.25	4.67	Ramgundam <i>280/20 IBS</i>	a <i>d</i> <i>s</i>	09:50 09:51 09:26	09:50 09:51 09:26	09:50 09:51 09:26	09:50 09:51 09:26	09:51	10:01	10:01	10:01
283.67	9.42	Raghavapuram <i>288/2-4 IBS</i>	a <i>d</i> <i>s</i>	T-5 10:02	T-5 10:02	T-5 10:02	T-5 10:02	T-5 10:02	T-5 10:12	T-5 10:12	T-5 10:12
291.73	8.06	Peddapalli	a <i>d</i> <i>s</i>	10:07	10:07	10:07	10:07	10:07	10:17	10:17	10:17

\$ experimental stoppage

A 207 (SC)

BALHARSHAH - KAZIPET

DN

12286 LHB	12270 LHB	22647 LHB	22645 LHB	20626 LHB	11086 LHB	07076 LHB	12724 LHB	67771 MEMU	17012 ICF	17034 MEMU	22692 LHB	Stn. Code
NZM SC Duron to Exp	NZM MAS Duron to Exp	KRBA TVCN Exp	INDB KCVL Ahilya Nagari Exp	BGKT- MAS SF Exp	GWL SMVB Exp	GKP- HYB TOD	NDLS HYB Telan- gana Exp	SRUR KRM MEMU	SKZR BIDR Exp	SRUR BDCR Singa- reni Exp	NZM SBC Raj- dhani Exp	
Mon, Fri	Tue, Sat	Wed, Sat	Mon	Ex.Tu, Sa	Fri	Sun	Daily	Daily	Daily	Daily	Daily	
Tue, Sat	Wed, Sun	Thu, Sun	Tue	Ex.We, Su	Sat	Mon	Daily	Daily	Daily	Daily	Daily	
09:55	09:55	10:14	10:14	10:24	11:24	11:24	12:18	11:39 11:40 11:30	12:48 12:49 12:40	13:12	13:45	RECH
10:00	10:00	10:20 10:21 10:05	10:20 10:21 10:05	10:31	11:30 11:31 11:10	11:31	12:25 12:26 12:05	11:48 11:49 11:40	12:57 12:58 12:50	13:21 13:22 13:15	13:50	BPA
10:05	10:05	10:27	10:27	10:37	11:38	11:38	12:33	11:57 11:58 11:48	13:07	13:30	13:55	MMZ
								12:05 12:06 11:56	13:15 13:16 13:06	13:37 13:38 13:30		RVKH
10:11	10:11	10:34 10:35 10:20	10:34 10:35 10:20	10:45	11:46	11:45 11:46 11:32	12:42 12:43 12:21	12:15 12:16 12:05	13:24 13:25 13:12	13:45 14:46 13:40	14:01	MCI
								E-6				
E-6 10:23	E-6 10:23	E-6 10:47	E-6 10:47	E-6 10:57	E-6 11:57	E-6 11:57	E-6 12:55	12:33 12:34 12:15	13:34	13:55	14:07	PPZ
10:26	10:26	10:52 10:53 10:30	10:52 10:53 10:30	11:03	12:01	12:01	13:00 13:01 12:32	12:41 12:42 12:25 E-3T-5	13:41 13:42 13:25	14:02 22692 14:18 13:55	14:11	RDM
10:31	10:31	T-5 11:05	T-5 11:05	T-5 11:15	T-5 12:11	T-5 12:11	T-5 13:12	12:58 12724 13:18 12:45	13:50	14:26	14:16	RGPM
10:35	10:35	11:09	11:09	11:19	12:17	12:16 12:17 11:59	13:16	13:30 13:32 13:00	13:59 14:00 13:35	14:33 14:34 14:15	14:21	PDPL

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12521 LHB	12511 LHB	12589 LHB	12591 LHB	22533 LHB	12438 LHB	12612 LHB	12434 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BJU ERS Rapti- sagar Exp	GKP KCVL Raptisa gr Exp	GKP CHZ Exp	GKP YPR Exp	GKP YPR Exp	NZM SC Raj- dhani Exp	NZM MAS Garib Rath Exp	NZM MAS Raj- dhani Exp
		Days of service from Originating Stn.		Mon	Thu, Fri,Sun	Wed	Sat	Mon	Sun	Mon	Wed, Fri
		Days of service at Station entering the Sec.		Wed	Fri, Sat Mon	Thu	Sun	Tue	Mon	Tue	Thu, Sat
305.29	13.56	Kolanur 311/4-6 <i>IBS</i>	a d s	10:14	10:14	10:14	10:14	10:14	10:24	10:24	10:24
310.80	5.51	Odela (D)	a d s								
314.22	3.42	Potkapalli 319/12-30 <i>Manair Bridge</i> 318/10-12 <i>IBS</i>	a d s	10:22 T5	10:22 T5	10:22 T5	10:22 T5	10:22 T5	10:29 T-5	10:29 T-5	10:29 T-5
324.64	10.42	Bisugirshariff (C)	a d s	10:32	10:32	10:32	10:32	10:32	10:40	10:40	10:40
330.98	6.34	Jamikunta 334/5-4 <i>Maddapalli Bridge</i>	a d s	10:40	10:40	10:40	10:40	10:40	10:48	10:48	10:48
342.97	11.99	Uppal 343/12-344/1 <i>Oppalnala</i>	a d s	E7 10:55	E7 10:55	E7 10:55	E7 10:55	E7 10:55	11:05	11:05	11:05
354.74	11.77	Hasanparti Road 360/24-26 <i>IBS</i>	a d s	11:02	11:02	11:02	11:02	11:02	11:12	11:12	11:12
		Kazipet Town (F)	a d s	T-45 12:08	T-45 12:08					11:18	11:18
366.86	5.86	Kazipet Jn.	a d s			11:15 11:17 11:05	11:15 11:17 11:05	11:15 11:17 11:05	11:15 11:17 11:05		

BALHARSHAH - KAZIPET

DN

12286 LHB	12270 LHB	22647 LHB	22645 LHB	20626 LHB	11086 LHB	07076 LHB	12724 LHB	67771 MEMU	17012 ICF	17034 MEMU	22692 LHB	Stn. Code
NZM SC Duron to Exp	NZM MAS Duron to Exp	KRBA TVCN Exp	INDB KCVL Ahilya Nagari Exp	BGKT- MAS SF Exp	GWL SMVB Exp	GKP- HYB TOD	NDLS HYB Telan- gana Exp	SRUR KRMR MEMU	SKZR BIDR Exp	SRUR BDCR Singa- reni Exp	NZM SBC Raj- dhani Exp	
Mon, Fri	Tue, Sat	Wed, Sat	Mon	Ex.Tu, Sa	Fri	Sun	Daily	Daily	Daily	Daily	Daily	
Tue, Sat	Wed, Sun	Thu, Sun	Tue	Ex.We, Su	Sat	Mon	Daily	Daily	Daily	Daily	Daily	
10:42	10:42	11:16	11:16	11:26	12:23	12:23	13:23		14:09 14:10 13.45	14:44 14:45 14:25	14:28	KOLR
									14:15 14:16 13.50	14:53 14:54 14:32		OEA
10:47	10:47	11:21 T-5	11:21 T-5	11:31 T-5	12:28 T-5	12:28 T-5	13:28		14:25 22692 14:45 13.55	15:02 15:03 14:40	14:33	PTKP
10:52	10:52	11:31	11:31	11:41	12:38	12:38	13:33		14:53	15:12 22706G 15:30 14:50	E-5 14:43	BGSF
10:57	10:57	11:35	11:35	11:45	12:43	12:43	13:37		15:00 15:01 14.10	15:37 15:38 15:00	14:48	JMKT
11:02	11:02	E7 11:49	E7 11:49	E7 11:59	E7 12:47	E7 12:47	13:44		15:09 15:10 14.20	15:48 15:49 15:10	14:55	OPL
11:02	11:02	11:56	11:56	12:06	13:04	13:04	13:51		15:20	15:59 16:00 15:25	15:02	HSP
E7I25	11:18	12:08	12:08	12:25						16.10 16.15		KZJT
11.52					13.25 13.27 13.00	13.25 13.27 13:00	14.05 14.06 13.55		15.40 15.42 15:25		15.18 15.20 15.10	KZJ

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		22706 LHB	16368 LHB	16318 LHB	20494 LHB	16032 LHB	17006 LHB	17008 LHB	17322 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		JAT- TPTY Ham- sagar Exp	BNRS CAPE Exp	SVDK CAPE Him Sagar Exp	CDG MDU Exp	SVDK MAS Anda- man Exp	RXL HYB Exp	DBG SC Exp	JSME VSG Exp
		Days of service from Originating Stn.		Fri	Sun	Mon	Mon, Fri	Tue, Fri, Sat	Sun	Tue, Fri	Mon
		Days of service at Station entering the Sec.		Sat	Mon	Wed	Tue Sat	Thu, Sun, Mo n	Mon	Wed, Sat	Tue
132.40	9.51	Balharshah <i>137/1-5 Wardha Bridge</i>	a	12.55	12.50	13.15	13.15	13.15	13.20	13.20	13.20
			d	13.00	13.00	13.20	13.20	13.20	13.35	13.35	13.35
			s	12.45	12.50	13.05	13.05	13.05	12.55	13.05	13.20
141.91	8.64	Manikgarh	a								
			d	13:10	13:10	13:30	13:30	13:30	13:45	13:45	13:45
			s								
150.55	9.29	Wihirgaon <i>158/22-28 Wirur Bridge</i>	a								
			d	13:20	13:20	13:40	13:40	13:40	13:55	13:55	13:55
			s								
159.84	12.89	Wirur	a								
			d	13:25	13:25	13:45	13:45	13:45	14:00	14:00	14:00
			s	T-4	T-4	T-4	T-4	T-4	T-4	T-4	T-4
172.73	11.36	Makudi <i>178/38 IBS</i>	a								
			d	13:35	13:35	13:55	13:55	13:55	14:10	14:10	14:10
			s								
184.09	8.10	Sirpur Town <i>193/20-22 IBS Chanda & Koya Bridge</i>	a								
			d	13:41	13:41	14:01	14:01	14:01	14:16	14:16	14:16
			s								
202.18	14.39	Sirpur Kaghaznagar <i>208/14-24 Bibara Bridge 208/5-7 IBS</i>	a		13:52			14:12	14:28	14:28	
			d	13:53	13:53	14:13	14:13	14:13	14:29	14:29	14:29
			s		13.42			14.00	13.45	13.45	
216.57		Asifabad Road 224/6-8 IBS	a	E6	E6	E6	E6	E6	E6	E6	E6
			d	14:11	14:11	14:31	14:31	14:31	14:47	14:47	14:47
			s								

BALHARSHAH - KAZIPET

DN

16094 LHB	16788 LHB	15023 LHB	12758 LHB	20806 LHB	12616 LHB	12655 LHB	17004 MEMU	12792 LHB	12626 LHB	22151 LHB	
LJN MAS Exp	SVDK TEN Navyug Exp	GKP YPR Exp	SKZR SC Kagaz- nagar Exp	NDLS VSKP AP AC Exp	NDLS MAS GT Exp	ADI MAS Nav- jeevan Exp	BPQ KZJ Ramgiri	DNR SC Exp	NDLS TVC Kerala Exp	PUNE KZJ Exp	Stn. Code
Mon, Thu	Thu	Tue	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Fri	
Tue, Fri	Sat	Wed	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sat	
13.55	13.55	13.55		14.15	14.35	14.55		15.10	15.25	15.40	BPQ
14.00	14.00	14.00		14.20	14.40	15.00	16.00	15.15	15.30	15.45	
13.45	13.45	13.45		14:05	14:25	14.45		15:00	15:15	15.30	
14:10	14:10	14:10		14:30	14:50	15:10	16:11 16:12	15:25	15:40	15:55	MAGH
							16.10				
14:15	14:15	14:15		14:35	14:55	15:15	16:18	15:30	15:45	16:00	VHGN
14:20	14:20	14:20		14:40	15:00	15:20	16.25 16.26	15:35	15:50	16:05	WIRR
				E-4	T-4	T-4	16.20	T-4	T-4	T-4	
14:25	14:25	14:25		14:50	15:10	15:30	16.36 16.37	15:45	16:00	16:15	MKDI
							16.30				
14:31	14:31	14:31		14:56	15:16	15:36	16.46 16.47	15:51	16:06	16:21	SRUR
							16.40				
14:42		14:42		15:07	15:27	15:47	16:59	16:02		16:32	SKZR
14:43	14:43	14:43	14.50	15:08	15:28	15:48	17:00	16:03	16:16	16:33	
14.30		14.30		15.00	15.20	15.40	16.50	15.52		16.24	
E6 15:01	E6 15:01	E6 15:01	E6 15:11	E6 15:26	E6 15:46	E6 16:07	17:17 17:18	E6 16:21	E6 16:33	E6 16:53	ASAF
							17.00				

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		22706 LHB	16368 LHB	16318 LHB	20494 LHB	16032 LHB	17006 LHB	17008 LHB	17322 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		JAT- TPTY Ham- sagar Exp	BNRS CAPE Exp	SVDK CAPE Him Sagar Exp	CDG MDU Exp	SVDK MAS Anda- man Exp	RXL HYB Exp	DBG SC Exp	JSME VSG Exp
		Days of service from Originating Stn.		Fri	Sun	Mon	Mon, Fri	Tue, Fri, Sat	Sun	Tue, Fri	Mon
		Days of service at Station entering the Sec.		Sat	Mon	Wed	Tue Sat	Thu, Sun, Mon	Mon	Wed, Sat	Tue
230.45	13.88	Rechni Road 235/16-18 <i>IBS</i>	a								
			d	14:18	14:18	14:38	14:38	14:38	14:54	14:54	14:54
240.85	10.40	Bellampalli 244/26-28 <i>IBS</i>	a					14:45			
			d	14:23	14:23	14:46	14:46	14:46	15:01	15:01	15:01
250.25	9.36	Mandamari	a								
			d	14:28	14:28	14:52	14:52	14:52	15:07	15:07	15:07
254.00	3.75	Ravindrakhani (D)	a								
			d								
260.54	6.54	Manchiryal 264/18-265/18 <i>Godavari Bridge</i>	a					15:00	15:15	15:15	15:15
			d	14:34	14:34	15:01	15:01	15:01	15:16	15:16	15:16
269.58	9.04	Peddampet	a	E-6	E-6	E-6	E-6	E-6	E-6	E-6	E-6
			d	14:46	14:46	15:14	15:14	15:14	15:29	15:29	15:29
274.25	4.67	Ramgundam 280/20 <i>IBS</i>	a			15:19	15:19	15:19		15:35	
			d	14:50	14:50	15:20	15:20	15:20	15:36	15:36	15:36
283.67	9.42	Raghavapuram 288/2-4 <i>IBS</i>	a	T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5
			d	15:00	15:00	15:31	15:31	15:31	15:48	15:48	15:48
291.73	8.06	Peddapalli	a					15:37	15:55		
			d	15:05	15:05	15:38	15:38	15:38	15:56	15:56	15:56
			s					15:10	\$15.00		

BALHARSHAH - KAZIPET

DN

16094 LHB	16788 LHB	15023 LHB	12758 LHB	20806 LHB	12616 LHB	12655 LHB	17004 MEMU	12792 LHB	12626 LHB	22151 LHB	
LJN MAS Exp	SVDK TEN Navyug Exp	GKP YPR Exp	SKZR SC Kagaz- nagar Exp	NDLS VSKP AP AC Exp	NDLS MAS GT Exp	ADI MAS Nav- jeevan Exp	BPQ KZJ Ramgiri	DNR SC Exp	NDLS TVC Kerala Exp	PUNE KZJ Exp	Stn. Code
Mon, Thu	Thu	Tue	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Fri	
Tue, Fri	Sat	Wed	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sat	
15:08	15:08	15:08	15:18	15:34	15:53	16:14	17:27	16:28	16:40	17:00	RECH
15:15			15:25		16:01		17:35	16:35			BPA
15:16	15:16	15:16	15:26	15:39	16:02	16:19	17:36	16:36	16:46	17:08	
15:05			15:20		15:45		17:25	16:21			
15:22	15:22	15:22	15:32	15:44	16:09	16:25	17:43	16:42	16:52	17:14	MMZ
			15:38 15:39				17:49 17:50				RVKH
			15:30				17:40				
15:29			15:45		16:17	16:32	18:00 12622 12214	16:50		17:22	MCI
15:30	15:30	15:30	15:46	15:56	16:18	16:33	18:30	16:51	17:01	17:23	
15:18			15:40		16:00	16:15	18:00	16:35		\$17.02	
E-6 15:43	E-6 15:43	E-6 15:43	T-5 15:59	E-4 16:08	E-6 16:31	E-6 16:47		E-6 17:03	E-6 17:13	E-6 17:36	PPZ
15:48	15:48		16:05	16:15	16:37		18:50	17:08	17:18	17:42	RDM
15:49	15:49	15:49	16:06	16:16	16:38	16:52	18:51	17:09	17:19	17:43	
15:28	15:28		15:55	15:50	16:10		18:20	16:45	17:00	17:13	
E-5 16:01	E-5 16:01	E-5 16:01	T-5 16:17	T-5 16:27	T-5 16:49	T-5 17:02		T-5 17:20	T-5 17:32	T-5 17:55	RGPM
16:07			16:23	16:33		17:09	19:09	17:27		18:02	PDPL
16:08	16:08	16:08	16:24	16:34	16:55	17:10	19:10	17:28	17:38	18:03	
15:42			16:10	16:10		\$16.45	18:40	17:00		17:29	

\$ experimental stoppage

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		22706 LHB	16368 LHB	16318 LHB	20494 LHB	16032 LHB	17006 LHB	17008 LHB	17322 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		JAT- TPTY Ham- sagar Exp	BNRS CAPE Exp	SVDK CAPE Him Sagar Exp	CDG MDU Exp	SVDK MAS Anda- man Exp	RXL HYB Exp	DBG SC Exp	JSME VSG Exp
		Days of service from Originating Stn.		Fri	Sun	Mon	Mon, Fri	Tue, Fri, Sat	Sun	Tue, Fri	Mon
		Days of service at Station entering the Sec.		Sat	Mon	Wed	Tue Sat	Thu, Sun, Mon	Mon	Wed, Sat	Tue
305.29	13.56	Kolanur <i>311/4-6 IBS</i>	a								
			d	15:12	15:12	15:47	15:47	15:47	16:05	16:05	16:05
			s								
310.80	5.51	Odela (D)	a								
			d								
314.22	3.42	Potkapalli <i>319/12-30 Manair Bridge</i> <i>318/10-12 IBS</i>	a								
			d	15:17	15:17	15:52	15:52	15:52	16:10	16:10	16:10
			s								
324.64	10.42	Bisugirshariff (C)	a	T-5	T-5	T-5	T-5	T-5	T-5	T-5	T-5
			d	15:23	15:23	16:02	16:02	16:02	16:20	16:20	16:20
			s								
330.98	6.34	Jamikunta <i>334/5-4 Maddapalli Bridge</i>	a					16:07			
			d	15:28	15:28	16:08	16:08	16:08	16:25	16:25	16:25
			s					15.35			
342.97	11.99	Uppal <i>343/12-344/1 Uppalnala</i>	a			E-7	E-7	E-7	E-7	E-7	E-7
			d	15:35	15:35	16:21	16:21	16:21	16:32	16:32	16:32
			s								
354.74	11.77	Hasanparti Road <i>360/24-26 IBS</i>	a								
			d	15:42	15:42	16:28	16:28	16:28	16:39	16:39	16:39
			s								
366.86	5.86	Kazipet Town (F)			17:08	16:52	16:52	16:52			
		Kazipet Jn.	a	15.55					16:55	16:55	16:55
			d	15.57					16:57	16:57	16:57
			s	15.50					16:30	16:30	16:30

BALHARSHAH - KAZIPET

DN

16094 LHB	16788 LHB	15023 LHB	12758 LHB	20806 LHB	12616 LHB	12655 LHB	17004 MEMU	12792 LHB	12626 LHB	22151 LHB	
LJN MAS Exp	SVDK TEN Navyug Exp	GKP YPR Exp	SKZR SC Kagaz- nagar Exp	NDLS VSKP AP AC Exp	NDLS MAS GT Exp	ADI MAS Nav- jeevan Exp	BPQ KZJ Ramgiri	DNR SC Exp	NDLS TVC Kerala Exp	PUNE KZJ Exp	Stn. Code
Mon, Thu	Thu	Tue	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Fri	
Tue, Fri	Sat	Wed	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Sat	
16:17	16:17	16:17	16:32	16:42	17:02	17:18	19:19 19:20	17:36	17:46	18:12	KOLR
							18:55				
			16:37 16:38				19:27 19:28				OEA
			16:20				19:05				
16:23	16:23	16:23	16:45	16:55	17:07	17:23	19:36 19:37	17:41	17:51	18:18	PTKP
							19:15				
E-2 16:32	E-2 16:32	E-2 16:32	16:55	T-5 17:05	T-5 17:17	T-5 17:33	19:45 19:46	T-5 17:51	T-5 18:01	T-5 18:28	BGSF
			E-5				19:25				
16:38 16:39	16:39	16:39	17:01 17:02	17:12	17:22	17:39	19:53 19:54	17:57 17:58	18:08	18:35	JMKT
16:10			16:40				19:35	\$17.25			
			E-7	T-7	E-7	E-7		E-7	E-7	E-7	
16:47	16:47	16:47	17:17 17:18	17:28	17:38	17:53	20:04 20:05	18:14	18:24	18:50	OPL
			16:50				19:45				
							E-10				
16:53	16:53	16:53	17:26	17:36	17:46	18:00	20:20 12851G 20:45	18:21	18:31	18:57	HSP
							19:55				
17:08	17:08			17:50	18:05	18:20			18:48		KZJF
		17:10 17:12	18:05 18:07				21:00	18.35 18.37		19.20	KZJ
		16.45	17:40					18.25			

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		12622 LHB	12214 LHB	15293 LHB	12851 LHB	22536 LHB	12762 LHB	12976 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NDLS MAS Tamil - nadu Exp	DEE YPR Durlonto Exp	MFP CHZ Amrith Barath Exp	BSP MAS Exp	BNRS RMM Exp	KRMR TPTY Exp	JP MYS Exp
		Days of service from Originating Stn.		Daily	Mon	Tue	Sun	Sun	Thu, Sun	Mon, Wed
		Days of service at Station entering the Sec.		Daily	Tue	Wed	Sun	Mon	Thu, Sun	Tue, Thu
132.40		Balharshah <i>137/1-5 Wardha Bridge</i>	a	16.35	16.50	17.25	17.20	17.20		18.00
			d	16.40	16.55	17.30	17.30	17.25		18.05
			s	16:25	16:40	17.25	17:15	17.10		17:50
141.91	9.51	Manikgarh	a							
			d	16:50	17:05	17:40	17:40	17:40		18:15
			s							
150.55	8.64	Wihirgaon <i>158/22-28 Wirur Bridge</i>	a							
			d	16:55	17:10	17:45	17:45	17:45		18:20
			s							
159.84	9.29	Wirur	a							
			d	17:00	17:15	17:50	17:50	17:50		18:25
			s	T-2E-2	E-4					T-4
172.73	12.89	Makudi <i>178/38 IBS</i>	a							
			d	17:10	17:25	17.55	17.55	17.55		18:35
			s							
184.09	11.36	Sirpur Town <i>193/20-22 IBS Chanda & Koya Bridge</i>	a							
			d	17:16	17:31	18.01	18.01	18.01		18:41
			s							
202.18	8.10	Sirpur Kaghaznagar <i>208/14-24 Bibara Bridge 208/5-7 IBS</i>	a			18:12	18:12	18:12		18:52
			d	17:26	17:41	18:13	18:13	18:13		18:53
			s			18.05	18.05	18.05		18.40
216.57	14.39	Asifabad Road <i>224/6-8 IBS</i>	a	E-6	E-6	E-6	E-6	E-6		E-6
			d	17:43	17:58	18:32	18:32	18:32		19:11
			s							

BALHARSHAH - KAZIPET

DN

12968 LHB	12970 LHB	22815 LHB	22619 LHB	05074 LHB	22684 LHB	22670 LHB	12194 LHB	12252 LHB	22404 LHB	Stn. Code
JP MAS Exp	JP CBE Exp	BSP ERS Exp	BSP TEN Exp	LKU- SBC TOD	LKO YPR Exp	PNBE ERS Exp	JBP YPR Exp	KRBA YPR Wain Ganga Exp	NDLS PDY Exp	
Fri, Sun	Tue	Mon	Tue	Sat	Thu	Tue	Sat	Thu, Sun	Sun	
Sat, Mon	Wed	Mon	Tue	Sun	Fri	Wed	Sat	Thu, Sun	Mon	BPQ
18.00	18.00	18.40	18.40	18.40	19.05	19.05	19.05	18.55	19.05	
18.05	18.05	18.45	18.45	18.45	19.10	19.10	19.10	19.10	19.10	
17.50	17.50	18.30	18.30	18.40	18:55	18.55	18:55	18:55	18.55	MAGH
18:15	18:15	18:55	18:55	18:55	19:20	19:20	19:20	19:20	19:20	
18:20	18:20	19:00	19:00	19:00	19:25	19:25	19:25	19:25	19:25	VHGN
18:25	18:25	19:05	19:05	19:05	19:30	19:30	19:30	19:30	19:30	WIRR
T-4	T-4	T-4	T-4	T-4	E-4	E-4	E-4	E-4	E-4	
18:35	18:35	19:15	19:15	19:15	19:40	19:40	19:40	19:40	19:40	MKDI
18:41	18:41	19:21	19:21	19:21	19:46	19:46	19:46	19:46	19:46	SRUR
18:52	18:52	19:32		19:32	19:57		19:57		19:57	SKZR
18:53	18:53	19:33	19:33	19:33	19:58	19:58	19:58	19:58	19:58	
18.40	18.40	19.20		19.20	19.50		19.50		19.50	
E-6	E-6	E-6	E-6	E-6	E-6	E-6	E-6	E-6	E-6	ASAF
19:11	19:11	19:51	19:51	19:51	20:17	20:17	20:17	20:17	20:17	

Kms from Wardha	Inter Distance in Kms	Train No.		12622 LHB	12214 LHB	15293 LHB	12851 LHB	22536 LHB	12762 LHB	12976 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NDLS MAS Tamil - nadu Exp	DEE YPR Duronto Exp	MFP CHZ Amrith Barath Exp	BSP MAS Exp	BNRS RMM Exp	KRMR TPTY Exp	JP MYS Exp
		Days of service from Originating Stn.		Daily	Mon	Tue	Sun	Sun	Thu, Sun	Mon, Wed
		Days of service at Station entering the Sec.		Daily	Tue	Wed	Sun	Mon	Thu, Sun	Tue, Thu
230.45	13.88	Rechni Road <i>235/16-18 IBS</i>	a							
			d	17:50	18:05	18:39	18:39	18:39		19:18
			s							
240.85	10.40	Bellampalli <i>244/26-28 IBS</i>	a			18:46				19:25
			d	17:56	18:10	18:47	18:47	18:47		19:26
			s			18.35				19.05
250.25	9.36	Mandamari	a							
			d	18:01	18:15	18:54	18:54	18:54		19:33
			s							
254.00	3.75 3.75	Ravindrakhani (D)	a							
			d							
			s							
260.54	6.54	Manchiryal <i>264/18-265/18 Godavari Bridge</i>	a							19:41
			d	18:08	18:21	19:03	19:03	19:03		19:42
			s	E-6		E-6	E-6	E-6		19.20
269.58	9.04	Peddampet	a	18:20						E-6
			d	12214 18:33	18:28	19:14	19:14	19:14		19:55
			s							
274.25	4.67	Ramgundam <i>280/20 IBS</i>	a			19:20		19:20		
			d	18:41	18:31	19:21	19:21	19:21		20:00
			s			19.00		19.00		
283.67	9.42	Raghavapuram <i>288/2-4 IBS</i>	a	E-5		T-5	T-5	T-5		T-5
			d	18:51	18:37	19:32	19:32	19:32		20:10
			s							
291.73	8.06	Peddapalli	a			19:39			19:55	
			d	18:56	18:42	19:40	19:40	19:40	20:25	20:15
			s			19.10			20.05	

BALHARSHAH - KAZIPET

DN

12968 LHB	12970 LHB	22815 LHB	22619 LHB	05074 LHB	22684 LHB	22670 LHB	12194 LHB	12252 LHB	22404 LHB	Stn. Code
JP MAS Exp	JP CBE Exp	BSP ERS Exp	BSP TEN Exp	LKU- SBC TOD	LKO YPR Exp	PNBE ERS Exp	JBP YPR Exp	KRBA YPR Wain Ganga Exp	NDLS PDY Exp	
Fri, Sun	Tue	Mon	Tue	Sat	Thu	Tue	Sat	Thu, Sun	Sun	
Sat, Mon	Wed	Mon	Tue	Sun	Fri	Wed	Sat	Thu, Sun	Mon	RECH
19:18	19:18	19:58	19:58	19:58	20:24	20:24	20:24	20:24	20:24	
19:26	19:25 19:26	20:04	20:04	20:04	20:32	20:31 20:32	20:32	20:32	20:32	BPA
	19.05					20.05				
19:33	19:33	20:09	20:09	20:09	20:39	20:39	20:39	20:39	20:39	MMZ
										RVKH
19:41	19:41			20:17		20:47				
19:42	19:42	20:18	20:18	20:18	20:48	20:48	20:48	20:48	20:48	
19.20	19.20			20.00		20.20				MCI
E-6	E-6	E-6	E-6	E-6						
19:55	19:55	20:31	20:31	20:31	20:56	20:56	20:56	20:56	20:56	
										PPZ
20:00	20:00	20:36	20:36	20:36	21:02 21:03	21:02 21:03	21:02 21:03	21:03	21:03	RDM
					20.40	20.40	20.40			
T-5 20:10	T-5 20:10	T-5 20:46	T-5 20:46	T-5 20:46	21:10	21:10	21:10	21:10	21:10	RGPM
20:15	20:15	20:53	20:53	20:52 20:53	21:15	21:15	21:15	21:15	21:15	PDPL
				20.20						

Kms from Wardha	Inter Distance in Kms	Train No.		12622 LHB	12214 LHB	15293 LHB	12851 LHB	22536 LHB	12762 LHB	12976 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		NDLS MAS Tamil - nadu Exp	DEE YPR Durlanto Exp	MFP CHZ Amrith Barath Exp	BSP MAS Exp	BNRS RMM Exp	KRMR TPTY Exp	JP MYS Exp
		Days of service from Originating Stn.		Daily	Mon	Tue	Sun	Sun	Thu, Sun	Mon, Wed
		Days of service at Station entering the Sec.		Daily	Tue	Wed	Sun	Mon	Thu, Sun	Tue, Thu
305.29	13.56	Kolanur 311/4-6 IBS	a							
			d	19:03	18:49	19:48	19:48	19:48	20:35	20:22
			s							
310.80	5.51	Odela (D)	a							
			d							
			s							
314.22	3.42	Potkapalli 319/12-30 Manair Bridge 318/10-12 IBS	a							
			d	19:09	18:55	19:53	19:53	19:53	20:40	20:27
			s							
324.64	10.42	Bisugirshariff (C)	a			T-5	T-5	T-5		T-5
			d	19:15	19:00	20:03	20:03	20:03	20:47	20:37
			s							
330.98	6.34	Jamikunta 334/5-4 Maddapalli Bridge	a						20:54	
			d	19:20	19:05	20:09	20:09	20:09	20:55	20:42
			s						20:30	
342.97	11.99	Uppal 343/12-344/1 Uppalnala	a			E-7	E-7	E-7		E-7
			d	19:27	19:12	20:23	20:23	20:23	21:06	20:56
			s							
354.74	11.77	Hasanparti Road 360/24-26 IBS	a							
			d	19:35	19:19	20:30	20:30	20:30	21:13	21:03
			s							
366.86	5.86	Kazipet Town (F)	a						T-10	
			d	19:50			20:45	20:45	21:40	21:23
			s							
366.86	5.86	Kazipet Jn.	a		19:35	20:43				21:48
			d			20:45				21:50
			s			20:10				21:20

BALHARSHAH - KAZIPET

DN

12968 LHB	12970 LHB	22815 LHB	22619 LHB	05074 LHB	22684 LHB	22670 LHB	12194 LHB	12252 LHB	22404 LHB	Stn. Code
JP MAS Exp	JP CBE Exp	BSP ERS Exp	BSP TEN Exp	LKU- SBC TOD	LKO YPR Exp	PNBE ERS Exp	JBP YPR Exp	KRBA YPR Wain Ganga Exp	NDLS PDY Exp	
Fri, Sun	Tue	Mon	Tue	Sat	Thu	Tue	Sat	Thu, Sun	Sun	
Sat, Mon	Wed	Mon	Tue	Sun	Fri	Wed	Sat	Thu, Sun	Mon	KOLR
20:22	20:22	21:02	21:02	21:02	21:27	21:27	21:27	21:27	21:27	
										OEA
20:27	20:27	21:07	21:07	21:07	21:32	21:32	21:32	21:32	21:32	PTKP
T-5	T-5	T-5	T-5	T-5						BGSF
20:37	20:37	21:17	21:17	21:17	21:37	21:37	21:37	21:37	21:37	
20:42	20:42	21:22	21:22	21:22	21:43	21:43	21:43	21:43	21:43	JMKT
E-7 20:56	E-7 20:56	E-7 21:36	E-7 21:36	E-7 21:36	21:50	21:50	21:50	21:50	21:50	OPL
21:03	21:03	21:43	21:43	21:43	21:57	21:57	21:57	21:57	21:57	HSP
T-10 21:40	T-10 21:40	22:11	22:11	22:11	`	22:11			22:45	KZJF
					22.20 22.22		22.20 22.22	22.20 22.22		KZJ
					22.05		22.05	22.05		

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		22632 LHB	22673 LHB	20481 LHB	12540 LHB	04717 ICF	12296 LHB	20498 LHB	12722 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BKN MDU Anuv Rath Exp	BGKT MQ Exp	BGKT- TPJ Exp	LKO YPR Exp	HSR TPTY TOD	DNR SMVB Sanga- mithra Exp	FZR- RMM Humsaf ar Exp	NZM HYB Dakshi n Exp
		Days of service from Originating Stn.		Sun	Thu	Wed	Fri	Sun	Daily	Sat	Daily
		Days of service at Station entering the Sec.		Mon	Fri	Thu	Sat	Mon	Daily	Sun	Daily
132.40	9.51	Balharshah <i>137/1-5 Wardha Bridge</i>	a	19.30	19.30	19.30	19.30	19.30	20.15	20.25	21.05
			d	19.35	19.35	19.35	19.35	19.35	20.20	20.30	21.10
			s	19.20	19.20	19.20	19.10	19.30	20.10	20.20	21.00
141.91	8.64	Manikgarh	a								
			d	19.45	19.45	19.45	19.45	19.45	20.30	20.40	21.20
			s								
150.55	9.29	Wihirgaon <i>158/22-28 Wirur Bridge</i>	a								
			d	19.50	19.50	19.50	19.50	19.50	20.35	20.45	21.25
			s								
159.84	12.89	Wirur	a								
			d	19.55	19.55	19.55	19.55	19.55	20.40	22.50	21.30
			s	T-4	T-4	T-4	T-4	T-4		T-4	
172.73	11.36	Makudi <i>178/38 IBS</i>	a								
			d	20.05	20.05	20.05	20.05	20.05	20.45	21.00	21.36
			s								
184.09	8.10	Sirpur Town <i>193/20-22 IBS Chanda & Koya Bridge</i>	a								
			d	20.11	20.11	20.11	20.11	20.11	20.51	21.06	21.42
			s								
202.18	14.39	Sirpur Kaghaznagar <i>208/14-24 Bibara Bridge 208/5-7 IBS</i>	a	20.22	20.22			20.22	21.03		21.54
			d	20.23	20.23	20.23	20.23	20.23	21.04	21.16	21.55
			s	20.10	20.10			20.10	\$20:50		21.50
216.57		Asifabad Road 224/6-8 IBS	a	E-6	E-6	E-6	E-6	E-6		E-6	E-6
			d	20.41	20.41	20.41	20.41	20.41	21.18	21.33	22.14
			s								

\$ experimental stoppage

A 223 (SC)

BALHARSHAH - KAZIPET

DN

22351 LHB	12577 LHB	20804 LHB	20820 LHB	03679 ICF	22353 LHB	12670 LHB	22614 LHB	Stn. Code
SHC- PPTA SMVB Exp	DBG MYS Bagh- mathi Exp	GIMB VSKP Exp	OKHA PURI Exp	GAYA CBE TOD	PNBE SMVB Humsaf ar Exp	CPR MAS Ganga Kaveri Exp	AYC RMM Shradh a Sethu Exp	
Fri	Tue	Sun	Wed	Sat	Thu	Mon, Wed	Wed	
Sat	Wed	Mon	Thu	Sun	Fri	Tue, Thu	Fri	
21.15	21.15	21.20	21.20	21.20	21.15	22.20	23.05	BPQ
21.25	21.25	21.25	21.25	21.25	21.25	22.25	23.10	
21.10	21.10	21.10	21.10	21.15	21.10	22.10	22.50	
21:35	21:35	21:35	21:35	21:35	21:35	22:35	23:20	MAGH
21:40	21:40	21:40	21:40	21:40	21:40	22:40	23:25	VHGN
21:45	21:45	21:45	21:45	21:45	21:45	22:45	23:30	WIRR
E-4	E-4	E-4	E-4	E-4	E-4		T-4	
21:55	21:55	21:55	21:55	21:55	21:55	22:51	23:40	MKDI
22:01	22:01	22:01	22:01	22:01	22:01	22:57	23:46	SRUR
22:12		22:12	22:12	22:12		23:09		SKZR
22:13	22:13	22:13	22:13	22:13	22:13	23:10	23:57	
22.05		22.05	22.05	22.05		23.00		
E-6	E-6	E-6	E-6	E-6	E-6	E-6	E-6	ASAF
22:31	22:31	22:31	22:31	22:31	22:31	23:28	00:15	

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		22632 LHB	22673 LHB	20481 LHB	12540 LHB	04717 ICF	12296 LHB	20498 LHB	12722 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BKN MDU Anuv Rath Exp	BGKT MQ Exp	BGKT- TPJ Exp	LKO YPR Exp	HSR TPTY TOD	DNR SMVB Sanga- mithra Exp	FZR- RMM Humsaf ar Exp	NZM HYB Dakshi n Exp
		Days of service from Originating Stn.		Sun	Thu	Wed	Fri	Sun	Daily	Sat	Daily
		Days of service at Station entering the Sec.		Mon	Fri	Thu	Sat	Mon	Daily	Sun	Daily
230.45	13.88	Rechni Road 235/16-18 <i>IBS</i>	a								
			d	20:48	20:48	20:48	20:48	20:48	21:25	21:40	22:21
			s								
240.85	10.40	Bellampalli 244/26-28 <i>IBS</i>	a								22:28
			d	20:55	20:55	20:55	20:55	20:55	21:31	21:47	22:29
			s								22.20
250.25	9.36	Mandamari	a								
			d	21:01	21:01	21:01	21:01	21:01	21:37	21:54	22:36
			s								
254.00	3.75	Ravindrakhani (D)	a								
			d								
			s								
260.54	6.54	Manchiryal 264/18-265/18 Godavari Bridge	a								22:44
			d	21:09	21:09	21:09	21:09	21:09	21:44	22:02	22:45
			s								22.30
269.58	9.04	Peddampet	a								E-6
			d	21:17	21:17	21:17	21:17	21:17	21:51	22:10	22:57
			s						E-10		
274.25	4.67	Ramgundam 280/20 <i>IBS</i>	a	21:23	21:23				22:08 20973		23:02
			d	21:24	21:24	21:24	21:24	21:24	22:22	22:15	23:03
			s	21.00	21.00				21.45		22.40
283.67	9.42	Raghavapuram 288/2-4 <i>IBS</i>	a								
			d	21:31	21:31	21:31	21:31	21:31	22:30	22:20	23:10
			s								
291.73	8.06	Peddapalli	a		21:37						23:17
			d	21:38	21:38	21:38	21:38	21:38	22:35	22:25	23:18
			s		21.13						\$22:55

\$ experimental stoppage

A 225 (SC)

BALHARSHAH - KAZIPET

DN

22351 LHB	12577 LHB	20804 LHB	20820 LHB	03679 ICF	22353 LHB	12670 LHB	22614 LHB	Stn. Code
SHC- PPTA SMVB Exp	DBG MYS Bagh- mathi Exp	GIMB VSKP Exp	OKHA PURI Exp	GAYA CBE TOD	PNBE SMVB Humsaf ar Exp	CPR MAS Ganga Kaveri Exp	AYC RMM Shradh a Sethu Exp	
Fri	Tue	Sun	Wed	Sat	Thu	Mon, Wed	Wed	
Sat	Wed	Mon	Thu	Sun	Fri	Tue, Thu	Fri	
22:38	22:38	22:38	22:38	22:38	22:38	23:35	00:22	RECH
22:45	22:45	22:45	22:45	22:45	22:45	23:42	00:28	BPA
22:53	22:53	22:53	22:53	22:53	22:53	23:48	00:34	MMZ
								RVKH
23:01	23:01	23:01	23:00 23:01 22.45	23:00 23:01 22.45	23:01	23:55	00:42	MCI
23:08	23:08	23:08	23:08	23:08	23:08	E-6 00:07	E-6 00:54	PPZ
23:15	23:15	23:15	23:15					RDM
23:16	23:16	23:16	23:16	23:16	23:16	00:12	00:59	
23.00	23.00	23.00	23.00					
23:23	23:23	23:23	23:23	23:23	23:23	T-5 00:22	T-5 01:10	RGPM
23:28	23:28	23:28	23:28	23:27 23:28	23:28	00:27	01:15	PDPL
				23:10				

BALHARSHAH - KAZIPET

DN

Kms from Wardha	Inter Distance in Kms	Train No.		22632 LHB	22673 LHB	20481 LHB	12540 LHB	04717 ICF	12296 LHB	20498 LHB	12722 LHB
		FROM - TO / TRAIN NAME / TRAIN TYPE		BKN MDU Anuv Rath Exp	BGKT MQ Exp	BGKT- TPJ Exp	LKO YPR Exp	HSR TPTY TOD	DNR SMVB Sanga- mithra Exp	FZR- RMM Humsaf ar Exp	NZM HYB Dakshi n Exp
		Days of service from Originating Stn.		Sun	Thu	Wed	Fri	Sun	Daily	Sat	Daily
		Days of service at Station entering the Sec.		Mon	Fri	Thu	Sat	Mon	Daily	Sun	Daily
305.29	13.56	Kolanur 311/4-6 IBS	a								
			d	21:46	21:46	21:46	21:46	21:46	22:42	22:32	23:27
			s								
310.80	13.56	Odela (D)	a								
			d								
			s								
314.22	3.42	Potkapalli 319/12-30 Manair Bridge 318/10-12 IBS	a								
			d	21:52	21:52	21:52	21:52	21:52	22:48	22:38	23:33
			s								
324.64	10.42	Bisugirshariff (C)	a								
			d	21:57	21:57	21:57	21:57	21:57	22:53	22:43	23:39
			s								
330.98	6.34	Jamikunta 334/5-4 Maddapalli Bridge	a								23:44
			d	22:03	22:03	22:03	22:03	22:03	22:58	22:48	23:45
			s								\$23.20
342.97	11.99	Uppal 343/12-344/1 Uppalnala	a								E-7
			d	22:10	22:10	22:10	22:10	22:10	23:05	22:55	23:59
			s								
354.74	11.77	Hasanparti Road 360/24-26 IBS	a								
			d	22:17	22:17	22:17	22:17	22:17	23:12	23:02	00:07
			s								
366.86	5.86	Kazipet Town (F) Kazipet Jn.	d	23:18	22:45	22:45	22:45	22:45	23:33	23:18	
			a								00:28
			d								00:30
			s								00:20

\$ experimental stoppage

A 227 (SC)

BALHARSHAH - KAZIPET

DN

22351 LHB	12577 LHB	20804 LHB	20820 LHB	03679 ICF	22353 LHB	12670 LHB	22614 LHB	Stn. Code
SHC- PPTA SMVB Exp	DBG MYS Bagh- mathi Exp	GIMB VSKP Exp	OKHA PURI Exp	GAYA CBE TOD	PNBE SMVB Humsaf ar Exp	CPR MAS Ganga Kaveri Exp	AYC RMM Shradh a Sethu Exp	
Fri	Tue	Sun	Wed	Sat	Thu	Mon, Wed	Wed	
Sat	Wed	Mon	Thu	Sun	Fri	Tue, Thu	Fri	
23:37	23:37	23:37	23:37	23:37	23:37	00:34	01:22	KOLR
								OEA
23:43	23:43	23:43	23:43	23:43	23:43	00:40	01:29	PTKP
23:49	23:49	23:49	23:49	23:49	23:49	T-5 00:50	T-5 01:39	BGSF
23:55	23:55	23:55	23:55	23:55	23:55	00:55	01:45	JMKT
00:08	00:08	00:08	00:08	00:08	00:08	E-7 01:09	E-7 02:00	OPL
00:17	00:17	00:17	00:17	00:17	00:17	01:18	02:07	HSP
							T-15	
00:28	00:28	00:28	00:28	00:28	00:28	01:35	02:38	KZJF
								KZJ

PEDDADPALLI - NIZAMABAD

Total Kms	System of Working	Traction
PDPL-NZB: 177.80	Absolute	Electric

No. of Stations	Critical Block Section	Notice Stations	Inter Change Points	Stations with End Cabins
Block Stns: 10 B-Class Stns: 10 C-Class stns: NIL D-Class Stns: 01 Spl Class Stns: NIL	Karimnagar-Sultanabad	PDPL KRMR NZB	NZB with HYB Division of SCRly	NIL

LINE CAPACITY

Section	Chartered	Effective	Utilisation	% of Utilisation
PDPL-NZB	18	16	17	105

Axle Load	Sectional Speed	Engg. Allowance
22.9 (Tonnes)	110 Kmph	11Mins

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
PDPL-NZB	178.97	Single	1 in 150	2.64	1 in 100	2.64

INTER-SECTIONALBARERUNNINGTIME:PDPL-NZB-PDPL				
Passenger 100 Kmps	Loaded Freight Trains 60 Kmps	STATIONS	Loaded Freight Trains 60 Kmps	Passenger 110 Kmps
		Speed in KMPH		
-	-	Peddapalli	25	10
10	25	Sultanabad	30	20
20	30	Karimnagar	35	20
20	35	Ganadhara	20	10
10	20	Nukapalli Malyal	25	15
15	25	LingampetJagit yal	35	17
17	35	Korutla	20	10
10	20	Metpalli	35	20
20	35	Mortad	30	15
15	30	Armoor	45	20
20	45	Nizamabad	--	-
157	300	Total	300	157

NIZAMABAD - PEDDAPALLI

UP

Kms from Peddapalli	Inter Distance in Kms	Train No.		12762	67774	67772	77649	STN CODE
		FROM - TO / TRAIN NAME / TRAIN TYPE		KRMR- TPTY Exp	BDHN- KRMR MEMU	KRMR- SRUR MEMU	KCG- KRMR DEMU	
		Days of service at Stn. entering the Sec.		Thu, Sun	Daily	Daily	Daily	
178.36	29.66	Nizamabad	a d s		04:45 05:00 05:00		10:43 10:50 10:25	NZB
148.70	15.8	Armur	a d s		05:24 05:25 05:20		11:22 11:23 10:50	ARMU
132.90	20.84	Mortad	a d s		05:44 05:45 05:35		11:40 11:41 11:10	MRTD
112.06	8.28	Metpalli	a d s		06:09 06:10 05:55		12:03 12:04 11:35	MTPI
103.79	21.04	Koratla	a d s		06:24 06:24 06:10		12:16 12:17 11:48	KRLA
82.75	10.11	Lingampet Jagityal	a d s		06:45 06:46 06:30		12:39 12:40 12:10	LPJL
72.64	16.12	Nukapalli Malyal	a b s		07:00 07:01 06:45		12:52 12:54 12:23	NMPL
56.52	21.6	Gangadhara	a d s		07:19 07:20 07:00 E11T4		13:14 13:15 12:40 E11 T15	GDRA
34.92	22.56	Karimnagar	a d s	19.15	07:55	08:00	14:00	KRMR
12.36	12.36	Sulthanabad	a d s	19:40		08:35 08:36 08:25		STBD
0	—	Peddapalli	a d s	19:55 20:25 20:05		08:53 08:55 08:45		PDPL

PEDDAPALLI - NIZAMABAD

DN

Kms from Peddapalli	Inter Distance in Kms	Train No.		12761	67771	67773	77650	STN CODE
		FROM - TO / TRAIN NAME / TRAIN TYPE		TPTY- KRM Exp	SRUR- KRM MEMU	KRM- BDHN MEMU	KRM- KCG DEMU	
		Days of service at Stn. entering the Sec.		Thu, Sun	Daily	Daily	Daily	
0.00	--	Peddapalli	a d s	07:00 07:20 06:50	13:30 13:32 13:00			PDPL
12.36	12.36	Sulthanabad	a d s	07:50	13:55 13:56 13:10 E2 T8			STBD
34.92	22.56	Karimnagar	a d s	08.40	14.30	14:50	14:20	KRM
56.52	21.6	Gangadhara	a d s			15:20 15:21 15:15	14:44 14:45 14:40	GDRA
72.64	16.12	Nukapalli Malyal	a d s			15:34 15:35 15:25	14:59 15:00 14:50	NMPL
82.75	26.23	Lingampet Jagityal	a d s			15:54 15:55 15:40	15:14 15:15 15:05	LPJL
103.79	21.04	Koratla	a d s			16:19 16:20 16:00	15:39 15:40 15:25	KRLA
112.06	08.28	Metpalli	a d s			16:35 16:36 16:15	15:54 15:55 15:35	MTPI
132.90	20.84	Mortad	a d s			17:00 17:01 16:35	16:19 16:20 15:55	MRTD
148.70	15.80	Armur	a d s			17:25 17:26 16:55 E11T40	16:40 16:41 16:10 E16 T20	ARMU
178.36	29.66	Nizamabad	a d s			19:10 19:15 18:45	17:55 18:00 17:30	NZB

SECTIONAL INFORMATION OF NON-COACHING SECTIONS

MANIKGARH - GHADCHANDUR (Single Line)

Total Kms	System of Working	Traction	Axle Load	Engg. Allowance
MAGH-GDCR: 27.89	Absolute	Electric	22.9 (Tonnes)	3 MIN
No. of Stns.	Critical Block Section	Notice Stns.	I/C Points	Stns. with End Cabins
05	PRPI-GDCR	MAGH	NIL	NIL

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
MAGH-GDCR	24	21	13	62

ULING GRADIENT

Section	Length (Kms)	Single/R Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
MAGH-GDCR	27.89	Single	1 in 100	NIL	1 in 100	NIL

MOTUMARI - JANPAHAD (Excl: JNPD) (Single Line)

Total Kms	System of Working	Traction	Axle Load	Engg. Allowance
MTMI-JNPD: 78.17	Absolute	Electric	22.9 (Tonnes)	5 MIN
No. of Stns.	Critical Block Section	Notice Stns.	I/C Points	Stns. with End Cabins
07	MAPA-JPTN	MTMI, JPTN	JNPD of GNT Division of SC.Rly.	NIL

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
MTMI-SSLM	24	21	12	57

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
MTMI - JNPD	78.17	Single	1 in 100	NIL	1 in 100	NIL

BHADRACHALAM ROAD - PARTHASARATHIPURAM (Single Line)

Total Kms	System of Working	Traction	Axle Load	Engg. Allowance
BDCR-PSHP: 39.25	Absolute	Electric	22.9 (Tonnes)	03 MIN
No. of Stns.	Critical Block Section	Notice Stns.	I/C Points	Stns. with End Cabins
04	CDRG-PSHP	BDCR, PSHP	NIL	NIL

LINE CAPACITY

Section	Charted	Effective	Utilisation	% of Utilisation
BDCR-PSHP	24	21	10	48

RULING GRADIENT

Section	Length (Kms)	Single/ Double	UP Gradient	Length (Kms)	DN Gradient	Length (Kms)
BDCR-PSHP	39.25	Single	1 in 100	NIL	1 in 100	NIL

CORRIDOR BLOCKS

Section: WADI- SC/HYB Dn Line

S.No.	From	To	From	To	Duration	Between Trains		Repercussion/Remarks
1	WADI	TDU	13:30	16:30	03:00	67786	18520	Nil
2	TDU	VKB	14:55	17:55	03:00	67786	18520	Nil
3	VKB	LPI	22:15	01:15	03:00	17321	17222	Nil
4	LPI	HSJ	23:00	02:00	03:00	17321	17222	Nil
5	HSJ	SC	00:00	03:00	03:00	47193	17222	T.No. 17222 to be rescheduled by 45" & 17013 by 25"
6	HSJ	HYB	00:55	03:55	03:00	12719	12722	T.No. 12722 to regulated by 30"

Section: SC/HYB-WADI Up Line

1	SC	HSJ	00:40	03:40	03:00	12719	12722	T.No. 12722 regulated by 30"
2	HYB	HSJ	23:30	02:30	03:00	17005	17011	Nil
3	HSJ	LPI	00:05	03:05	03:00	47220	17255	Nil
4	LPI	VKB	00:10	03:10	03:00	12220	12749	Nil
5	VKB	TDU	01:00	04:00	03:00	12220	17664	Nil
6	TDU	WADI	01:30	04:30	03:00	12220	17664	Nil

Section: VKB-PRLI (Single Line)

1	VKB	KOHR	03:30	06:30	03:00	17254	17001G	Nil
2	KOHR	BIDR	03:15	06:15	03:00	17254	17001G	Nil
3	BIDR	HER	05:30	08:30	03:00	17001	17426	Except on Tue(17426)
4	HER	PNF	17:45	20:45	03:00	16521	11413	Nil
5	PNF	PRLI	13:45	16:45	03:00	11414	11045	Except on Sunday(17622) & Friday(11045)

Section: KHNP-TJSP (Single Line)

1	KHNP	HIKD	20:45	23:45	03:00	77637	77634	Nil
2	HIKD	TJSP	20:00	23:00	03:00	77637	77634	Nil

Section:PDPL-NZB (Single Line)

1	NZB	KRMR	07:30	10:30	03:00	67774-77649		Nil
2	KRMR	PDPL	09:00	12:00	03:00	67772-67771		Nil

Section:BPQ-KZJ Dn line

Down Trains Can be dealt via 3rd Line where available

1	BPQ	SKZR	04:05	07:05	03:00	17036	16602	Nil
2	SKZR	BPA	05:00	08:00	03:00	17036	16602	Nil
3	BPA	PDPL	05:35	08:35	03:00	17036	16602	Nil
4	PDPL	KZJ	07:00	10:00	03:00	17036	16602	Nil

Section: KZJ-BPQ Up Line

Up Trains Can be dealt via 3rd Line where available

1	KZJ	PDPL	21:00	00:00	03:00	12656	17035	T. No 17035 to be rescheduled by 60"
2	PDPL	BPA	21:45	00:45	03:00	12656	17035	T. No 17035 to be rescheduled by 60"
3	BPA	SKZR	22:45	01:45	03:00	12656	17035	T. No 17035 to be rescheduled by 60"
4	SKZR	BPQ	23:30	02:30	03:00	12656	17035	T. No 17035 to be rescheduled by 60"

Section: KZJ-SC Up line

1	KZJ	PGDP	22:40	01:40	03:00	12252G	12722	1. 12746 To be regulated for 30" 2. 12722 To be regulated for 70"
---	-----	------	-------	-------	-------	--------	-------	--

2	PGDP	MLYC	00:00	03:00	03:00	12252G	12722	1. 12746 To be regulated for 30" 2. 12722 To be regulated for 70"
3	MLY	SC	23:45	02:45	03:00	20702	12722	Daily
Section: SC-KZJ Dn Line								
1	SC	MLY	00:10	03:10	03:00	12745	17222	T .NO. 17222 To be regulated for 20" on Fri and Mon.
2	MLY	PGDP	00:30	03:30	03:00	12784G	12975	1. 12975 To be regulated for 45" on Fri & Sun 2. 17222 To be regulated for 30" on Fri & Mon
3	PGDP	KZJ	01:00	04:00	03:00	12784	12975	T.No.12975 To be regulated for 45" on Fri & Sun
Section: KZJ-KI Dn Line								
Down Trains Can be dealt via 3rd Line where available								
1	KZJ	WL	12:45	15:45	03:00	67761	17202	T .No. 17202 To be regulated for 30"
2	WL	DKJ	12:45	15:45	03:00	20626	17202	T .No. 17202 To be regulated for 30"
3	DKJ	MTMI	14:00	17:00	03:00	20626	17202	T. No.67216 to be rescheduled for 70"
4	MTMI	KI	14:45	17:45	03:00	20626	17202	T. No.67216 to be rescheduled for 70"
Section: KI-KZJ Up Line								
Up Trains Can be dealt via 3rd Line where available								
1	KI	MTMI	19:30	22:30	03:00	20708 VNDB	22669G	1. T. No. 67768 to be cancelled 2. T.No.22669 Group to be rescheduled for 95"
2	MTMI	DKJ	20:00	23:00	03:00	20708 VNDB	22669G	1. T. No. 67768 to be cancelled 2. T.No.22669 Group to be rescheduled for 95"
3	DKJ	WL	20:45	23:45	03:00	20708 VNDB	22669G	1. T.No. 67766 to be cancelled 2. T.No.22669 Group to be rescheduled for 95"
4	WL	KZJ	21:35	00:35	03:00	20708 VNDB	22669G	1. T.No. 67766 to be cancelled 2. T.No.22669 Group to be rescheduled for 95"
Section: SNF-MLY Up Line								
1	MLYC	SNF	12:00	15:00	03:00	No coaching trains		
Section: MLY-SNF Dn Line								
1	SNF	MLYC	12:00	15:00	03:00	No coaching trains		Daily
Section: DKJ-MUGR (Single Line)								
1	DKJ	BDCR	08:00	11:00	03:00	17033	67215	Daily

PERMANENT SPEED RESTRICTIONS

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
1	VKB-PRLI (UP)	VKB-SSPD	0/3-3/1	75	Points and crossings are taking off from 3° curve
2	VKB-PRLI (UP)	KOHR-ZB	58/6-58/17	100	Points and crossings taking off from 2° curve in ZB yard.
3	VKB-PRLI (UP)	MTV-BIDR	87/12-90/9	90	3° curve
4	VKB-PRLI (UP)	BIDR-KHNP	91/4 - 91/24	75	Points and crossings taking off from 3° curve in BIDR yard (contraflexure)
5	VKB-PRLI (UP)	KHNP-HBU	108/1- 111/14	65	Sharp curve 5°
6	VKB-PRLI (UP)	KHNP-HBU	112/11-112/17	100	Points and crossings taking off from 1.7° curve in HBU yard (contra Flexure)
7	VKB-PRLI (UP)	BHLK-KCP	129/30-130/4	15Kmph (for DSDC/ACT1) 90Kmph (for all trains dealing with electric traction)	90 kmph due to Tramway OHE under ROB no. 168A for all trains. SR of 15 kmph and TRD staff to accompany for DSDC & ACT1 wagons only. DSDC & ACT1 wagons not to be stopped under ROB.
8	VKB-PRLI (UP)	BHLK-KCP	134/6-135/20	100	3° curve
9	VKB-PRLI (UP)	BHLK-KCP	140/2-140/16	100	3 ° curve.
10	VKB-PRLI (UP)	BHLK-KCP	142/3-142/10	100	Points and crossings taking off from 2° curve in KCP Yard (Contra Flexure)
11	VKB-PRLI (UP)	KCP-KMNR	148/9-149/11	90	3° curve & Bad formation.
12	VKB-PRLI (UP)	KCP-KMNR	151/14-151/19	15Kmph (for DSDC/ACT1) 90Kmph (for all trains dealing with electric traction)	90 kmph due to Tramway OHE under ROB no. 182A for all trains. SR of 15 kmph and TRD staff to accompany for DSDC & ACT1 wagons only. DSDC & ACT1 wagons not to be stopped under ROB.
13	VKB-PRLI (UP)	KMNR-UDGR	155/5-156/12	90	Sharp curve 3.5 degrees.
14	VKB-PRLI (UP)	LTRR YD	204/13-205/2	80	Points & crossing on 2 ° curve
15	VKB-PRLI (UP)	GTU-PRLI	245/2-263/1	55 PASS 50 Goods	Sharpe curve up to 6 degree and steep grade of 1 in 100
16	VKB-PRLI (UP)	GTU-PRLI	263/1-267/7	75 PASS 50 Goods	Sharp curve of 3 degree curve
17	VKB-PRLI (UP)	GTU-PRLI	256/9-256/10	30	Heavy Tresspassing (UP direction only)
18	PRLI-VKB (DN)	PRLI-GTU	267/7-263/1	75 PASS 50 Goods	Sharp curve of 3 degree curve
19	PRLI-VKB (DN)	PRLI-GTU	263/1-245/2	55 PASS 50 Goods	Sharpe curve up to 6 degree and steep grade of 1 in 100
20	PRLI-VKB (DN)	LTRR YD	205/2-204/13	80	Points & crossing on 2° curve
21	PRLI-VKB (DN)	UDGR-KMNR	156/12-155/5	90	Sharp curve 3.5°
22	PRLI-VKB (DN)	KMNR-KCP	151/19-151/14	15Kmph (for DSDC/ACT1) 90Kmph (for all trains dealing with electric traction)	90 kmph due to Tramway OHE under ROB no. 182A for all trains. SR of 15 kmph and TRD staff to accompany for DSDC & ACT1 wagons only. DSDC & ACT1 wagons not to be stopped under ROB.
23	PRLI-VKB (DN)	KMNR-KCP	149/11-148/9	90	3° curve & Bad formation.
24	PRLI-VKB (DN)	KCP-BHLK	142/10-142/3	100	Points and crossings taking off from 2° curve in KCP Yard (Contra Flexure)
25	PRLI-VKB (DN)	KCP-BHLK	140/16-140/2	100	3 ° curve.
26	PRLI-VKB (DN)	KCP-BHLK	135/20 -134/6	100	3 ° curve.
27	PRLI-VKB (DN)	KCP-BHLK	130/4-129/30	15Kmph (for DSDC/ACT1) 90Kmph (for all trains dealing with electric traction)	90 kmph due to Tramway OHE under ROB no. 168A for all trains. SR of 15 kmph and TRD staff to accompany for DSDC & ACT1 wagons only. DSDC & ACT1 wagons not to be stopped under ROB.
28	PRLI-VKB (DN)	HBU-KHNP	112/17-112/11	100	Points and crossings taking off from 1.7° curve in HBU yard (contra Flexure)

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
29	PRLI-VKB (DN)	HBU-KHNP	111/14-108/1	65	Sharp curve 5°
30	PRLI-VKB (DN)	KHNP-BIDR	91/24 - 91/4	75	Points and crossings taking off from 3° curve in BIDR yard (contraflexure)
31	PRLI-VKB (DN)	BIDR-MTV	90/9 - 87/12	90	3° curve
32	PRLI-VKB (DN)	ZB-KOHR	58/17-58/6	100	Points and crossings taking off from 2° curve in ZB yard.
33	PRLI-VKB (DN)	SSPD-VKB	3/1-0/3	75	Points and crossings are taking off from 3° curve
34	KHNP-TJSP (UP)	KHNP-HLKH	11/0-11/4	80	Continuation of LWR on PSC girder bridge with deck slab Br.no.27 (Important bridge)
35	KHNP-TJSP (UP)	HLKH-HMBD	20/4-20/6	80	Continuation of LWR on PSC girder bridge with deck slab Br.no.52 (Major bridge)
36	KHNP-TJSP (UP)	Margutti-Kamalapur	58/4-60/2	40	Margutti tunnel for a length of 1.67 km
37	TJSP-KHNP (DN)	Kamalapur-Margutti	60/2-58/4	40	Margutti tunnel for a length of 1.67 km
38	TJSP-KHNP (DN)	HMBD-HLKH	20/6-20/4	80	Continuation of LWR on PSC girder bridge with deck slab Br.no.52 (Major bridge)
39	TJSP-KHNP (DN)	HLKH-KHNP	11/4-11/0	80	Continuation of LWR on PSC girder bridge with deck slab Br.no.27 (Important bridge)
40	SC/HYB-WADI(UP)	SC Yard	194A/23-193/31	15	Series of 1 in 8 1/2 turnouts on curve
41	SC/HYB-WADI(UP)	SC-HSJ	193/9-190/37	75	Series of Sharp curves up to 3.82° with reverse Curve
42	SC/HYB-WADI(UP)	HSJ YARD (SC end)	190/37-19	30	Points on Curves
43	SC/HYB-WADI(UP)	HSJ YARD (HYB end)	189/16-12	30	Points on Curves
44	SC/HYB-WADI(UP)	HSJ YARD (SC-SNF) UP CHORD LINE	190/37-179/5	15	Points on Curves
45	SC/HYB-WADI(UP)	HYB Yard	185/1A-185/61	10	Terminal stations
46	SC/HYB-WADI(UP)	HYB-SNF UP CHORD	189/11-179/25	30	Points on Curves for passenger & goods trains
47	SC/HYB-WADI(UP)	HSJ-SNF	179/13-178/13	80	SHARP CURVE OF 4°
48	SC/HYB-WADI(UP)	HSJ-SNF	178/1-177/23	90	SHARP CURVE OF 2.89°
49	SC/HYB-WADI(UP)	HSJ - SNF	176/47-176/1	80	Sharp curve of 3.80°
50	SC/HYB-WADI(UP)	SNF - HFZ	174/19 - 174/3	75	Sharp curve of 4.20°
51	SC/HYB-WADI(UP)	SNF - HFZ	170/41 - 169/15	80	Sharp curve of 3.80°
52	SC/HYB-WADI(UP)	SNF - HFZ	167/23-166/33	100	Sharp curve of 2.830°
53	SC/HYB-WADI(UP)	HFZ - LPI	164/33 - 161/31	80	Sharp curve of 4°
54	SC/HYB-WADI(UP)	HFZ - LPI	158/3-156/21	100	Sharp curve of 2.86°
55	SC/HYB-WADI(UP)	NPL - SKP	148/35-19	100	Sharp curve of 2.50°
56	SC/HYB-WADI(UP)	NPL - GGD	141/1-135/41	100	Bad formation
57	SC/HYB-WADI(UP)	CTF yard	122/29-122/25	80	Points & Xings are taking off from 1.91°curve
58	SC/HYB-WADI(UP)	CTF (WD end)	121/31-11	90	Points & Xings are taking off from 1.91° curve
59	SC/HYB-WADI(UP)	VKB Yard	112/41-09	75	Points & Xings are taking off from 2° curve
60	SC/HYB-WADI(UP)	VKB - GDQ	108/11 - 107/13	90	Sharp curve of 2.75°
61	SC/HYB-WADI(UP)	GDQ YD	103/29-7	80	points & Xings are in Contra flexure taking off from 3.0°curve
62	SC/HYB-WADI(UP)	New yard at DRR	91/7-5	80	points & Xings are in Contra flexure taking off from 2.52°curve
63	SC/HYB-WADI(UP)	DRR - RMY	86/11-84/29	90	Sharp curve of 2.91°
64	SC/HYB-WADI(UP)	RMY-TDU	81/7-77/3	80	Sharp curve of 4°
65	SC/HYB-WADI(UP)	MQR - CT	23/9-17/0	90	Unstable formation
66	WADI-SC/HYB(DN)	MQR YARD	24/4-5	90	Points & Xings are taking off from 1.43 degree curve
67	WADI-SC/HYB(DN)	TDU - RMY	77/36-78/14	90	Sharp curves of 3°
68	WADI-SC/HYB(DN)	RMY - DRR	84/30-87/42	90	Sharp curves of 3°
69	WADI-SC/HYB(DN)	DRR Yard	91/6-20	80	Contra flexure on 2.52° curves
70	WADI-SC/HYB(DN)	DRR - VKB	92/2-108/2	75 -Pass 65-Goods	Series of Sharp curves of 4.5°
71	WADI-SC/HYB(DN)	VKB Yard	112/10-28	75	Non transition curves in VKB

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
					yard
72	WADI-SC/HYB(DN)	CTF Yard	121/12-32	90	Turnouts taking off 1.93° Curves
73	WADI-SC/HYB(DN)	CTF Yard	122/22-122/26	90	point no 20 A in contra flexure taking off from 1.90° curve
74	WADI-SC/HYB(DN)	GGD-NPL	138/32-141/2	100	Weak formation
75	WADI-SC/HYB(DN)	SKP-NPL	144/10-145/30	100	Sharp curves of 2.86°
76	WADI-SC/HYB(DN)	SKP-NPL	148/20-148/36	100	Sharp curves of 2.86°
77	WADI-SC/HYB(DN)	NPL-LPI	156/18-158/4	100	Sharp curves of 2.86°
78	WADI-SC/HYB(DN)	LPI - HFZ	161/32-164/34	80	Sharp curves of 3.80 degree
79	WADI-SC/HYB(DN)	LPI - HFZ	166/32-167/24	80	Sharp curves of 2.86°
80	WADI-SC/HYB(DN)	LPI - HFZ	169/16-170/42	80	Sharp curves of 3.8°
81	WADI-SC/HYB(DN)	LPI - HFZ	174/4-174/20	80	Sharp curves of 3.5°
82	WADI-SC/HYB(DN)	SNF-HSJ	176/4-176/48	80	Sharp curves of 4°
83	WADI-SC/HYB(DN)	SNF-HSJ	177/24-178/2	90	Sharp curves of 2.89°
84	WADI-SC/HYB(DN)	SNF-HSJ	178/12-179/12	80	Sharp curve of 4°
85	WADI-SC/HYB(DN)	HSJ YARD BMT SC CHORD LINE	179/24-190/38	30	Points on Curves for passenger & goods for four wheeler wagons only
86	WADI-SC/HYB(DN)	HSJ YARD (VKB-HYB)DN	179/24-189/12	30	Points On Curve
87	WADI-SC/HYB(DN)	HYB YARD	185/60-185/1B	15	Terminal station
88	WADI-SC/HYB(DN)	HYB Yard	186/6-4 DN Line	15	Terminal yard standard one interlocking
89	WADI-SC/HYB(DN)	HSJ YARD (HYB end)	189/18A-12	30	Points on Curves
90	WADI-SC/HYB(DN)	HYB-SC(DN MAIN LINE)	189/12-190/38	15	Points On Curve
91	WADI-SC/HYB(DN)	HSJ COMMON LOOP LINE	189/30-190/12	15	Points On Curve/Common Loop Line
92	WADI-SC/HYB(DN)	HSJ YARD (SC end)	190/12-38	30	Points on Curves
93	WADI-SC/HYB(DN)	HSJ-SC	190/38-193/10	75	Series of Sharp curves up to 3.82° with reverse Curve
94	WADI-SC/HYB(DN)	SC Yard	193/32-194A/24	15	Series of 1 in 8 1/2 turnouts
95	SNF-AMQ-MLY (DN)	SNF YARD	1/20-1/32	50	Sharp curve of 7.34degrees
96	SNF-AMQ-MLY (DN)	SNF-AMQ	2/30-2/46	55	Sharp curve of 6.4 degrees
97	SNF-AMQ-MLY (DN)	SNF-AMQ	6/24-6/48	70	Sharp curve of 5 degree
98	SNF-AMQ-MLY (DN)	SNF-AMQ-MLY 'C'	17/24-17/36	70	Sharp curve of 5 degree
99	MLY-AMQ-SNF (UP)	MLY'C'-AMQ	18/1 - 11/3	50	Sharp curve , high bank and Inhabitation.
100	MLY-AMQ-SNF (UP)	AMQ-SNF	7/3 - 6/21	50	Sharp curve of 6 degree
101	MLY-AMQ-SNF (UP)	AMQ-SNF	2/49-2/27	30	Straight girder on bridge No-10 in 6 degree curve (BALANAGAR RUB)
102	MLY-AMQ-SNF (UP)	AMQ-SNF	1/59-1/49	50	Alignment on girder bridge No 6,7 & 8
103	MLY-AMQ-SNF (UP)	AMQ-SNF BP UP LINE	0/3-1	10	Series of Turn Outs
104	KZJ-SC (UP)	IPG-RGP	290/23-290/19	100	Sharp curve of 2.5°
105	KZJ-SC (UP)	IPG-RGP	286/31-286/5	110	Inadequate transition length
106	KZJ-SC (UP)	RPG - ZN	281/35-280/25	120	Sharp curve of 2 degree
107	KZJ-SC (UP)	RPG - ZN	280/19-278/33	100	Sharp curve of 3 degree
108	KZJ-SC (UP)	ZN YARD	277/25-277/5	75	Points on Curve.
109	KZJ-SC (UP)	PBP-ALER	269/25-269/17	120	Sharper Curve of 1.5°
110	KZJ-SC (UP)	PBP-ALER	264/19-264/5	100	Sharp curve 3°.
111	KZJ-SC (UP)	ALER Yard	262/21-262/7	100	Inadequate transition length
112	KZJ-SC (UP)	ALER - WP	258/13-257/21	100	Sharp curve 3°
113	KZJ-SC (UP)	ALER - WP	252/37-252/17	90	Sharp curve 3°
114	KZJ-SC (UP)	RAG-WP	249/31-249/21	125	Sharp curve 1.750°
115	KZJ-SC (UP)	WP - BG	247/35 -246/31	90	Sharp curve 2.80° & Yielding formation.
116	KZJ-SC (UP)	WP - BG	246/3-245/27	120	Sharp curve of 2°
117	KZJ-SC (UP)	WP - BG	244/21-243/19	110	Sharp curve 2.25°.
118	KZJ-SC (UP)	WP - BG	242/29-242/17	120	Sharp curve of 2°
119	KZJ-SC (UP)	WP - BG	242/5-241/19	110	Sharp curve 2°
120	KZJ-SC (UP)	WP - BG	241/13-240/19	90	Sharp curve of 3°
121	KZJ-SC (UP)	WP - BG	240/1-239/33	100	Sharper Curve of 2 °
122	KZJ-SC (UP)	BG YARD (SC end)	239/15-239/11	90	Points on Curve.
123	KZJ-SC (UP)	PGDP-BG	238/11-237/19	120	Sharp curve of 2°
124	KZJ-SC (UP)	BG - PGDP	235/29-233/25	100	Sharp curve 2.87 degree
125	KZJ-SC (UP)	BG - PGDP	232/19 -231/29	100	Points on 2.91degree.
126	KZJ-SC (UP)	PGDP YARD	229/31-229/11	90	Points on Curve.

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
127	KZJ-SC (UP)	BN YARD (KZJ END)	227/17-226/31	85	Sharp curve of 2.87°
128	KZJ-SC (UP)	BN YARD (KZJ END)	227/9-227/1	75	Points on curve
129	KZJ-SC (UP)	BN - GT	223/21-223/7	125	Sharp curve 1.83°
130	KZJ-SC (UP)	BN - GT	221/13-220/21	110	Inadequate transition length
131	KZJ-SC (UP)	BN - GT	220/1-218/27	100	Sharp curve 2.87°
132	KZJ-SC (UP)	BN - GT	217/29-217/7	100	Sharp curve 2.91°
133	KZJ-SC (UP)	BN - GT	216/17-216/5	120	Sharp curve of 2.00°
134	KZJ-SC (UP)	GT-CHZ	213/7-212/27	125	Sharp curve 1.780°
135	KZJ-SC (UP)	GT-CHZ	211/1-210/21	120	Sharp curve of 2.00°
136	KZJ-SC (UP)	GT-CHZ	209/1-208/1	90	Sharpe curve 2.79 degree & yielding formation
137	KZJ-SC (UP)	CHZ YARD (KZJ end)	207/1-206/7	75	Points on Curves.
138	KZJ-SC (UP)	CHZ - MLY	203/11-202/25	90	Sharp curve 2.94°
139	KZJ-SC (UP)	CHZ - MLY	201/19-201/9	75	Turn out taking off from 2.870 curve.
140	KZJ-SC (UP)	CHZ - MLY	199/41-199/11	90	Sharp curve 2.87°
141	KZJ-SC (UP)	MLY YARD (SC end)	198/37-198/7	75	Points & crossing on sharp curve of 2.87°
142	KZJ-SC (UP)	MLY - SC	197/21 - 194A/23	75	Series of sharp curves up to 4.41°
143	KZJ-SC (UP)	LGD- SC (3rd Line)	195/65-195/61	30	Series of sharp curves of 4.61°
144	KZJ-SC (UP)	SC YARD RD-1 TO RD -11	194A/23-193/17 (Advance Starter towards WADI End)	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
145	SC-KZJ (DN)	SC YARD RD-1 TO RD -11 Dispatch SC-KZJ	193/8 to Respective Starters towards KZJ End from RD 1-RD 11(Incoming Trains to SC from WADI End)	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
146	SC-KZJ (DN)	SC YARD RD-1,4,5,6,7,8,9,10,11 Dispatch SC-KZJ	From Respective Starters towards KZJ End for RD 1,4,5,6,7,8,9,10,11 to 194A/32(Advance Starter towards KZJ End)	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
147	SC-KZJ (DN)	SC YARD For RD-2 and RD-3 Dispatch SC-KZJ	From Respective Starters towards KZJ End for RD 2,3 to 194A/24	30	Series of 1 in 12 Turnouts
148	SC-KZJ (DN)	SC - MLY	195/0-197/52	75	Series of sharp curves up to 4.41°
149	SC-KZJ (DN)	SC - MLY	198/8-199/22	90	P & C in curve .
150	SC-KZJ (DN)	MLY-CHZ	201/2-201/26	75	Turn out taking off in similar flexure on curve.
151	SC-KZJ (DN)	MLY-CHZ	202/26-203/12	100	Sharp curve 2.870.°
152	SC-KZJ (DN)	CHZ YARD (KZJ end)	206/8-207/2	75	Point & xings on 2.87° curve
153	SC-KZJ (DN)	CHZ-GT	208/2-209/2	90	Series of sharp curve up to 2.70°
154	SC-KZJ (DN)	CHZ-GT	210/22-211/2	110	Sharp curve of 2.28°
155	SC-KZJ (DN)	GT-BN	216/4-216/16	110	Sharp curve of 2.38°
156	SC-KZJ (DN)	GT-BN	217/8-217/26	100	Sharp curves 2.9° .
157	SC-KZJ (DN)	GT-BN	218/26-220/2	90	Sharp curve of 3.08°
158	SC-KZJ (DN)	GT-BN	220/28-221/4	120	Sharp curve of 2 degree
159	SC-KZJ (DN)	GT-BN	223/8-223/22	125	Sharp curve of 1.720
160	SC-KZJ (DN)	BN YARD(KZJ- END)	226/36-227/16	75	points and crossing on 2.87° curve.
161	SC-KZJ (DN)	BN-PGDP	229/8-229/34	125	Sharp curve of 1.82°
162	SC-KZJ (DN)	PGDP-BG	234/24-235/32	100	Series of sharp curve up to 3°
163	SC-KZJ (DN)	PGDP-BG	237/20-238/12	120	Sharp curve of 2°
164	SC-KZJ (DN)	BG YARD (SC end)	239/16-239/26	90	Points on 2° curve.
165	SC-KZJ (DN)	BG-WP	240/24-241/14	100	Series of sharp curve up to 3°.
166	SC-KZJ (DN)	BG-WP	241/22-242/8	120	Sharp curve of 2°
167	SC-KZJ (DN)	BG-WP	242/18-242/34	120	Sharp curve of 2°
168	SC-KZJ (DN)	BG-WP	243/20-244/32	120	Sharp curve of 2°
169	SC-KZJ (DN)	BG-WP	245/4-245/18	120	Sharp curve of 2°
170	SC-KZJ (DN)	BG-WP	245/30-246/6	120	Sharp curve of 2°
171	SC-KZJ (DN)	BG-WP	246/32-247/36	90	Sharp curve 2.8° & Yielding of formation.
172	SC-KZJ (DN)	BG-WP	249/20-249/34	120	Sharp curve of 2°

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
173	SC-KZJ (DN)	WP-ALER	252/20-252/40	90	Sharp curve 3°
174	SC-KZJ (DN)	WP-ALER	257/22-258/14	100	Sharp curve 3°
175	SC-KZJ (DN)	ALER Yard	262/12-262/20	120	Sharp curve of 1.5 degree.
176	SC-KZJ (DN)	ALER-PBP	263/36-264/20	100	series of transition
177	SC-KZJ (DN)	ZN YARD (KZJ end)	277/22-277/26	75	Points on 3° curve
178	SC-KZJ (DN)	ZN-RGP	286/4-286/34	120	Sharp curve of 2°
179	SC-KZJ (DN)	RGP-IPG	290/16-290/32	110	Sharp curve of 2.5°
180	SC-GNT (DN)	SC YARD RD-1,4,5,6,7,8,9,10,11	From Respective Starters(Dispatch) to 194A/32	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
181	SC-GNT (DN)	SC YARD For RD-2 and RD-3	From Respective Starters(Dispatch) - 194A/24	30	Series of 1 in 12 Turnouts
182	SC-KCG (DN)	SC Yard Rd-3 to Rd-10	From Respective Starters(Dispatch)-- 1/4	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
183	SC-KCG (DN)	SC Yard Rd-11	From Respective Starters(Dispatch)-- 1/4	30	Series of 1 in 12 Turnouts
184	SC-KCG (DN)	SC Yard Rd-3 to Rd-11	From UP Home Signal to SC Yard	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
185	SC-BMO (DN)	SC Yard Rd-3 to Rd-11	From Respective Starters(Dispatch)-- 619/38	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
186	SC-BMO (DN)	SC Yard Rd-3 to Rd-11	From UP Home Signal to SC Yard	15	Series of 1 in 8.5 Turnouts & Standard I Interlocking
187	SC-SCMS (DN)	SC Yard Rd-1 to Rd-11	Respective Starter(Dispatch)-- 3/14	15	Series of 1 in 8.5 Turnouts & Being Siding
188	GT-CHZ-MLY MMTS LINE (UP)	GT Yard	214/1M-213/13M	15	Ghatkesar is a Terminal Station for MMTS lines
189	GT-CHZ-MLY MMTS LINE (UP)	GT-CHZ	209/1M-208/27M	100	Due to 2.57 Degree curve
190	GT-CHZ-MLY MMTS LINE (UP)	GT-CHZ	208/27M-208/17M	100	Due to 2.63 Degree curve
191	GT-CHZ-MLY MMTS LINE (UP)	GT-CHZ	208/13M-208/1M	100	Due to 2.45 Degree curve
192	GT-CHZ-MLY MMTS LINE (UP)	GT-CHZ	207/1M-206/9M	100	Due to 2.555 Degree curve
193	GT-CHZ-MLY MMTS LINE (UP)	CHZ-MLY	203/11M-202/27M	100	Due to 2.87 Degree curve
194	GT-CHZ-MLY MMTS LINE (UP)	CHZ-MLY	202/11M-202/3M (MLY-1072)	30	Points taking off from 4° curve.
195	MLY-CHZ-GT MMTS (DN)	MLY -CHZ	201/8M-202/14M	30	Due to Points & Crossings on approach of 'C' Cabin
196	MLY-CHZ-GT MMTS (DN)	MLY -CHZ	202/28M-203/10M	100	Due to 2.87 Degree curve
197	MLY-CHZ-GT MMTS (DN)	CHZ-GT	206/8M-207/2M	100	Due to 2.672 Degree curve
198	MLY-CHZ-GT MMTS (DN)	CHZ-GT	208/2M-208/14M	100	Due to 2.45 Degree curve
199	MLY-CHZ-GT MMTS (DN)	CHZ-GT	208/16M-208/24M	100	Due to 2.63 Degree curve
200	MLY-CHZ-GT MMTS (DN)	CHZ-GT	208/34M-209/02M	100	Due to 2.57 Degree curve
201	MLY-CHZ-GT MMTS (DN)	GT Yard	213/6M-213/22M	15	Negotiating Points & Crossings on MMTS lines of Ghatkesar Yard
202	KI-KZJ (UP)	KI-CVV	565/3-565/13	90	In sufficient transition between reverse curves
203	KI-KZJ (UP)	KI-CVV	563/7-562/35	125	Due to 1.75 degree curve
204	KI-KZJ (UP)	CVV-YP	556/0-553/35	110	Bad bank
205	KI-KZJ (UP)	GNN-YP	553/35-545/15	120	Bad bank
206	KI-KZJ (UP)	GNN-MDR	545/15-537/0	110	Bad bank
207	KI-KZJ (UP)	TNGM-YP	541/17-540/0	90	Inadequate transition at Bridge Approach
208	KI-KZJ (UP)	MDR-MTMI	527/19 -526/0	75	Due to 3° curve on approach of Wyra Bridge.
209	KI-KZJ (UP)	MDR-MTMI	526/0-525/27	115	Due to 2 degree curve
210	KI-KZJ (UP)	MTMI-BKL	517/9-516/21	100	Due to 3° curve
211	KI-KZJ (UP)	CKN-PNDP	499/35-499/27	110	Due to 1.5 Degree curve with

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
					inadequate SE
212	KI-KZJ (UP)	CKN YARD	499/27-499/15	100	1 in 12 points & crossing taking off from 1.5° curve
213	KI-KZJ (UP)	CKN-PNDP	495/19-494/25	120	Due to 2 degree curve
214	KI-KZJ (UP)	PNDP-KMT	492/3-491/17	120	Due to 2 degree curve
215	KI-KZJ (UP)	PNDP-KMT	488/27-488/3	120	Due to 2 degree curve
216	KI-KZJ (UP)	KMT-MLMG	483/15-482/25	125	Due to 1.75 degree curve
217	KI-KZJ (UP)	PPY YARD	469/5-468/35	90	Points on 1.5° curve
218	KI-KZJ (UP)	GLA-GUU	455/19-455/9	100	Sharp Curve of 2.5° on the approaches of important bridge
219	KI-KZJ (UP)	MABD Yard	436/39-436/1	100	1 in 12 points & crossing taking off from 1.5 degree curve & due to 1.5 degree curve with inadequate SE
220	KI-KZJ (UP)	NKD-YGL	405/33-405/19	120	Due to 2 degree curve
221	KI-KZJ (UP)	NKD-YGL	404/23-404/7	120	Due to 2 degree curve
222	KI-KZJ (UP)	WL- KZJ BYPASS	368/47-21	85	Due to 2.50° curve
223	KI-KZJ (UP)	WL-KZJ	368/47A-21A	85	Due to 2.465° curve
224	KI-KZJ (UP)	WL-KZJ	368/19A-367/13A	50	Due to 2.637° curve
225	KI-KZJ (UP)	KZJ YARD	367/13A-366/27	15	Special Layouts
226	KI-KZJ (UP)	WARANGAL KZJ YARD	377/3A-366/21A	100	Sectional speed
227	KZJ-KI (DN)	KZJ Yard	366/28-367/14A	15	Series of Scissor Crossing& Diamond Crossing with Single Slip
228	KZJ-KI (DN)	Kazipet By-Pass Warangal	368/22 - 377/2	100	New line (CRS Authorisation)
229	KZJ-KI (DN)	KZJ-WL	367/14A-368/20A	50	Due to 2.77° curve
230	KZJ-KI (DN)	KZJ-WL	368/22A-48A	85	Due to 2.50° curve
231	KZJ-KI (DN)	KZJ BYE PASS-WL	368/22-48	85	Due to 2.50° curve
232	KZJ-KI (DN)	YGL-NKD	404/6-404/24	120	Due to 2 degree curve
233	KZJ-KI (DN)	YGL-NKD	405/20-405/34	120	Due to 2 degree curve
234	KZJ-KI (DN)	MABD Yard	436/2-436/8	100	1 in 12 points & crossing taking off from 1.5 degree curve & due to 1.5 degree curve
235	KZJ-KI (DN)	MABD Yard	436/8-436/40	115	Due to 1.5 degree curve with inadequate SE.
236	KZJ-KI (DN)	DKJ YARD	461/24-461/28	75	Turnout on transition curve.
237	KZJ-KI (DN)	PPY YARD	469/8-469/14	90	Due to Point on 1.5° curve
238	KZJ-KI (DN)	KMT-PNDP	488/4-488/28	120	Due to 2 degree curve
239	KZJ-KI (DN)	KMT-PNDP	491/20-492/4	120	Due to 2 degree curve
240	KZJ-KI (DN)	PNDP-CKN	494/26-495/18	120	Due to 2 degree curve
241	KZJ-KI (DN)	CKN YARD	499/18-499/36	100	Points and crossings taking off from 1.5° curve
242	KZJ-KI (DN)	BKL-MTMI	516/24-517/12	120	Due to 2 degree curve
243	KZJ-KI (DN)	BKL-MTMI	518/0-518/18	120	Due to 2 degree curve
244	KZJ-KI (DN)	MTMI-MDR	525/28-526/6	110	Due to 2 degree curve
245	KZJ-KI (DN)	MTMI - MDR	526/6 -527/28	90	Due to 3° curve on Bridge end
246	KZJ-KI (DN)	MDR-TNGM	529/24 -530/14	90	Due to 3 degree curve
247	KZJ-KI (DN)	MDR - TNGM	530/14 -533/6	100	Bad banks
248	KZJ-KI (DN)	MDR - TNGM	533/6 -536/14	110	Bad banks
249	KZJ-KI (DN)	MDR - YP	536/14 -539/0	100	Bad banks
250	KZJ-KI (DN)	MDR - GNN	539/0-551/0	110	Bad banks
251	KZJ-KI (DN)	YP-GNN	545/16-546/16	110	Due to 2.5 degree curve
252	KZJ-KI (DN)	CVV-KI	562/32-568/0	110	New DN line Authorization speed
253	KZJ-KI (DN)	CVV-KI	565/2 - 12	90	Insufficient transition between reverse curves
254	KI-KZJ (BD LINE) (UP)	KI-YP-MDR	567/C17-528/C16	110	New 3rd line
255	KI-KZJ (BD LINE) (UP)	MDR-MTMI-BKL	528/C16-513/C6	100	New 3rd line
256	KI-KZJ (BD LINE) (UP)	BKL-PNDP	513/C6-492/C10	110	New 3rd line
257	KI-KZJ (BD LINE) (UP)	PNDP-KMT	492/C10-483/C15	100	New 3rd line
258	KI-KZJ (BD LINE) (UP)	MABD-NKD-CLE	436/C19-387/C20	100	New 3rd line
259	KI-KZJ (BD LINE) (UP)	CLE-WL	387/C20-375/C11	110	New 3rd line
260	KZJ-KI (BD LINE) (DN)	WL-CLE	375/C11 -387/C20	110	New 3rd line
261	KZJ-KI (BD LINE) (DN)	CLE-NKD-MABD	387/C20 to 436/C19	100	New 3rd line
262	KZJ-KI (BD LINE) (DN)	Nekonda Yard	406/C10 - C11	30	Existing FOB infringing the PF-2
263	KZJ-KI (BD LINE) (DN)	KMT-PNDP	483/C15 - 492/C10	100	New 3rd line
264	KZJ-KI (BD LINE) (DN)	PNDP-BKL	492/10 - 513/C6	110	New 3rd line
265	KZJ-KI (BD LINE) (DN)	BKL-MTMI-MDR	513/C6 - 528/C16	100	New 3rd line
266	KZJ-KI (BD LINE) (DN)	MDR-YP-KI	528/C16 - 567/C17	110	New 3rd line

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
267	MTMI-JNPD (DN)	Motumari (By-Pass line)	519/28 - BPL/6	15	Series of Cross over
268	MTMI-JNPD (DN)	RRPM-MACU	44/0-47/0	50	Yielding formation
269	MTMI-JNPD (DN)	MACU-MTMP	53/0-58/0	50	Yielding formation
270	JNPD-MTMI (UP)	MTMP-MACU	58/0-53/0	50	Yielding formation
271	JNPD-MTMI (UP)	MACU-RRPM	47/0-44/0	50	Yielding formation
272	JNPD-MTMI (UP)	Motumari (By-Pass line)	BPL/6 - 519/28	15	Series of Cross over
273	MUGR-BDCR-DKJ (UP)	AWM-PGP	95/17-94/16	95	Due to 3 degree curve
274	MUGR-BDCR-DKJ (UP)	AWM-PGP	93/23-91/7	95	Due to 3 degree curve
275	MUGR-BDCR-DKJ (UP)	PGP-GLE	72/20-7	90	Due to 3 degree curve
276	MUGR-BDCR-DKJ (UP)	PGP-GLE	72/6-4	75	Bridge girder top flange bent/twisted
277	MUGR-BDCR-DKJ (UP)	PGP-GLE	71/17-8	90	Due to 3 degree curve
278	MUGR-BDCR-DKJ (UP)	GLE-BDCR	61/14-5	90	Due to 3 degree curve
279	MUGR-BDCR-DKJ (UP)	GLE-BDCR	59/14-58/16	90	Due to 2.5 degree curve
280	MUGR-BDCR-DKJ (UP)	BDCR-Yard	54/1-53/1	15	Terminal yard
281	MUGR-BDCR-DKJ (UP)	TPY-CMW	37/7-5	75	Turnout on transition curve.
282	MUGR-BDCR-DKJ (UP)	KRA-DKJ	1/17-DKJ/1096	65	Due to 3 degree curve
283	MUGR-BDCR-DKJ (UP)	DKJ yard (Entry from B/L on UP & DN main lines & Rd no - 5,6,7,8 & 9 for UP trains	DKJ/2094- 1092	15	Diamond crossing
284	DKJ-BDCR-MUGR (DN)	DKJ YARD (Despatch from main line towards KRA)	DKJ/1092- 2094	15	Diamond crossing
285	DKJ-BDCR-MUGR (DN)	DKJ-KRA	DKJ/1096-1/17	65	Due to 3 degree curve
286	DKJ-BDCR-MUGR (DN)	CMW-TPY	37/5-7	75	Turnout on transition curve.
287	DKJ-BDCR-MUGR (DN)	BDCR Yard	53/1-54/1	15	Terminal yard
288	DKJ-BDCR-MUGR (DN)	BDCR-GLE	58/16-59/14	90	Due to 2.5 degree curve
289	DKJ-BDCR-MUGR (DN)	BDCR-GLE	61/5-14	90	Due to 3 degree curve
290	DKJ-BDCR-MUGR (DN)	GLE-PGP	71/8-17	90	Due to 3 degree curve
291	DKJ-BDCR-MUGR (DN)	GLE-PGP	72/4-6	75	Bridge girder top flange bent/twisted
292	DKJ-BDCR-MUGR (DN)	GLE-PGP	72/7-20	90	Due to 3 degree curve
293	DKJ-BDCR-MUGR (DN)	PGP-AWM	91/7-93/23	95	Due to 3 degree curve
294	DKJ-BDCR-MUGR (DN)	PGP-AWM	94/16-95/17	95	Due to 3 degree curve
295	DKJ-BDCR-MUGR (DN)	Manuguru Yard	102/12-13 (DN H/S S40)	15	Terminal yard / Standard-1 interlocking
296	SYI-KRA (UP)	Karepalli Yard	0/7-0/6	15	Train negotiates 1 in 12 turnout
297	KRA-SYI (DN)	Karepalli Yard	0/6-0/7	15	Train negotiates 1 in 12 turnout
298	KRA-SYI (DN)	Singareni Yard	9/6-9/7	15	Terminal station
299	KZJ/WL-BPQ (UP)	WL-HSP	BPL/1-BPL45	75	3.5° Sharpe curve
300	KZJ/WL-BPQ (UP)	KZJ Yard	366/27- 365/31A	15	Series of Points & Crossings in curve
301	KZJ/WL-BPQ (UP)	KZJ Yard-HSP	366/21A- 354/27A	100	Sectional speed
302	KZJ/WL-BPQ (UP)	KZJ-HSP	365/31A-17A	50	Due to 3.30° curve
303	KZJ/WL-BPQ (UP)	KZJ-HSP	364/45A-37A	75	Due to 3.10° curve
304	KZJ/WL-BPQ (UP)	KZJ-HSP	364/29A-7A	85	Due to 2.297° curve
305	KZJ/WL-BPQ (UP)	KZJ-HSP	364/8A-28A	95	2° Curve
306	KZJ/WL-BPQ (UP)	KZJ-HSP	364/35 - 364/25	95	Due to 2 degree curve.
307	KZJ/WL-BPQ (UP)	KZJ-HSP	364/25-364/01	105	Due to 2 degree curve.
308	KZJ/WL-BPQ (UP)	OPL-HSP	355/01-343/01	110	Third line(As per CRS authorisation)
309	KZJ/WL-BPQ (UP)	OPL-JMKT	343/0-331/0	110	Third line(As per CRS authorisation)
310	KZJ/WL-BPQ (UP)	JMKT-PTKP	327/3-321/18	110	Third line(As per CRS authorisation)
311	KZJ/WL-BPQ (UP)	KOLR - PDPL	309/39 - 293/39	110	Third line(As per CRS authorisation)
312	KZJ/WL-BPQ (UP)	PDPL - RGPM	284/25 - 284/17	120	Points taking off from 0.5 degree curve
313	KZJ/WL-BPQ (UP)	RDM YARD	273/59-273/53	50	In adequate transition length & un designed curves
314	KZJ/WL-BPQ (UP)	RDM - PPZ	273/53 - 269/15	110	Third line(As per CRS authorisation)
315	KZJ/WL-BPQ (UP)	PPZ YARD	269/15-7	75	Points on 2 degree curve with contraflexure
316	KZJ/WL-BPQ (UP)	PPZ - MCI	269/5 - 260/43	100	Third line(As per CRS authorisation)

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
317	KZJ/WL-BPQ (UP)	MCI - MMZ	260/43 - 250/59	110	Third line(As per CRS authorisation)
318	KZJ/WL-BPQ (UP)	RECH-BPA	243/11-233/31	100	Third line(As per CRS authorisation)
319	KZJ/WL-BPQ (UP)	BPA-ASAF	233/31-227/37	100	Newly laid track
320	KZJ/WL-BPQ (UP)	RLT - SKZR	208/23 - 208/13	30	Inadequate stiffness of Through girder bridge No. 208
321	KZJ/WL-BPQ (UP)	SKZR YZARD	203/0 - 202/21	100	Points taking off from 0.5 degree curve
322	KZJ/WL-BPQ (UP)	SKZR - SRUR	200/43-189/33	110	Third line(As per CRS authorisation)
323	KZJ/WL-BPQ (UP)	SKZR - SRUR	186/5 - 184/25	125	Due to 1.75 degree curve
324	KZJ/WL-BPQ (UP)	SRUR - MKDI	176/31-176/1	120	Due to 2 degree curve.
325	KZJ/WL-BPQ (UP)	SRUR - MKDI	174/17 - 173/11	125	Due to 1.8 degree curve
326	KZJ/WL-BPQ (UP)	MKDI - WIRR	161/13 - 160/9	120	Turnout on 2 degree curve
327	KZJ/WL-BPQ (UP)	WIRR - VHGN	159/13-159/5	100	Inadequate transition length of curve no.18
328	KZJ/WL-BPQ (UP)	VHGN - MAGH	146/31-145/47	120	Due to 2 degree curve.
329	KZJ/WL-BPQ (UP)	MAGH - BPQ	140/19- 140/3	120	Due to 2 degree curve.
330	KZJ/WL-BPQ (UP)	MAGH - BPQ	139/17 - 139/0	115	Due to 2 degree curve.
331	KZJ/WL-BPQ (UP)	MAGH - BPQ	139/0 - 138/29	75	Bad formation
332	KZJ/WL-BPQ (UP)	MAGH - BPQ	138/23 - 138/0	100	Due to 2.41 degree curve.
333	KZJ/WL-BPQ (UP)	MAGH - BPQ	136/0-135/25	105	Due to 2 degree curve.
334	BPQ-KZJ/WL (DN)	BPQ - MAGH	892/10-136/0	90	3.0° curve yielding formation
335	BPQ-KZJ/WL (DN)	BPQ - MAGH	138/0 -138/16	100	Due to 2.55 degree curve with inadequate SE
336	BPQ-KZJ/WL (DN)	BPQ - MAGH	138/16 -141/26	90	2° & 2.5° reverse curves & yielding formation.
337	BPQ-KZJ/WL (DN)	MAGH - MKDI	140/22 - 173/16	110	Third line (As per CRS authorisation)
338	BPQ-KZJ/WL (DN)	VHGN - WIRR	159/4 - 159/16	120	Due to 1.5 degree curve with inadequate SE
339	BPQ-KZJ/WL (DN)	WIRR Yard	160/12 - 160/16	120	Turnout on transition curve
340	BPQ-KZJ/WL (DN)	WIRR - MKDI	160/16 - 161/4	120	Turnout on cuve
341	BPQ-KZJ/WL (DN)	MKDI - SRUR	173/16 - 174/16	100	Due to restricted SE 65mm in 2 degree curve
342	BPQ-KZJ/WL (DN)	MKDI-SRUR	174/16-191/6	110	Third line (As per CRS authorisation)
343	BPQ-KZJ/WL (DN)	SRUR - SKZR	197/0 - 198/4	110	2 degree curve
344	BPQ-KZJ/WL (DN)	SKZR YARD	202/20 - 203/0	80	Points & Crossing taking off in the curve
345	BPQ-KZJ/WL (DN)	SKZR - RLT	208/12 -208/24	30	Inadequate stiffness and Damaged through girder bridge No. 208
346	BPQ-KZJ/WL (DN)	ASAF-RECH	214/32-227/36	100	Third line (As per CRS authorisation)
347	BPQ-KZJ/WL (DN)	MCI - PPZ	263/10 - 266/0	75	Yielding formation
348	BPQ-KZJ/WL (DN)	RDM YARD	273/72 - 273/74	75	Turnout on curve & Inadequate transition length
349	BPQ-KZJ/WL (DN)	RDM - PDPL	274/10 - 293/8	110	Third line(As per CRS authorisation)
350	BPQ-KZJ/WL (DN)	KOLR - PTKP	309/38 -314/20	110	Third line(As per CRS authorisation)
351	BPQ-KZJ/WL (DN)	PTKP - BGSF	314/20 -321/18	110	Third line(As per CRS authorisation)
352	BPQ-KZJ/WL (DN)	BGSF -JMKT	326/18 - 332/6	110	Third line(As per CRS authorisation)
353	BPQ-KZJ/WL (DN)	HSP - KZJ	364/28 -364/36	90	Due to 2 degree curve.
354	BPQ-KZJ/WL (DN)	HSP-KZJ	364/38A- 364/46A	80	3.10° Curve
355	BPQ-KZJ/WL (DN)	HSP-KZJ	365/32A- KZJ/1429	15	Series of single slip with diamond crossing and scissor layout, entry into goods yard
356	BPQ-KZJ/WL (DN)	KZJ Yard	365/32A- 366/28	15	Series of points & Crossings in curve & Scissor layout
357	BPQ-KZJ/WL (DN)	HSP WL bypass	BPL/2-BPL/46	75	3.5degree sharp curve
358	BPQ-KZJ/WL (DN)	HSP - WL	BPL/44-BPL/1	75	3.5° Sharpe curve
359	MAGH-GDCR (UP/DN)	PRPI - RJUA	8/13-1	30	Girder bridge in reverse curve
360	MAGH-GDCR (UP/DN)	RJUA - PRPI	8/1-13	30	Girder bridge in reverse curve
361	MAGH-GDCR (UP/DN)	PRPI YARD	13/4-5	50	Standard-1 @Interlocking

S. No.	Section	Between stations	Kilometre	SR	Brief Reasons
362	MAGH-GDCR (UP/DN)	PRPI YARD	13/5-4	50	Standard-1 @Interlocking
363	MAGH-GDCR (UP/DN)	GDCR YARD	26/16-17	50	Terminal Yard Standard-1 @Interlocking
364	MAGH-GDCR (UP/DN)	GDCR YARD	26/17-16	50	Terminal Yard Standard-1 @Interlocking
365	KZJ-BPQ (BD LINE) (UP)	RDM YARD	275/6C - 4C	100	Consequent upon through track attention
366	KZJ-BPQ (BD LINE) (UP)	RDM YARD	273/54C - 14C	90	Points on 1 degree curve with contra flexure
367	KZJ-BPQ (BD LINE) (UP)	PPZ YARD	269/17C - 15C	100	Due to 2 degree curve.
368	KZJ-BPQ (BD LINE) (UP)	PPZ YARD	269/15C - 3C	85	Due to turnout on 2.25 degree curve
369	KZJ-BPQ (BD LINE) (UP)	PPZ YARD	269/3C - 268/29C	100	Due to 2 degree curve.
370	KZJ-BPQ (BD LINE) (UP)	PPZ - MCI	265/8C - 264/9C	75	Godavari Br. No. 142
371	KZJ-BPQ (BD LINE) (UP)	PPZ - MCI	264/9C - 263/1C	100	Unstable formation
372	KZJ-BPQ (BD LINE) (UP)	MCI YARD	261/9C - 260/21C	110	Points & Crossing on 1 degree curve
373	KZJ-BPQ (BD LINE) (UP)	SRUR-SKZR	200/C2-200/C22	110	Third line (As per CRS authorisation)
374	KZJ-BPQ (BD LINE) (UP)	SRUR-SKZR	184/C19-186/C2	120	Due to 1.75 degree curve with inadequate SE
375	KZJ-BPQ (BD LINE) (UP)	MKDI YARD	174/10C - 173/11C	100	2 Degree curve with inadequate SE
376	KZJ-BPQ (BD LINE) (UP)	WIRR YARD	161/2C - 160/6C	120	SE of the curve has been increased to 130mm
377	KZJ-BPQ (BD LINE) (UP)	VHGN - MAGH	146/14C - 145/21C	120	2 Degree curve with inadequate SE
378	KZJ-BPQ (BD LINE) (DN)	MAGH - VHGN	145/21C - 146/14C	120	2 Degree curve with inadequate SE
379	KZJ-BPQ (BD LINE) (DN)	WIRR YARD	160/6C - 161/2C	120	SE of the curve has been increased to 130mm
380	KZJ-BPQ (BD LINE) (DN)	MKDI YARD	173/11C - 174/10C	100	2 Degree curve with inadequate SE
381	KZJ-BPQ (BD LINE) (DN)	MCI YARD	260/21C - 261/9C	100	Points & Crossing on 1 degree curve
382	KZJ-BPQ (BD LINE) (DN)	MCI - PPZ	263/1C - 264/9C	100	Unstable formation
383	KZJ-BPQ (BD LINE) (DN)	MCI - PPZ	264/9C - 265/8C	75	Godavari Br. No. 142
384	KZJ-BPQ (BD LINE) (DN)	PPZ YARD	268/29C - 269/3C	100	Due to 2 degree curve.
385	KZJ-BPQ (BD LINE) (DN)	PPZ YARD	269/3C - 15C	85	Turnout in 2.25 degree curve
386	KZJ-BPQ (BD LINE) (DN)	PPZ YARD	269/15C - 17C	100	Due to 2 degree curve.
387	KZJ-BPQ (BD LINE) (DN)	RDM YARD	273/14C - 54C	90	Points on 1 degree curve with contra flexure
388	KZJ-BPQ (BD LINE) (DN)	RDM YARD	275/4C - 6C	100	Consequent upon through track attention
389	KZJ-BPQ (BD LINE) (DN)	PTKP-BGSF	318/C2-319/C10	90	Unstable Formation
390	NZB-PDPL (UP)	NZB-ARMU	177/3-176/8	80	2.5 degree sharp cruve
391	PDPL-NZB (DN)	ARMU-NZB	176/8-177/3	80	2.5 degree sharp cruve

SC DIVN DETAILS OF LEVEL CROSSINGS GATES

KZJ-BPQ SECTION

SL.NO.	LC No.	Km/Tps	Block Section	District	Class of gate	Man /Un Man	Gate Width	Engg /Traff	Inter Locked	Normal Position of Gate	Vol.of Traf. (TVU)	Vol.of Traf. (RVU)	Date of Census	Lifting Barrier	Type of Road	Phone Provision	ADEN	STATE
1	2	360/28-30	KZJ-HSP	Warangal	SPL	M	9.00	E	Y	O	190146	1474	06/2024	Y	BT	Y	RDM	TS
2	6	355/25-27	KZJ-HSP	Warangal	SPL	M	9.00	T	Y	O	67467	523	06/2024	Y	BT	Y	RDM	TS
3	8	352/8-10	HSP-OPL	Warangal	C	M	5.50	E	Y	O	4386	34	06/2024	Y	BT	Y	RDM	TS
4	9	351/6-8	HSP-OPL	Warangal	SPL	M	9.00	E	Y	O	119970	930	06/2024	Y	BT	Y	RDM	TS
5	11	346/20-22	HSP-OPL	Warangal	SPL	M	7.50	E	Y	O	57276	444	06/2024	Y	BT	Y	RDM	TS
6	12	344/18-20	HSP-OPL	Warangal	B2	M	6.50	E	Y	O	24768	192	06/2024	Y	BT	Y	RDM	TS
7	13	UP 343/23-25,	HSP-OPL	Warangal	B2	M	5.50	T	Y	O	18060	140	06/2024	Y	BT	Y	RDM	TS
8	14	DN 342/26-28, DN 342/C12-C13, UP 342/25-27	OPL-JMKT	Warangal	SPL	M	9.00	T	Y	O	235167	1823	06/2024	Y	BT	Y	RDM	TS
9	15	DN 340/22-24, UD 340/C11-C12, UP 340/25-27	OPL-JMKT	Karimnagar	C	M	5.50	E	Y	O	6063	47	06/2024	Y	BT	Y	RDM	TS
10	16	DN 338/38-339/2, UD 338/C13-339/C1, UP 338/37-339/1	OPL-JMKT	Karimnagar	A	M	7.50	E	Y	O	37797	293	06/2024	Y	BT	Y	RDM	TS
11	17	337/22-24	OPL-JMKT	Karimnagar	B2	M	5.50	E	Y	O	24897	193	06/2024	Y	BT	Y	RDM	TS
12	18	DN 335/28-30 UD 335/C11-C12 , 335/27-29	OPL-JMKT	Karimnagar	B2	M	6.50	E	Y	O	21600	230	06/2024	Y	BT	Y	RDM	TS
13	20	DN 332/20-18 UD 332/C11-C12, 335/25-27	OPL-JMKT	Karimnagar	SPL	M	9.00	E	Y	O	83463	647	06/2024	Y	BT	Y	RDM	TS
14	23	DN 327/16-18 UD 327/C7-C8, 327/17-21	JMKT-BGSF	Karimnagar	A	M	6.50	E	Y	O	31863	247	06/2024	Y	BT	Y	RDM	TS

SL.NO.	LC No.	Km/Tps	Block Section	District	Class of gate	Man /Un Man	Gate Width	Engg /Traffic	Inter Locked	Normal Position of Gate	Vol.of Traf. (TVU)	Vol.of Traf. (RVU)	Date of Census	Lifting Barrier	Type of Road	Phone Provision	ADEN	STATE
15	25	DN 323/16-18 UD 323/C7-C8, up 323/15-17	BGSF-PTKP	Karimnagar	B2	M	6.50	T	Y	O	24897	193	06/2024	Y	BT	Y	RDM	TS
16	27	317/5-7	BGSF-PTKP	Peddapalli	B2	M	5.50	E	Y	O	21156	164	06/2024	Y	BT	Y	RDM	TS
17	28	UP 315/9-10 DN 315/10-12 UD 315/C5-C6	BGSF-PTKP	Peddapalli	Spl	M	9.00	T	Y	O	99072	768	06/2024	Y	BT	Y	RDM	TS
18	29	UP -314/43-47 DN-314/46-48 UD-314 C20-C21	PTKP-BGSF	Peddapalli	SPL	M	9.00	T	Y	O	85488	624	07/2024	Y	BT	Y	RDM	TS
19	31	UP-310/35-33 DN-310/34-36 UD-310/C13-C14	PTKP-KOLR	Peddapalli	SPL	M	9.00	E	Y	O	121519	887	07/2024	Y	BT	Y	RDM	TS
20	32	UP 310/1-3, DN-309/40-310/4 UD 309/C18-310/C01	PTKP-KOLR	Peddapalli	A	M	7.50	E	Y	O	42968	353	08/2023	Y	BT	Y	RDM	TS
21	34	UP-304/47-45 DN-304/46-48 UD-304/C18-C19	KOLR-PDPL	Peddapalli	SPL	M	9.00	T	Y	O	125766	918	07/2024	Y	BT	Y	RDM	TS
22	38	UP-295/23-21 DN-295/20-24 UD-295/C8-C9	KOLR-PDPL	Peddapalli	SPL	M	9.00	E	Y	O	87954	642	07/2024	Y	BT	Y	RDM	TS
23	39	UP-292/33-31 DN-292/32-34 UD-292/C13-C14	KOLR-PDPL	Peddapalli	SPL	M		T	Y	O	285782	2086	07/2024	Y	BT	Y		
24	40	UP-291/15-13 DN-291/14-16 UD-291/C6-C8	PDPL-RGPM	Peddapalli	SPL	M	9.00	T	Y	O	72884	532	07/2024	Y	BT	Y	RDM	TS
25	42	UP-289/15-13 DN-289/14-16 UD-289/C4-C5	PDPL-RGPM	Peddapalli	A	M	7.50	E	Y	O	36442	266	07/2024	Y	BT	Y	RDM	TS
26	44	UP-285/27-23 DN-285/24-26 UD-285/C9-C10	PDPL-RGPM	Peddapalli	SPL	M	7.50	T	Y	O	56855	415	07/2024	Y	BT	Y	RDM	TS

SL.NO.	LC No.	Km/Tps	Block Section	District	Class of gate	Man /Un Man	Gate Width	Engg /Traff	Inter Locked	Normal Position of Gate	Vol.of Traf. (TVU)	Vol.of Traf. (RVU)	Date of Census	Lifting Barrier	Type of Road	Phone Provision	ADEN	STATE
27	45	UP-284/43-41 DN-284/40-44 UD-284/C16-C17	PDPL- RGPM	Peddapalli	B2	M	5.50	T	Y	O	11782	86	07/2024	Y	BT	Y	RDM	TS
28	46	UP-282/13-11 DN-282/10-12 UD-282/C4-C5	RGPM- RDM	Peddapalli	SPL	M	9.00	T	Y	O	108915	795	07/2024	Y	BT	Y	RDM	TS
29	49	UP-275/ 22-24	RGPM- RDM	Peddapalli	SPL	M	9.00	T	Y	O	109326	798	08/2024	Y	BT	Y	RDM	TS

SIGNAL INFORMATION - STD OF INTERLOCKING, CLASS OF STATION, TYPE OF INTERLOCKING, TYPE OF SIGNALS, TYPE OF BLOCK WORKING, DATA LOGGER AVAILABILITY

S. No.	Route (A / B / D) Note: Earlier D, D Spl and E Routes have been integrated as D Route from March 2023.	Station Name	Station Code	Section (between major junctions with code)	Type of Signalling Interlocking (Mechanical/P/E/I/Lever/RR/SM)	Std. of Inter locking (RI/MNI/I R /II R/III R)	Type of Block Instrument	Types of Signals (MACLS)	DATA LOGGER AVAILABILITY (YES / NO)
1	B	SECUNDERABAD RRI	SC	SC-KZJ	RRI	I R	AUTO SEC DIADO	MACLS	YES
2	D	LALLAGUDA	LGD	SC-KZJ	PI	III	AUTO	MACLS	YES
3	B	MOULA- ALI	MLY	SC-KZJ	PI/RSPI/EI	II R	AUTO	MACLS	YES
4	D	AMMUGUDA	AMQ	SC-KZJ	EI	II	AUTO	MACLS	YES
5	B	CHERLAPALLI	CHZ	SC-KZJ	EI	III R	AUTO	MACLS	YES
6	B	GHATKESAR	GT	SC-KZJ	EI	III R	AUTO/SGE	MACLS	YES
7	B	BIBINAGAR	BN	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES
8	B	PAGDIPALLI	PGDP	SC-KZJ	PI	III R	SGE DOUBLE /DIADO	MACLS	YES
9	B	BHONGIR	BG	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES
10	B	WANGAPALLI	WP	SC-KZJ	EI	III R	SGE DOUBLE	MACLS	YES
11	B	ALER	ALER	SC-KZJ	EI	III R	SGE DOUBLE	MACLS	YES
12	B	PEMBARTI	PBP	SC-KZJ	EI	III R	SGE DOUBLE	MACLS	YES
13	B	JANGAON	ZN	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES

S. No.	Route (A / B / D) Note: Earlier D, D Spl and E Routes have been integrated as D Route from March 2023.	Station Name	Station Code	Section (between major junctions with code)	Type of Signalling Interlocking (Mechanical/P/EI/Lever/RR/SM)	Std. of Interlocking (R/III R / II R/III R)	Type of Block Instrument	Types of Signals (MACLS)	DATA LOGGER AVAILABILITY (YES / NO)
14	B	RAGHUNATHPALLI	RGP	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES
15	B	IPPAGUDA	IPG	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES
16	B	GHANPUR	GNP	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES
17	B	NASHKAL	NSKL	SC-KZJ	RSPI	III R	SGE DOUBLE	MACLS	YES
18	B	PINDIAL	PQL	SC-KZJ	PI	III R	SGE DOUBLE	MACLS	YES
19	B	KAZIPET RRI	KZJ	SC-KZJ	RRI	I R	SGE DOUBLE	MACLS	YES
20	A	HASANPARTI ROAD	HSP	KZJ-BPQ	EI	III	AUTO/SGE	MACLS	YES
21	A	UPPAL	OPL	KZJ-BPQ	EI	III	AUTO	MACLS	YES
22	A	JAMIKUNTA	JMKT	KZJ-BPQ	EI	III R	AUTO/SGE/UFSBI	MACLS	YES
23	A	BISUGIRSHARIFF	BGSF	KZJ-BPQ	EI	III R	SGE DOUBLE /UFSBI SL	MACLS	YES
24	A	POTKAPALLI	PTKP	KZJ-BPQ	EI	III R	SGE DOUBLE /UFSBI	MACLS	YES
25	A	KOLANUR	KOLR	KZJ-BPQ	EI	III R	SGE DOUBLE /UFSBI	MACLS	YES
26	A	PEDDAPALLI	PDPL	KZJ-BPQ	EI	III R	SGE DOUBLE /UFSBI	MACLS	YES
27	A	RAGHAVAPURAM	RGPM	KZJ-BPQ	EI	III R	SGE DOUBLE /UFSBI/DIADO	MACLS	YES
28	A	RAMAGUNDAM	RDM	KZJ-BPQ	EI	III	SGE DOUBLE /DIADO	MACLS	YES
29	A	PEDDAMPET	PPZ	KZJ-BPQ	EI	III R	AUTO	MACLS	YES
30	A	MANCHIRYAL	MCI	KZJ-BPQ	EI	III R	AUTO	MACLS	YES
31	A	MANDAMARI	MMZ A	KZJ-BPQ	P / EI	III R	AUTO/SGE	MACLS	YES
32	A	BELLAMPALLI	BPA	KZJ-BPQ	EI	III R	SGE DOUBLE/UFSBI	MACLS	YES
33	A	RECHNI ROAD	RECH	KZJ-BPQ	EI	III	SGE DOUBLE/UFSBI	MACLS	YES
34	A	ASIFABAD ROAD	ASAF	KZJ-BPQ	EI	III	SGE DOUBLE/UFSBI	MACLS	YES
35	A	SIRPUR KAGAZNAGAR	SKZR	KZJ-BPQ	EI	III R	SGE DOUBLE /UFSBI	MACLS	YES
36	A	SIRPUR TOWN	SRUR	KZJ-BPQ	EI	III	SGE DOUBLE /UFSBI	MACLS	YES
37	A	MAKUDI	MKDI	KZJ-BPQ	EI	III	SGE DOUBLE/ UFSBI (SL)	MACLS	YES
38	A	WIRUR	WIRR	KZJ-BPQ	EI	III R	AUTO	MACLS	YES
39	A	WIHIRGAON	VHGN	KZJ-BPQ	EI	III R	AUTO	MACLS	YES
40	A	MANIKGARH	MAGH	KZJ-BPQ	EI	III R	AUTO	MACLS	YES
41	D	RAJURA GATE	RJUA	MAGH-GDCR	PI	II R	DIADO	MACLS	YES
42	D	PANDAR PAWANI	PRPI	MAGH-GDCR	PI	I	DIADO	MACLS	YES
43	D	MARATHA CEMENT WORKS	MCW	MAGH-GDCR	PI	III	DIADO	MACLS	YES
44	D	GHATCHANDUR	GDCR	MAGH-GDCR	EI	I R	DIADO	MACLS	YES
45	D	SULTANABAD	STBD	PDPL-NZB	RSPI	II R	DIADO / UFSBI	MACLS	YES
46	D	KARIMNAGAR	KRMIR	PDPL-NZB	EI	II R	UFSBI	MACLS	YES
47	D	GANGADHARA	GGRA	PDPL-NZB	PI	II R	UFSBI	MACLS	YES
48	D	PODUR	PDR	PDPL-NZB	EI	II	UFSBI	MACLS	YES
49	D	NOOKAPALLI MALLIAL	NPML	PDPL-NZB	EI	II	UFSBI	MACLS	YES

S. No.	Route (A / B / D) Note: Earlier D, D Spl and E Routes have been integrated as D Route from March 2023.	Station Name	Station Code	Section (between major junctions with code)	Type of Signalling Interlocking (Mechanical/P/EI/Lever/RR/SM)	Std. of Interlocking (R/III R / II R/III R)	Type of Block Instrument	Types of Signals (MACLS)	DATA LOGGER AVAILABILITY (YES / NO)
50	D	LINGAMPET JAGITYAL	LPJL	PDPL-NZB	RSPI	II R	UFSBI	MACLS	YES
51	D	KORUTLA	KRLA	PDPL-NZB	RSPI	II R	UFSBI	MACLS	YES
52	D	METPALLY	MTPI	PDPL-NZB	RSPI	II R	UFSBI	MACLS	YES
53	D	MORTHAD	MRTD	PDPL-NZB	RSPI	II R	UFSBI	MACLS	YES
54	D	ARMOOR	ARMU	PDPL-NZB	RSPI	II R	UFSBI	MACLS	YES
55	A	KAZIPET BYEPAS	KZJBP	KZJ-KI	EI	III	SGE DOUBLE	MACLS	YES
56	A	WARANGAL	WL	KZJ-KI	EI	III	SGE DOUBLE/ DIADO/UFSBI	MACLS	YES
57	A	CHINTALAPALLI	CLE	KZJ-KI	EI	III R	SGE DOUBLE/ UFSBI	MACLS	YES
58	A	YELGUR	YGL	KZJ-KI	EI	III	SGE DOUBLE/ UFSBI	MACLS	YES
59	A	NEKKONDA	NKD	KZJ-KI	EI	III R	SGE DOUBLE/ UFSBI	MACLS	YES
60	A	INTEKANNE	INK	KZJ-KI	PI	III R	SGE DOUBLE	MACLS	YES
61	A	KESAMUDRAM	KDM	KZJ-KI	EI	III R	SGE DOUBLE/ UFSBI	MACLS	YES
62	A	TADALAPUSAPALLI	TAA	KZJ-KI	PI	III R	SGE DOUBLE	MACLS	YES
63	A	MAHBUBABAD	MABD	KZJ-KI	EI	III R	SGE DOUBLE/ UFSBI	MACLS	YES
64	A	GUNDRATIMADUGU	GUU	KZJ-KI	EI	III R	SGE DOUBLE	MACLS	YES
65	A	DORNAKAL Jn. RRI	DKJ	KZJ-KI	RRI	III R	SGE DOUBLE	MACLS	YES
66	A	PAPATAPALLI	PPY	KZJ-KI	PI	III R	SGE DOUBLE	MACLS	YES
67	A	MALLEMADUGU	MLMG	KZJ-KI	PI	III R	SGE DOUBLE	MACLS	YES
68	A	KHAMMAM	KMT	KZJ-KI	EI	III	SGE DOUBLE	MACLS	YES
69	A	PANDILLAPALLI	PNDP	KZJ-KI	EI	III	SGE DOUBLE/ UFSBI	MACLS	YES
70	A	CHINTAKANI	CKN	KZJ-KI	EI	III	SGE DOUBLE/ UFSBI	MACLS	YES
71	A	BONAKALU	BKL	KZJ-KI	EI	III R	SGE DOUBLE/ UFSBI	MACLS	YES
72	A	MOTUMARI Jn.	MTMI	KZJ-KI	EI	III R	SGE DOUBLE/ UFSBI	MACLS	YES
73	A	MADHIRA	MDR	KZJ-KI	EI	III	SGE DOUBLE	MACLS	YES
74	A	TONDALAGOPAVARAM	TNGM	KZJ-KI	EI	III	SGE DOUBLE	MACLS	YES
75	A	ERRUPALEM	YP	KZJ-KI	EI	III	SGE DOUBLE / UFSBI	MACLS	YES
76	A	GANGINENI	GNN	KZJ-KI	EI	III	SGE DOUBLE / UFSBI	MACLS	YES
77	A	CHERUVUMADHAVARAM	CWV	KZJ-KI	EI	III	SGE DOUBLE / UFSBI	MACLS	YES
78	D	KAREPALLI	KRA	DKJ-BDCR-MUGR	PI	II R	UFSBI/DIADO	MACLS	YES
79	D	GANDHIPURAM	GHPU	DKJ-BDCR-MUGR	EI	II	UFSBI	MACLS	YES
80	D	CHIMALPAHAD	CMW	DKJ-BDCR-MUGR	PI	II R	DIADO/ UFSBI	MACLS	YES
81	D	TADIKALAPUDI	TPY	DKJ-BDCR-MUGR	RSPI	II R	DIADO	MACLS	YES
82	D	BETHAMPUDI	BTPD	DKJ-BDCR-MUGR	PI	II R	DIADO	MACLS	YES
83	D	BHADRACHALAM ROAD	BDCR	DKJ-BDCR-MUGR	PI/ EI	I R	DIADO	MACLS	YES
84	D	SERVARAM	SAVR	DKJ-BDCR-MUGR	EI	II R	UFSBI	MACLS	YES
85	D	CHANDRUGONDA	CDRG	DKJ-BDCR-MUGR	EI	II R	UFSBI	MACLS	YES
86	D	PARTHASARADHI PURAM	PSHP	DKJ-BDCR-MUGR	EI	I R	UFSBI	MACLS	YES

S. No.	Route (A / B / D) Note: Earlier D, D Spl and E Routes have been integrated as D Route from March 2023.	Station Name	Station Code	Section (between major junctions with code)	Type of Signalling Interlocking (Mechanical/P/EI/Lever/RR/SM)	Std. of Interlocking (R/III R / II R/III R)	Type of Block Instrument	Types of Signals (MACLS)	DATA LOGGER AVAILABILITY (YES / NO)
87	D	GAJULAGUDEM	GLE	DKJ-BDCR-MUGR	RSPI	II R	DIADO	MACLS	YES
88	D	PANDURANGAPURAM	PGP	DKJ-BDCR-MUGR	RSPI	II R	DIADO	MACLS	YES
89	D	ASWAPURAM	AWM	DKJ-BDCR-MUGR	RSPI	II R	DIADO	MACLS	YES
90	D	MANUGURU	MUGR	DKJ-BDCR-MUGR	RSPI	I R	DIADO	MACLS	YES
91	D	POCHARAM	PCZ	DKJ-BDCR-MUGR	EI	II R	UFSBI	MACLS	YES
92	D	MAKKAPETA	MAPA	MTMI-JNPD	PI	II R	DIADO	MACLS	YES
93	D	JAGGAYAPET TOWN	JPTN	MTMI-JNPD	EI/RSPI	I R	DIADO / UFSBI	MACLS	YES
94	D	REVUR RAMAPURAM	RRPM	MTMI-JNPD	RSPI	II R	DIADO	MACLS	YES
95	D	MELLACHERUVU	MACU	MTMI-JNPD	RSPI	II R	DIADO	MACLS	YES
96	D	SRI SANTH SEVALAL MAHARAJ	SSLM	MTMI-JNPD	RSPI	II R	UFSBI	MACLS	YES
97	D	MATTAMPALLY	MTMP	MTMI-JNPD	RSPI	II R	UFSBI/DAIDO	MACLS	YES
98	B	HYDERABAD	HYB	SC-WD	PI	I R	AUTO	MACLS	YES
99	B	HUSSAIN SAGAR JN.	HSJ	SC-WD	PI	I R	AUTO	MACLS	YES
100	B	SANATNAGAR	SNF A	SC-WD	EI	II	AUTO	MACLS	YES
101	B	HAfizPET	HFZ	SC-WD	PI	III	AUTO	MACLS	YES
102	B	LINGAMPALLI	LPI	SC-WD	PI	II R	SGE DOUBLE / AUTO	MACLS	YES
103	B	TELAPUR	TLPR	SC-WD	EI	II R	SGE DOUBLE / UFSBI	MACLS	YES
104	B	NAGALAPALLI	NPL	SC-WD	RSPI	II R	SGE DOUBLE	MACLS	YES
105	B	SHANKARPALLI	SKP	SC-WD	RSPI	III R	SGE DOUBLE	MACLS	YES
106	B	GULLAGUDA	GGD	SC-WD	RSPI	II R	SGE DOUBLE	MACLS	YES
107	B	CHITGIDDA	CTF	SC-WD	PI	II R	SGE DOUBLE	MACLS	YES
108	B	VIKARABAD JN	VKB A	SC-WD	EI	II R	SGE DOUBLE	MACLS	YES
109	B	GODAMGURA	GDQ	SC-WD	PI	II R	SGE DOUBLE	MACLS	YES
110	B	DHARUR	DRR	SC-WD	PI	II R	SGE DOUBLE	MACLS	YES
111	B	RUKMAPUR	RMV	SC-WD	PI	II R	SGE DOUBLE	MACLS	YES
112	B	TANDUR	TDU	SC-WD	PI	III R	SGE DOUBLE	MACLS	YES
113	B	MANTATTI	MVH	SC-WD	EI	III R	SGE DOUBLE	MACLS	YES
114	B	NAWANDGI	NAW	SC-WD	EI	II R	SGE DOUBLE	MACLS	YES
115	B	KURGUNTA	KQT	SC-WD	EI	II R	SGE DOUBLE	MACLS	YES
116	B	SERAM	SEM	SC-WD	PI	II R	SGE DOUBLE	MACLS	YES
117	B	MALKHAID ROAD	MQR	SC-WD	EI	II R	SGE DOUBLE	MACLS	YES
118	B	CHITTAPUR	CT	SC-WD	EI	III	SGE DOUBLE	MACLS	YES
119	B	SULEHALLI	SUH	SC-WD	EI	III	SGE DOUBLE	MACLS	YES
120	B	SULEHALLI WEST	SUHW	SC-WD	EI	III	SGE DOUBLE	MACLS	YES
121	D	RAMACHANDRAPURAM	RCPT	TLPR-RCPT	EI	I R	UFSBI	MACLS	YES
122	D	SADASHIVPETH ROAD	SSPD	VKB-PRLI	PI	III	UFSBI / DIADO	MACLS	YES
123	D	MARPALLI	MRF	VKB-PRLI	PI	II R	UFSBI	MACLS	YES

S. No.	Route (A/B/D) Note: Earlier D, D Spl and E Routes have been integrated as D Route from March 2023.	Station Name	Station Code	Section (between major junctions with code)	Type of Signalling Interlocking (Mechanical/P/EI/Lever/RR/SM)	Std. of Interlocking (R/MI/II R /II R/III R)	Type of Block Instrument	Types of Signals (MACLS)	DATA LOGGER AVAILABILITY (YES / NO)
124	D	KOHIR	KOHR	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
125	D	ZAHIRABAD	ZB	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
126	D	MATALKUNTA	MTV	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
127	D	BIDAR	BIDR	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
128	D	KHANAPUR Jh	KHNP	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
129	D	HALBARGA	HBU	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
130	D	BHALKI	BHLK	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
131	D	KALGUPUR	KOP	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
132	D	KAMALNAGAR	KMNR	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
133	D	UDGIR	UDGR	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
134	D	HER	HER	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
135	D	CHAKUR	CKX	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
136	D	LATUR ROAD	LTRR	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
137	D	JANWAL	JOA	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
138	D	PANGAON	PNF	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
139	D	GHATNANDUR	GTU	VKB-PRLI	PI	II R	UFSBI	MACLS	YES
140	D	PARLI VAJUNATH	PRLI	VKB-PRLI	PI	I R	UFSBI	MACLS	YES
141	D	HALIKHED (B)	HLKO	KHNP-TJSP	RSPI	II R	UFSBI	MACLS	YES
142	D	HUMNABAD	HMBD	KHNP-TJSP	RSPI	II R	UFSBI	MACLS	YES
143	D	HALLIKHED (K)	HLKDK	KHNP-TJSP	RSPI	II R	UFSBI	MACLS	YES
144	D	KAMALAPUR	KAMP	KHNP-TJSP	RSPI	II R	UFSBI	MACLS	YES
145	D	KURUKOTTA	KUKT	KHNP-TJSP	RSPI	II R	UFSBI	MACLS	YES

FSS SIGNAL DETAILS OF SC DIVISION

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
1	SC	MANIKGARH	MAGH	A	KZJ-BPQ	TRIPLE	UP	S99+ S99A	Up Home + Calling on (Up & Dn Main - From KZJ)	143/5-6
2	SC	MANIKGARH	MAGH	A	KZJ-BPQ	TRIPLE	UP	S100+100 A	Up Home + Calling on (Up & Dn Main - From KZJ)	143/0-1
3	SC	MANIKGARH	MAGH	A	KZJ-BPQ	SINGLE	UP	S98+98A	Up Home + Calling on From GDCR)	143/2-3

SL No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
4	SC	WHIRGAON	VHGN	A	KZI-BPQ	TRIPLE	UP	S.49+S49A	Up Home / Calling on (Up & Dn Main)	151/8-9
5	SC	WHIRGAON	VHGN	A	KZI-BPQ	TRIPLE	UP	S.50+S50A	Up Home / Calling on (Up Main)	151/8-9
6	SC	WIRUR	WIRR	A	KZI-BPQ	TRIPLE	UP	S.50+S50A	Up Home + Calling on (Up Main)	160/35-33
7	SC	WIRUR	WIRR	A	KZI-BPQ	TRIPLE	UP	S.49+S49A	Up Home + Calling on (Bidirectional Main)	160/35-34
8	SC	MAKUDI	MKDI	A	KZI-BPQ	TRIPLE	UP	S.70+S70A	Up Home + Calling on (Up Main)	173/17-15
9	SC	MAKUDI	MKDI	A	KZI-BPQ	TRIPLE	UP	S.69+S69A	Up Home + Calling on (Bidirectional Main)	173/17-16
10	SC	SIRPUR TOWN	SRUR	A	KZI-BPQ	TRIPLE	UP	S.60+S60A	Up Home + Calling on (Up Main)	191/22-24
11	SC	SIRPUR TOWN	SRUR	A	KZI-BPQ	TRIPLE	UP	S.59+S59A	Up Home + Calling on (Bidirectional Main)	191/22-24
12	SC	SIRPUR KAGAZNAGAR	SKZR	A	KZI-BPQ	DOUBLE	UP	S.80+S80A	Up Home + Calling on	201/16-18
13	SC	MAGH/MAGH BP-1	MAGH/MA GH BP-1	A	KZI-BPQ	SINGLE	UP	BP2-1+1A	Up Home + Calling on - From GDCR	22-3 From MAGH
14	SC	ASIFABAD ROAD	ASAF	A	KZI-BPQ	DOUBLE	UP	S.1+S1A	Up Home + Calling on	217/15-13
15	SC	RECHNI ROAD	RECH	A	KZI-BPQ	DOUBLE	UP	S.40+S40A	Up Home + Calling on	231/23-21
16	SC	BELLAMPALLI	BPA B	A	KZI-BPQ	DOUBLE	UP	S.130+S130A	Up Home + Calling on	241/43-41
17	SC	BELLAMPALLI	BPA G	A	KZI-BPQ	DOUBLE	UP	S 129/129A	Up Home + Calling on (Bidirectional Main)	-
18	SC	MANDAMARI	MMZ B	A	KZI-BPQ	TRIPPLE	UP	S.1+S1A	Up Home + Calling on	251/12-14
19	SC	MANDAMARI	MMZ B	A	KZI-BPQ	TRIPPLE	UP	S.2+S2A	Up Home + Calling on in UD line	251/12-14
20	SC	MANCHIRYAL	MCI	A	KZI-BPQ	TRIPPLE	UP	S1	UP HOME	261/43-41
21	SC	MANCHIRYAL	MCI	A	KZI-BPQ	TRIPPLE	UP	S2	UP UD HOME	261/21C-20C
22	SC	PEDDAMPET	PPZ	A	KZI-BPQ	TRIPPLE	UP	S 50	UP Home signal	271/3-1
23	SC	PEDDAMPET	PPZ	A	KZI-BPQ	TRIPPLE	UP	S 49	UP UD HOME SIGNAL	271/1C-270/19C

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
24	SC	RAMAGUNDAM 'B' Cabin	RDM 'B'	A	KZJ-BPQ	TRIPPLE	UP	S 4 /4A	UP HOME Routing UPMain	275/55-59
25	SC	RAMAGUNDAM 'B' Cabin	RDM 'B'	A	KZJ-BPQ	TRIPPLE	UP	S 7 /7A	UP UD Home signal	275/55-59
26	SC	RAMAGUNDAM 'G' Cabin	RDM 'G'	A	KZJ-BPQ	DOUBLE	UP	G 13	UP GOODS HOME FROM KZJ END	RDM 1194-1190
27	SC	RAMAGUNDAM BP	RDM BP	A	KZJ-BPQ	TRIPPLE	UP	BP 1 /1A	UP Home signal	276/29-31
28	SC	RAMAGUNDAM BP	RDM BP	A	KZJ-BPQ	TRIPPLE	UP	BP 2 /2A	UP UD Home signal	276/29-31
29	SC	RAGHAVAPURAM	RGPM	A	KZJ-BPQ	TRIPPLE	UP	S80	RGPM HOME	285/33-35
30	SC	RAGHAVAPURAM	RGPM	A	KZJ-BPQ	TRIPPLE	UP	S79	ROUTING HOME	284/55-57
31	SC	KOLANUR, LC39	KOLR, LC39	A	KZJ-BPQ	TRIPPLE	UP	S69	Up HOME(Up & Dn Main)	306/25-23
32	SC	KOLANUR, LC39	KOLR, LC39	A	KZJ-BPQ	TRIPPLE	UP	S70	Up HOME(Up Main)	306/25-23
33	SC	KOLR	KOLR	A	KZJ-BPQ	TRIPPLE	UP	S59	Up Home (Up Main)	307/14-16
34	SC	KOLR	KOLR	A	KZJ-BPQ	TRIPPLE	UP	S60	Up Home (Up & Dn Main)	307/14-16
35	SC	BISUGIRSHARIFF	BGSF	A	KZJ-BPQ	TRIPPLE	UP	60/60A	UP HOME(UP MAIN)	326/0-1
36	SC	BISUGIRSHARIFF	BGSF	A	KZJ-BPQ	TRIPPLE	UP	59/59A	UP HOME(BIDIRECTIONAL)	326/0-1
37	SC	JAMIKUNTA	JMKT	A	KZJ-BPQ	TRIPPLE	UP	S70/70A	UP HOME(UP MAIN)	332/0-1
38	SC	UPPAL	OPL	A	KZJ-BPQ	TRIPPLE	UP	S69/69A	OPL UP H/S (Up & Dn Main)	344/C2-C1
39	SC	UPPAL	OPL	A	KZJ-BPQ	TRIPPLE	UP	S70/70A	OPL UP H/S (Up Main)	344/5-3
40	SC	MANIKGARH	MAGH	A	KZJ-BPQ	DOUBLE	DN	S2+ S2A	Dn Home + Calling on (BPQ End)	140/6-7
41	SC	MANIKGARH BP-1	MAGHBP-1	A	KZJ-BPQ	TRIPLE	DN	BP-1 +BP1A	Dn Home + Calling on - Dn Main - From MAGH	144/5-6
42	SC	MANIKGARH BP-1	MAGHBP-1	A	KZJ-BPQ	TRIPLE	DN	BP-2+BP-2A	Dn Home + Calling on - Up & Dn Main - From MAGH	144/5-6
43	SC	MANIKGARH BP-1	MAGHBP-1	A	KZJ-BPQ	TRIPLE	DN	BP1-39+39A	Dn Home/Calling on (Up & Dn Main - From VHGN)	146/3-4

B 20 (SC)

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
44	SC	MANIKGARH BP-1	MAGHBP-1	A	KZJ-BPQ	TRIPLE	DN	BP1-40+40A	Dn Home/Calling on (Dn Main - From VHGN)	146/3-4
45	SC	WIHIRGAON	VHGN	A	KZJ-BPQ	TRIPLE	DN	S.1 +S1A	Dn Home +Calling on (Down Main)	149/4-5
46	SC	WIHIRGAON	VHGN	A	KZJ-BPQ	TRIPLE	DN	S.2 +S2A	Dn Home +Calling on (Up & Dn Main)	149/4-5
47	SC	WIRUR	WIRR	A	KZJ-BPQ	TRIPLE	DN	S.1 +S1A	Dn Home +Calling on (Dn Main)	158/9-159/0
48	SC	WIRUR	WIRR	A	KZJ-BPQ	TRIPLE	DN	S.2 +S2A	Dn Home +Calling on (Bidirectional Main)	158/9-159/0
49	SC	MAKUDI	MKDI	A	KZJ-BPQ	TRIPLE	DN	S.1 +S1A	Dn Home +Calling on (Dn Main)	171/32-34
50	SC	MAKUDI	MKDI	A	KZJ-BPQ	TRIPLE	DN	S.2 +S2A	Dn Home +Calling on (Bidirectional Main)	171/32-35
51	SC	SIRPUR TOWN-MAKUDI	SRUR	A	KZJ-BPQ	TRIPLE	DN	S.1 +S1A	Dn Home +Calling on (Dn Main)	183/8-10
52	SC	SIRPUR TOWN	SRUR	A	KZJ-BPQ	TRIPLE	DN	S.2 +S2A	Dn Home +Calling on (Bidirectional Main)	184/39-37
53	SC	MANIKGARH BP-1	MAGHBP-1	A	KZJ-BPQ		DN	BP-3+BP-3A	Dn Home + Calling on-From Bye Pass 2	144/6-7
54	SC	ASIFABAD ROAD	ASAF	A	KZJ-BPQ	DOUBLE	DN	S.30 +S30A	Dn Home +Calling on	215/22-24
55	SC	RECHNI ROAD	RECH	A	KZJ-BPQ	DOUBLE	DN	S.1 +S1A	Dn Home +Calling on	229/18-20
56	SC	BELLAMPALLI	BPA A	A	KZJ-BPQ	DOUBLE	DN	S.1 + S 1A	Dn Home +Calling on	239/18-20
57	SC	BELLAMPALLI	BPA A	A	KZJ-BPQ	DOUBLE	DN	S.2 + S2A	Dn Home +Calling on (Bidirectional Main)	239/22-24
58	SC	MANDAMARI	MMZ A	A	KZJ-BPQ	DOUBLE	DN	S.1+S1A	Dn Home + Calling on	249/8-10
59	SC	PEDDAMPET	PPZ	A	KZJ-BPQ	TRIPPLE	DN	S 1	DN Home signal	268/10-14
60	SC	PEDDAMPET	PPZ	A	KZJ-BPQ	TRIPPLE	DN	S 2	DN UD Home signal	268/4C-5C
61	SC	RAMAGUNDAM 'A' Cabin	RDM 'A'	A	KZJ-BPQ	TRIPPLE	DN	S 1 /1A	DN Home signal	273/12-14
62	SC	RAMAGUNDAM 'A' Cabin	RDM 'A'	A	KZJ-BPQ	TRIPPLE	DN	S 2 /2A	DN UD Home signal	273/12-14
63	SC	RAGHAVAPURAM	RGPM	A	KZJ-BPQ	TRIPPLE	DN	S1	DN HOME	281/36-282/02
64	SC	RAGHAVAPURAM	RGPM	A	KZJ-BPQ	TRIPPLE	DN	S2	ROUTING HOME	281/34-36

Sl. No.	DIV	Station name	Station / Block section code	ROU TE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
65	SC	PEDDAPALLI	PDPL	A	KZJ-BPQ	TRIPPLE	DN	S1	PDPL HOME(Dn Main)	290/14-16
66	SC	PEDDAPALLI	PDPL	A	KZJ-BPQ	TRIPPLE	DN	S2	PDPL HOME(Up & Dn Main)	289/8-10
67	SC	PEDDAPALLI	PDPL	A	KZJ-BPQ	TRIPPLE	DN	S30	PDPL HOME	293/19-21
	SC	PEDDAPALLI BYEPASS	PDPL BP	A	KZJ-BPQ	TRIPPLE	DN	BP 1 / 1A	PDPL BP DN Home	296/ c1-c2
	SC	PEDDAPALLI BYEPASS	PDPL BP	A	KZJ-BPQ	TRIPPLE	DN	BP 2 / 2A	PDPL BP DN UD Home	296/ C2-C3
	SC	PEDDAPALLI BYEPASS	PDPL BP	A	KZJ-BPQ	TRIPPLE	DN	BP 3 / 3A	PDPL BP DN BRANCH HOME	5/11-12
69	SC	KOLANUR, LC40	KOLR, LC40	A	KZJ-BPQ	TRIPPLE	DN	S1	Dn HOME(Dn Main)	304/14-16
70	SC	KOLANUR, LC40	KOLR, LC40	A	KZJ-BPQ	TRIPPLE	DN	S2	Dn HOME(Up & Dn Main)	304/14-16
71	SC	KOLANUR, LC34	KOLR, LC34	A	KZJ-BPQ	TRIPPLE	DN	S1	Dn Home (Dn Main)	304/28-30
72	SC	KOLANUR, LC34	KOLR, LC34	A	KZJ-BPQ	TRIPPLE	DN	S2	Dn Home (Up & Dn Main)	304/28-30
73	SC	POTKAPALLI	PTKP	A	KZJ-BPQ	TRIPPLE	DN	S1	DN HOME(Dn Main)	312/14-16
74	SC	POTKAPALLI	PTKP	A	KZJ-BPQ	TRIPPLE	DN	S2	Dn Home(Bidirectional Main)	312/14-16
75	SC	POTKAPALLI, LC28	PTKP, LC28	A	KZJ-BPQ	TRIPPLE	DN	S59	PTKP HOME	312/14-16
76	SC	POTKAPALLI, LC28	PTKP, LC28	A	KZJ-BPQ	TRIPPLE	DN	S60	PTKP HOME	312/14-16
77	SC	BISUGIRSHARIFF, LC25T	BGSF, LC25T	A	KZJ-BPQ	TRIPPLE	DN	1/1A	DN HOME(Dn Main)	322/8-9
78	SC	BISUGIRSHARIFF, LC25T	BGSF, LC25T	A	KZJ-BPQ	TRIPPLE	DN	2/2A	DN HOME(Bidirectional Main)	322/8-9
79	SC	JAMIKUNTA	JMKT	A	KZJ-BPQ	TRIPPLE	DN	2/2A	DN HOME(BIDIRECTIONAL)	329/5-6
80	SC	JAMIKUNTA	JMKT	A	KZJ-BPQ	TRIPPLE	DN	1/1A	DN HOME (DN MAIN)	329/5-6

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
81	SC	JAMIKUNTA	JMKT	A	KZJ-BPQ	TRIPPLE	DN	S69/69A	DN HOME(BIDIRECTIONAL)	332/0-1
82	SC	UPPAL, LC 14T	OPL, LC 14T	A	KZJ-BPQ	TRIPPLE	DN	S1/1A	OPL DN H/S- DOWN MAIN	341/20-22
83	SC	UPPAL, LC 14T	OPL, LC 14T	A	KZJ-BPQ	TRIPPLE	DN	S2/2A	OPL DN H/S- BYDIRECTIONAL MAIN	341/C7-C8
84	SC	HASANPARTI ROAD	HSP	A	KZJ-BPQ	TRIPPLE	DN	S1 /1A	Down Home(Dn Main)	355/33-31
85	SC	HASANPARTI ROAD	HSP	A	KZJ-BPQ	TRIPPLE	DN	S2 /2A	Down Home (Bidirectional Main)	355/33-31
86	SC	HASANPARTI ROAD	HSP	A	KZJ-BPQ	DOUBLE	DN	S89 / 89A	Up Home (up Main)	355/33-31
87	SC	HASANPARTI ROAD	HSP	A	KZJ-BPQ	DOUBLE	DN	S90 /90A	Up Home (up Main)	355/33-31
88	SC	KAZIPET E/L	KZJ E/L	A	KZJ-BPQ	DOUBLE	DN	S50	KZJ E/L- H/S	364/20-22
89	SC	KAZIPET W/L	KZJ W/L	A	KZJ-BPQ	DOUBLE	DN	S49	KZJ W/L- H/S	364/20-22
	SC	PEDDAPALLI BYEPASS	PDPL BP	A	KZJ-BPQ	TRIPPLE	UP	BP 28/ 28A	PDPL BP UP HOME from STB	6/2-3
	SC	PEDDAPALLI BYEPASS	PDPL BP	A	KZJ-BPQ	TRIPPLE	UP	BP 29/29A	PDPL BP UP UD HOME	297/c2-c3
90	SC	PEDDAPALLI BYEPASS	PDPL BP	A	KZJ-BPQ	TRIPPLE	UP	S30/ S30A	PDPL BP UP HOME	297/ C1-C2
91	SC	RAJURA	RJUA	D	MAGH-GDCR	SINGLE	UP	S20+S20A	Up Home+Calling on	7/4-7/5MG
92	SC	MARATHA CEMENT WORK	MCW	D	MAGH-GDCR	SINGLE	UP	S10	Up Home + C on	22/16
93	SC	PANDHARPAVANI	PRPI	D	MAGH-GDCR	SINGLE	UP	S40+S40A	Up Home+Calling on	16/16-17
94	SC	PANDHARPAVANI	PRPI	D	MAGH-GDCR	SINGLE	UP	S30+S30A +Sh24	Up Routing Home +Calling on+Shunt	15/3-4
95	SC	RAJURA	RJUA	D	MAGH-GDCR	SINGLE	DN	S1+S1A	Dn Home +Calling on	5/10-11MG
96	SC	MARATHA CEMENT WORK	MCW	D	MAGH-GDCR	SINGLE	DN	S1	Dn Home	21/9-10
97	SC	MARATHA CEMENT WORK	MCW	D	MAGH-GDCR	SINGLE	DN	S3	Dn Routing Home	22/10-11
98	SC	PANDHARPAVANI	PRPI	D	MAGH-GDCR	SINGLE	DN	S1+S1A	Dn Home /Calling on	13/5-6

Sl. No.	DIV	Station name	Station/Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
99	SC	GADCHANDUR	GDCR	D	MAGH-GDCR	SINGLE	DN	S01	Dn Home	26/16-17
100	SC	WARANGAL	WL	A	KZI-BZA	DOUBLE	UP	S2	E/L Home signal	375/24-26
101	SC	WARANGAL	WL	A	KZI-BZA	DOUBLE	UP	S3	W/L Home signal	375/23-25
102	SC	WARANGAL	WL	A	KZI-BZA	TRIPPLE	UP	S69	Up Home signal (Bidirectional Main)	378/3-5
103	SC	WARANGAL	WL	A	KZI-BZA	TRIPPLE	UP	S70	Up Home (up Main)	377/36-38
104	SC	CHINTALAPALLI	CLE	A	KZI-BZA	TRIPPLE	UP	S89	CLE UP HOME SIGNAL(Up Main)	390/3-1
105	SC	CHINTALAPALLI	CLE	A	KZI-BZA	TRIPPLE	UP	S90	CLE UP HOME SIGNAL/Bidirectional Main)	390/3-1
106	SC	YELGUR, LC69T	YGL, LC69T	A	KZI-BZA	TRIPPLE	UP	S1	UP H/S(Up Main)	396/2-4
107	SC	YELGUR, LC69T	YGL, LC69T	A	KZI-BZA	TRIPPLE	UP	S50	UP H/S(Bidirectional Main)	396/2-4
108	SC	NEKKONDA	NKD	A	KZI-BZA	DOUBLE	UP	S70	UP H/S (Up main)	402/12-14
109	SC	INTEKANNE	INK	A	KZI-BZA	DOUBLE	UP	S6	INK UP HOME SIGNAL	416/5-7
110	SC	KESAMUDRAM	KDM	A	KZI-BZA	DOUBLE	UP	S30	UP Home signal	417/3-5
111	SC	TADALAPUSAPAL LJ	TAA	A	KZI-BZA	DOUBLE	UP	S1	TAA UP Home signal	417/3-5
112	SC	MAHBUBABAD	MABD	A	KZI-BZA	DOUBLE	UP	S30	MABD UP HOME SIGNAL	417/3-5
113	SC	GUNDRATIMADUGU	GUU	A	KZI-BZA	DOUBLE	UP	S30	GUU UP H/S	449/5-7
114	SC	DORNAKAL RRI	DKJ/RRI	A	KZI-BZA	DOUBLE	UP	S2	UP ML H/S	462/13
115	SC	DORNAKAL RRI	DKJ/RRI	A	KZI-BZA	DOUBLE	UP	S7	B/L Home	DKJ 1128-1132
116	SC	DORNAKAL BP	DKJ BP	A	KZI-BZA	DOUBLE	UP	BP30	DKJ BP-UP HS	463/15-17
117	SC	PAPATAPALLI	PPY	A	KZI-BZA	DOUBLE	UP	S30	PPY UP H/S	470/19-21
118	SC	MALLEMADUGU	MLMG	A	KZI-BZA	DOUBLE	UP	S6	Up Home signal	475/29-27
119	SC	KHAMMAM 'B' CABIN	KMT-B	A	KZI-BZA	DOUBLE	UP	S1	KMT UP HOME	485/5-7
120	SC	PANDILLAPALLI	PNDP	A	KZI-BZA	TRIPPLE	UP	S79	PNDP UP H/S (Up main)	493/01-02
121	SC	PANDILLAPALLI	PNDP	A	KZI-BZA	TRIPPLE	UP	S80	PNDP UP HOME (Bidirectional Main)	493/01-02

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
122	SC	CHINTAKANI	CKN	A	KZJ-BZA	TRIPPLE	UP	S90	UP HOME	498/19-21
123	SC	CHINTAKANI	CKN	A	KZJ-BZA	TRIPPLE	UP	S89	UP HOME(Bidirectional Main)	498/19-21
124	SC	BONAKALU	BKL	A	KZJ-BZA	DOUBLE	UP	S60	UP H/S (UP main)	505/28-30
125	SC	MOTUMARI Jn.	MTMI	A	KZJ-BZA	DOUBLE	UP	S1	UP Home Signal	523 / 27-25
126	SC	MADHIRA	MDR	A	KZJ-BZA	DOUBLE	UP	S30	UP Home Signal	529 / 33-31
127	SC	TONDALAGOPAVARAM	TNGM	A	KZJ-BZA	DOUBLE	UP	S30	UP Home Signal	538 / 33-35
128	SC	ERRUPALEM	YP	A	KZJ-BZA	TRIPPLE	UP	S60	UP H/S (Up main)	547/14-16
129	SC	ERRUPALEM	YP	A	KZJ-BZA	TRIPPLE	UP	S59	UP H/S (Bidirectional Main)	547/14-16
130	SC	GANGINENI	GNN	A	KZJ-BZA	TRIPPLE	UP	S100	UP Home Signal (UP Main)	552/0-2
131	SC	GANGINENI	GNN	A	KZJ-BZA	TRIPPLE	UP	S99	UP Home signal (Bidirectional Main)	552/0-2
132	SC	GANGINENI	GNN	A	KZJ-BZA	TRIPPLE	UP	HPCL Home	Home Signal	HPS 27-1/1
133	SC	CHERUVUMADHAVARAM	CVV	A	KZJ-BZA	TRIPPLE	UP	S2	DN Home signal (Bidirectional Main)	554/2-4
134	SC	CHERUVUMADHAVARAM LC 138	CVV,LC138	A	KZJ-BZA	TRIPPLE	UP	S70	UP Home Signal (UP Main)	554/2-4
135	SC	CHERUVUMADHAVARAM LC 138	CVV,LC138	A	KZJ-BZA	TRIPPLE	UP	S69	UP Home signal (Bidirectional Main)	554/2-4
136	SC	CHINTALAPALLI, LC 66T	CLE, LC 66T	A	KZJ-BZA	TRIPPLE	DN	S1	Dn H/S(Dn Main)	388/14-16
137	SC	CHINTALAPALLI, LC 66T	CLE, LC 66T	A	KZJ-BZA	TRIPPLE	DN	S2	Dn H/S(Bidirectional Main)	388/14-16
138	SC	YELGUR	YGL	A	KZJ-BZA	TRIPPLE	DN	S30	Dn H/S(Dn Main)	396/2-4
139	SC	YELGUR	YGL	A	KZJ-BZA	TRIPPLE	DN	S31	Dn H/S(Bidirectional Main)	396/2-4
140	SC	NEKKONDA	NKD	A	KZJ-BZA	TRIPPLE	DN	S1	DN H/S (Down main)	402/12-14
141	SC	NEKKONDA	NKD	A	KZJ-BZA	TRIPPLE	DN	S2	DN H/S (Bidirectional Main)	402/12-14
142	SC	INTEKANNE	INK	A	KZJ-BZA	DOUBLE	DN	SI/304ID	INK DN HOME SIGNAL	415/18-20
143	SC	KESAMUDRAM	KDM	A	KZJ-BZA	DOUBLE	DN	S1	DN HOME SIGNAL	409/26-28

Sl. No.	DIV	Station name	Station / Block section code	ROU TE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
144	SC	TADALAPUSAPALI	TAA	A	KZI-BZA	DOUBLE	DN	S6	TAA DN HOME SIGNAL	408/6-8
145	SC	MAHBUBABAD	MABD	A	KZI-BZA	DOUBLE	DN	S1	MABD DN HOME SIGNAL	408/6-8
146	SC	GUU	GUU	A	KZI-BZA	DOUBLE	DN	S1	GUU DN H/S	447/15-17
147	SC	DORNAKAL RRI, LC.90	DKJ RRI, LC.90	A	KZI-BZA	DOUBLE	DN	S70	DN HS, LC.90 H/S	459/28-460/2
148	SC	DORNAKAL BP	DKJ BP	A	KZI-BZA	DOUBLE	DN	BP1	B/L HS	DK2/3-2
149	SC	PAPATAPALLI	PPY	A	KZI-BZA	DOUBLE	DN	S1	PPY DN H/S	468/32-34
150	SC	MALLEMADUGU	MLMG	A	KZI-BZA	DOUBLE	DN	S1	DN Home signal	475/12-14
151	SC	KHAMMAM 'A' CABIN	KMT-A	A	KZI-BZA	DOUBLE	DN	S1	KMT Dn Home signal	483/27-29
152	SC	PANDILLAPALLI	PNDP	A	KZI-BZA	DOUBLE	DN	S1	PNDP DN Home Signal	498/19-21
153	SC	CHINTAKANI	CKN	A	KZI-BZA	TRIPPLE	DN	S1	DN HOME	498/19-21
154	SC	CHINTAKANI	CKN	A	KZI-BZA	TRIPPLE	DN	S2	DN HOME(Bidirectional Main)	498/19-21
155	SC	BONAKALU	BKL	A	KZI-BZA	TRIPPLE	DN	S1	DN H/S (Down main)	505/28-30
156	SC	BONAKALU	BKL	A	KZI-BZA	TRIPPLE	DN	S2	DN H/S (Bidirectional Main)	505/28-30
157	SC	MOTUMARI - BY PASS CABIN	MTMI-BP	A	KZI-BZA	DOUBLE	DN	BP20	DN BP Home Signal	505/28-30
158	SC	MOTUMARI - BY PASS CABIN	MTMI-BP	A	KZI-BZA	SINGLE	DN	BP1	DN BP Home Signal (Branch line)	522/0-1
159	SC	MOTUMARI,LC120	MTMI,LC.120	A	KZI-BZA	DOUBLE	DN	S50	DN Home Signal(Down main)	521 / 26-28
160	SC	MOTUMARI,LC120	MTMI,LC120	A	KZI-BZA	SINGLE	DN	S48	DN Home Signal (Branch line)	522/0-1
161	SC	MADHIRA	MDR	A	KZI-BZA	DOUBLE	DN	S1	DN Home Signal	528 / 16-18
162	SC	TONDALAGOPAVARAM	TNGM	A	KZI-BZA	DOUBLE	DN	S1	DN Home Signal	537 / 16-18
163	SC	ERRUPALEM	YP	A	KZI-BZA	DOUBLE	DN	S1	DN Home Signal	543 / 26-28
164	SC	GANGINENI,LC.135	GNN,LC.135	A	KZI-BZA	TRIPPLE	DN	S1	DN Home signal (DN Main)	553/28-30
165	SC	GANGINENI,LC.135	GNN,LC.135	A	KZI-BZA	TRIPPLE	DN	S2	DN Home signal (Bidirectional Main)	553/28-31

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
166	SC	CHERUVUMADHAVARAM	CVV	A	KZJ-BZA	TRIPPLE	DN	S1	DN Home signal (DN Main)	547/14-16
167	SC	ARMOOR	ARMU	D	PDPL-NZB	SINGLE	UP	S1	UP Home	150/0-1
168	SC	MORTHAD	MRTD	D	PDPL-NZB	SINGLE	UP	S1	UP Home signal	123/8
169	SC	METPALLY	MTPI	D	PDPL-NZB	SINGLE	UP	S20	UP Home signal	112/8-9
170	SC	KORUTLA	KRLA	D	PDPL-NZB	SINGLE	UP	S 20	UP Home signal	104/6-7
171	SC	LINGAMPET JAGITYAL	LPJL	D	PDPL-NZB	SINGLE	UP	S 1	UP Home signal	84/8-9
172	SC	PODUR	PDR	D	PDPL-NZB	SINGLE	UP	S02	UP Home signal	61/3-4
173	SC	NOOKAPALLI MALLIAL	NPML	D	PDPL-NZB	SINGLE	UP	S02	UP Home signal	48/2-3
174	SC	GANGADHARA	GDRA	D	PDPL-NZB	SINGLE	UP	S 20	UP Home signal	57/6-7
175	SC	KARIMNAGAR	KRMR	D	PDPL-NZB	SINGLE	UP	S 02	UP Home signal	35/8-9
176	SC	SULTANABAD	STBD	D	PDPL-NZB	SINGLE	UP	S 1	UP Home signal	13/2-3
177	SC	ARMOOR	ARMU	D	PDPL-NZB	SINGLE	DN	S 20/20A	DN HOME	147/6-7
178	SC	MORTHAD	MRTD	D	PDPL-NZB	SINGLE	DN	S 20	DN Home signal	122/0-1
179	SC	METPALLY	MTPI	D	PDPL-NZB	SINGLE	DN	S1	DN Home signal	111/0-1
180	SC	KORUTLA	KRLA	D	PDPL-NZB	SINGLE	DN	S 1	DN Home signal	102/8-9
181	SC	LINGAMPET JAGITYAL	LPJL	D	PDPL-NZB	SINGLE	DN	S30	DN Home signal	81/5-6
182	SC	PODUR	PDR	D	PDPL-NZB	SINGLE	DN	S01	DN Home signal	63/5-6
183	SC	NOOKAPALLI MALLIAL	NPML	D	PDPL-NZB	SINGLE	DN	S01	DN Home signal	48/2-3
184	SC	GANGADHARA	GDRA	D	PDPL-NZB	SINGLE	DN	S 1	DN Home signal	55/6-7
185	SC	KARIMNAGAR	KRMR	D	PDPL-NZB	SINGLE	DN	S 01	DN Home signal	33/05
186	SC	SULTANABAD	STBD	D	PDPL-NZB	SINGLE	DN	S 20	DN Home signal	39026
187	SC	MAKKAPETA	MAKKAPE TA	D	MTMI-JNPD	SINGLE	UP	S20	UP Home Signal	15 / 16-17
188	SC	JAGGAYAPET TOWN	JPTN	D	MTMI-JNPD	SINGLE	UP	S1	UP Routing Home Signal	25/1F-2F
189	SC	JAGGAYAPET TOWN	JPTN	D	MTMI-JNPD	SINGLE	UP	S2	UP Home Signal	24/6-7
190	SC	JAGGAYAPET -B	JPTN'B	D	MTMI-JNPD	SINGLE	UP	S2	UP Home Signal	29/7-8
191	SC	REVUR RAMAPURAM	RRPM	D	MTMI-JNPD	SINGLE	UP	S20	UP Home signal	38/3

Sl. No.	DIV	Station name	Station / Block section code	ROU TE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
192	SC	MELLACHERUVU	MACU	D	MTMI-JNPD	SINGLE	UP	S20	UP Home signal	48/5-6
193	SC	SRI SANTH SEVALAL MAHARAJ	SSLM	D	MTMI-JNPD	SINGLE	UP	S30	UP Home signal	52/7-8
194	SC	MAKKAPETA	MAKKAPETA	D	MTMI-JNPD	SINGLE	DN	S1	DN Home Signal	17 / 11-12
195	SC	JAGGAYAPET TOWN	JPTN	D	MTMI-JNPD	SINGLE	DN	S60	DN Home Signal	26/16F-17F
196	SC	JAGGAYAPET -B	JPTN'B	D	MTMI-JNPD	SINGLE	DN	S10	DN Home Signal	29/24-25
197	SC	REVUR RAMAPURAM	RRPM	D	MTMI-JNPD	SINGLE	DN	S1	DN Home signal	39/20
198	SC	MELLACHERUVU	MACU	D	MTMI-JNPD	SINGLE	DN	S1	DN Home signal	50/3-4
199	SC	SANTH SEVALAL MAHARAJ	SSLM	D	MTMI-JNPD	SINGLE	DN	S1	DN Home signal	52/7-8
200	SC	MANUGURU	MUGR	D	DKJ-MUGR	SINGLE	UP	S8/10/12	Home Signal	102/14-15
201	SC	ASWAPURAM	AWM	D	DKJ-MUGR	SINGLE	UP	S1	UP Home Signal	96/10-11
202	SC	PANDURANGAPU RAM	PGP	D	DKJ-MUGR	SINGLE	UP	S1	UP Home Signal	83/3-4
203	SC	GAJULAGUDEM	GLE	D	DKJ-MUGR	SINGLE	UP	S1	UP Home Signal	63/15-64-1
204	SC	GAJULAGUDEM	GLE	D	DKJ-MUGR	SINGLE	UP	S30	Home Signal	66/4-5
205	SC	GAJULAGUDEM	GLE	D	DKJ-MUGR	SINGLE	UP	S29	Home Signal	KM 1/9-10
206	SC	BHADRACHALAM ROAD	BDCR/STN	D	DKJ-MUGR	SINGLE	UP	S8	Home Signal	53/13-14
207	SC	BHADRACHALAM ROAD	BDCR/STN	D	DKJ-MUGR	SINGLE	UP	S9	Home Signal	53/13-14
208	SC	BETHAMPUDI BP	BTPD BP	D	DKJ-MUGR	SINGLE	UP	S02	UP Home Signal (BDCR LINE)	52/7-8
209	SC	BETHAMPUDI BP	BTPD BP	D	DKJ-MUGR	SINGLE	UP	S04	UP Home Signal (SAVR LINE)	52/7-8
210	SC	BETHAMPUDI	BTPD	D	DKJ-MUGR	SINGLE	UP	S1	UP Home Signal	45/14
211	SC	TADIKALAPUDI	TPY	D	DKJ-MUGR	SINGLE	UP	S1	UP Home Signal	38/12
212	SC	CHIMALPAHAD	CMW	D	DKJ-MUGR	SINGLE	UP	S1	UP Home Signal	29/9-10
213	SC	GANDHIPURAM	GHPU	D	DKJ-MUGR	SINGLE	UP	S101	UP Gate Home	21/0
214	SC	KAREPALLI	KRA	D	DKJ-MUGR	SINGLE	UP	S2	SIDING Home Signal	0/10-11
215	SC	KAREPALLI	KRA	D	DKJ-MUGR	SINGLE	UP	S50	DN Home Signal	14/3-4

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
216	SC	ASWAPURAM	AWM	D	DKJ-MUGR	SINGLE	DN	S4	DN Home Signal	96/3-4
217	SC	PANDURANGAPURAM	PGP	D	DKJ-MUGR	SINGLE	DN	S20	DN Home Signal	81/7-8
218	SC	BETHAMPUDI BP	BDCR/BP	D	DKJ-MUGR	SINGLE	DN	S1	DN Home Signal	51/14-15
219	SC	BETHAMPUDI BP	BDCR/BP	D	DKJ-MUGR	SINGLE	DN	S30	Home Signal	57/1-2
220	SC	BETHAMPUDI BP	BTPD BP	D	DKJ-MUGR	SINGLE	DN	S01	DN Home Signal	52/7-8
221	SC	BETHAMPUDI	BTPD	D	DKJ-MUGR	SINGLE	DN	S20	DN Home Signal	43/17-18
222	SC	TADIKALAPUDI	TPY	D	DKJ-MUGR	SINGLE	DN	S20	DN Home Signal	37/1-2
223	SC	CHIMALPAHAD	CMW	D	DKJ-MUGR	SINGLE	DN	S20	DN Home Signal	27/12-13
224	SC	GANDHIPURAM	GHPU	D	DKJ-MUGR	SINGLE	DN	S104	DN Gate Home	21/3
225	SC	KAREPALLI	KRA	D	DKJ-MUGR	SINGLE	DN	S1	UP Home Signal	16/20-21
226	SC	POCHARAM	PCZ	D	DKJ-MUGR	SINGLE	DN	S1	DN Home Signal	7/3-4
227	SC	POCHARAM, LC.3MB	PCZ,LC.3MB	D	DKJ-MUGR	SINGLE	DN	S30	UP Home Signal	7/3-4
228	SC	PARATHA SARATHIPURAM	PSHP	D	BDCR-PSHP	SINGLE	UP	S01	UP Home Signal	9/10-11
229	SC	SAVARAM	SAVR	D	BDCR-PSHP	SINGLE	UP	S02	UP Home Signal (BTPD LINE)	9/10-11
230	SC	SAVARAM	SAVR	D	BDCR-PSHP	SINGLE	UP	S01	UP Home Signal (BDCR LINE)	9/10-11
231	SC	CHANDRAGONDUR	CDRG	D	BDCR-PSHP	SINGLE	UP	S01	UP Home Signal	9/10-11
232	SC	PARATHA SARATHIPURAM	PSHP	D	BDCR-PSHP	SINGLE	DN	S02	DN Home Signal	9/10-11
233	SC	SAVARAM	SAVR	D	BDCR-PSHP	SINGLE	DN	S40	DN Home Signal	9/10-11
234	SC	CHANDRAGONDUR	CDRG	D	BDCR-PSHP	SINGLE	DN	S02	DN Home Signal	9/10-11
235	SC	KAZIPET F-cabin	KZJ F-cabin	A	SC-KZJ	DOUBLE	UP	S2	West line H/S	368/45-47
236	SC	KAZIPET F-cabin	KZJ F-cabin	A	SC-KZJ	DOUBLE	UP	S1	East line H/S	368/46-48
237	SC	KAZIPET E-cabin	KZJ E-cabin	A	SC-KZJ	DOUBLE	UP	S50	East line H/S	364/22-24
238	SC	KAZIPET E-cabin	KZJ E-cabin	A	SC-KZJ	DOUBLE	UP	S49	West line H/S	364/21-23
239	SC	KAZIPET RRI	RRI/KZJ	B	SC-KZJ	DOUBLE	UP	S61	UP ROUTING HOME (HW)	KM 365/39-41
240	SC	KAZIPET RRI	RRI/KZJ	B	SC-KZJ	DOUBLE	UP	S63	UP ROUTING HOME (HE)	KM 365/40-42
241	SC	KAZIPET RRI	RRI/KZJ	B	SC-KZJ	DOUBLE	UP	S67	UP ROUTING HOME (WE)	KM 367/30-32

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
242	SC	KAZIPET RRI	RRU/KZJ	B	SC-KZJ	DOUBLE	UP	S69	UP ROUTING HOME (WW)	367/33-31
243	SC	PINDIAL	PQL	B	SC-KZJ	DOUBLE	UP	S30	Up Home Sig.	KM 317/25-27
244	SC	GHANPUR	GNP	B	SC-KZJ	DOUBLE	UP	S1	Up Home Sig.	KM 303/23-25
245	SC	NASHKAL	NSKL	B	SC-KZJ	DOUBLE	UP	S30	HOME SIGNAL	KM 311/25-27
246	SC	NASHKAL	NSKL	B	SC-KZJ	DOUBLE	UP	S1	HOME SIGNAL	KM 310/6-8
247	SC	GHATKESAR	GT	B	SC-KZJ	DOUBLE	UP	S1	Up Home	214/29-27
248	SC	BIBINAGAR	BN	B	SC-KZJ	DOUBLE	UP	S30	Home	225/30-32
249	SC	BIBINAGAR	BN	B	SC-KZJ	DOUBLE	UP	S1	Home	227/29-27
250	SC	PAGDIPALLI	PGDP	B	SC-KZJ	DOUBLE	UP	S1	Home	228/28-30
251	SC	PAGDIPALLI	PGDP	B	SC-KZJ	DOUBLE	UP	S30	Home	231/3-1
252	SC	PAGDIPALLI	PGDP	B	SC-KZJ	DOUBLE	UP	S29	Home Branch Line	39545
253	SC	BHONGIR	BG	B	SC-KZJ	DOUBLE	UP	S30	Home	239/4-6
254	SC	BHONGIR	BG	B	SC-KZJ	DOUBLE	UP	S1	Home	240/31-29
255	SC	MOULA- ALI 'B' Cabin	MLY 'B'	B	SC-KZJ	DOUBLE	UP	S5	MLY B - Up home signal	201/11-33
256	SC	MOULA- ALI 'B' Cabin	MLY 'B'	B	SC-KZJ	DOUBLE	UP	S9	MLY B-Up R/home signal	200/13-15
257	SC	LALLAGUDA	LGD	B	SC-KZJ	DOUBLE	UP	S40	LGD -Home signal S/Auto	196/42-44
258	SC	LALLAGUDA	LGD	B	SC-KZJ	DOUBLE	UP	S2	EL Home signal	195/61-63
259	SC	LALLAGUDA	LGD	B	SC-KZJ	DOUBLE	UP	S1	Home signal S/Auto	196/16-18
260	SC	LALLAGUDA	LGD	B	SC-KZJ	DOUBLE	UP	S40	UP H/S	196/42-44
261	SC	MOULA- ALI 'GOODS' Cabin	MLY Goods	B	SC-KZJ	SINGLE	UP	S50	MLY G-Home signal	BPL/24-25
262	SC	MOULA- ALI 'GOODS' Cabin	MLY Goods	B	SC-KZJ	SINGLE	UP	S49	MLY GOODS ROUTING H/S	EL/29-RD/2
263	SC	AMMUGUDA LC.BP7	AMQ.LC.B P7	B	SC-KZJ	DOUBLE	UP	S02	UP Home signal	.12/3-4
264	SC	CHERLAPALLI	CHZ	B	SC-KZJ	QUADRUPLE	UP	S2	Home signal	205/2-4
265	SC	CHERLAPALLI	CHZ	B	SC-KZJ	QUADRUPLE	UP	S1	Home signal	204/34-56
266	SC	CHERLAPALLI	CHZ	B	SC-KZJ	QUADRUPLE	UP	S99	Home signal	206/43-45
267	SC	CHERLAPALLI	CHZ	B	SC-KZJ	QUADRUPLE	UP	S100	Home signal	206/43-41
268	SC	MOULA- ALI 'C' Cabin	MLY 'C'	B	SC-KZJ	QUADRUPLE	UP	C40	UP Home signal	202/23-21

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
269	SC	MOULA- ALI 'C' Cabin	MLY'C'	B	SC-KZJ	QUADRUPL	UP	C39	UP Home signal	202/37-20
270	SC	SECUNDERABAD RRI	RR/SC	B	SC-KZJ	DOUBLE	UP	S 74	UP H/SIG KCG end	1/9_7
271	SC	SECUNDERABAD RRI	RR/SC	B	SC-KZJ	DOUBLE	UP	S 75	UP H/SIG BMO end	194A/23-21
272	SC	SECUNDERABAD RRI	RR/SC	B	SC-KZJ	DOUBLE	UP	S 77	UP Rout. H/SIG Kzj end	194A/27-29A
273	SC	SECUNDERABAD RRI	RR/SC	B	SC-KZJ	DOUBLE	UP	S 78	UP 3rd Line LGD end H/S	194A/33-35
274	SC	SECUNDERABAD RRI	RR/SC	B	SC-KZJ	DOUBLE	UP	S 79	UP H/SIG SCMS end	195/25-26
275	SC	SECUNDERABAD RRI	RR/SC	B	SC-KZJ	DOUBLE	UP	S 80	UP MainH/SIG KZJ end	195/14
276	SC	KAZIPET RRI	RR/KZJ	B	SC-KZJ	DOUBLE	DN	S1	DN Home	KM 323/2-4
277	SC	KAZIPET RRI	RR/KZJ	B	SC-KZJ	DOUBLE	DN	S5	DN Routing Home	KM 323/28-30
278	SC	KAZIPET GOODS Cabin	G.C/KZJ	B	SC-KZJ	DOUBLE	DN	G58	DN HOME	KM 1051
279	SC	PINDIAL	PQL	B	SC-KZJ	DOUBLE	DN	S1	DN Home	KM 315/26-28
280	SC	GHANPUR	GNP	B	SC-KZJ	DOUBLE	DN	S30	DN HOME	KM 304/2-4
281	SC	GHATKESAR	GT	B	SC-KZJ	QUADRUPL	DN	S60	Dn Home	212/32-213/2
282	SC	GHATKESAR	GT	B	SC-KZJ	QUADRUPL	DN	S59	DN Home MMTS Line	212/36
283	SC	WANGAPALLI	WP	B	SC-KZJ	DOUBLE	DN	S01	DN Home	251/6-8
284	SC	WANGAPALLI	WP	B	SC-KZJ	DOUBLE	DN	S04	Routing Home	252/21
285	SC	WANGAPALLI	WP	B	SC-KZJ	DOUBLE	DN	S02	Main Home	253/17-15
286	SC	ALER	ALER	B	SC-KZJ	DOUBLE	DN	S29	Home	263/15-13
287	SC	ALER	ALER	B	SC-KZJ	DOUBLE	DN	S1	Home	261/24-26
288	SC	PEMBARTI	PBP	B	SC-KZJ	DOUBLE	DN	S30	PBP Home	272/19-17
289	SC	PEMBARTI	PBP	B	SC-KZJ	DOUBLE	DN	S1	PBP Home	270/30-34
290	SC	JANGAON	ZN	B	SC-KZJ	DOUBLE	DN	S1	ZN HOME SIGNAL	278/1-277/37
291	SC	JANGAON	ZN	B	SC-KZJ	DOUBLE	DN	S30	ZN HOME SIGNAL	276/10-12
292	SC	RAGHUNATHPALLI	RGP	B	SC-KZJ	DOUBLE	DN	S1	RGP HOME SIGNAL	289/19-17
293	SC	RAGHUNATHPALLI	RGP	B	SC-KZJ	DOUBLE	DN	S30	RGP HOME SIGNAL	287/24-26

Sl. No.	DIV	Station name	Station/Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
294	SC	MOULA- ALI 'A' Cabin	MLY 'A'	B	SC-KZJ	DOUBLE	DN	S1	MLY A - DN Home signal	198/15-17
295	SC	AMMUGUDA	AMQ	B	SC-KZJ	DOUBLE	DN	S01	DN Home signal	13/16-17
296	SC	MOULA- ALI 'C' Cabin	MLY 'C'	B	SC-KZJ	DOUBLE	DN	C5	DN Home signal	21/4-3
297	SC	MOULA- ALI 'C' Cabin	MLY 'C'	B	SC-KZJ	DOUBLE	DN	C7	DN Home Signal (AMQ LINE)	22/4-3
298	SC	SECUNDERABAD RRI	RRI/SC	B	SC-KZJ	DOUBLE	DN	S1	DN H/SIG HSJ end	193/10-8
299	SC	HYDERABAD	HYB	B	HYB-WD	DOUBLE	UP	S1	Home Signal	186/06
300	SC	HUSSAIN SAGAR JN.	HSJ	B	HYB-WD	DOUBLE	UP	S30	UP Home signal	188/45-189/1
301	SC	HUSSAIN SAGAR JN.	HSJ	B	HYB-WD	DOUBLE	UP	S1	UP Home signal from SC	191/1-3
302	SC	HUSSAIN SAGAR JN.	HSJ	B	HYB-WD	DOUBLE	UP	S28	Routing Home	179/24-26
303	SC	HUSSAIN SAGAR JN.	HSJ	B	HYB-WD	DOUBLE	UP	S29	Home signal	178/29-31
304	SC	SANATNAGAR	SNF	B	HYB-WD	DOUBLE	UP	S100	UP Home signal	176/17-75
305	SC	SANATNAGAR	SNF	B	HYB-WD	DOUBLE	UP	S99	UP Home signal (AMQ LINE)	9/15-16
306	SC	HAFIZPET	HFZ	B	HYB-WD	DOUBLE	UP	S30	UP Home signal	167/9-7
307	SC	LINGAMPALLI	LPI	B	HYB-WD	DOUBLE	UP	S1	UP home	160/18-20
308	SC	NAGALAPALLI	NPL	B	HYB-WD	DOUBLE	UP	S50	UP Home	152/13-11
309	SC	SHANKARPALLI	SKP	B	HYB-WD	DOUBLE	UP	S40	UP Home signal	141/5-3
310	SC	SHANKARPALLI	SKP	B	HYB-WD	DOUBLE	UP	S1	Home signal	139/4-6
311	SC	TELAPUR	TLPR	B	HYB-WD	DOUBLE	UP	S20	UP Home signal	158/15-17
312	SC	GULLAGUDA	GGD	B	HYB-WD	DOUBLE	UP	S30	UP Home	129/10-11
313	SC	CHITGIDDA	CTF	B	HYB-WD	DOUBLE	UP	S30	UP H/S	120/35-122/33
314	SC	VIKARABAD JN 'B' CABIN	VKB B	B	HYB-WD	DOUBLE	UP	S1	UP H/S	112/49-50
315	SC	DHARUR	DRR	B	HYB-WD	DOUBLE	UP	S30	UP Home	91/33-35
316	SC	SADASHIVPETH ROAD	SSPD	D	HYB-WD	SINGLE	UP	S20	UP HOME	20/14-15
317	SC	MARPALLI	MRF	D	HYB-WD	SINGLE	UP	S1	UP HOME	35/1-2

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
318	SC	RUKMAPUR	RMY	B	HYB-WD	DOUBLE	UP	S30	UP H/S	82/21-19
319	SC	TANDUR	TDU	B	HYB-WD	DOUBLE	UP	S40	UP H/S	71/33-31
320	SC	MANTATTI	MVH	B	HYB-WD	DOUBLE	UP	S02	UP H/S	62/25-23
321	SC	NAWANDGI	NAW	B	HYB-WD	DOUBLE	UP	S02	UP H/S	53/33-31
322	SC	KURGUNTA	KQT	B	HYB-WD	DOUBLE	UP	S40	UP H/S(R)	45/39-37
323	SC	KURGUNTA	KQT	B	HYB-WD	DOUBLE	UP	S41	UP H/S	46/31-29
324	SC	SERAM	SEM	B	HYB-WD	DOUBLE	UP	S1	UP Home	38/13-15
325	SC	SERAM	SEM	B	HYB-WD	DOUBLE	UP	S2	UP Routing home	37/27-29
326	SC	MALKHAID ROAD	MQR	B	HYB-WD	DOUBLE	UP	S40	UP H/S	27/23-19
327	SC	CHITTAPUR	CT	B	HYB-WD	DOUBLE	UP	S02	UP H/S	16/9-7
328	SC	SULEHALLI	SUH	B	HYB-WD	DOUBLE	UP	S02	UP H/S	10/5-01
329	SC	SULEHALLI WEST	SUHW	B	HYB-WD	DOUBLE	UP	S02/C02	UP H/S	5/6-7
330	SC	SANATNAGAR	SNF	B	HYB-WD	DOUBLE	DN	S1	Down Home	174/2-6
331	SC	HAFIZPET	HEZ	B	HYB-WD	DOUBLE	DN	S1	Down Home signal	165/14-16
332	SC	LINGAMPALLI	LPI	B	HYB-WD	DOUBLE	DN	S50	Down Home	159/24-26
333	SC	NAGALAPALLI	NPL	B	HYB-WD	DOUBLE	DN	S1	Down Home	150/8-10
334	SC	TELAPUR	TLPR	B	HYB-WD	DOUBLE	DN	S2	DN home	156/22-24
335	SC	TELAPUR	TLPR	B	HYB-WD	DOUBLE	DN	S1	B/L Home	1/7-9
336	SC	GULLAGUDA	GGD	B	HYB-WD	DOUBLE	DN	S1	DN Home	127/36-128/2
337	SC	CHITGIDDA	CTF	B	HYB-WD	DOUBLE	DN	S1	DN H/S	120/20-22
338	SC	VIKARABAD JN'A' CABIN	VKB A	B	HYB-WD	DOUBLE	DN	S48	DN M/L H/S	110/11-12
339	SC	VIKARABAD JN'A' CABIN	VKB A	B	HYB-WD	DOUBLE	DN	S46	DN H/S B/L	37623
340	SC	GODAMGURA	GdQ	B	HYB-WD	DOUBLE	DN	S30	Home	104/10-9
341	SC	GODAMGURA	GdQ	B	HYB-WD	DOUBLE	DN	S1	DN Home	102/11-12
342	SC	DHARUR	DRR	B	HYB-WD	DOUBLE	DN	S1	DN Home	90/2-3
343	SC	SADASHIVPETH ROAD	SSPD	D	HYB-WD	SINGLE	DN	S1	DN HOME	22/9-10
344	SC	MARPALLI	MRF	D	HYB-WD	SINGLE	DN	S20	DN HOME	36/10-11
345	SC	RUKMAPUR	RMY	B	HYB-WD	DOUBLE	DN	S1	DN H/S	80/22-20
346	SC	TANDUR	TDU	B	HYB-WD	DOUBLE	DN	S1	DN H/S	69/22-24
347	SC	MANTATTI	MVH	B	HYB-WD	DOUBLE	DN	S01	DN H/S	60/26-28
348	SC	NAWANDGI	NAW	B	HYB-WD	DOUBLE	DN	S01	DN H/S	52/2-4

Sl. No.	DIV	Station name	Station / Block section code	ROUTE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
349	SC	KURGUNTA	KQT	B	HYB-WD	DOUBLE	DN	S1	DN H/S	44/14-16
350	SC	SERAM	SEM	B	HYB-WD	DOUBLE	DN	S40	DN Home	36/8-6
351	SC	MALKHAID ROAD	MQR	B	HYB-WD	DOUBLE	DN	S1	DN H/S	23/14-16
352	SC	CHITTAPUR	CT	B	HYB-WD	DOUBLE	DN	S01	DN H/S	14/8-10
353	SC	SULEHALLI	SUH	B	HYB-WD	DOUBLE	DN	S01	DN H/S	8/14-18
354	SC	RAMACHANDRAPURAM	RCPT	D	TLPR-RCPT	SINGLE	UP	S20	UP HS	4/5-7
355	SC	KOHIR	KOHR	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	44/14-13
356	SC	ZAHIRABAD	ZB	D	VKB-PRLI	SINGLE	UP	S20	UP HOME SIGNAL	58-4-5
357	SC	MATALKUNTA	MTV	D	VKB-PRLI	SINGLE	UP	S20	UP HOME SIGNAL	70/14-12
358	SC	BIDAR	BIDR	D	VKB-PRLI	SINGLE	UP	S30	UP HOME SIGNAL	90/3-2
359	SC	KHANAPUR Jn	KHNP	D	VKB-PRLI	SINGLE	UP	S40	UP HOME SIGNMAL	104/7-8
360	SC	HALBARGA	HBU	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	112/7
361	SC	BHALKI	BHLK	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	127/9
362	SC	KALGUPUR	KCP	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	142/0-1
363	SC	KAMALNAGAR	KMNR	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	151/9-10
364	SC	UDGIR	UDGR	D	VKB-PRLI	SINGLE	UP	S20	UP HOME SIGNAL	170/7-8
365	SC	HER	HER	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	187/4-5
366	SC	CHAKUR	CKX	D	VKB-PRLI	SINGLE	UP	S20	UP HOME SIGNAL	199/1-2
367	SC	LATUR ROAD	LTRR	D	VKB-PRLI	SINGLE	UP	S30	UP HOME SIGNAL	203/4
368	SC	JANWAL	JOA	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	214/15
369	SC	PANGAON	PNF	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL	231/1-2
370	SC	PARLI VAJNATH	PRLI	D	VKB-PRLI	SINGLE	UP	S2	UP HOME SIGNAL	266/14 vkb 268/13 pbn
371	SC	PARLI VAJNATH	PRLI	D	VKB-PRLI	SINGLE	UP	S1	UP HOME SIGNAL M/L	266/2-3
372	SC	PARLI VAJNATH	PRLI	D	VKB-PRLI	SINGLE	UP	S-5	UP ROUTING HOME SIGNAL	267/3
373	SC	KOHIR	KOHR	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	46/9-10
374	SC	ZAHIRABAD	ZB	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	60/1-2
375	SC	MATALKUNTA	MTV	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	72/10-7
376	SC	BIDAR	BIDR	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	91/12-13
377	SC	KHANAPUR Jn	KHNP	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	106/10-9
378	SC	KHANAPUR Jn	KHNP	D	VKB-PRLI	SINGLE	DN	S2	DN HOME SIGNAL B/L	106/10-9
379	SC	HALBARGA	HBU	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	114/8

Sl. No.	DIV	Station name	Station / Block section code	ROU TE	Section between major Jn. with code	Double / Single / Triple / quadruple	Direction	FSS Signal no.	Signal Description	Km.no.
380	SC	BHALKI	BHLK	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	129/4
381	SC	KALGUPUR	KCP	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	143/12-13
382	SC	KAMALNAGAR	KMNR	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	153/5-6
383	SC	UDGIR	UDGR	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	172/4-3
384	SC	HER	HER	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	188/14-15
385	SC	CHAKUR	CKX	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	200/13-14
386	SC	LATUR ROAD	LTRR	D	VKB-PRLI	SINGLE	DN	S1	DN HOME SIGNAL	205/6
387	SC	LATUR ROAD	LTRR	D	VKB-PRLI	SINGLE	DN	S2	DN HOME SIGNAL LATUR SIDE	561/0
388	SC	JANWAL	JOA	D	VKB-PRLI	SINGLE	DN	S20	DN HOME SIGNAL	216/13
389	SC	PANGAON	PNF	D	VKB-PRLI	SINGLE	DN	S30	DN HOME SIGNAL	233/17 - 234/1
390	SC	GHATNANDUR	GTU	D	VKB-PRLI	SINGLE	DN	S-1	DN HOME SIGNAL	245/1

SC Status of RH signals

S.No	Station Name	Between Stations	Direction	Signal Designation	Signal No	Km
1	MAGH	MAGH-MAGH BP 1	UP	UP GL1 starter	S 91	141.813
2	MAGH	MAGH-MAGH BP 1	UP	UP UD Main Starter	S 94	141.386
3	MKDI	MKDI-WIRR	UP	UP BD1 Starter signal	S66	172/7-5
4	MKDI	MKDI-WIRR	UP	UP UD LSS	S57	171/c13-c12
5	MKDI	MKDI-WIRR	UP	UP BDM2 Starter	S60	173/21-23
6	MKDI	MKDI-WIRR	UP	UP BD line -auto signal	S1693	163/41-43
7	RECH	BPA-RECH	UP	Common loop starter (UP direction)	S-77	230/30-32
8	MMZ-A	MMZ-BPA	UP	GL-4 Starter signal	S 34/SH.22	OCS-0/5- OCS-0/4
9	MCI	MCI-PPZ	UP	UD line advances starter	S-68	261/32-34
10	PDPL	PDPL-RGPM	UP	UP UD Adv. Starter	S-61	290/21-23
11	PDPL BP	PDPL-RGPM	DN	DN Adv. Starter	BP 9	297/C6-C5
12	KOLR	KOLR-PTKP	UP	UP UD starter	S55/55A/SH 43	305/1
13	KOLR	KOLR-PTKP	UP	UP UD gate signal of LC-31 /UP distant LC-32 .	S107/407D	311/C6-C7
14	PTKP	PTKP-KOLR	UP	UP starter BD line	S56	313/26-24
15	PTKP	PTKP-KOLR	UP	UP UD home.	S59	315/C10-C9
16	PTKP	PTKP-KOLR	UP	UP UD inner distant S59	S59ID	316/C7-C6
17	PTKP	PTKP-KOLR	UP	UP UD gate signal of LC-27 UP distant of 59.	S417/59D	317/C7-C6
18	RGPM	PDPL-RGPM	UP	UP UD Home signal	S78	284/54-57
19	RGPM	PDPL-RGPM	UP	UP UD home inner distant signal	S78ID	285/34-36
20	JMKT	JMKT-BGSF	UP	UP Main line BD Advance starter/LC 23 Distant	S 61/402D	329.73
21	LC 23	JMKT-BGSF	UP	UP LC 23 Gate BD Inner distant	S402ID	329.118
22	LC 23	JMKT-BGSF	UP	UP LC 23 Gate BD Home Signal/BGSF Distant	S402/59D	328.118
23	JMKT	JMKT-BGSF	UP	UP BD line -STARTER/SH 51	S66/S 66A/SH-51	330.535
24	JMKT-OPL AS	JMKT-BGSF	DN	DN LC 20 Automatic signal	S3324	332/C8-C9
25	OPL	HSP-OPL	UP	UP CL1 starter	S67/67A/SH-53	342/22-24
26	OPL	HSP-OPL	UP	UP BD Home signal	S69/69A	344/3-1
27	OPL-HSP AS	HSP-OPL	DN	Auto signal LC 9	S3514	350/C15- 351/C1
28	OPL-HSP AS	HSP-OPL	DN	Auto signal LC 8	S3524	352/C1-C2
29	OPL Yard	HSP-OPL	UP	UP BD Home Semi automatic signal	S 69	344*C2-C1
30	HSP	HSP-OPL	UP	UP CL3 starter signal	S86/S86A/SH-66	354/26-28
31	HSP	HSP-OPL	UP	UP CL-3 STARTER	S85/S85A/SH67	354/26-28
32	MAGH	MAGH-BPQ	DN	DN CL2 Starter	S 8	142.479
33	MAGH	MAGH-BPQ	DN	DN GL2 Starter	S 10	142.487
34	MAGH	MAGH-BPQ	DN	DN GL3 Starter	S 11	142.488
35	MAGH BP-1	MAGH BP1 - VHGN	DN	DN Loop 1 Starter	S-8	145.557
36	MAGH BP-1	MAGH BP1 - VHGN	DN	DN Loop 2 starter	S-9	145.557
37	ASAF	ASAF-RECH	DN	DN starter	S-6	216/49- 217/1
38	RECH	RECH-BPA	DN	DN Direction BD line starter	S-5	213/C11- C12
39	BPA	BPA-MMZ	DN	DN HOME BD MAIN	S 2	238/C12- C13
40	BPA	BPA-MMZ	DN	DN INNER DISTANT BD MAIN	S 2 ID	237/C12- C13

S.No	Station Name	Between Stations	Direction	Signal Designation	Signal No	Km
41	BPA	BPA-MMZ	DN	DN DISTANT BD MAIN	S 2D	236/C11-C12
42	BPA	BPA-MMZ	DN	DN STARTER BD MAIN	S 13/13 A/SH 36	241/C4-C5
43	BPA	BPA-MMZ	UP	UP STARTER CL 1	S110/110A/SH 87	240/12-10
44	MMZ-B	MMZ-MCI	DN	GL-4 starter signal	S-48	OCS-0/6-OCS-0/3
45	MMZ-B	MMZ-MCI	DN	GL-5 starter signal	S-49	OCS-0/6-OCS-0/3
46	PDPL	KOLR-PDPL	DN	DN UD inner distant signal LC 38	S202ID	294/11-13
47	PDPL	KOLR-PDPL	DN	DN UD home signal of LC 38	S-202	295/14-16
48	KOLR	KOLR-PDPL	DN	DN UD distant of LC-37	S102D	296/14-16
49	KOLR	KOLR-PDPL	DN	DN UD inner distant of LC-37	S102ID	297/16-18
50	KOLR	KOLR-PDPL	DN	DN UD LC-37 gate signal/ DN UD distant of LC-35	S102/202D	298/32-30
51	KOLR	KOLR-PDPL	DN	DN UD Inner distant of LC-35	S202ID	300/20-22
52	KOLR	KOLR-PDPL	DN	DN UD gate signal of LC-35	S202	301/22-24
53	KOLR	KOLR-PTKP	DN	DN UD distant of S2	S2D	302/8-10
54	KOLR	KOLR-PTKP	DN	DN UD inner distant of home signal	S2ID	303/12-14
55	KOLR	KOLR-PTKP	DN	DN UD line Home signal	S2	304/14-16
56	KOLR	PTKP-KOLR	DN	DN UD Gate home of LC-33/ distant of LC-32	S302/402D	307/10-12
57	KOLR	PTKP-KOLR	DN	DN UD LC-32 Gate Inner distant	S402ID	308/32-34
58	PTKP	PTKP-KOLR	DN	DN UD gate signal of LC-32	S402	309/32-34
59	PTKP	PTKP-BGSF	DN	DN starter of CL1	S6	314/23-25
60	BGSF	PTKP-BGSF	DN	BD DN Main line Inner distant	S2 ID	321/c17-c18
61	BGSF	PTKP-BGSF	DN	BD DN Main line Home	S2/S2A	322/c12-c13
62	BGSF	PTKP-BGSF	DN	BD DN Main line starter	S5/S5A/SH-16	325.463
63	BGSF	PTKP-BGSF	DN	BD DN Main line Advance starter	S10/405D	325.512
64	LC 20	JMKT-OPL	DN	DN LC 20 Gate BD Home signal	S415	332.468
65	LC 18	JMKT-OPL	DN	DN LC 18 Gate BD Distant	S425D	333.502
66	LC 9	HSP-OPL	DN	DN LC 9 Gate BD Home signal/ LC 8 Gate BD Inner distant	S405/415 ID	370/23-25
67	LC 8	HSP-OPL	DN	DN LC 8 Gate BD Home signal/ DN BD HSP Inner distant	S415/2 ID	371/29-27
68	KZJ Bypass	KZJ BP-KZJ/RR1	UP	UP SC-BPQ East line starter	S-74/74A/SH-59	365/38-36
69	KZJ Bypass	KZJ BP-WL	UP	UP BZA-BPQ KZJ Bypass Inner distant	S80ID	370/22-20
70	KZJ Bypass	KZJ BP-WL	UP	UP BZA-BPQ Bye pass home signal	S-80/80 A	369/30-28
71	LC 61	KZJ BP-WL	UP	BPQ UP Home Signal	S402/80D	372/10-08
72	WL	KZJ BP-WL	UP	UP BPQ LSS	S62	375/23-25
73	KDM	KDM-INK	UP	UP ML STR	S28	421/29-27
74	MABD	MABD-TAA	UP	UP ML STR	S28	436/20-22
75	LC NO. 83	MABD-GUU	UP	UP Gate Signal	S 104	441/5-3

S.No	Station Name	Between Stations	Direction	Signal Designation	Signal No	Km
76	DKJ	DKJ-GUU	UP	RD7 UP STARTER	S18	460/26-28
77	DKJ	DKJ-GUU	UP	RD8 UP STARTER	S19	460/18-20
78	DKJ	DKJ-GUU	UP	RD9 UP STARTER	S20	460/18-20
79	PPY	PPY-MLMG	UP	UP HOME	S30	470/21-19
80	PPY	PPY-DKJ	UP	UP M/L STARTER	S28	469/9-7
81	PPY	PPY-DKJ	UP	UP C/L STARTER	S26	469/12-14
82	JPTN'A'	JPTN yard	UP	Intermediate starter	S9	26/17-18
83	KZJ-BP	KZJ BP-WL	DN	DN SC-BZA Advance starter/ LC 61 Gate distant	S-12/405D	369/11A-13A
84	KZJ-BP	KZJ BP-WL	DN	LC-61 DN Gate Inner Distant	S405 ID	370/23-25
85	KZJ-BP	KZJ BP-WL	DN	LC-61 DN Gate Signal	S405	371/29-27
86	WL	WL-KZJ BP	DN	SC DN HS	S2	377/36-38
87	WL	WL-KZJ BP	DN	SC DN ID	S2ID	374/15-17
88	WL	WL-KZJ BP	DN	SC DN D	S2D	373/11-13
89	GUU	GUU-MABD	DN	DN HOME	S1/1A	447/16-18
90	DKJ	GUU-DKJ	DN	DN DISTANT	S70D	457/28-458/2
91	DKJ	GUU-DKJ	DN	DN INNER DISTANT	S70 ID	458/28-459/2
92	PPY	PPY-DKJ	DN	DN DISTANT	S1D	466/24-26
93	MLMG-KMT IB	MLMG-KMT	DN	DN IB DISTANT	S3D	476/18-20
94	MLMG-KMT IB	MLMG-KMT	DN	DN IB INNER DISTANT	S3 ID	477/18-20
95	MLMG-KMT IB	MLMG-KMT	DN	DN IB	S3	478/22-24
96	KMT-PNDP IB	KMT-PNDP	DN	DN IB signal	S 9	489/10-12
97	BDCR/BP	BTPD-BDCR BP	UP	UP Intermediate Starter	S-28	52/12-13
98	BTPD	BTPD-TPY	UP	UP 2nd Loop Starter	S 5	44/8-9
99	GHPU	GHPU-CMW	UP	LC 5KK UP Gate H/S	S 404	21/5-4
100	BDCR	BDCR BP-GLE	DN	DN H/S	S9	53/13-14
101	RRI KZJ	KZJ/RRI yard	UP	Intermediate starter signal	S96	KZJ/1027
102	RRI KZJ	KZJ-PQL	UP	Home Signal (W/E)	S67	367/30-32
103	PBP	PBP-ALER	UP	UP C/L STARTER	S-26	271/15-13
104	ALER	ALER-WP	UP	UP M/L Starter	S-28	262/11-9
105	ALER	ALER-WP	UP	UP L/L Starter	S-27	262/11-9
106	ALER	ALER-WP	UP	UP C/L Starter	S-26	262/8-10
107	LC 31	BG-PGDP	UP	UP Distant of LC 31	S-ID	244/9-7
108	LC 17	BN-GT	UP	UP ID of LC-17 and GT STATION DISTANT	S-101 ID/1D	217/10-8
109	BN	BN-GT	UP	UP C/L Starter	S-5	213/27A-25A
110	GT	GT-CHZ	UP	UP M/L STARTER, Co-on and Below SHUNT	S-3, 3A and SH-16	213/27A-25A
111	GT	GT-CHZ	UP	UP C/L STARTER, Co-on and Below SHUNT	S-5, 5A and SH-18	213/27A-25A
112	MLY Gate cabin	CHZ-MLY Gate	UP	UP LSS signal	S1D	17/1-2
113	CHZ	CHZ-MLY	UP	MMTS UP Home	S100	GT YARD
114	MLY-Goods	MLY Goods-LGD	UP	UP GL-1 signal	S9	200/6-8
115	SC/RRI	SC-HSJ	UP	UP Main Home Signal	S80	195/14
116	PQL	KZJ-PQL	DN	Common loop starter	S5	317/11-9
117	GNP	GNP-NSKL	DN	Common loop starter	S26	KM 305/7-9
118	RGP	RGP-ZN	DN	DN ID	S-30 ID	286/14-16
119	ALER	ALER-PBP	DN	DN LSS	S-6	263/10-12
120	BG	BG-WP	DN	DN LSS	S-25/6 D	240/25-27
121	MLY Gate cabin	MLY Gate-CHZ	DN	DN LSS signal	S15	.18/10-11

S.No	Station Name	Between Stations	Direction	Signal Designation	Signal No	Km
122	MLY-Goods	MLY Goods-LGD	DN	DN GL-3 signal	S38	200/35
123	MLY A	MLY-LGD	DN	DN Home signal	S1	198/17-16
124	LGD	MLY-LGD	DN	Starter	S37	LGD/1025
125	LGD	MLY-LGD	DN	Auto signal (HOME)	S40	196/42-44
126	SC/RRI	SC-HSJ	UP	RD 7 UP Starter	S63	194/5
127	SC/RRI	SC-HSJ	UP	RD 5 UP Starter	S65	194/7
128	SC/RRI	SC-HSJ	UP	RD1 UP Starter	S69	194/6-8
129	SC/RRI	SC-HSJ	UP	RD 7 UP Int. Starter	S71	194/36
130	SC/RRI	SC-HSJ	UP	RD5 UP Int. Starter	S73	194/36
131	SC/RRI	CHZ-HSJ	UP	RD 10 UP Starter	S98	S40/29-S40/17
132	HYB	HYB-HSJ	UP	RD-1 Starter	S17	185/32A
133	HYB	HYB-HSJ	UP	RD-2 Starter	S15	185/32A
134	HYB	HYB-HSJ	UP	RD - 4 Starter	S11	185/26
135	HYB	HYB-HSJ	UP	RD-5 Starter	S9	185/31
136	SNF	SNF-HFZ	UP	UP Home Signal	S100	176/16-18
137	LPI	LPI-TLPR	UP	UP Common Loop 2 Starter	S5	160/26-24
138	DRR	DRR-GDQ	UP	Up Home signal	S30	91/33-35
139	RMY	RMY-TDU	UP	up Adv. Starter	S25	80/39-40
140	RMY	RMY-DRR	UP	UP Inner Distant	S30ID	83/21-19
141	CT	CT-SUH	UP	S4 UP Main Line Starter Signal	S4	14.74
142	SC/RRI	SC-HSJ	DN	RD 6 DN Int. Starter	S4	194/23-22
143	HSJ	HSJ-SNF	DN	Home signal	S29	178/29-31
144	LC 30	HYB-HSJ	DN	LC 30 gate DN signal	S1873	187/24-22
145	SNF	SNF yard	DN	Common Loop 1 Starter	S8	175/19-21
146	SNF	SNF yard	DN	Common Loop 2 Starter	S9	175/19-21
147	LPI	LPI-HFZ	DN	DN Common loop Line 1 Starter	S47	161/19-17
148	RMY	RMY-DRR	DN	DN Adv Starter	S6	82/13A-14
149	RMY	RMY-TDU	DN	c/l Starter	S26	81/11-13
150	KQT	KQT-NAW	DN	c/l Starter	S5	45/21-19
151	SEM	SEM-KQT	DN	DN C/L	S35	35/36-35
152	MQR	MQR-SEM	DN	DN CL 2 Starter	S 9	24/37-39
153	MQR	MQR-SEM	DN	DN CL 3 Starter	S11	24/33-31
154	CT	CT-MQR	DN	DN CL Starter	S07	15/18-20
155	SSPD	SSPD-MRF	UP	UP Loop Starter signal	S17	22/2-3
156	KOHR	KOHR-MRF	UP	Up Home signal	S1	44/14-13
157	LC 42	BIDR-KHNP	UP	UP gate home signal	S4	87/12-13
158	BIDR	BIDR-KHNP	UP	Up Home signal	S30	90/2-3
159	KMNR	KMNR-KCP	DN	DN Advance Starter	S-15	151/11-12
160	HER	HER-UDGR	DN	DN Loop Line Starter Signal	S-17	187/12-13
161	PRLI	PRLI-GTU	DN	DN Home signal	S-2	268/9-10

PLATFORM LENGTHS

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
1	SC	Aler	ALER	NSG5	D	2	BG	84	Cement Concrete	645	10
2	SC	Aler	ALER	NSG5	D	1	BG	84	Cement Concrete	608	10
3	SC	Ammuguda	AMGU	SG3		1	BG	84	Cement Concrete	300	7
4	SC	Ammuguda	AMGU	SG3		2	BG	84	Cement Concrete	300	7
5	SC	Armoor	ARMU	NSG6	E	1	BG	84	Cement Concrete	400	10.5

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
6	SC	Armoor	ARMU	NSG6	E	2	BG	84	Other Pucca Surface	400	10.5
7	SC	Asifabad road	ASAF	NSG6	E	1	BG	84	Other Pucca Surface	479	10.3
8	SC	Asifabad road	ASAF	NSG6	E	2	BG	84	Cement Concrete	557	9.5
9	SC	BETHAMPUDI	BTPD	NSG6	E	1	BG	84	Polished Stone	450	8
10	SC	BHARAT NAGAR	BTNR	SG3	C	1	BG	95	Cement Concrete	275	9
11	SC	BHARAT NAGAR	BTNR	SG3	C	2	BG	84	Cement Concrete	275	9
12	SC	BHEL	BHEL	SG3		1	BG	84	Cement Concrete	275	7
13	SC	BISUGIRSHARIF	BGSF	NSG6	E	1 & 2	BG	84	Others	523.25	14
14	SC	BISUGIRSHARIF	BGSF	NSG6	E	3&4	BG	84	Others	584	8
15	SC	BISUGIRSHARIF	BGSF	NSG6	E	5	BG	84	Others	600	10
16	SC	Begumpet	BMT	NSG3	B	1	BG	84	Cement Concrete	560	9.8
17	SC	Begumpet	BMT	NSG3	B	2	BG	84	Cement Concrete	550	8.5
18	SC	Bellampalli	BPA	NSG5	D	1	BG	84	Cement Concrete	605	9
19	SC	Bellampalli	BPA	NSG5	D	2&3	BG	84	Cement Concrete	634	6
20	SC	Bhadrachalam road	BDCR	NSG4	B	1	BG	84	Polished Stone	440	10
21	SC	Bhadrachalam road	BDCR	NSG4	B	2	BG	84	Cement Concrete	520	11
22	SC	Bhalki	BHLK	NSG5	D	1	BG	76	Other Pucca Surface	590	14
23	SC	Bhalki	BHLK	NSG5	D	2	BG	84	Others	590	8
24	SC	Bhongir	BG	NSG5	D	1	BG	84	Cement Concrete	623	9.6
25	SC	Bhongir	BG	NSG5	D	2&3	BG	84	Cement Concrete	544	12.5
26	SC	Bhudevinagar Halt	BDNH	SG3		1	BG	84	Cement Concrete	300	10
27	SC	Bhudevinagar Halt	BDNH	SG3		2	BG	84	Cement Concrete	300	10
28	SC	Bibinagar	BN	NSG6	E	1	BG	84	Cement Concrete	540	6.3
29	SC	Bibinagar	BN	NSG6	E	2	BG	84	Cement Concrete	560	8
30	SC	Bidar	BIDR	NSG3	B	1	BG	84	Polished Stone	540	10
31	SC	Bidar	BIDR	NSG3	B	2&3	BG	84	Polished Stone	620	10
32	SC	Bonakalu	BKL	NSG6	E	1	BG	84	Cement Concrete	473	7
33	SC	Bonakalu	BKL	NSG6	E	2	BG	84	Cement Concrete	495	14
34	SC	Borabanda	BRBD	SG3	D	1	BG	90	Cement Concrete	275	9
35	SC	Borabanda	BRBD	SG3	D	2	BG	84	Cement Concrete	275	9
36	SC	CHANDANAGAR	CDNR	SG3	C	1	BG	86	Cement Concrete	275	9
37	SC	CHANDANAGAR	CDNR	SG3	C	2	BG	86	Cement Concrete	275	9
38	SC	CHIMALPAHAD	CMW	NSG6	E	1	BG	50	Polished Stone	440	8
39	SC	CHIMALPAHAD	CMW	NSG6	E	2	BG	84	Polished Stone	530	6
40	SC	CHINTALPALLI	CLE	NSG6	E	1	BG	84	Polished Stone	435	9.15
41	SC	CHINTALPALLI	CLE	NSG6	E	2	BG	84	Polished Stone	435	9.15
42	SC	Chakur	CKX	NSG6	E	1	BG	45	Others	350	10
43	SC	Charlapalli	CHZ	NSG3	E	1	BG	84	Cement Concrete	741	9
44	SC	Charlapalli	CHZ	NSG3	E	2 & 3	BG	84	Cement Concrete	630	12.3
45	SC	Charlapalli	CHZ	NSG3	E	4 & 5	BG	84	Cement Concrete	623	16
46	SC	Charlapalli	CHZ	NSG3	E	6&7	BG	84	Polished Stone	650	12
47	SC	Charlapalli	CHZ	NSG3	E	8&9	BG	84	Polished Stone	570	12
48	SC	Cheruvumadhavaram	CVV	NSG6	E	1	BG	84	Cement Concrete	425	7
49	SC	Cheruvumadhavaram	CVV	NSG6	E	2	BG	84	Cement Concrete	425	7
50	SC	Chintakani	CKN	NSG6	E	1	BG	84	Cement Concrete	291	8
51	SC	Chintakani	CKN	NSG6	E	2	BG	84	Cement Concrete	500	10.8

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
52	SC	Chitgidda	CTF	NSG6	E	1	BG	30	Other Pucca Surface	298	7
53	SC	Chitgidda	CTF	NSG6	E	2	BG	30	Other Pucca Surface	240	6
54	SC	Chittapur	CT	NSG5	D	1	BG	84	Polished Stone	560	11
55	SC	Chittapur	CT	NSG5	D	2	BG	84	Polished Stone	560	10
56	SC	DORNAKAL JN.	DKJ	NSG5	B	2	BG	84	Polished Stone	620	12
57	SC	DORNAKAL JN.	DKJ	NSG5	B	3&4	BG	84	Cement Concrete	585	11.2
58	SC	DORNAKAL JN.	DKJ	NSG5	B	1	BG	84	Polished Stone	595	9.1
59	SC	Dharur	DRR	NSG6	E	1	BG	84	Other Pucca Surface	305	10
60	SC	Dharur	DRR	NSG6	E	2	BG	84	Other Pucca Surface	300	7.15
61	SC	Errupalem	YP	NSG6	E	1&2	BG	84	Cement Concrete	520	23.5
62	SC	Errupalem	YP	NSG6	E	3	BG	84	Cement Concrete	600	11
63	SC	FATHENAGAR BRIDGE	FNB	SG3	C	1	BG	84	Cement Concrete	281	7.5
64	SC	FATHENAGAR BRIDGE	FNB	SG3	C	2	BG	84	Cement Concrete	293	7.5
65	SC	Ferozguda Halt	FZGH	SG3		1	BG	84	Cement Concrete	300	10
66	SC	Ferozguda Halt	FZGH	SG3		2	BG	84	Cement Concrete	300	8
67	SC	GANDHIPURAM	GHPU	HG2	F	1	BG	46	Polished Stone	440	7
68	SC	GANGADHARA	GDRA	NSG6	E	1	BG	84	Cement Concrete	285	10
69	SC	GANGADHARA	GDRA	NSG6	E	2	BG	45	Moorum	700	22
70	SC	Gangineni	GNN	NSG6	E	1	BG	84	Cement Concrete	350	6
71	SC	Gangineni	GNN	NSG6	E	2	BG	84	Cement Concrete	340	13
72	SC	Garla	GLA	NSG6	E	1	BG	84	Cement Concrete	485	10
73	SC	Garla	GLA	NSG6	E	2	BG	84	Polished Stone	485	6
74	SC	Ghanpur	GNP	NSG5	D	1	BG	82	Polished Stone	438	5.7
75	SC	Ghanpur	GNP	NSG5	D	2	BG	70	Polished Stone	436	7
76	SC	Ghatkesar	GT	NSG5	E	1	BG	84	Cement Concrete	422	8.5
77	SC	Ghatkesar	GT	NSG5	E	2 & 3	BG	84	Cement Concrete	430	11
78	SC	Ghatkesar	GT	NSG5	E	4	BG	84	Cement Concrete	349	10.3
79	SC	Ghatnandur	GTU	NSG6	E	1	BG	84	Other Pucca Surface	460	10
80	SC	Godamgura	GDQ	NSG6	E	1	BG	30	Other Pucca Surface	295	6
81	SC	Godamgura	GDQ	NSG6	E	2	BG	0	Other Pucca Surface	300	6
82	SC	Gullaguda	GGD	NSG6	E	1	BG	84	Other Pucca Surface	403.7	11.3
83	SC	Gullaguda	GGD	NSG6	E	2	BG	84	Other Pucca Surface	422.2	9
84	SC	Gundratimadugu	GUU	NSG6	E	1	BG	84	Polished Stone	442	8.4
85	SC	Gundratimadugu	GUU	NSG6	E	2	BG	84	Polished Stone	442	8.3
86	SC	HAFIZPETA	HFZ	SG3	C	1	BG	84	Cement Concrete	280	7.3
87	SC	HAFIZPETA	HFZ	SG3	C	2	BG	84	Cement Concrete	280	7.3
88	SC	HALBARGA	HBU	NSG6	E	1	BG	45	Cement Concrete	350	10
89	SC	HALBARGA	HBU	NSG6	E	2	BG	84	Moorum	350	7
90	SC	HALLIKHED B	HLKH	NSG6	F	1	BG	84	Cement Concrete	300	7.5
91	SC	HALLIKHED K	HIKD	NSG6	E	1	BG	84	Cement Concrete	300	10
92	SC	HI-TECH CITY	HTCY	SG3	C	1	BG	84	Cement Concrete	522	9
93	SC	HI-TECH CITY	HTCY	SG3	C	2	BG	84	Cement Concrete	522	9
94	SC	HUMNABAD	HMBD	NSG6	E	1	BG	84	Cement Concrete	450	7.5
95	SC	HUMNABAD	HMBD	NSG6	E	2	BG	84	Cement Concrete	450	7.5
96	SC	Hasanparthi road	HSP	NSG6	E	1	BG	84	Polished Stone	311.6	9
97	SC	Hasanparthi road	HSP	NSG6	E	2&3	BG	84	Polished Stone	366.9	9

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
98	SC	Her	HER	NSG6	E	1	BG	55	Other Pucca Surface	350	10
99	SC	Hyderabad	HYB	NSG2	A1	1&2	BG	84	Polished Stone	364	9
100	SC	Hyderabad	HYB	NSG2	A1	3	BG	84	Polished Stone	352	6
101	SC	Hyderabad	HYB	NSG2	A1	4	BG	84	Polished Stone	574	8
102	SC	Hyderabad	HYB	NSG2	A1	5&6	BG	78	Polished Stone	564	10
103	SC	Intekanne	INK	NSG6	E	1	BG	84	Polished Stone	492	8
104	SC	Intekanne	INK	NSG6	E	2	BG	44	Polished Stone	492	6
105	SC	JAMIKUNTA	JMKT	NSG5	D	1	BG	84	Cement Concrete	580.4	9.25
106	SC	JAMIKUNTA	JMKT	NSG5	D	2	BG	84	Cement Concrete	519.6	9.25
107	SC	James street	JET	SG3	C	1	BG	84	Cement Concrete	275	6
108	SC	James street	JET	SG3	C	2	BG	84	Cement Concrete	275	6
109	SC	Jangaon	ZN	NSG5	D	1	BG	84	Cement Concrete	644	8.4
110	SC	Jangaon	ZN	NSG5	D	2	BG	84	Cement Concrete	630	7.3
111	SC	Janwal	JOA	NSG6	E	1	BG	84	Other Pucca Surface	460	10
112	SC	KANAJI	KNAJ	HG3	F	1	BG	84	Cement Concrete	300	11.9
113	SC	KAZIPET JN.	KZJ	NSG3	A	1	BG	84	Polished Stone	610	11
114	SC	KAZIPET JN.	KZJ	NSG3	A	2&3	BG	84	Polished Stone	638	10
115	SC	KAZIPET TOWN	KZJT	NSG6	E	1	BG	84	Other Pucca Surface	420	10
116	SC	KHANAPUR (DECCAN)	KHNP	NSG6	E	1	BG	84	Cement Concrete	485	7.5
117	SC	KHANAPUR (DECCAN)	KHNP	NSG6	E	2	BG	84	Cement Concrete	485	9
118	SC	KOLNUR	KOLR	NSG6	E	1	BG	84	Cement Concrete	490	9.35
119	SC	KOLNUR	KOLR	NSG6	E	2	BG	84	Cement Concrete	493.3	11.5
120	SC	Kalgupur	KCP	NSG6	E	1	BG	45	Polished Stone	350	10
121	SC	Kalgupur	KCP	NSG6	E	2	BG	84	Other Pucca Surface	350	8
122	SC	Kamalapur	KMPU	NSG6	E	1	BG	84	Cement Concrete	450	10
123	SC	Kamalapur	KMPU	NSG6	E	2	BG	84	Polished Stone	450	10
124	SC	Kamalnagar	KMNR	NSG6	E	1	BG	84	Other Pucca Surface	558	10
125	SC	Kamalnagar	KMNR	NSG6	E	2	BG	84	Other Pucca Surface	367	8
126	SC	Karepalli	KRA	NSG6	E	1	BG	84	Cement Concrete	425	10.85
127	SC	Karimnagar	KRMR	NSG5	E	1	BG	84	Cement Concrete	580	10
128	SC	Karimnagar	KRMR	NSG5	E	2&3	BG	84	Cement Concrete	555	11
129	SC	Kesamudram	KDM	NSG5	D	1	BG	84	Polished Stone	563	10
130	SC	Kesamudram	KDM	NSG5	D	2	BG	84	Polished Stone	529.5	9
131	SC	Khairatabad	KQD	SG3	C	1	BG	84	Cement Concrete	305	6.1
132	SC	Khairatabad	KQD	SG3	C	2	BG	84	Cement Concrete	315	10.5
133	SC	Khammam	KMT	NSG3	A	1	BG	84	Polished Stone	600	11
134	SC	Khammam	KMT	NSG3	A	2&3	BG	84	Polished Stone	602	10
135	SC	Kohir deccan	KOHR	NSG6	E	1	BG	84	Other Pucca Surface	300	10
136	SC	Koratla	KRLA	NSG6	E	1	BG	84	Cement Concrete	560	10
137	SC	Koratla	KRLA	NSG6	E	2	BG	84	Cement Concrete	560	10
138	SC	Kurgunta	KQT	NSG6	E	1	BG	84	Other Pucca Surface	418	11.35
139	SC	Kurgunta	KQT	NSG6	E	2&3	BG	46	Other Pucca Surface	418	7.35
140	SC	LAKDI KA POOL	LKPL	SG3	C	1	BG	84	Cement Concrete	340	6
141	SC	LAKDI KA POOL	LKPL	SG3	C	2	BG	84	Cement Concrete	270	6
142	SC	LATUR ROAD	LTRR	NSG5	D	1	BG	84	Other Pucca Surface	570	9
143	SC	LATUR ROAD	LTRR	NSG5	D	2&3	BG	84	Other Pucca Surface	560	10

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
144	SC	LINGAMPALLI	LPI	NSG2	B	1	BG	84	Cement Concrete	553	12
145	SC	LINGAMPALLI	LPI	NSG2	B	2&3	BG	84	Cement Concrete	632	9
146	SC	LINGAMPALLI	LPI	NSG2	B	4&5	BG	84	Cement Concrete	555	12
147	SC	LINGAMPALLI	LPI	NSG2	B	6	BG	90	Cement Concrete	277	7
148	SC	LINGAMPET JAGITYAL	LPJL	NSG6	E	1	BG	84	Cement Concrete	290	9.5
149	SC	LINGAMPET JAGITYAL	LPJL	NSG6	E	2&3	BG	84	Cement Concrete	290	10
150	SC	MANDAMARI	MMZ	NSG6	E	1	BG	45	Cement Concrete	476.6	9
151	SC	MANDAMARI	MMZ	NSG6	E	2	BG	84	Cement Concrete	461.8	10.2
152	SC	MAULA ALI	MLY	NSG5	D	1	BG	84	Cement Concrete	433	9
153	SC	MAULA ALI	MLY	NSG5	D	2&3	BG	84	Cement Concrete	560	14
154	SC	MOTUMARI	MTMI	NSG6	E	1	BG	84	Cement Concrete	82	11.3
155	SC	MOTUMARI	MTMI	NSG6	E	2	BG	84	Cement Concrete	585	11
156	SC	MOTUMARI	MTMI	NSG6	E	3	BG	84	Cement Concrete	492	10.8
157	SC	Madhira	MDR	NSG5	D	1	BG	84	Cement Concrete	595	8
158	SC	Madhira	MDR	NSG5	D	2	BG	84	Cement Concrete	617	9.5
159	SC	Mahbubabad	MABD	NSG4	B	1	BG	84	Cement Concrete	616.95	10.6
160	SC	Mahbubabad	MABD	NSG4	B	2	BG	84	Cement Concrete	610	10
161	SC	Makudi	MKDI	NSG6	E	1	BG	45	Polished Stone	505	9
162	SC	Makudi	MKDI	NSG6	E	2	BG	45	Polished Stone	515	8
163	SC	Malkhaid road	MQR	NSG6	D	1	BG	84	Polished Stone	560	10
164	SC	Malkhaid road	MQR	NSG6	D	2 & 3	BG	84	Polished Stone	627	10
165	SC	Mallemadugu	MLMG	NSG6	E	1	BG	84	Cement Concrete	420	5.8
166	SC	Mallemadugu	MLMG	NSG6	E	2	BG	84	Other Pucca Surface	420	9.5
167	SC	Manchiryal	MCI	NSG3	A	1	BG	84	Cement Concrete	600	9
168	SC	Manchiryal	MCI	NSG3	A	2&3	BG	84	Cement Concrete	600	10
169	SC	Manikgarh	MAGH	NSG6	E	3	BG	84	Cement Concrete	590.85	10.25
170	SC	Manikgarh	MAGH	NSG6	E	1 & 2	BG	84	Cement Concrete	567.75	10.64
171	SC	Mantatti	MVH	NSG6	E	1	BG	0	Others	415	10
172	SC	Mantatti	MVH	NSG6	E	2	BG	0	Others	415	10
173	SC	Manuguru	MUGR	NSG5	D	1	BG	84	Others	443	8.3
174	SC	Marpalli	MRF	NSG6	E	1	BG	84	Other Pucca Surface	300	8
175	SC	Matalakunta	MTV	NSG6	E	1	BG	0	Moorum	283	10
176	SC	Metpalli	MTPI	NSG6	E	1	BG	84	Polished Stone	400	10
177	SC	Metpalli	MTPI	NSG6	E	2	BG	84	Polished Stone	400	8
178	SC	Morthad	MRTD	NSG6	E	1	BG	84	Cement Concrete	496	10
179	SC	Morthad	MRTD	NSG6	E	2	BG	84	Polished Stone	495	10
180	SC	NAGALWANCHA	NVC	HG3	F	1	BG	84	Cement Concrete	435	9
181	SC	NAGALWANCHA	NVC	HG3	F	2	BG	84	Cement Concrete	415	8
182	SC	Nagalapalli	NPL	NSG6	E	1	BG	84	Polished Stone	450	10.2
183	SC	Nagalapalli	NPL	NSG6	E	2	BG	84	Polished Stone	450	10
184	SC	Nature cure hospital	NCHS	SG3	C	1	BG	84	Cement Concrete	310	9
185	SC	Nature cure hospital	NCHS	SG3	C	2	BG	84	Cement Concrete	275	9
186	SC	Nawandgi	NAW	NSG6	E	1	BG	84	Polished Stone	419.5	9.25
187	SC	Nawandgi	NAW	NSG6	E	2	BG	60	Polished Stone	419.5	9.25
188	SC	Necklace road	NLRD	SG3	C	1	BG	84	Cement Concrete	275	9
189	SC	Necklace road	NLRD	SG3	C	2	BG	84	Polished Stone	275	9

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
190	SC	Nekonda	NKD	NSG5	D	1	BG	84	Cement Concrete	602	6
191	SC	Nekonda	NKD	NSG5	D	2	BG	84	Cement Concrete	602	10
192	SC	Neredmet Halt	NDMH	SG3		1	BG	84	Cement Concrete	300	7
193	SC	Neredmet Halt	NDMH	SG3		2	BG	84	Cement Concrete	300	7
194	SC	Odelā	OEA	HG1	F	1	BG	84	Other Pucca Surface	496.7	11.2
195	SC	Odelā	OEA	HG1	F	2	BG	84	Other Pucca Surface	512	10
196	SC	PEDDAPALLI	PDPL	NSG4	D	2 & 3	BG	84	Cement Concrete	624	10.7
197	SC	PEDDAPALLI	PDPL	NSG4	D	1	BG	84	Cement Concrete	556	9
198	SC	PEMBARTI	PBP	NSG6	E	1	BG	76	Polished Stone	456	7
199	SC	PEMBARTI	PBP	NSG6	E	2	BG	76	Other Pucca Surface	466	7.5
200	SC	Pandillapalli	PNDP	NSG6	E	1	BG	84	Cement Concrete	630	19
201	SC	Pandillapalli	PNDP	NSG6	E	2	BG	84	Cement Concrete	624	18
202	SC	Pangaon	PNF	NSG6	E	1	BG	84	Other Pucca Surface	557	10
203	SC	Papatpalli	PPY	NSG6	E	1	BG	84	Polished Stone	425	5.8
204	SC	Papatpalli	PPY	NSG6	E	2	BG	84	Other Pucca Surface	425	9.5
205	SC	Parli vaijnath	PRLI	NSG4	B	1	BG	84	Cement Concrete	666	12
206	SC	Parli vaijnath	PRLI	NSG4	B	2&3	BG	84	Cement Concrete	579	12.25
207	SC	Peddampet	PPZ	NSG6	E	1	BG	84	Cement Concrete	535.5	7
208	SC	Peddampet	PPZ	NSG6	E	2	BG	84	Cement Concrete	515	10
209	SC	Pindial	PQL	NSG6	E	1	BG	68	Other Pucca Surface	418	8.7
210	SC	Pindial	PQL	NSG6	E	2	BG	78	Polished Stone	445	8.3
211	SC	Pocharam	PCZ	NSG6	F	1	BG	84	Cement Concrete	440	7
212	SC	Potkapalli	PTKP	NSG6	E	1	BG	84	Cement Concrete	594.4	10
213	SC	Potkapalli	PTKP	NSG6	E	2	BG	84	Other Pucca Surface	455	9.7
214	SC	RAGHUNATHPALLI	RGP	NSG6	E	1	BG	84	Polished Stone	409	6.4
215	SC	RAGHUNATHPALLI	RGP	NSG6	E	2	BG	67	Other Pucca Surface	408	6.3
216	SC	RAVINDRAKHANI	RVKH	NSG6	E	1	BG	84	Cement Concrete	540	9.5
217	SC	RAVINDRAKHANI	RVKH	NSG6	E	2&3	BG	84	Cement Concrete	499	7
218	SC	RECHNI ROAD	RECH	NSG6	E	1	BG	84	Cement Concrete	560	9
219	SC	RECHNI ROAD	RECH	NSG6	E	2	BG	84	Cement Concrete	561.3	6
220	SC	Raghavapuram	RGPM	NSG6	E	1	BG	84	Cement Concrete	502	10
221	SC	Raghavapuram	RGPM	NSG6	E	2&3	BG	84	Cement Concrete	502.8	9
222	SC	Raghavapuram	RGPM	NSG6	E	4 & 5	BG	84	Other Pucca Surface	527.5	12.5
223	SC	Ramachandrapuram	RCPT	SG3		1	BG	84	Cement Concrete	275	7
224	SC	Ramachandrapuram	RCPT	SG3		2	BG	84	Cement Concrete	275	7
225	SC	Ramagundam	RDM	NSG4	B	1	BG	83	Cement Concrete	584	9.5
226	SC	Ramagundam	RDM	NSG4	B	2 & 3	BG	84	Cement Concrete	583.6	9
227	SC	Rukmapur	RMV	NSG6	E	1	BG	84	Polished Stone	300	9
228	SC	Rukmapur	RMV	NSG6	E	2	BG	84	Other Pucca Surface	343	5
229	SC	SANATNAGAR	SNF	NSG5	D	1	BG	80	Polished Stone	578	6.5
230	SC	SANATNAGAR	SNF	NSG5	D	2 & 3	BG	84	Cement Concrete	405	14
231	SC	SANJEEVAIAH PARK	SJVP	SG3	C	1	BG	84	Cement Concrete	330	10
232	SC	SANJEEVAIAH PARK	SJVP	SG3	C	2	BG	84	Cement Concrete	330	9
233	SC	SECUNDERABAD JN.	SC	NSG1	A1	1	BG	84	Polished Stone	613	15
234	SC	SECUNDERABAD JN.	SC	NSG1	A1	10	BG	84	Polished Stone	553	10
235	SC	SECUNDERABAD JN.	SC	NSG1	A1	2&3	BG	84	Polished Stone	588	11

SL.NO	Division	Station Name	Station Code	Category	Category_Old	Platform No	Gauge	Height (cms)	Surface (Typ)	Length(m)	Breadth(m)
236	SC	SECUNDERABAD JN.	SC	NSG1	A1	4&5	BG	84	Polished Stone	530	9
237	SC	SECUNDERABAD JN.	SC	NSG1	A1	6&7	BG	84	Polished Stone	618	15
238	SC	SECUNDERABAD JN.	SC	NSG1	A1	8&9	BG	84	Polished Stone	579	10
239	SC	SERAM	SEM	NSG4	D	1	BG	84	Polished Stone	560	10
240	SC	SERAM	SEM	NSG4	D	2	BG	50	Polished Stone	560	8
241	SC	SHANKARPALLI	SKP	NSG5	D	1	BG	84	Cement Concrete	569.2	9.25
242	SC	SHANKARPALLI	SKP	NSG5	D	2	BG	84	Cement Concrete	570.3	6.25
243	SC	Sadashivpet road	SSPD	NSG6	E	1	BG	84	Other Pucca Surface	300	10
244	SC	Sirpur kagaznagar	SKZR	NSG4	B	1	BG	84	Cement Concrete	640	10.5
245	SC	Sirpur kagaznagar	SKZR	NSG4	B	2	BG	84	Cement Concrete	597	8
246	SC	Sirpur kagaznagar	SKZR	NSG4	B	3	BG	84	Cement Concrete	561	12.31
247	SC	Sirpur town	SRUR	NSG6	E	1	BG	84	Cement Concrete	515	10
248	SC	Sirpur town	SRUR	NSG6	E	2	BG	84	Cement Concrete	580.5	8
249	SC	Suchitra Center Halt	SACH	SG3		1	BG	84	Cement Concrete	300	10
250	SC	Suchitra Center Halt	SACH	SG3		2	BG	84	Cement Concrete	300	10
251	SC	Sultanabad	STBD	NSG6	E	1	BG	45	Moorum	275	7
252	SC	TADIKALAPUDI	TPY	NSG6	E	1	BG	45	Other Pucca Surface	417	8
253	SC	TADLAPUSAPALLI	TAA	NSG6	E	1	BG	84	Other Pucca Surface	433	8
254	SC	TADLAPUSAPALLI	TAA	NSG6	E	2	BG	84	Other Pucca Surface	433	7
255	SC	TELAPUR	TLPR	SG3		1	BG	84	Cement Concrete	300	7
256	SC	Tandur	TDU	NSG4	B	1	BG	84	Polished Stone	560	16
257	SC	Tandur	TDU	NSG4	B	2&3	BG	84	Polished Stone	542	10
258	SC	Tondalagopavaram	TNGM	NSG6	E	1	BG	84	Cement Concrete	585	11
259	SC	Tondalagopavaram	TNGM	NSG6	E	2	BG	84	Cement Concrete	387.9	9.14
260	SC	Udgir	UDGR	NSG4	D	1	BG	84	Cement Concrete	510	14
261	SC	Udgir	UDGR	NSG4	D	2	BG	84	Cement Concrete	445	10
262	SC	Uppal	OPL	NSG6	E	1	BG	84	Other Pucca Surface	392.2	10
263	SC	Uppal	OPL	NSG6	E	2	BG	84	Other Pucca Surface	501.9	8
264	SC	VIKARABAD JN.	VKB	NSG4	B	1	BG	84	Cement Concrete	578	8
265	SC	VIKARABAD JN.	VKB	NSG4	B	2&3	BG	84	Cement Concrete	570	10
266	SC	Wadwal nagnath	WDLN	HG2	F	1	BG	45	Other Pucca Surface	300	6
267	SC	Wangapalli	WP	NSG6	E	1	BG	84	Cement Concrete	420	7.3
268	SC	Wangapalli	WP	NSG6	E	2	BG	84	Cement Concrete	460	9.6
269	SC	Warangal	WL	NSG3	A	1	BG	84	Polished Stone	605	11
270	SC	Warangal	WL	NSG3	A	2&3	BG	84	Polished Stone	605	10
271	SC	Warangal	WL	NSG3	A	4	BG	84	Polished Stone	605	10
272	SC	Wirur	WIRR	NSG6	E	1	BG	84	Polished Stone	509	9.5
273	SC	Wirur	WIRR	NSG6	E	2	BG	84	Polished Stone	550	9.4
274	SC	Yadadri	YADD	NSG4	E	2	BG	84	Cement Concrete	580	9
275	SC	Yadadri	YADD	NSG4	E	1	BG	84	Cement Concrete	420	9
276	SC	Yelgur	YGL	NSG6	E	1	BG	84	Polished Stone	435	7.2
277	SC	Yelgur	YGL	NSG6	E	2	BG	84	Polished Stone	435	7
278	SC	Zahirabad	ZB	NSG5	D	1	BG	84	Other Pucca Surface	565.6	10
279	SC	Zahirabad	ZB	NSG5	D	2	BG	84	Other Pucca Surface	580	10
280	SC	kurukotta	KUKT	NSG6		1	BG	84	Polished Stone	465	10
281	SC	kurukotta	KUKT	NSG6		2	BG	84	Cement Concrete	445	8

SECUNDERABAD Division - CSR lengths 2025			
1	MAGH	Common Loop 1(Rd 1)	782.73m
		Down Main(Rd 2)	782.73m
		Bi-directional Main(Rd 3)	715m
		Up Main(Rd 4)	957.23m
		Common Loop 2(Rd 5)	740.58m
		Goods siding (Rd 6)	564.50m
		Goods Loop 1(Rd 7)	700.40m
		Goods Loop 2(Rd 8)	674.14m
		Goods Loop 3(Rd 9)	701.50m
2	RJUA	Up & Down Main line	790.6m
		Up & Down Loop line	792.7m
3	PRPI	Up & Down 1st Loop line	747m
		Up & Down Main line	683m
		Up & Down 2nd Loop line	739m
4	MCW	Up & Down Main line	760m
5	GDCR	Up & Down Siding No.1	762m
		Up & Down Siding No.2	720m
		Up & Down Siding No.3	788m
6	VHGN	Down Loop	740.75m
		Down Main	740.75m
		Bi-Directional Main	720m
		Up Main	720.74m
		Common Loop	720.74m
7	WIRR	DN Loop	715.00m
		Dn Main	715.00m
		Bi-directional Main	760.92m
		Up Main	724.068m
		Up Loop	721.865m
		Ballast SDG	712.619m
8	MKDI	UP & DN Common Loop	750m
		DN Main line	750m
		BD Main line	960m
		UP Main line	750.249m
		UP Loop line	750.249m
9	SRUR	UP & DN Common Loop	722.299m
		DN Main line	722.299m
		BD Main line	812.059m
		UP Main line	729.182m
		UP Loop line	729.182m
10	SKZR	Common loop line No.3	740 m
		Common loop line No.2	740 m
		Down Main Line	1119.5 m
		BD Main Line	1009.95 m
		UP Main Line	715.50 m
		Common Loop Line No.1	715.50 m
		Goods line No.1	422.28 m
11	ASAF	Goods line No.2	422.28 m
		Common loop line No.2	750m
		Down Main Line	831m

		BD Main Line	744.341m
		UP Main Line	751.468m
		Common Loop Line No.1	751.468m
12	RECH	Common loop line	808.84m
		Down Main Line	808.84m
		BD Main Line	1024.62m
		UP Main Line	858.00m
		Common Longer Loop Line -1	779.00m
		Common Longer Loop Line -2	750.00m
13	BPA	Up Main line	834 m
		BD Main	834m
		Down Main line	1060 m
		Common Loop Line No.1	902m
		Common Loop Line No.2	773m
		Up &Dn Goods Line No.1	882m
		Up &Dn Goods line No.2	761m
		Up &Dn Goods line No.3	755m
		Up &Dn Goods line No.4	718m
		Up &Dn Goods line No.5	718m
		Up &Dn Goods line No.6	718m
		ART Line	439.10m
		CY No.1	784.50m
		CY No.2	640.415m
		CY No.3	597.17m
		CY No.4	654.70m
		CY No.5	607.50m
14	MMZ	Up &Dn Common Loop	664 m
		Up & Down Main line	734 m
		Down Main line	674 m
		Down Loop line	676 m
		Up &Dn Goods line No.1	771 m
		Up &Dn Goods line .2	710 m
		Up &Dn Goods line.3	710 m
		Up &Dn Goods line No.4	711 m
		Up &Dn Goods line .5	711 m
15	MCI	Up Main line	693m
		UP & DN Main line	704m
		Down Main line	714m
		UP & DN Common Loop line	701m
		Up & Down Goods loop-1	688m
		Up & Down Goods loop-2	691m
		UP & Down Jumbo rake line	749m
16	PPZ	Up &Dn Common Loop -1	715m
		Down Main line	690m
		UP & DN Main line	950m
		Up Main line	715m
		Up &Dn Common Loop-2	715m
		Up Main line	971m
		UP & DN Main line	898m

17	RDM	Down Main line	867m
		Up &Dn Common Loop	783m
		Up &Dn Goods R & D line-1	743m
		Up &DnGoods R & D line-2	689m
		Up &Dn Goods R & D line-3	694m
		Up &Dn Goods R & D line-4	720m
		Up &Dn Goods R & D line-5	695m
		Bypass line	806m
		Collieries line	720m
18	RGPM	Dn Common Loop -1	728.26m
		Down Main line	728.26m
		UP & DN Main line	918.30m
		Up Main line	1034.936m
		Up &Dn Common Loop -2	838.7m
		Goods loop-1	731.45m
		Goods loop-2	731.45m
19	PDPL	Up &Dn Common Loop-1	790m
		Dn Main line	794m
		UP & DN Main line	809m
		Up Main line	718m
		Up &Dn Common Loop -2	703m
20	KOLR	Up Loop line	715m
		Up Main line	846m
		UP & DN Main line	902m
		Down Main line	704m
		Common Loop line	698m
21	PTKP	Up &Dn Common Loop -1	753m
		Up Main line	715m
		UP & DN Main line	936m
		Down Main line	715m
		Up &Dn Common Loop -2	715m
22	BGSF	Common Loop	750m
		Down Main	750m
		Bi-directional Main	1593.963m
		Up Main	735.75m
		Up Loop	735.75m
23	JMKT	Common Loop-2(Rd5)	715.44m
		Down Main(Rd4)	715.44m
		Bi-directional Main(Rd3)	831.59m
		Up Main(Rd2)	713.674m
		Common Loop 1(Rd1)	706.895m
		Common Loop-1	765.358m
		Down Main	765.358m
		Bi-directional Main	874.05m
24	OPL	Up Main	766.645m
		Common Loop 2	694.64m
		Common Goods Loop	694.64m

25	HSP	Up &Dn Common Loop-1 Up	738.336m
		Main line	738.336m
		BD Main line	826.04m
		DN Main line	826.04m
		Up &Dn Common Loop -	728.574m
		2 Up &Dn Common	692m
		Loop -3 Ballast siding-1	402.04m
		Ballast siding-2	285.20m
		Ballast siding-3	292.900m
		Granite Loading line	751.720m
26	STBD	Up &Dn Main Line	740m
		Up &Dn Loop Line	740m
		Goods Line-1	600m
		Goods Line-2	570m
27	KRMR	Up &Dn loop Line-1	746m
		Up &Dn loop Line-2	919m
		Up &Dn loop Line-3	791m
		Up &Dn Main Line	746m
		Up &Dn Goods Loop 1	747m
		Up &Dn Goods Loop 2	747m
		Stabling Line for DMU rake	391m
		Shunting Neck	739m
28	GDRA	Tower car siding	57m
		Up & Dn. 1 st Loop Line	687m
		Up & Dn. Main Line	689m
		Up & Dn. 2 nd Loop Line	691m
		Hot axle siding	80m
29	PDR	Track Machine Siding	300m
		1 st Loop line	786m
		2 nd Loop Line	756m
30	NPML	Main Line	766m
		1 st Loop line	804m
		2 nd Loop Line	764m
		Main Line	729m
31	LPJL	Hot axle siding	78m
		Up & Dn. 1 st Loop Line	700m
		Up & Dn. Main Line	700m
		Up & Dn. 2 nd Loop Line	784m
32	KRLA	Jumbo rake siding	704m
		Up & Dn. 1 st Loop Line	715m
		Up & Dn. Main Line	715m
		Up & Dn. 2 nd Loop Line	715m
33	MTPI	Track Machine Siding	300m
		Up & Dn. 1 st Loop Line	715m
		Up & Dn. Main Line	715m
		Up & Dn. 2 nd Loop Line	715m
		Tower car siding	100m

34	MRTD	Up & Dn. 1 st Loop Line	715m
		Up & Dn. Main Line	715m
		Up & Dn. 2 nd Loop Line	715m
		Track Machine Siding	300m
35	ARMU	Up & Dn. 1 st Loop Line	1077.285m
		Up & Dn. Main Line	1077.285m
		Up & Dn. 2 nd Loop Line	1077.285m
36	WL	Up &Dn Common Loop No.1	837.28m
		Down Main line	837.28m
		Up Main line	798.64m
		Up &Dn Common Loop No.2	650.838m
		BD Main line	768.006m
37	CLE	Up &Dn Common longer Loop(1st Portion)	750m
		Up &Dn Common longer Loop(2nd Portion)	750m
		Down Main line	750m
		Up Main line	886.42m
		BD Main line	858m
		BD Loop	750m
		Goods siding line	750m
38	YGL	BD Loop	750m
		BD Main line	750m
		Up &Dn Common Loop	712.60m
		Up Main line	709m
		Down Main line	722.10m
		Dn Loop	722.10m
39	NKD	Dn Loop	790.09m
		Down Main line	790.09m
		Up Main line	1100m
		BD Main line	868m
		Up &Dn Common Loop	752m
		Goods siding line	201m
40	KDM	Dn Loop	700m
		Down Main line	700m
		Up Main line	700m
		Up &Dn Common Loop	700m
		BD Main line	761m
		BD Loop	761m
41	MABD	Dn Loop	804m
		Down Main line	804m
		Up Main line	1073m
		BD Main line	766m
		Up &Dn Common Loop	766m
		Dn Loop	704.10m
42	GUU	Down Main line	704.10m
		Up Main line	694.40m
		Up &Dn Common Loop	692.80m
		Road 1	686m

43	DKJ	Road 2	686m
		Road 3	686m
		Road 4	696m
		Road 5	687m
		Road 6	294m
		Road 7	665m
		Road 8	704m
		Road 9	704m
		Up & Dn By pass line 1	725m
		Up & Dn By pass line 2	725m
44	PPY	Dn Loop	686m
		Dn Main line	692m
		Up Main line	692m
		Up Loop	686m
45	KMT	Up&Dn Common Loop-1	735m
		Dn Main line	735m
		Up Main line	893m
		BD Main line	886m
		Up&Dn Common Loop-2	753m
		Up&Dn Common Loop-3	791m
		Jumbo siding	191m
46	PNDP	Up &Dn Common Goods Loop	750m
		Up&Dn Common Loop-1	750m
		BD Main line	982m
		Up Main line	1261m
		Dn Main line	750m
		Up &Dn Common longer Loop(1st Portion)	750m
		Up &Dn Common longer Loop(2nd Portion)	750m
		Ballast siding line	1412m
47	CKN	Up &Dn Common Loop-1	711.80m
		Dn Main line	711.80m
		Up Main line	730.10m
		Up Loop	730.10m
		BD Main line(1st Portion)	754m
		BD Main line(2nd Portion)	889m
		Up &Dn Common longer Loop(1st Portion)	754m
		Up &Dn Common longer Loop(2nd Portion)	716.40m
48	BKL	Dn Loop line	700.63m
		Dn Main line	700.63m
		Up Main line	707.36m
		BD Main line	750m
		Up &Dn Common Loop	750m
49	MTMI	Common Loop-1	750m
		Common Loop -2	766m
		BD Main line	965m
		Up Main line	994m
		Dn Main line	794m
		Dn Loop line-1	750m

		Dn Loop line-2	750m
		MTMI Bypass line	1378m
50	MDR	Up & Dn Common Loop	769m
		Dn Main line	769m
		Up Main line	816m
		BD Main line	750m
		Up &Dn Common Loop	750m
51	TNGM	BD longer Loop-1	1548m
		BD Main line	1548m
		Up Loop	693m
		Up Main Line	693m
		Dn Main Line	750m
		Up &Dn Common longer Loop-2(1st Portion)	750m
		Up &Dn Common longer Loop-2(2nd Portion)	750m
52	YP	Up &Dn Common Loop	720m
		BD Main line	720m
		Up Main Line	839.50m
		Dn Main Line	706.10m
		Dn Loop	703.85m
53	GNN	HPCL LOOP LINE	945m
		Common Loop-1	714.53m
		DN Main Line Road Line3	712.23m
		UP Main line	958.905m
		BD Main line	748.576m
		Common Loop -2	716.672m
54	CVV	Up & Dn Common Loop-1	818.647m
		Dn Main line	946.374m
		Up Main line	907.780m
		BD Main line	750m
		Up & Dn Common Loop-2	750m
55	MAPA	Up &Dn Goods Loop 1	715m
		Up &Dn Main Line	715m
		Up &Dn Goods Loop 2	715m
56	JPTN	Up &Dn 1 loop Line (Goods)	748m
		Up &Dn 2nd loop Line (Goods)	748m
		Up &Dn Main Line (Goods)	889m
		Up &Dn 3rd loop Line (Goods)	827m
		Up &Dn 4th loop Line (Goods)	776m
		Up &Dn 5th loop Line (Goods)	776m
57	RRPM	Up & Dn 1 loop Line	715m
		Up & Dn Main Line	715m
		Up & Dn 2nd loop Line	715m
58	MACU	Up & Down Main Line	715m
		Up & Down Loop Line	715m
59	MTMP	Up & Dn Main Line	750m
		Up & Dn 2nd loop Line	750m
		Up &Dn 1 loop Line	750m
60	SSLM	Up &Dn 1 loop Line 750m	750m
		Up &Dn Main Line 750m	750m

		Up &Dn 2nd loop Line	750m
61	PCZ	1st Loop Line	750m
		Main Line	750m
		3rd Loop Line	750m
62	KRA	Up & Dn. 1st Loop Line	730m
		Up & Dn. Main Line	730m
		Up & Dn. 2nd Loop Line	686m
		Up & Dn. Goods Loop Line	686m
63	GHPU	1st Loop Line	750m
		2nd Loop Line	750m
		Main Line	750m
64	CMW	Up &Dn 1st Loop	686m
		Up &Dn Main Line	686m
		Up &Dn 2nd loop Line	686m
65	TPY	Up &Dn Main Line	748m
		Up &Dn 1 loop Line	748m
		Up &Dn 2nd loop Line	715m
66	BTPD	Up &Dn 1 loop Line	686m
		Up &Dn Main Line	686m
		Up &Dn 2nd loop Line	686m
67	BDCR	Sick Line	250m
		Sick Line-1	162m
		RE Line	332m
		Pit Line	364m
		PQRS SDG Line-2	355.40m
		PQRS SDG Line-1	354.10m
		Dead End SDG	394.10m
		Engine Escape line	393.60mm
		Goods R & D Line-2	693.50m
		Goods R & D Line-1	697.65m
		Main	695.10m
		Loop	695.40m
68	GLE	Up &Dn Loop Line	715m
		Up &Dn Main Line	715m
		Goods Loop	827.21m
		KTPS Bye Pass Line-1	856m
		KTPS Bye Pass line-2	1106m
69	PGP	Up &Dn 1 loop Line	715m
		Up &Dn Main Line	715m
		Up &Dn 2nd loop Line	715m
70	AWM	Up &Dn Main Line	750m
		Up &Dn loop Line	750m
71	MUGR	Up &Dn 1 loop Line	716m
		Up &Dn Main Line	716m
		Up &Dn 2nd loop Line	756m
		Up &Dn Goods Loop 1	727m
		Up &Dn Goods Loop 2	727m

72	SAVR	Main line	750m
		1st loop	750m
		2nd loop	750m
73	CDRG	Main line	750m
		1st loop	750m
		2nd loop	750m
74	PSHP	Main line	750m
		1st loop	750m
		2nd loop	750m
75	KZJ	Up & Down	636 m
		Up & Down	636 m
		Up & Down	675 m
		Up &Dn Goods Loop 1	740 m
		Up &Dn Goods Loop .2	740 m
		Up &Dn Goods R&D line.1	686m
		Up &Dn Goods R&D line.2	686m
		Up &Dn Goods R&D line.3	686m
		Up &Dn Goods R&D line.4	686m
		Up &Dn Goods R&D line.5	686m
		Up &Dn Goods R&D line.6	613m
		Up &Dn Goods R&D line.7	577m
76	PQL	Up & Down Common Loop line	685m
		Up Main line	685m
		DN Main line	713.90m
		Down Loop line	713.90m
77	NSKL	Up Loop line	718m
		Up Main line	718m
		DN Main line	692m
		Up & Down Common Loop	690m
78	GNP	Up & Down Common Loop	776m
		Up Main line	776m
		DN Main line	694m
		Down Loop line	701m
79	IPG	Up Loop line	684.60m
		Up Main line	694.80m
		DN Main line	695.70m
		Up & Down Common Loop	695.70m
80	RGP	UP& DN Common Loop	686m
		Up Main line	686m
		Down Main line	686m
		Down Loop Line	686m
81	ZN	Up Loop line	698m
		Up Main line	698m
		DN Main line	702m
		Up & Down Common Loop	686m
82	PBP	Up Loop line	677 m
		Up Main line	677m
		DN Main line	689m

		Up & Down Common Loop	689m
83	ALER	Up Loop line	713.50m
		Up Main line	713.50m
		DN Main line	689m
		Up & Down Common Loop	686m
84	WP	Up Loop line	793m
		Up Main line	793m
		DN Main line	737m
		Down Loop	737m
85	BG	Up Loop Line	714m
		Up Main Line	714m
		Dn Main Line	841m
		Up & Dn Common Loop	719m
86	PGDP	Dn Main Line	1180m
		Up Main Line	755m
		Up & Dn Common Loop Line	755m
87	BN	Up Loop Line	717m
		Up Main Line	717m
		Dn Main Line	711m
		Up & Dn Common Loop Line	711m
88	GT	Up Loop Line	698m
		Up Main Line	698m
		Dn Main Line	689m
		Up & Dn Common Loop	692m
		MMTS line-1	360m
		MMTS line-2	360m
89	CHZ	MMTS Down Main line (Road-01)	937.23m
		MMTS Up Main line (Road-02)	637.23m
		Down loop line(Road-03)	720m
		Down Main line(Road -04)	724.22m
		Up Main line(Road-05)	960m
		Up & Dn CL.1(Road-06)	686m
		Up & Dn CL.2(Road-07)	686m
		UP & DN R&D Line (Road-08)	638.12m
		Up & DN Goods Loop.2 (Road -09)	754.03m
		Up & Dn Goods Loop.1(Road -10)	713.06m
		UP & Down Road -11	660.28m
		UP & Down Road -12	625.26m
		UP & Down Road -13	571.09m
		UP & Down Road -14	571.09m
		Up / Dn Goods Stabling line	638.12m
90	MLY	Down Loop	862m
		Down Main	993m
		Up Main	857m
		Up Loop Line	764m
		Loop Line 2	716m
		Goods Loop line	716m
		Goods R & D Line 1	724m
		Goods R & D Line 2	724m

		Goods R & D Line 3	722m
		MLY ``C cabin- Up &Dn Loop Line	1783m
91	AMQ	Up &Dn Loop Line	724m
		Up &Dn Main Line	724m
92	SC	Up & Down Road-1	625m
		Up & Down Road-2	686m
		Up & Down Road-3	500m
		Up & Down Road-4	513m
		Up & Down Road-5	547m
		Up & Down Road-6	656m
		Up & Down Road-7	625m
		Up & Down Road-8	686m
		Up & Down Road-9	625m
		Up & Down Road-10	580m
		Up & Down Road-11	580m
93	HYB	Road-1	390m
		Road-2	358m
		Road-3	358m
		Road-4	583m
		Road-5	583m
		Road-6	587m
94	HSJ	Up Main Line	800m
		Down Line	450m
		Up &Dn Common Loop	450m
		Up Chord line (HYB end)	925m
		Dn Chord Line (HYB end)	735m
		Up Chord Line (BMT end)	390m
		Down Chord Line (BMT end)	618m
95	SNF	Down Main Line	742m
		Up Main Line	891m
		Up&Dn. Common Loop 1	765m
		Up&Dn. Common Loop 2	695m
		Goods R & D Line No.1	681m
		Goods R & D Line No.2	665m
		Goods R & D Line No.3	717m
		Goods R & D Line No.4	782m
96			
97	HFZ	Up &Dn Common Loop	661
		Dn Loop Line	661
		Dn Main Line	793
		Up Main Line	732
		Up Loop Line	723
98	LPI	Up &Dn Common Loop 1	729
		Up Main Line	713
		Dn Main Line	760
		Up &Dn Common Loop 2	708
		Up &Dn Common Loop 3	684
		Up Reception/DnDisptach Loop	686

99	RCPT	MMTS Line-1	400
		MMTS Line-2	400
100	TLPR	Dn Main Line berthing	720
		Up Main Line berthing track	720
		MMTS line leading to RCPT	746
101	NPL	Up &Dn Common Loop 1	698
		Dn Main Line	770
		Up Main Line	692
		Up Loop Line	698
		Up &Dn Goods R&D Line	812
102	SKP	Up & Dn Common Loop 1	702
		Dn Main Line	726
		Up Main Line	717
		Up & Dn Common Loop 2	693
103	GGD	Up & Dn Common Loop	710
		Dn Main Line	716
		Up Main Line	720
		Up Loop Line	700
104	CTF	Up & Dn Common Loop	708
		Dn Main Line	705
		Up Main Line	725
		Up Loop Line	701
105	VKB	Up & Down Common Loop No.1	721
		Down Main Line	740
		Up Main Line	804
		Up & Down Common Loop No.2	701
		Up & Down Common Loop No.3	698
		Up & Down Goods Loop No.1	698
		Up & Down Goods Loop No.2	698
106	GDQ	Dn Loop Line	842
		Dn Main Line	700
		Up & Dn Common Loop	702
		Up Main Line	800
107	DRR	Dn Loop Line	698
		Dn Main Line	700
		Up Main Line	710
		Up & Dn Common Loop	699
108	RMV	Up Loop Line	708
		Up Main Line	705
		Up & Dn Common Loop	715
		Dn Main Line	832
109	TDU	Up & Dn Common Loop 1	716
		Dn Main Line	744
		Up Main Line	868
		Up & Dn Common Loop 2	729
		Up & Dn Common Loop 3	746
110	MVH	Up & Dn Common Loop	794
		Up Main Line	794

		Dn Main Line	725
		Dn Loop Line	720
111	NAW	Up & Dn Common Loop	703
		Up Main Line	708
		Dn Main Line	705
		Dn Loop Line	711
112	KQT	Dn Loop Line	701
		Dn Main Line	715
		Up Main Line	732
		Up & Dn Common Loop	705
		Up & Dn Goods Loop	706
113	SEM	Up & Dn Common Loop	696
		Up Main Line	694
		Up & Dn Goods Common Line	733
		Dn Main Line	691
		Dn Loop Line	691
114	MQR	Dn Loop Line	697
		Dn Main Line	697
		Up Main Line	803
		Up & Dn Common Loop 1	735.1
		Up & Dn Common Loop 2	688.345
		Up & Dn Common Loop 3	688.345
115	CT	Dn Loop Line	720
		Dn Main Line	726
		Up Main Line	834
		Up & Dn Common Loop	830
		Up & Dn Common Goods Loop	835
		Goods Line	748
116	SUH	Up Loop Line	801
		Up Main Line	861
		Dn Main Line	714
		Up & Dn Common Loop	697
117	SSPD	Up & Down 1 st Loop line	715m
		Up & Down Main line	715m
		Up & Down 2 nd Loop line	715m
118	MRF	Up & Down Main line	715m
		Up & Down Loop line	715m
119	KOHR	Up & Down Main line	715m
		Up & Down Loop line	715m
120	ZB	Up & Down 1 st Loop line	735m
		Up & Down Main line	735m
		Up & Down 2 nd Loop line	735m
121	MTV	Up & Down Main line	715m
		Up & Down Loop line	715m
		Hot axle siding	100m
122	BIDR	Up & Down 1 st Loop line	784m
		Up & Down Main line	735m

		Up & Down 2 nd Loop line	697m
		Up & Down 3 rd Loop line	579m
		Goods siding	328m
		Goods siding	146.8m
		Tower car siding	65m
		Ballast siding	336m
		Ballast siding	425m
123	KHNP	Up & Down 1 st Loop line	750m
		Up & Down Main line	750m
		Up & Down 2 nd Loop line	715m
		Up & Down Goods Loop line	715m
		Shunting Neck	550m
		Stabling Line	606.45m
		Pit Line	550m
		Sick Line-1	350m
		Sick Line-2	150m
		Sick Line-3	150m
124	HBU	Up & Down Main line	739m
		Up & Down Loop line	739m
125	BHLK	Up & Down Main line	727m
		Up & Down Loop line	727m
126	KCP	Up & Down Main line	771.94m
		Up & Down Loop line	771.94m
127	KMNR	Up & Down Main line	812m
		Up & Down Loop line	812m
128	UDGR	Up & Down 1 st Loop line	800m
		Up & Down Main line	746m
		Up & Down 2 nd Loop line	733m
		Tower car siding	65m
129	HER	Up & Down Main line	715.28m
		Up & Down Loop line	715.28m
		PQRS siding	470m
130	CKX	Up & Down Main line	715m
		Up & Down Loop line	715m
131	LTRR	2 ND Loop Line	686m
		Main Line	686m
		1 ST Loop Line	686m
132	JOA	Up & Down Main line	815m
		Up & Down Loop line	815m
133	PNF	Up & Down Main line	715m
		Up & Down Loop line	715m
		Up & Down Goods Line No.1	715m
		Up & Down Goods Line No.2	715m
134	GTU	UP & Down Main Line	715m

		Up & Down Loop line	715m
		Hot axle siding	124.20m
135	PRLI	Loop line.1	752 m
		Goods Line No.1	752 m
		Goods Line No.2	773 m
		Goods Line No.3	800 m
		Main line	711 m
		Loop line.2	708 m
		Tranship Line	575m
		Jumbo rake siding	654m
		Shunting neck	289m
		Tower car siding	100m
		Engine stabling spur	60m
136	HLKH-B	Up & Down Loop line	715m
		Up & Down Main line	715m
137	HMBD	Up & Down 1 st Loop line	727m
		Up & Down Main line	727m
		Up & Down 2 nd Loop line	727m
		Track machine siding	300m
138	HLKH-K	Up & Down Main line	785m
		Up & Down Loop line	785m
139	KMPU	Up & Down 1 st Loop line	750m
		Up & Down Main line	750m
		Up & Down 2 nd Loop line	750m
		Track machine siding	300m
140	KUKT	Up & Down 1 st Loop line	750m
		Up & Down Main line	750m
		Up & Down 2 nd Loop line	750m

LOCATION OF EC SOCKETS

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
1	SC - WD	SC-HSJ	7	UP	1 : 193/21-23
				DOWN	: 2 : 193/14-16 : 3 : 192/14-16 : 4 : 191/24-26 : 5 : 191/16-18 : 6 : 190/30A-34A : 7 : 190/11A-12A
2	SC - WD	HSJ-HYB	7	UP	HYB SN15-17 : 3 : 185/61-63 : 4 : 186/39-187/1 : 5 : 187/43-188/1 : 6 : 188/45-189/1
				DOWN	1 : 185/32-30 : 2 : : 7 : 179/58ssp.
3	SC - WD	SNF-HSJ	4	UP	1 : 175/39-176/1 4 : 179/29-31.
				DOWN	: 2 : 176/52-177/2 : 3 : 177/34A-178/2 :
4	SC - WD	SNF-HFZ	9	UP	8 : 172/35-173/1
				DOWN	1 : 166/28-30 : 2 : 166/34-167/2 : 3 : 167/38-168/2 : 4 : 168/38-169/2 : 5 : 169/46-170/2 : 6 : 170/44-171/2 : 7 : 171/36-172/2 : : 9 : 173/34-174/1.
5	SC - WD	HFZ-LPI	7	UP	NIL
				DOWN	1 : 160/30-160/32 : 2 : 162/2-161/38 : 3 : 163/2-162/38 : 4 : 163/42-44 : 5 : 165/2-164/40 : 6 : 165/10-12 SSP : 7 : 166/32-30

				UP	1 : 0/31-31A (TLPR stn): 2 : 1/3-5 : 3 : 2/1
--	--	--	--	----	--

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					: 4 : 3/1 : 5 : 4/1 : 6 : 4/31-33 (RBCS stn) : 7 : 5/1
6	SC - WD	TLPR-RBCS	7	DOWN	NIL
7	SC - WD	LPI-NPL	15	UP	1 : 160/33-35 : 2 : 160/15-17 : 3 : 160/11-13 : 4 : 160/5-7 : 5 : 159/31-33 : 6 : 158/31-33 : 7 : 158/1-3(SSP) : 8 : 157/45-43 : 9 : 156/31-29 : 10 : 155/27-29 : 11 : 154/27-29Up. :
				DOWN	12 : 154/2-153/34(Dn.) : 13 : 153/2-152/30 : 14 : 152/2-151/38 : 15 : 151/34-32 Dn..
8	SC - WD	NPL-SKP	13	UP	1 : 151/2-150/52 DN : : 3 : 150/2-4 : 4 : 149/2-4 : 5 : 148/2-4 : 6 : 147/4-6 : 7 : 146/2-4 : 8 : 145/4-6 : 9 : 144/4-6 : 10 : 143/8-10 : 11 : 142/4-6 : 12 : 141/4-6 : 13 : 140/32-34 DN
				DOWN	2 : 150/25-27 NPL/SSP Up)
9	SC - WD	SKP-GGD	13	UP	1 : 139/22-24 (Dn.) : : 3 : 138/19-21(Up) : 4 : 137/28-26 : 5 : 136/20-22 : 6 : 135/24-26 : 7 : 134/20-22 : 8 : 133/26-24 : 9 : 132/26-24 : 10 : 131/28-26 : 11 : 130/28-26 : 12 : 129/38-36 Dn. :
				DOWN	2 : 139/19-21(SSP Up), 13 : 129/25-23(Up).
10	SC - WD	GGD-CTF	9	UP	NIL
				DOWN	1 : 128/17-19 SSP Up) : 2 : 127/27-29 : 3 : 126/27-29 : 4 : 125/29-31 : 5 : 124/23-25 : 6 : 123/27-29 : 7 : 123/1-122/39 : 8 : 122/23-25Up : 9 : 122/1-121/45.
11	SC - WD	CTF-VKB	12	UP	12 : 112/18-20 (TSS)
				DOWN	1 : 121/15-17 : 2 : 120/29-121/1 : 3 : 119/3-5 : 4 : 118/29-119/1 : 5 : 118/1-117/31 : 6 : 117/1-3 : 7 : 116/1-3 : 8 : 114/17-19 : 9 : 113/29-31 : 10 : 112/39-41 : 11 : 112/29-31 :
12	SC - WD	VKB-GDQ (DN)	20	UP	1 : 110/30-32 : 2 : 109/22-24 : 3 : 108/40-42 : 4 : 107/42-44 : 5 : 106/38-40 : 6 : 105/32-34 : 7 : 105/32-34 : 8 : 104/8-10 : 9 : 103/40-42
				DOWN	1 : 111/21-23 : 2 : 111/7-9 : 3 : 111/1-3 : 4 : 110/1-3 : 5 : 109/3-5 : 6 : 108/7-9 : 7 : 107A/1-3 : 8 : 107/1-3 : 9 : 106/3-5 : 10 : 105/5-7 : 11 : 104/23-25 SSP
13	SC - WD	GDQ-DRR UP	30	UP	1 : 103/20-22 : 2 : 102/44-46 : 3 : 102/34-36 : 4 : 101/38-40 : 5 : 100/40-42 : 6 : 99/42-44 : 7 : 98/30-32 : 8 : 97/42-44 : 9 : 96/36-38 : 10 : 95/34-36 : 11 : 94/44-46 : 12 : 93/46-48 : 13 : 92/40-42 : 14 : 91/4-6 : 15 : 91/46-48
				DOWN	1 : 102A/27-29 : 2 : 102A/47-49 : 3 : 102/3-5 : 4 : 101/11-13 : 5 : 100/11-13 : 6 : 99/15-17 : 7 : 98/13-15 : 8 : 97/11-13 : 9 : 96/17-19 : 10 : 95/23-21 : 11 : 94/25-27 : 12 : 93/17-19 : 13 : 92/33-35 : 14 : 91/39-41 : 14 : 91/23-25
14	SC - WD	DRR-RMY	15	UP	1 : 80/39-41(EC/O) : 2 : 80/19-21 : 3 : 79/27-29.
				DOWN	1 : 90/30-32 : 2 : 90/10-12(EC/O) : 3 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					90/4-6 : 4 : 89/6-8 : 5 : 88/8-10 : 6 : 87/30-32 : 7 : 86/18-20 : 8 : 85/18-20 : 9 : 84/16-18 : 10 : 83/18-20 : 11 : 82/24-26 : 12 : 82/2-4 SSP
15	SC - WD	RMY-TDU (UP)	14	UP	1 : 80/4-6 : 2 : 80/22-24(EC/O) : 3 : 80/18-20 : 4 : 79/18-20 : 5 : 78/26-28 : 6 : 77/30-32 : 7 : 76/24-26 : 8 : 75/24-26 : 9 : 74/28-30 : 10 : 73/30-32 : 11 : 72/30-32 : 12 : 72/6-8 : 13 : 71/20-22(EC/O) : 14 : 71/6-8: 15:71/31
				DOWN	NIL
16	SC - WD	RMY-TDU (DN)	NIL	UP	NIL
				DOWN	NIL
17	SC - WD	TDU-MVH	11	UP	NIL
				DOWN	1 : 70/6-8 : 2 : 69/26-28 : 3 : 68/22-24 : 4 : 67/30-68/2 : 5 : 67/4-6 : 6 : 66/6-8 : 7 : 65/8-10 : 8 : 64/10-12 : 9 : 63/10-12 : 10 : 62/12-14 : 11 : 62/14-16
18	SC - WD	MVH-NAW	13	UP	NIL
				DOWN	1 : 61/14-16 : 2 : 61/4-6 : 3 : 60/24-26 : 4 : 60/21-23 : 5 : 59/26-28 : 6 : 58/26-28 : 7 : 57/26-28 : 8 : 56/26-28 : 9 : 55/30-32 : 10 : 55/2-54/32 : 11 : 54/4-6 : 12 : 53/25-27 : 13 : 53/24-26.
19	SC - WD	NAW-KQT	11	UP	2 : 52/11-13 :
				DOWN	1 : 52/16-18 : 3 : 52/6-8 : 4 : 51/21-23 SSP : 5 : 51/10-12 : 6 : 50/10-12 : 7 : 49/12-14 : 8 : 48/16-18 : 9 : 47/16-18 : 10 : 46/20-22 : 11 : 45/32-34
20	SC - WD	KQT-SEM	10	UP	10 : 38/1 SSP : 11 : 37/19 : 12 : 36/7-9
				DOWN	1 : 44/22-24 : 2 : 44/14-16 : 3 : 43/14-16 : 4 : 42/16-18 : 5 : 41/12-14 : 6 : 40/14-16 : 7 : 39/14-16 : 8 : 38/22-24 : 9 : 38/6 :
21	SC - WD	SEM-MQR	16	UP	9 : 30/11-13 :
				DOWN	1 : 36/20-22 : 2 : 36/18-20 : 3 : 36/4-6 : 4 : 35/12-14 : 5 : 34/16-18 : 6 : 33/16-18 : 7 : 32/18-20 : 8 : 31/20-22 : 10 : 29/22-24 : 11 : 28/20-22 : 12 : 27/24-26 : 13 : 26/24-26 : 14 : 25/32-34 : 15 : 25/14-16 : 16 : 25/2-4
22	SC - WD	MQR-CT	14	UP	4 : 23/15-17 : 5 : 22/15-17 : 6 : 21/21-23 : 7 : 20/21-23 : 8 : 19/23-25 : 9 : 18/27-29 : 10 : 17/25-27 : 11 : 17/1-3 : 12 : 16/13-15 : 13 : 15/33-35 :
				DOWN	1 : 24/14-16 : 2 : 23/32-34 : 3 : 23/22-24 : 14 : 15/20-22.
23	SC - WD	CT-SUH	9	UP	1 : 14/31-33 : 2 : 14/23-25 : 3 : 14/19-21 : 4 : 14/13-15 : 5 : 13/19-21 : 6 : 12/19-21 : 7 : 11/21-23 : 8 : 10/25-27 : 9 : 9/27-29.
				DOWN	NIL
24	SC - WD	SUH-WD	9	UP	9 : 606/SC/27-29
				DOWN	1 : 8/22-24 : 2 : 7/24-26 : 3 : 6/26-28 : 4 : 5/36-38 : 5 : 4/26-28 : 6 : 3/32-34 : 7 : 3/3-5 : 8 : 607/SC/12-14 :
25	VKB - PRLI	VKB- SSPD	20	UP	NIL
				DOWN	1 : 1/1-2 : 2 : 2/1-2 : 3 : 3/1-2 : 4 : 4/1-2 : 5 : 5/1-2 : 6 : 6/1-2 : 7 : 7/1-2 : 8 : 8/1-2 : 9 : 9/1-2 : 10 : 10/1-2 : 11 : 11/1-2 : 12 : 12/1-

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					2 : 13 : 13/1-2 : 14 : 14/1-2 : 15 : 15/1-2 : 16 : 16/1-2 : 17 : 17/1-2 : 18 : 18/1-2 : 19 : 19/1-2 : 20 : 20/1-2 : 21 : 20/15-21/1.
26	VKB - PRLI	SSPD-MRF	14	UP	1 : 22/1-2 : 2 : 23/1-2 : 3 : 23/15-24/1 : 4 : 25/2-3 : 5 : 26/15-27/1 : 6 : 26/2-3 : 7 : 27/15-28/1 : 8 : 28/13-14 : 9 : 29/13-14 : 10 : 30/13-14 : 11 : 31/13-14 : 12 : 32/13-14 : 13 : 33/11-12 : 14 : 34/11-12
				DOWN	NIL
27	VKB - PRLI	MRF-KOHR	10	UP	1 : 36/2-3 : 2 : 37/2 -3 : 3 : 38/1-2 : 4 : 39/1-2 : 5 : 40/1-2 : 6 : 41/1-2 : 7 : 42/3-4 : 8 : 43/2-3 : 9 : 44/1-2 : 10 : 45/1-2.
				DOWN	NIL
28	VKB - PRLI	KOHR- ZB	NIL	UP	NIL
				DOWN	NIL
29	VKB - PRLI	ZB- MTV	13	UP	1 : 59/11-12 : 2 : 60/11-12 : 3 : 61/9-10 : 4 : 62/10-11 : 5 : 63/9-10 : 6 : 64/9-10 : 7 : 65/7-8 : 8 : 66/8-9 : 9 : 67/7-8 : 10 : 68/7-8 : 11 : 69/6-7 : 12 : 70/6-7 : 13 : 71/5-6.
				DOWN	NIL
30	VKB - PRLI	MTV-BIDR	20	UP	1 : 72/4-5 : 2 : 73/3-4 : 3 : 74/3-4 : 4 : 75/3 : 5 : 76/1-2 : 6 : 77/2-3 : 7 : 78/2-3 : 8 : 79/1-2 : 9 : 79/15-80/1 : 10 : 80/15-81/1 : 11 : 81/14-15 : 12 : 82/14-15 : 13 : 83/14-15 : 14 : 84/11-12 : 15 : 85/10-11 : 16 : 86/10-11 : 17 : 87/8-9 : 18 : 88/7-8 : 19 : 89/6-7 : 20 : 90/6-7.
				DOWN	NIL
31	VKB - PRLI	BIDR- KHNP	15	UP	1 : 91/8-9 : 2 : 92/3-4 : 3 : 93/3-4 : 4 : 94/3-4 : 5 : 95/3-4 : 6 : 96/3-4 : 7 : 97/2-3 : 8 : 98/2-3 : 9 : 99/1-2 : 10 : 99/14-15 : 11 : 100/14-15 : 12 : 102/1-2 : 13 : 102/15-103/1 : 14 : 103/15-104/1 : 15 : 104/15-105/1
				DOWN	NIL
32	VKB - PRLI	KHNP-HBU	8	UP	1 : 105/15-106/1 : 2 : 106/15-107/1 : 3 : 107/15-108/1 : 4 : 109/1-2 : 5 : 109/15-110/1 : 6 : 111/15-112/1 : 7 : 112/14-15. : 8 : 110/15-14/1
				DOWN	NIL
33	VKB - PRLI	HBU- BHLK	15	UP	NIL
				DOWN	1 : 113/13-14 : 2 : 114/13-14 : 3 : 115/13-14 : 4 : 116/12-13 : 5 : 117/11-12 : 6 : 118/12-13 : 7 : 119/11-12 : 8 : 120/11-12 : 9 : 121/10-11 : 10 : 122/10-11 : 11 : 123/10-11 : 12 : 124/9-10 : 13 : 125/9-10 : 14 : 126/9-10 : 15 : 127/8-9.
34	VKB - PRLI	BHLK- KCP	14	UP	NIL
				DOWN	1 : 129/5-6 : 2 : 130/5-6 : 3 : 131/5-6 : 4 : 132/5-6 : 5 : 133/5-6 : 6 : 134/4-5 : 7 : 135/3-4 : 8 : 136/2-3 : 9 : 137/2-3 : 10 : 138/1-2 : 11 : 139/1-2 : 12 : 140/11-12 : 13 : 141/11-12 : 14 : 142/1-2.
35	VKB - PRLI	KCP-KMNR	9	UP	NIL
				DOWN	1 : 143/15-144/1 : 2 : 144/14-15 : 3 : 145/13-14 : 4 : 146/13-14 : 5 : 147/12-13 : 6 : 148/12-13 : 7 : 149/12-13 : 8 : 150/10-

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					11 : 9 : 151/9-10.
36	VKB - PRLI	KMNR-UDGR	19	UP	1 : 153/7-8 : 2 : 154/6-7 : 3 : 155/7-8 : 4 : 156/6-7 : 5 : 157/6-7 : 6 : 158/5-6 : 7 : 159/5-6 : 8 : 160/5-6 : 9 : 161/5-6 : 10 : 162/5-6 : 11 : 163/4-5 : 12 : 164/4-5 : 13 : 165/3-4 : 14 : 166/3-4 : 15 : 167/3-4 : 16 : 168/2-3 : 17 : 169/2-3 : 18 : 170/2-3 : 19 : 170/1-2.
				DOWN	NIL
37	VKB - PRLI	UDGR- HER	16	UP	1 : 172/12-13 : 2 : 173/8-9 : 3 : 174/7-8 : 4 : 175/8-9 : 5 : 176/7-8 : 6 : 177/6-7 : 7 : 178/6-7 : 8 : 179/6-7 : 9 : 180/5-6 : 10 : 181/5-6 : 11 : 182/6-7 : 12 : 183/5-6 : 13 : 184/4-5 : 14 : 185/3-4 : 15 : 186/4-5 : 16 : 187/4-5.
				DOWN	NIL
38	VKB - PRLI	HER- CKX	11	UP	1 : 189/1-2 : 2 : 190/1-2 : 3 : 191/15-16 : 4 : 192/16-193/1 : 5 : 193-15-16 : 6 : 194/15-16 : 7 : 195/13-14 : 8 : 196/12-13 : 9 : 197/12-13 : 10 : 198/12-13 : 11 : 199/12-13
				DOWN	NIL
39	VKB - PRLI	CKX- LTRR	3	UP	NIL
				DOWN	1 : 200/15-16 : 2 : 201/14-15 : 3 : 202/14-15.
40	VKB - PRLI	LTRR-JOA	12	UP	1 : 204/13-14 : 2 : 205/13-14 : 3 : 206/12-13 : 4 : 207/11-12 : 5 : 208/11-12 : 6 : 209/10-11 : 7 : 210/10-11 : 8 : 211/10-11 : 9 : 212/10-11 : 10 : 213/9-10 : 11 : 214/9-10 : 12 : 215/8-9.
				DOWN	NIL
41	VKB - PRLI	JOA- PNF	15	UP	NIL
				DOWN	1 : 217/5-6 : 2 : 218/6-7 : 3 : 219/6-7 : 4 : 220/5-6 : 5 : 221/5-6 : 6 : 222/7-8 : 7 : 223/6-7 : 8 : 224/6-7 : 9 : 225/5-6 : 10 : 226/5-6 : 11 : 227/6-7 : 12 : 228/6-7 : 13 : 229/6-7 : 14 : 230/6-7 : 15 : 231/5-6
42	VKB - PRLI	PNF-GTU	12	UP	1 : 233/4-5 : 2 : 234/3-4 : 3 : 235/3-4 : 4 : 236/4-5 : 5 : 237/3-4 : 6 : 238/3-4 : 7 : 239/3-4 : 8 : 240/2-3 : 9 : 241/2-3 : 10 : 242/2-3 : 11 : 243/1-2 : 12 : 244/0-1
				DOWN	NIL
43	VKB - PRLI	GTU- PRLI	23	UP	NIL
				DOWN	1 : 244/13-14 : 2 : 245/12-13 : 3 : 246/11-12 : 4 : 247/12-13 : 5 : 248/10-11 : 6 : 249/7-8 : 7 : 250/10-11 : 8 : 251/10-11 : 9 : 252/9-10 : 10 : 253/6-7 : 11 : 254/9-10 : 12 : 255/8-9 : 13 : 256/9-10 : 14 : 257/10-11 : 15 : 258/9-10 : 16 : 259/7-8 : 17 : 260/6-7 : 18 : 261/6-7 : 19 : 262/9-10 : 20 : 263/13-14 : 21 : 264/14-15 : 22 : 265/13-14 : 23 : 266/13-14.
44	KHNP - GB	KHNP-HLKD	16	UP	1 : KHNP Station : 1 : 2/000-2/015 : 2 : 2/9000-3/000 : 3 : 3/900-4/000 : 4 : 4/900-5/000 : 5 : 5/900-6/000 : 6 : 6/900-7/000 : 7 : 7/900-8/000 : 8 : 8/900-9/000 : 9 : 9/900-10/000 : 10 : 10/900-11/000 : 11 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					11/900-12/000 : 12 : 12/900-13/000 : 13 : 13/900-14/000 : 14 : 14/900-15/000 : 15 : 15/900-16/000 : 16 : 16/900-17/000
				DOWN	NIL
45	KHNP - GB	HLKD - HMBD	19	UP	1 : Hallikhed 'B' stn. : 1 : 18/000-19/015 : 2 : 19/9000-20/000 : 3 : 20/900-21/000 : 4 : 21/800-21/900 : 5 : 22/800-22/900 : 6 : 23/800-23/900 : 7 : 24/800-24/900 : 8 : 25/900-26/000 : 9 : 27/000-27/100 : 10 : 27/800-27/900 : 11 : 28/800-28/900 : 12 : 29/800-29/900 : 13 : 30/800-30/900 : 14 : 31/800-31/900 : 15 : 32/900-33/000 : 16 : 33/900-34/000 : 17 : 35/000-35/100 : 18 : 35/900-36/000 : 19 : 36/900-37/000 : 1 : Humnabad Station
				DOWN	NIL
46	KHNP - GB	HMBD-HLKD'K'	NIL	UP	NIL
				DOWN	NIL
47	KHNP - GB	HLKD'K'-KAMALAPUR	22	UP	1 : 54/000 : 2 : 55/000 : 3 : 56/000 : 4 : 57/000 : 5 : 58/000 : 6 : 58/600 : 7 : 58/800 : 8 : 59/000 : 9 : 59/200 : 10 : 59/400 : 11 : 59/600 : 12 : 59/800 : 13 : 60/000 : 14 : 60/200 : 15 : 61/000 : 16 : 62/000 : 17 : 63/000 : 18 : 64/000 : 19 : 65/000 : 20 : 66/200 : 21 : 66/900 : 22 : 68/000
				DOWN	NIL
48	KHNP - GB	KMPU-KUKT	16	UP	1 : 69/000 : 2 : 70/000 : 3 : 71/000 : 4 : 72/000 : 5 : 73/000 : 6 : 74/000 : 7 : 75/000 : 8 : 76/000 : 9 : 77/000 : 10 : 78/000 : 11 : 79/000 : 12 : 80/000 : 13 : 81/000 : 14 : 82/000 : 15 : 83/000 : 16 : 84/000
				DOWN	NIL
49	KHNP - GB	KUKT-TJSP	14	UP	1 : 85/000 : 2 : 86/000 : 3 : 87/000 : 4 : 88/000 : 5 : 89/000 : 6 : 90/000 : 7 : 91/000 : 8 : 92/000 : 9 : 93/000 : 10 : 94/000 : 11 : 95/000 : 12 : 96/000 : 13 : 97/000 : 14 : 98/000
				DOWN	NIL
50	SC - KZJ	SC-MLY	11	UP	1 : 194/A-7 : 2 : 194A/27-29 :
				DOWN	3 : 194A/38-40 : 4 : 195/58-60 : 5 : 195/26-28 : 6 : 196/4-6 : 7 : 196/16-14 : 8 : 198/48 : 9 : 198/4 : 10 : 198/26-24 : 11 : 198/40-42
51	SC - KZJ	MLY-CHZ	8	UP	1 : 199/43-200/1 : 2 : 200/13-15 :
				DOWN	3 : 200/40-42 : 4 : 201/48-202/2 : 5 : 202/40-203/2 : 6 : 203/2 : 7 : 204/24 : 8 : 205/2
52	SC - KZJ	CHZ-GT	9	UP	NIL
				DOWN	1 : 206/22 : 2 : 207/2 : 3 : 209/2 : 4 : 210/2 : 5 : 211/2 : 6 : 212/2 : 7 : 212/26 : 8 : 213/2 : 9 : 213/8
53	SC - KZJ	GT-BN	17	UP	NIL
				DOWN	1 : 214/18-20 : 2 : 214/34-36 : 3 : 214/38- 215/2 : 4 : 215/30-216/2 : 5 : 216/36-217/2 : 6 : 217/6-8 : 7 : 217/38-218/2 : 8 : 218/32-219/2 : 9 : 219/40-220/2 : 10 : 220/32-221/2 : 11 : 221/34-222/2 : 12 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					222/30-223/2 : 13 : 223/32-224/2 : 14 : 224/30-225/2 : 15 : 225/18-20 : 16 : 225/32-226/2 : 17 : 226/6-8.
54	SC - KZJ	BN-PGDP	2	UP	1 : 227/39-228/1 : 2 : 228/35-229/1.(Up)
				DOWN	NIL
55	SC - KZJ	PGDP-BG	11	UP	4 : 232/35-233/1 : 5 : 233/33-234/1(Up side) : 7 : 235/35-236/1 : 8 : 236/31-237/1(Up side) : 11 : 239/15-17(Up).
				DOWN	1 : 230/10-12(EC/O) : 2 : 230/34-231/2 : 3 : 231/34-232/2(Dn.) : 6 : 234/36-235/2(Dn.) : 9 : 237/38-238/2(Dn.) : 10 : 238/34-239/2 :
56	SC - KZJ	BG-WP	15	UP	8 : 245/25-27 13 : 249/31-250/1 : 14 : 250/33-251/1(Up.) : 15 : 251/23-25(Up EC/O).
				DOWN	1 : 240/20-22 : 2 : 240/36-38(Dn) : 3 : 240/40-42 : 4 : 241/40-242/2 : 5 : 242/36-243/2 : 6 : 243/36-244/2 : 7 : 244/40-245/2 : 9 : 246/26-28 : 10 : 246/34-247/2 : 11 : 247/42-248/2 : 12 : 248/32-249/2 (Dn) :
57	SC - KZJ	WP-LA	12	UP	1 : 252/23-25 : 2 : 252/39-253/1(Up) : 11 : 261/31-262/1(Up) : 12 : 262/13-15(UP EC/O).
				DOWN	3 : 253/32-254/2 : 4 : 254/30-255/2 : 5 : 255/32-256/2 : 6 : 256/30-257/2 : 7 : 257/36-258/2 : 8 : 258/36-259/2 : 9 : 259/30-260/2 : 10 : 260/30-261/2(Dn.) :
58	SC - KZJ	LA-PBP	11	UP	NIL
				DOWN	1 : 263/10-12 : 2 : 263/18-20(Dn.EC/Os) : 3 : 263/40-264/2 : 4 : 264/34-265/2 : 5 : 265/30-266/2 : 6 : 266/30-32 : 7 : 267/30-268/2 : 8 : 268/30-269/2 : 9 : 269/34-270/2 : 10 : 270/34-271/2 : 11 : 271/6-8(Dn.EC/O).
59	SC - KZJ	PBP-ZN	6	UP	1 : 271/31-272/1(Up) :
				DOWN	2 : 272/30-273/2 : 3 : 273/30-274/2 : 4 : 274/30-275/2 : 5 : 275/32-276/2 : 6 : 276/16-18(Dn.).
60	SC - KZJ	ZN-YSPM	11	UP	9 : 280/1-3 : 10 : 280/19-21 :
				DOWN	1 : 277/30-32 : 2 : 278/2-4(Dn. EC/Os) : 3 : 278/36-279/2 : 4 : 279/16-18(Dn. EC/O) : 5 : 279/30-280/2 : 6 : 280/28-30 : 7 : 281/40-282/2 : 8 : 282/6-8(Dn.EC/O). : 11 : 278/2-4.
61	SC - KZJ	YSPM-RGP	7	UP	1 : 282/31-283/1 : 2 : 283/5-7(Up EC/O) : 5 : 285/31-286/1(Up) : 3 : 283/33-284/1 : 4 : 284/29-285/1 :
				DOWN	6 : 286/38-287/2 : 7 : 287/32-288/2(Dn.).
62	SC - KZJ	RGP-IPG	10	UP	3 : 289/37-290/1 : 4 : 290/35-291/2 : 5 : 291/27-292/1 : 6 : 292/31-293/1 : 7 : 293/29-294/1 : 8 : 294/29-295/1(Up) : 9 : 295/29-296/1 : 10 : 296/39-297/1.
				DOWN	1 : 288/36-289/2(Dn.) : 2 : 289/6-8 :
63	SC - KZJ	IPG-GNP	10	UP	1 : 297/37-298/1 : 2 : 298/13-15(EC/O) : 3 : 298/33-299/1 : 4 : 299/29-300/1 : 5 : 300/31-301/1 : 6 : 301/29-302/1 : 7 : 302/33-303/1 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
				DOWN	8 : 303/32-304/2 : 9 : 304/8-6 : 10 : 304/24-26(Dn.EC/O).
64	SC - KZJ	GNP-NSKL	5	UP	2 : 306/29-307/1 : 3 : 307/29-308/1 : 4 : 308/37-309/1 : 5 : 309/33-310/1.
				DOWN	1 : 305/33-306/1(Dn.):
65	SC - KZJ	NSKL-PQL	9	UP	1 : 316/1-315/31 : 2 : 315/1-314/29 : 3 : 314/1-313/29 : 4 : 313/1-312/29 : 5 : 312/1-311/37 : 6 : 311/27-25 OEC : 8 : 311/19-17OEC : 9 : 311/1-310/35OEC
				DOWN	6 : 311/30-28 OEC
66	SC - KZJ	PQL-KZJ	8	UP	3 : 323/1-322/31 : 4 : 322/1-321/29 : 5 : 321/1-320/29 : 6 : 320/1-319/31 : 7 : 319/1-318/31 : 8 : 318/1-317/39
				DOWN	1 : 324/18-20 (EC/O) : 2 : 323/20-22(EC/O):
67	SNF - MLY	SNF-AMQ	12	UP	1 : 1/1-2 : 2 : 1/24-2/1 : 3 : 2/25-3/1 : 4 : 3/18-4/1 : 5 : 4/20-5/1 : 6 : 5/15-6/1 : 7 : 6/21-7/1 : 8 : 7/17-8/1 : 9 : 8/20-9/1 : 10 : 9/20-10/1 : 11 : 10/22-11/1 : 12 : 11/15-12/1
				DOWN	NIL
68	SNF - MLY	AMQ - MLY'C'	9	UP	1 : 12/20-13/1 : 2 : 13/19-14/1 : 3 : 15/1-2 : 4 : 16/19-17/1 : 5 : 17/1-2 : 6 : 17/19-18/1 : 7 : 18/19-19/1 : 8 : 20/20-21/1. : 9 : 19/23-21/1
				DOWN	NIL
69	KZJ - KI	KZJ-WL	9	UP	NIL
				DOWN	1 : 368/2 : 2 : 369/2 : 3 : 370/2 : 4 : 371/2 : 5 : 372/2 : 6 : 373/2 : 7 : 374/2 : 8 : 375/2 : 9 : 376/2
70	KZJ - KI	WL-CLE	14	UP	1 : 377/11-13 : 11 : 386/1 : 12 : 387/1 : 13 : 388/1 :
				DOWN	2 : 377/40-42 : 3 : 378/2 : 4 : 379/2 : 5 : 380/2 : 6 : 381/2 : 7 : 382/2 : 8 : 383/2 : 9 : 384/2 : 10 : 385/2 : 14 : 388/20
71	KZJ - KI	CLE-YGL	8	UP	1 : 390/2 : 2 : 391/2 : 3 : 396/2 : 8 : 396/8
				DOWN	3 : 392/1 : 4 : 393/1 : 5 : 394/1 : 6 : 395/1
72	KZJ - KI	YGL-NKD	10	UP	1 : 397/17 : 2 : 398/1 : 3 : 399/1 : 4 : 400/1 : 5 : 401/1 : 6 : 402/1 : 7
				DOWN	: 403/2 : 8 : 404/2 : 9 : 405/2 : 10 : 406/2
73	KZJ - KI	NKD-INK	10	UP	NIL
				DOWN	1 : 407/2 : 2 : 407/8 : 3 : 408/2 : 4 : 409/2 : 5 : 410/2 : 6 : 411/2 : 7 : 412/2 : 8 : 413/2 : 9 : 414/2 : 10 : 415/2
74	KZJ - KI	INK-KDM	6	UP	
				DOWN	NIL
75	KZJ - KI	KDM-TAA	8	UP	1 : 423/1 : 6 : 427/27-428/1 :
				DOWN	2 : 424/2 : 3 : 425/2 : 4 : 426/2 : 5 : 427/2 : 7 : 429/2 : 8 : 430/2
76	KZJ - KI	TAA-MABD	6	UP	NIL
				DOWN	1 : 431/20-22 : 2 : 432/2 : 3 : 433/2 : 4 : 434/2 : 5 : 435/2 : 6 : 436/2
77	KZJ - KI	MABD-GUU	11	UP	NIL
				DOWN	1 : 438/2 : 2 : 439/2 : 3 : 440/2 : 4 : 441/2 : 5 : 442/2 : 6 : 443/2 : 7 : 444/2 : 8 : 445/2 : 9 : 446/2 : 10 : 447/2 : 11 : 448/2
78	KZJ - KI	GUU-DKJ	13	UP	NIL

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
				DOWN	1 : 449/2 : 2 : 450/2 : 3 : 451/2 : 4 : 452/2 : 5 : 453/2 : 6 : 454/2 : 7 : 455/12 : 8 : 455/22 : 9 : 456/2 : 10 : 457/2 : 11 : 458/2 : 12 : 459/2 : 13 : 460/2
79	KZJ - KI	DKJ-PPY	11	UP	1 : 462/1 : 2 : 462/15 (EC/O) UP : 3 : 463/1 (UP) :
				DOWN	4 : 464/2 : 5 : 465/2 : 6 : 466/2 : 7 : 467/2 : 8 : 468/2 : 9 : 468/12 : 10 : 469/2 : 11 : 469/10 (EC/O) DN
80	KZJ - KI	PPY-MLMG	6	UP	NIL
				DOWN	1 : 470/2 : 2 : 470/24 : 3 : 471/2 : 4 : 472/2 : 5 : 473/2 : 6 : 474/2
81	KZJ - KI	MLMG-KMT	10	UP	NIL
				DOWN	1 : 476/2 : 2 : 477/2 : 3 : 478/2 : 4 : 479/2 : 5 : 480/2 : 6 : 481/2 : 7 : 482/2 : 8 : 483/2 : 9 : 483/32 : 10 : 484/2
82	KZJ - KI	KMT-PNDP	11	UP	NIL
				DOWN	1 : 485/2 : 2 : 485/6(EC/O) : 3 : 486/2 : 4 : 487/2 : 5 : 488/2 : 6 : 489/2 : 7 : 490/2 : 8 : 491/2 : 9 : 492/2 : 10 : 493/2 : 11 : 493/6A (EC/O).
83	KZJ - KI	PNDP-CKN	8	UP	NIL
				DOWN	1 : 494/12A : 2 : 495/2 : 3 : 496/2 : 4 : 497/2 : 5 : 498/2 : 6 : 499/2 : 7 : 499/14 : 8 : 499/20(EC/O).
84	KZJ - KI	CKN-BKL	13	UP	NIL
				DOWN	1 : 500/34-501/2 : 2 : 501/38-502/2 : 3 : 502/30-503/2 : 4 : 503/30-504/2 : 5 : 504/34-505/2 : 6 : 506/2-4 : 7 : 506/30-507/2 : 8 : 507/28-508/2 : 9 : 508/30-509/2 : 10 : 509/30-510/2 : 11 : 510/28-511/2 : 12 : 511/32-512/2 : 13 : 511/16-18
85	KZJ - KI	BKL-MTMI	11	UP	NIL
				DOWN	1 : 512/36-513/2 : 2 : 513/32-514/2 : 3 : 514/32-515/2 : 4 : 515/32-516/2 : 5 : 516/32-517/2 : 6 : 518/32-519/2 : 7 : 519/30-520/2 : 8 : 520/16-18 : 9 : 520/32-521/2 : 10 : 521/20-22 : 11 : 521/32-522/2.
86	KZJ - KI	MTMI-MDR		UP	NIL
				DOWN	1 : 523/34-524/2 : 2 : 524/30-525/2 : 3 : 525/30-526/2 : 4 : 526/30-527/2 : 5 : 527/30-528/2.
87	KZJ - KI	MDR-TNGM DN	9	UP	1 : 529/34-530/2.(UP) : 9 : 537/33-538/1
				DOWN	2 : 530/34-531/2 : 3 : 531/28-532/2 : 4 : 532/32-533/2 : 5 : 533/36-534/2 : 6 : 534/30-535/2 : 7 : 535/28-536/2 : 8 : 536/30-537/2 :
88	KZJ - KI	MDR-TNGM UP	6	UP	1 : 530/29-531/1 : 2 : 531/25-27 : 3 : 532/31-533/1 : 4 : 534/1-3 : 5 : 534/29-535/1 : 6 : 535/27-536/1
				DOWN	NIL
89	KZJ - KI	TNGM -YP	6	UP	NIL
				DOWN	1 : 538/34-539/2 : 2 : 539/30-540/2 : 3 : 540/30-541/2 : 4 : 541/36-542/2 : 5 : 542/34-543/2 : 6 : 543/32-34
90	KZJ - KI	YP-GNN DN	9	UP	NIL
				DOWN	1 : 545/2-4 : 2 : 545/32-546/2 : 3 : 546/34-

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					547/2 : 4 : 547/32-548/2 : 5 : 548/32-549/2 : 6 : 549/28-550/2 : 7 : 550/32-551/2 : 8 : 551/30-552/2 : 9 : 552/30-553/2.
91	KZJ - KI	YP-GNN UP	5	UP	1 : 545/37-546/1 : 2 : 546/29-547/1 : 3 : 547/38-548/1 : 4 : 548/29-549/1 : 5 : 549/33-550/1
				DOWN	NIL
92	KZJ - KI	GNN-CVV	8	UP	NIL
				DOWN	1 : 555/16-18 : 2 : 555/28-556/2 : 3 : 556/30-557/2 : 4 : 557/32-558/2 : 5 : 558/22-559/2 : 6 : 559/32-560/2 : 7 : 560/30-561/2 : 8 : 561/10-12(UP/EC/O)
93	KZJ - KI	CVV-KI	7	UP	NIL
				DOWN	1 : 562/10-12 : 2 : 562/30-563/2 : 3 : 563/32-564/2 : 4 : 564/32-565/2 : 5 : 565/32-566/2 : 6 : 566/28-567/2 : 7 : 567/28-568/2.
94	KZJ - BPQ	KZJ-KMPT	4	UP	1 : 361/29-362/1 : 2 : 362/27-363/1 : 4 : 364/36-365/21
				DOWN	3 : 363/28-364/22 :
95	KZJ - BPQ	KMPT-HSP	6	UP	1 : 360/1-359/31 : 2 : 359/1-358/27 : 3 : 358/1-357/29 : 4 : 357/1-356/29 : 5 : 356/1-355/33 : 6 : 355/1-354/27 UP
				DOWN	NIL
96	KZJ - BPQ	HSP-OPL	11	UP	1 : 354/1-353/31 : 2 : 353/1-352/29 : 3 : 352/1-351/29 : 4 : 351/1-350/27 : 5 : 350/1-349/31 : 6 : 349/1-348/29 : 7 : 348/1-347/29 : 8 : 347/1-346/29 : 9 : 346/1-345/29 : 10 : 345/1-344/29 : 11 : 344/1-343/43
				DOWN	NIL
97	KZJ - BPQ	OPL-JMKT	12	UP	1 : 341/27-342/1 : 2 : 340/27-29 : 3 : 340/1 : 4 : 339/1 : 5 : 338/1 : 6 : 337/1 : 7 : 336/1 : 8 : 335/1 : 9 : 334/1 : 10 : 333/1 : 11 : 332/1 : 12 : 331/33-35(EC/O) UP
				DOWN	NIL
98	KZJ - BPQ	JMKT-BGSF	7	UP	1 : 330/1 : 2 : 328/27-29 : 3 : 328/1 : 4 : 327/27 : 5 : 327/1 : 6 : 326/1 : 7 : 325/1
				DOWN	NIL
99	KZJ - BPQ	BGSF-PTKP	15	UP	1 : 324/1 : 2 : 323/1 : 3 : 322/1 : 4 : 321/1 : 5 : 320/1 : 6 : 319/36-38 : 7 : 319/31-33 : 8 : 319/15 : 9 : 319/1 : 10 : 318/26 : 11 : 318/1 : 12 : 317/1 : 13 : 316/1 : 14 : 315/1 : 15 : 314/25-27 UP EC/O.
				DOWN	NIL
100	KZJ - BPQ	PTKP-KOLR	10	UP	1 : 314/1 : 2 : 313/17-19(EC/O) : 3 : 313/1 : 4 : 312/1 : 5 : 310/26-28(EC/O) : 6 : 310/1 : 7 : 309/1 : 8 : 308/1 : 9 : 307/1 : 10 : 306/1
				DOWN	NIL
101	KZJ - BPQ	KOLR-PDPL	14	UP	1 : 305/1 : 2 : 304/1 : 3 : 303/1 : 4 : 302/1 : 5 : 301/1 : 6 : 300/1 : 7 : 299/1 : 8 : 298/1 : 9 : 297/1 : 10 : 296/1 : 11 : 295/1 : 12 : 294/1 : 13 : 293/1 : 14 : 292/15-17
				DN	NIL
102	KZJ - BPQ	PDPL-RGPM	14	UP	1 : 305/1 : 2 : 304/1 : 3 : 303/1 : 4 : 302/1 : 5 : 301/1 : 6 : 300/1 : 7 : 299/1 : 8 : 298/1 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					9 : 297/1 : 10 : 296/1 : 11 : 295/1 : 12 : 294/1 : 13 : 293/1 : 14 : 292/15-17
				DN	NIL
103	KZJ - BPQ	RGPM-RDM	10	UP	1 : 275/65-276/1 : 2 : 276/47-277/1 : 3 : 277/37-278/1 : 4 : 278/39-279/1 : 5 : 280/1-279/39 : 6 : 280/35-281/1 : 7 : 281/35-282/1 : 8 : 282/41-283/1 : 9 : 283/42-44 : 10 : RDM Lobby
				DN	NIL
104	KZJ - BPQ	RDM-PPZ	5	UP	1 : 270/33-35 : 2 : 271/1-3 : 3 : 271/43-272/1 : 4 : 272/39-273/1A : 5 : 273/11A-13A
				DN	NIL
105	KZJ - BPQ	PPZ-MCI	8	UP	1 : 269/1-268/29 : 2 : 268/1-267/31 : 3 : 267/1-266/25 : 4 : 265/31-33 : 5 : 265/17-19 : 6 : 264/17-19 : 7 : 264/2-263/32 : 8 : 263/2-4 :
				DN	9 : 261/42-44 : 10 : 260/44-46 MCI SSP
106	KZJ - BPQ	MCI-MMZ	10	UP	1 : 260/1-259/29 : 2 : 258/27-29 : 3 : 258/1-257/29 : 4 : 257/1-256/29 : 5 : 256/1-3 : 6 : 255/1-254/29 : 7 : 254/1-3 : 8 : 253/1-252/27 : 9 : 252/1-251/29 : 10 : 250/41-251/1
				DN	NIL
107	KZJ - BPQ	MMZ-BPA	10	UP	1 : 249/33-250/1 : 2 : 248/29-249/1 : 3 : 247/33 -248/1- : 4 : 246/33-247/1 : 5 : 245/27-246/1 : 6 : 244/27-245/1 : 7 : 244/1-3 : 8 : 242/31-33 : 9 : 242/17-19 : 10 : 241/43-45
				DN	NIL
108	KZJ - BPQ	BPA-RECH	9	UP	1 : 240/2-239/32 : 2 : 238/31-239/1 : 3 : 238/1-3 : 4 : 236/29-237/1 : 5 : 235/29-236/1 : 6 : 235/1-3 : 7 : 234/1-233/29 : 8 : 232/29-233/1 : 9 : 232/1-231/31
				DN	NIL
109	KZJ - BPQ	RECH- RLW	8	UP	1 : 229/29-31 : 2 : 229/27-29 : 3 : 229/3-5 : 4 : 228/1-227/29 : 5 : 227/1-3 : 6 : 226/1-225/33 : 7 : 225/1-224/32 : 8 : 225/1-224/32
				DN	NIL
110	KZJ - BPQ	RLW-ASAF	6	UP	1 : 224/1-223/29 : 2 : 223/1-222/33 : 3 : 222/1-221/33 : 4 : 221/1-220/39 : 5 : 220/1-219/29 : 6 : 219/1-218/31 :
				DN	7 : 218/2-217/28Dn. : 8 : 217/2-216/40 Dn..
111	KZJ - BPQ	ASAF-RLT	7	UP	1 : 216/1-215/31 : 2 : 215/1-214/31 : 3 : 214/1-213/33 : 4 : 213/1-212/29 : 5 : 212/1-211/31 : 6 : 211/1-210/33 : 7 : 210/1-209/37.
				DN	NIL
112	KZJ - BPQ	RLT-SKZR	7	UP	1 : 209/3-1 : 2 : 208/1-207/33 : 3 : 207/1-206/29 : 4 : 206/1-205/33 : 5 : 205/1-204/33 : 6 : 204/1-3 : 7 : 202/44-41.
				DN	NIL
113	KZJ - BPQ	SKZR-VEM	7	UP	1 : 201/1-200/33 : 2 : 200/1-199/35 : 3 : 199/1-198/33 : 4 : 198/1-197/35 : 5 : 197/1-196/33 : 6 : 196/1-195/29 : 7 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					195/1-194/29.
				DN	NIL
114	KZJ - BPQ	VEM-SRUR	10	UP	1 : 194/1-193/29 : 2 : 193/1-192/27 : 3 : 192/1-191/33 : 4 : 191/1-190/43 : 5 : 190/1-189/31 : 6 : 189/1-188/33 : 7 : 188/1-187/33 : 8 : 187/1-186/29 : 9 : 186/1-185/49 : 10 : 185/1-184/49.
				DN	NIL
115	KZJ - BPQ	SRUR-MKDI	11	UP	1 : 173/17-19 : 2 : 174/13-15 : 3 : 175/1-3 : 4 : 176/5-7 : 5 : 177/3-5 : 6 : 178/3-5 : 7 : 179/1-178/37 : 8 : 179/31180/1 : 9 : 180/31-181/1 : 10 : 181/29-182/1 : 11 : 182/29-183/1
				DN	NIL
116	KZJ - BPQ	MKDI-WIRR	12	UP	2 : 171/1-3 : 3 : 170/1-169/29 : 4 : 169/1-168/35 : 5 : 168/1-167/33 : 6 : 167/1-166/35 : 7 : 166/1-165/31 : 8 : 165/1-164/29 : 9 : 164/1-163/31 : 10 : 163/1-162/29 : 11 : 162/1-161/29 : 12 : 161/1-160/45.
				DN	1 : 172/2-171/34 :
117	KZJ - BPQ	WIRR-VHGN	8	UP	1 : 159/1-158/31 : 2 : 158/1-157/29 : 3 : 157/1-156/33 : 4 : 156/1-155/29 : 5 : 155/1-154/31 : 6 : 154/1-153/31 : 7 : 153/1-152/29 : 8 : 152/1-151/33 :
				DN	9 : 151/2-150/0
118	KZJ - BPQ	VHGN-MAGH	8	UP	1 : 150/1-3 :
				DN	2 : 149/2-148/32 : 3 : 148/2-147/32 : 4 : 147/2-146/38 : 5 : 146/2-145/30 : 6 : 145/2-144/34 : 7 : 144/2-143/38 : 8 : 143/2-142/36.
119	KZJ - BPQ	MAGH-BPQ	12	UP	1 : 141/1-140/33 : 2 : 140/1-139/33 : 3 : 139/1-138/37 : 4 : 138/1-137/51 : 5 : 137/27-29 : 8 : 137/3-136/37 :
				DN	6 : 137/30-32DN : 7 : 137/2-136/36DN : 9 : 136/2-135/38 : 10 : 135/2-892/38 : 11 : 892/2-891-36 : 12 : 891/2-890/42.
120	MAGH - GDCR	MAGH/BP2-RJUA	5	UP	1 : 1/27-2/1 : 2 : 3/1-2 : 3 : 3/20-4/1 : 4 : 4/18-5/1 :
				DN	5 : 5/16-6/1 (Dn side)
121	MAGH - GDCR	RJUA -PRPI	8	UP	1 : 7/1-2 : 2 : 8/1-2 : 3 : 8/25-9/1 : 4 : 9/16-10/1 : 5 : 10/4-11/1 : 6 : 11/14-12/1 : 8 : 13/19-14/1.(Up side)
				DN	7 : 13/2
122	MAGH - GDCR	PRPI-MCW	8	UP	1 : 14/16-15/1(Up side) : 2 : 15/16-16/1 : 4 : 17/19-18/1 : 5 : 18/16-19/1 : 6 : 19/17-20/1 : 7 : 20/16-21/1 : 8 : 21/18-19.(Up side)
				DN	3 : 16/16-17/1(Dn.side) :
123	MAGH - GDCR	MCW-GDCR	5	UP	1 : 23/1-2 : 2 : 23/16-24/1 : 3 : 25/2-3 : 4 : 26/5-6(Up side) :
				DN	5 : 27/6-7(Dn.side).
124	PDPL - NZB	PDPL-STB	11	UP	1 : 2/0 : 2 : 3/2 : 3 : 4/1 : 4 : 5/0-1 : 5 : 6/0-1 : 6 : 7/0 : 7 : 8/0 : 8 : 8/8-9 : 9 : 10/0 : 10 : 10/7-8 : 11 : 11/6-7
				DN	NIL
125	PDPL - NZB	STB-KRMR	23	UP	16 : 27/6-7 : 17 : 28/5-6 : 18 : 29/5-6 : 19 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					30/5-6 : 20 : 31/5-6 : 21 : 32/5-6 : 22 : 33/5-6 : 23 : 34/5.
				DN	1 : 13/4 : 2 : 14/4-3 : 3 : 15/3 : 4 : 16/2 : 5 : 17/1 : 6 : 18/1 : 7 : 19/1 : 8 : 20/0 : 9 : 21/0 : 10 : 22/0 : 11 : 22/9 : 12 : 24/0 : 13 : 25/0 : 14 : 26/0 : 15 : 27/0 :
126	PDPL - NZB	KRM- GDRA	22	UP	1 : 35/6-7 : 2 : 36/6-7 : 3 : 37/6-7 : 4 : 38/6-7 : 5 : 39/6-7 : 6 : 40/6-7 : 7 : 41/6-7 : 8 : 42/6-7 : 9 : 43/1-2 : 10 : 44/1-2 : 11 : 45/0-1 : 12 : 46/0 : 13 : 47/0 : 14 : 48/0 : 15 : 49/0 : 16 : 50/0 : 17 : 51/0 : 18 : 52/2-3 : 19 : 53/2-3 : 20 : 54/2-3 :
				DN	21 : 55/2 : 22 : 56/2
127	PDPL - NZB	GDRA- PODUR	5	UP	1 : 57/7 : 2 : 58/5-6 : 3 : 59/5 : 4 : 60/5 : 5 : 61/5-6.
				DN	NIL
128	PDPL - NZB	PODUR- MALYALA	10	UP	1 : 63/5-6 : 2 : 64/1 : 3 : 65/1 : 4 : 66/0 : 5 : 67/2 : 6 : 68/1 : 7 : 69/0 : 8 : 70/1 : 9 : 70/9 : 10 : 71/9
				DN	NIL
129	PDPL - NZB	MALYALA- LPJL	9	UP	NIL
				DN	1 : 73/6 : 2 : 74/6 : 3 : 75/6 : 4 : 77/6 : 5 : 78/5 : 6 : 79/2 : 7 : 80/2 : 8 : 81/3 : 9 : 82/2
130	PDPL - NZB	LPJL-KKMP	10	UP	2 : 83/0-1 : 3 : 84/0-1 : 4 : 85/0-1 : 5 : 86/0-1 : 6 : 87/0-1 : 7 : 88/0-1 : 8 : 89/0-1 : 9 : 90/0-1 : 10 : 91/0-1
				DN	1 : 82/6 :
131	PDPL - NZB	KKMP- KRLA	13	UP	1 : 91/3 : 2 : 92/0-1 : 3 : 93/3-4 : 4 : 94/2-3 : 5 : 95/0-1 : 6 : 96/0-1 : 7 : 97/0-1 : 8 : 98/0-1 : 9 : 99/0-1 : 10 : 100/0-1 : 11 : 101/0-1 : 12 : 101/9 -102/0 : 13 : 102/9-103/0
				DN	NIL
132	PDPL - NZB	KRLA--MTPI	10	UP	1 : 103/8 : 2 : 104/0-1 : 3 : 104/9-105/0 : 4 : 106/0-1 : 5 : 107/0-1 : 6 : 108/0-1 : 7 : 109/0-1 : 8 : 110/1 : 9 : 110/8-9 : 10 : 111/7-8
				DN	NIL
133	PDPL - NZB	MTPI-MRTD	22	UP	1 : 111/9 : 2 : 112/6-7 : 3 : 113/5-6 : 4 : 114/5-6 : 5 : 115/4-5 : 6 : 116/6-7 : 7 : 117/4-5 : 8 : 118/4-5 : 9 : 119/3-4 : 10 : 120/3-4 : 11 : 121/3-4 : 12 : 123/0-1 : 13 : 123/9-124/0 : 14 : 124/9-125/0 : 15 : 125/7-8 : 16 : 126/6-7 : 17 : 127/6-7 : 18 : 128/6-7 : 19 : 129/8-9 : 20 : 130/9-131/0 : 21 : 131/9-132/0 : 22 : 132/7-8
				DN	NIL
134	PDPL - NZB	MRTD-AKSP	10	UP	1 : 132/9 : 2 : 133/4-5 : 3 : 134/5 : 4 : 135/5-6 : 5 : 136/5-6 : 6 : 137/5-6 : 7 : 138/5-6 : 8 : 139/6-7 : 9 : 140/5-6 : 10 : 141/5-6
				DN	NIL
135	PDPL - NZB	AKSP- ARMU	8	UP	1 : 142/4 : 2 : 142/5-6 : 3 : 143/2-3 : 4 : 144/3-4 : 5 : 145/4-5 : 6 : 146/4-5 : 7 : 147/4-5 : 8 : 148/4-5
				DN	NIL
136	PDPL - NZB	ARMU-NZB	30	UP	1 : 148/7 : 2 : 149/2-3 : 3 : 150/2-3 : 4 :

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					151/0-1 : 5 : 152/0-1 : 6 : 153/0-1 : 7 : 154/1-2 : 8 : 155/0-1 : 9 : 156/0-1 : 10 : 157/0-1 : 11 : 158/0-1 : 12 : 159/0-1 : 13 : 160/0-1 : 14 : 161/0-1 : 15 : 162/0-1 : 16 : 163/0-1 : 17 : 164/0-1 : 18 : 165/0-1 : 19 : 166/0-1 : 20 : 167/0-1 : 21 : 168/0 : 22 : 169/0 : 23 : 170/0 : 24 : 171/0 : 25 : 172/0 : 26 : 173/0 : 27 : 174/0 : 28 : 175/0 : 29 : 176/0-1 : 30 : 177/0-1
				DN	NIL
137	MTMI - JNPH	MTMI-MAPA	17	UP	1 : 0/6-1/1 : 2 : 1/17-2/1 : 3 : 2/16-3/1 : 4 : 3/15-4/1 : 5 : 4/17-5/1 : 6 : 5/17-6/1 : 7 : 6/17-7/1 : 8 : 7/17-8/1 : 9 : 8/17-9/1 : 10 : 9/21-10/1 : 11 : 10/18-11/1 : 12 : 11/15-16 : : 13 : 11/17-12/1 : 14 : 12/19-13/1 : 15 : 13/18-14/1 : 16 : 14/18-15/1 : 17 : 15/18- 16/1
				DN	NIL
138	MTMI - JNPH	MAPA-JPTN	10	UP	1 : 16/21-17/1 : 2 : 17/11-12 : 3 : 17/18- 18/1 : 4 : 18/17-19/1 : 5 : 19/17-20/1 : 6 : 20/18-21/1 : 7 : 21/17-22/1 : 8 : 22/21-23/1 : : 9 : 23/17-24/1 : 10 : 24/18-25/1
				DN	NIL
139	MTMI - JNPH	JPTN-JPTN'B'	3	UP	1 : 26/10-11 : 2 : 27/11-12 : 3 : 28/13-14.
				DN	NIL
140	MTMI - JNPH	JPTN'B'-RRPM	10	UP	1 : 30/4-5 : 2 : 30/19-20 : 3 : 31/20-21 : 4 : 32/13-14 : 5 : 33/14-15 : 6 : 35/6-7 : 7 : 35/11-12 : 8 : 36/4-5 : 9 : 37/2-3 : 10 : 38/3-4
				DN	NIL
141	MTMI - JNPH	RRPM-MACU	11	UP	1 : 39/15-16 : 2 : 40/4-5 : 3 : 41/6-7 : 4 : 42/7-8 : 5 : 42/17-18 : 6 : 43/7-8 : 7 : 44/7- 8 : 8 : 45/7-8 : 9 : 46/8-9 : 10 : 47/5-6 : 11 : 48/5-6
				DN	NIL
142	MTMI - JNPH	MACU-MTPI	11	UP	1 : 49/9-49/10 (MACU STN) : 2 : 50/4- 50/5 : 3 : 51/7-51/8 : 4 : 52/5-52/6 : 5 : 52/5-52/6 : 6 : 53/6-53/7 : 7 : 54/5 : 8 : 55/4 : 9 : 56/2-56/3 : 10 : 57/7 : 11 : 58/12- 58/13
				DN	NIL
143	MTMI - JNPH	MTPI-SSLM	7	UP	1 : 59/15-59/16 (MTPI STN) : 2 : 60/8- 60/9 : 3 : 61/10 : 4 : 62/6-62/7 : 5 : 63/4- 63/5 : 6 : 64/6-64/7 : 7 : 65/5-65/6
				DN	NIL
144	MTMI - JNPH	SSLM-JNPH	12	UP	1 : 66/3-66/4 (SSLM STN) : 2 : 67/9-67- 10 : 3 : 68/14-68/15 : 4 : 69/8-69/9 : 5 : 70/6-70/7 : 6 : 71/14-71/15 : 7 : 72/7-72/6 : 8 : 73/6-73/5 : 9 : 74/8-74/7 : 10 : 75/8- 75/7 : 11 : 76/7-76/6 : 12 : 77/5-77/4
				DN	NIL
145	DKJ - MUGR	DKJ-KRA	19	UP	1 : DKJ 1079 : 2 : DKJ 1082 : 3 : DKJ 1114 : 4 : 1/20 : 5 : 2/12 : 6 : 3/10 : 7 : 4/9- 10 : 8 : 5/11 : 9 : 6/10 : 10 : 7/10 : 11 : 8/11 : 12 : 9/12 : 13 : 10/10 : 14 : 11/10 : 15 : 11/13 : 16 : 12/12 : 17 : 13/12 : 18 : 14/12 : 19 : 15/1.

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
				DN	NIL
146	DKJ - MUGR	KRA-SYI	10	UP	1 : 1/1 : 5 : 4/19 : 6 : 5/17 : 9 : 8/17 :
				DN	2 : 1/16 : 3 : 2/17 : 4 : 3/16 : 7 : 6/16 : 8 : 7/16 : 10 : 9/16
147	DKJ - MUGR	KRA-CMW	15	UP	1 : 16/3A(EC/O) : 2 : 16/15 : 7 : 21/1 : 8 : 21/17 : 9 : 22/16 : 10 : 23/15 : 11 : 24/15 : 12 : 25/15 : 13 : 26/15 : 15 : 28/5
				DN	3 : 17/12 : 4 : 18/12 : 5 : 19/12 : 6 : 20/12 : 14 : 27/16 :
148	DKJ - MUGR	CMW -TPY	10	UP	1 : 28/18-19 SSP : 2 : 29/10-11 : 3 : 30/7-8 : 4 : 31/8-9 : 5 : 32/8-9 : 6 : 33/8-9 : 7 : 34/9-10 : 8 : 35/11-12 : 9 : 36/9-10 : 10 : 37/9-10.
				DN	NIL
149	DKJ - MUGR	TPY-BTPD	8	UP	1 : 38/5-6(EC/O) : 2 : 38/14-15 : 3 : 39/13-14 : 4 : 40/13-14 : 5 : 41/13-14 : 6 : 42/15-16 : 7 : 43/15-16 : 8 : 44/7-8.SSP
				DN	NIL
150	DKJ - MUGR	BTPD-BDCR	14	UP	1 : 45/3(EC/O) : 2 : 45/18-19 : 3 : 46/14-15 : 4 : 47/12-13 : 5 : 48/12-13 : 6 : 49/12-13 : 7 : 50/11-12 : 8 : 51/12-13 : 9 : 52/7-8 LC 17A : 10 : 53/5-6 : 11 : 54/5-6 : 12 : 0/5-6 TSS Car Shed : 13 : 0/10 'A' Cabin Bypass : 14 : 54/7A OHE depot.
				DN	NIL
151	DKJ - MUGR	BDCR-GLE	11	UP	1 : 53/17-18 : 2 : 55/3-4 : 3 : 56/19-20 : 4 : 57/16-17 : 5 : 59/7-8 : 6 : 60/5-6 : 7 : 61/4-5 : 8 : 62/4-5 : 9 : 63/3-4 : 10 : 64/13-14(EC/O) : 11 : 64/17-18.
				DN	NIL
152	DKJ - MUGR	GLE-PGP	19	UP	1 : 65/13-14 (EC/O) : 2 : 66/4-5 : 3 : 67/3-4 : 4 : 68/3-4 : 5 : 69/2-3 : 6 : 70/1-2 : 7 : 71/1-2 : 8 : 71/17-18 : 9 : 72/8-9 : 10 : 73/5-6 : 11 : 74/5-6 : 12 : 75/5-6 : 13 : 76/6-7 : 14 : 77/7-8 : 15 : 78/5-6 : 16 : 79/6-7 : 17 : 80/6-7 : 18 : 81/6-7 : 19 : 81/15-16.ssp
				DN	NIL
153	DKJ - MUGR	PGP-AWM	15	UP	1 : 82/11-12 : 2 : 83/2-3 : 3 : 84/2-3 : 4 : 85/1-2 : 5 : 86/1-2 : 6 : 87/1-2 : 7 : 87/14-15 : 8 : 88/19-89/1 : 9 : 89/16-17 : 10 : 90/13-14 : 11 : 91/17-18 : 12 : 92/12-13 : 13 : 93/15-16 : 14 : 94/9-10 : 15 : 95/12-13.
				DN	NIL
154	DKJ - MUGR	AWM-MUGR	7	UP	1 : 97/6-7 : 2 : 98/5-6 : 3 : 99/6-7 : 4 : 100/5-6 : 5 : 101/4-5 : 6 : 102/4-5 : 7 : 103/4-5.
				DN	NIL
155	DKJ - MUGR	MUGR-CSP	11	UP	1 : 104/4(EC/O) : 2 : 0/6-7 : 3 : 0/22 LC-1 : 4 : 1/4-5 : 5 : 2/4-5 : 6 : 2/12-13LC-2 : 7 : 3/2-3 : 8 : 4/2-3 : 9 : 5/2-3 : 10 : 5/6A : 11 : 5/21-22
				DN	NIL
156	DKJ - MUGR	GLE-KTPS	9	UP	1 : 0/13-0/14 : 2 : 0/1-2 : 3 : 0/20-21(EC/O) : 4 : 1/16-17 : 5 : 2/15-16 : 6 : 3/1 : 7 : 3/8-9 : 8 : 3/16-17 : 9 : 3/22-

SL No	Section (between major junctions with code)	BLOCK SECTION	Total No. of ECs	UP/DN	LOCATION(Km)of EC Socket
					23(EC/O).
				DN	NIL
157	DKJ - MUGR	BDCR-RUSG	11	UP	1 : 54/20(EC/O) : 2 : 0/7-8 : 3 : 1/18-19 : 4 : 2/12-13 : 5 : 3/12-13 : 6 : 4/10-11 : 7 : 5/11-12 : 8 : 6/12-13 : 9 : 7/10-11 : 10 : 8/4 ISO : 11 : 8/15-16
				DN	NIL
158	BDCR - STPL	BDCR-SAVR	1	UP	1 : 4/20-21
				DN	NIL
159	BDCR - STPL	SAVR-CDRG	20	UP	1 : 6/7 (SSP) : 2 : 7/2-3 : 3 : 7/20-21 : 4 : 8/18-19 : 5 : 9/9-10 : 6 : 10/3-4 : 7 : 11/2-3 : 8 : 11/23-24 : 9 : 12/15-16 : 10 : 13/13-14 : 11 : 14/13-14 : 12 : 15/9-10 : 13 : 13 : 16/9-10 : 14 : 17/10-11 : 15 : 18/6-7 : 16 : 19/4-5 : 17 : 20/2-3 : 18 : 21/2-3 : 19 : 21/21-22/1 : 20 : 22/17-18
				DN	NIL
160	BDCR - STPL	CDRG-PSHP	10	UP	1 : 24/10-11 : 2 : 25/7-8 : 3 : 26/8-9 : 4 : 29/2-3 : 5 : 32/2-3 : 6 : 33/3-4 : 7 : 34/7-8 : 8 : 36/1-2 : 9 : 36/10-11 : 10 : 38/5-6 :
				DN	NIL
161	BDCR - STPL	PSHP-STPL	15	UP	1 : 39/18-40/1 : 2 : 41/2-3 : 3 : 42/3-4 : 4 : 43/11-12 : 5 : 44/6-7 : 6 : 45/7-8 : 7 : 46/4-5 : 8 : 47/3-4 : 9 : 48/3-4 : 10 : 49/12-13 : 11 : 50/17-18 : 12 : 51/14-15 : 13 : 53/2-3 : 14 : 53/21 : 15 : 54/3-4
				DN	NIL

TELEPHONE NUMBERS OF ALL STATIONS

S. No.	Station Name/SI DINGS	Section (between major junctions with code)	BSNL Land Line	BSNL FCT	AIRTEL/JIO CUG FCT	RLY Phone numbers
1	SS/SC	SC- HYB -WD	-	-	8790994044	86659
2	SC - RRI cabin	SC- HYB -WD	-	-	8790994045	88184
3	DY.SS/LOWER YARD/SC	SC- HYB -WD	-	-	7815901796	-
4	HYB	SC- HYB -WD	-	-	7815901066	81420
5	HYB - cabin	SC- HYB -WD	-	-	7815901404	81430
6	NLRD - MMTS	SC- HYB -WD	-	-	-	-
7	KQD - MMTS	SC- HYB -WD	-	-	-	81460
8	SCMS	SC- HYB -WD	-	-	7815901802	89608
9	HSJ - cabin	SC- HYB -WD	-	-	7815901047	88406
10	BMT	SC- HYB -WD	-	-	-	81245
11	NCHS - MMTS	SC- HYB -WD	-	-	-	-
12	FNB - MMTS	SC- HYB -WD	-	-	-	-
13	SNF	SC- HYB -WD	-	-	7815900587	81330
14	SNF SNAG	SC- HYB -WD	-	-	7815901043	-

15	HFZ	SC- HYB -WD	-	-	7672025007	81248
16	LPI	SC- HYB -WD	-	-	7672025004	81252
17	LPI - MMTS	SC- HYB -WD	-	-	-	81257
18	Ramachandrapuram	SC- HYB -WD	-	-	9390501479	81312
19	Tellapur	SC- HYB -WD	-	-	9390501484	81302
20	NPL	SC- HYB -WD	-	-	7671956400	81260
21	SKP	SC- HYB -WD	-	-	7671956395	81264
22	CTF	SC- HYB -WD	-	-	7670905276	81272
23	VKB-RRI	SC- HYB -WD	-	-	7670905280	81023
24	RMV	SC- HYB -WD	-	-	7670905329	81154
25	TDU	SC- HYB -WD	-	-	7670905332	81158
26	TDU-BP	SC- HYB -WD	-	-	7670905294	81026
27	MVH	SC- HYB -WD	-	-	7670905336	81166
28	NAW	SC- HYB -WD	-	-	7670905360	81170
29	GGD	SC- HYB -WD	-	-	7670905269	81268
30	GDQ	SC- HYB -WD	-	-	7670905314	81146
31	DRR	SC- HYB -WD	-	-	7670905322	81150
32	KQT	SC- HYB -WD	-	-	7670905372	81174
33	SEM	SC- HYB -WD	-	-	7670905382	81014
34	MQR	SC- HYB -WD	-	-	7670905390	81182
35	CT	SC- HYB -WD	-	-	7670905395	81015
36	SUH	SC- HYB -WD	-	-	7670905404	81190
37	SUH-West	SC- HYB -WD	-	-	7670905285	81194
38	WD	SC- HYB -WD	-	-	7899930080	81194, 014-51562
39	SSPD	VKB-PRLI	-	-	7670905408	81028
40	MRF	VKB-PRLI	-	-	7670905423	81029
41	KOHR	VKB-PRLI	-	-	7670905471	81067
42	ZB	VKB-PRLI	-	-	7670905478	81813
43	MTV	VKB-PRLI	-	-	7670906175	81851
44	BIDR	VKB-PRLI	-	-	7670906185	81852
45	KHNP	VKB-PRLI	-	-	7670906194	81853
46	HBU	VKB-PRLI	-	-	7670906200	81854
47	BHLK	VKB-PRLI	-	-	7670906226	81855
48	KCP	VKB-PRLI	-	-	7670906231	81856
49	KMNR	VKB-PRLI	-	-	7670906924	81857
50	UDGR	VKB-PRLI	-	-	7670906939	81858
51	HER	VKB-PRLI	-	-	7670910684	81951
52	CKX	VKB-PRLI	-	-	7670910692	81952
53	LTRR	VKB-PRLI	-	-	7670910696	81953
54	JOA	VKB-PRLI	-	-	7671955785	81954
55	PNF	VKB-PRLI	-	-	7671955791	81955
56	GTU	VKB-PRLI	-	-	7671955797	81956
57	PRLI	VKB-PRLI	-	-	7671955825	81957
58	Homnabad	KHNP-TJSP	-	-	7671955843	81817
59	Haliked (B)	KHNP-TJSP	-	-	7671955836	81816
60	Hallikher (K)	KHNP-TJSP	-	-	7671955847	81818
61	Kamalapur	KHNP-TJSP	-	-	7671955853	81819
62	Kurukotta	KHNP-TJSP	-	-	7671955871	81820

63	Tej Sultanapur	KHNP-TJSP	-	-	7671955875	-
64	LGD	SC-KZJ	-	-	7815901814	89591
65	MLY	SC-KZJ	-	-	7815901833	83225
66	MLY - A cabin	SC-KZJ	-	-	7815904148	83322
67	MLY - B cabin	SC-KZJ	-	-	7815904182	83223
68	MLY - C cabin	SC-KZJ	-	-	7815905717	83217
69	MLY-Goods cabin	SC-KZJ	-	-	7815905804	83227
70	MLY-Gate cabin	SC-KZJ	-	-	9704903152	89574,83221
71	AMQ	SC-KZJ	-	-	7815901823	83241
72	CHZ	SC-KZJ	-	-	7815905825	82800
73	GT	SC-KZJ	-	-	7815905925	82804
74	BN	SC-KZJ	-	-	7815905969	82808
75	PGDP	SC-KZJ	-	-	7815905998	82812
76	BG	SC-KZJ	-	-	7815906173	82816
77	WP	SC-KZJ	-	-	7815906191	82832
78	ALER	SC-KZJ	-	-	7815906198	82836
79	PBP	SC-KZJ	-	-	7815906219	82852
80	ZN	SC-KZJ	-	-	7815906244	82856
81	RGP	SC-KZJ	-	-	7815906902	82868
82	IPG	SC-KZJ	-	-	7815906959	82872
83	GNP	SC-KZJ	-	-	7815907945	82876
84	NSKL	SC-KZJ	-	-	7815907948	82880
85	PQL	SC-KZJ	-	-	7815907957	82884
86	KZJ	KZJ - BZA	-	-	7815907965	82606
87	KZJ Dy/SS	KZJ - BZA	-	-	7815913699	-
88	KZJ/YM	KZJ - BZA	-	-	7815913798	-
89	KZJ - E cabin	KZJ - BZA	-	-	7815914102	82628
90	KZJ - F cabin	KZJ - BZA	-	-	7815914107	82630
91	KZJ - RRI cabin	KZJ - BZA	-	-	7815913694	82622
92	KZJ - G cabin	KZJ - BZA	-	-	7815914261	82634
93	SS/WL	KZJ - BZA	-	-	7815914486	82762
94	CLE	KZJ - BZA	-	-	7815914566	82735
95	YGL	KZJ - BZA	-	-	7815914578	82744
96	NKD	KZJ - BZA	-	-	7815914594	82951
97	INK	KZJ - BZA	-	-	7815914609	82657
98	KDM	KZJ - BZA	-	-	7815914612	82967
99	TAA	KZJ - BZA	-	-	7815914637	82658
100	MABD	KZJ - BZA	-	-	7815914639	82975
101	GUU	KZJ - BZA	-	-	7815914655	80749
102	GLA	KZJ - BZA	-	-	-	80704
103	DKJ-BP-l cabin	KZJ - BZA	-	-	7815914677	80745
104	DKJ- RRI cabin	KZJ - BZA	-	-	7815914663	80743
105	DKJ/SS	KZJ - BZA	-	-	7815914657	80749
106	PPY	KZJ - BZA	-	-	7815941399	80748
107	MLMG	KZJ - BZA	-	-	7815955295	80747
108	KMT	KZJ - BZA	-	-	7815955298	82983
109	KMT - A cabin	KZJ - BZA	-	-	7815955301	-
110	KMT - B cabin	KZJ - BZA	-	-	7815955306	-
111	PNDP	KZJ - BZA	-	-	9182053756	80966

112	CKN	KZJ - BZA	-	-	9182053853	80967
113	BKL	KZJ - BZA	-	-	9182053855	80882
114	MTMI	KZJ - BZA	-	-	9390117098	80892
115	MDR	KZJ - BZA	-	-	9390500297	80940
116	TNGM	KZJ - BZA	-	-	9390500327	80959
117	YP	KZJ - BZA	-	-	9390500339	80896
118	GNN	KZJ - BZA	-	-	9390500397	80991
119	CVV	KZJ - BZA	-	-	9390500399	80963
120	KI	KZJ - BZA	-	-	7815909425	68147
121	RYP	KZJ - BZA	-	-	7815909426	68185
122	BZA	KZJ - BZA	-	-	7702772235	68150
123	MAPA	MTMI - SSLM	-	-	9390501023	-
124	JPTN	MTMI - SSLM	-	-	9390501132	-
125	JPTN - B cabin	MTMI - SSLM	-	-	9390501141	
126	RRPM	MTMI - SSLM	-	-	9390501198	-
127	MACU	MTMI - SSLM	-	-	9390501203	-
128	Mattampalli	MTMI - SSLM	-	-	9390501209	-
129	Raghapuram	MTMI - SSLM	-	-	93469 01822	-
130	PCZ	DKJ - MUGR	-	-	9390500429	-
131	KRA	DKJ - MUGR	-	-	9390500426	80850
132	GHPU	DKJ - MUGR	-	-	9391008365	80744
133	CMW	DKJ - MUGR	-	-	9390500589	80854
134	TPY	DKJ - MUGR	-	-	9390500750	80858
135	BTPD	DKJ - MUGR	-	-	9390500776	80862
136	BTPD BYPASS	DKJ - MUGR	-	-	9390502916	-
137	BDCR	DKJ - MUGR	-	-	9390500825	80644
138	BDCR BP cabin	DKJ - MUGR	-	-	9390500828	80657
139	KTPS	DKJ - MUGR	-	-	9390500848	
140	GLE	DKJ - MUGR	-	-	9390500896	80866
141	PGP	DKJ - MUGR	-	-	9390500967	80870
142	AWM	DKJ - MUGR	-	-	9390500981	80874
143	MUGR	DKJ - MUGR	-	-	9390500985	80878
144	SAVR	BDCR - STPL	-	-	93905 02619	80681
145	CDRG	BDCR - STPL	-	-	93905 03479	80682
146	PSHP	BDCR - STPL	-	-	93905 05624	80683
147	HSP	KZJ - BPQ	-	-	7815914292	82900
148	OPL	KZJ - BPQ	-	-	7815914316	82904
149	JMKT	KZJ - BPQ	-	-	7815914401	82908
150	BGSF	KZJ - BPQ	-	-	7815914410	82916
151	PTKP	KZJ - BPQ	-	-	7815914464	82920
152	KOLR	KZJ - BPQ	-	-	7815914690	82924
153	PDPL	KZJ - BPQ	-	-	7815914742	82928
154	PDPL BP	KZJ - BPQ		-	7815955301	82963
155	RGPM	KZJ - BPQ	-	-	7815914769	82936
156	RDM	KZJ - BPQ	-	-	7815914937	80480
157	RDM/Yard	KZJ - BPQ	-	-	7815914967	80486
158	RDM Bypass CAB	KZJ - BPQ	-	-	7815914706	80442
159	RDM'A' CABIN	KZJ - BPQ	-	-	6281977100	80481
160	RDM'B' CABIN	KZJ - BPQ	-	-	6281977101	80482

161	PPZ	KZJ -BPQ	-	-	7815915120	80546
162	MCI	KZJ -BPQ	-	-	7815915127	80550
163	RVKH	KZJ -BPQ	-	-		80299
164	MMZ	KZJ -BPQ	-	-	7815915263	80554
165	BPA	KZJ -BPQ	-	-	7815915294	80280
166	BPA YARD	KZJ -BPQ	-	-	7815915318	80284
167	RECH	KZJ -BPQ	-	-	6281977105	80558
168	ASAF	KZJ -BPQ	-	-	6281977097	80562
169	SKZR	KZJ -BPQ	-	-	7815941329	80179
170	SRUR	KZJ -BPQ	-	-	7815941343	80566
171	MKDI	KZJ -BPQ	-	-	7815941349	80570
172	WIRR	KZJ -BPQ	-	-	7815941352	80574
173	VHGN	KZJ -BPQ	-	-	7815941354	80578
174	BPQ	KZJ -BPQ	-	-	-	80582
175	BPQ - RRI	KZJ -BPQ	-	-	-	80584
176	MAGH-BP1 cabin	KZJ -BPQ	-	-	7815941364	80041
177	MAGH	KZJ -BPQ	-	-	7815941356	80037
178	MAGH-BP2 cabin	MAGH -GDCR	-	-	7815941366	80040
179	RJUA	MAGH -GDCR	-	-	7815941371	80025
180	PRPI	MAGH -GDCR	-	-	7815941379	80042
181	MCW	MAGH -GDCR	-	9346901909	7815941385	80048
182	GDCR	MAGH -GDCR	-	-	7815941395	80044
183	Sultanabad	PDPL -NZB	-	-	7815926854	82962
184	Karimnagar	PDPL -NZB	-	-	7815926897	82965
185	Gangadhara	PDPL -NZB	-	-	7815928629	-
186	Lingampet Jagityal	PDPL -NZB	-	-	7815928633	-
187	Nukapalli Malyal	PDPL -NZB	-	-	7815914296	
188	Korutla	PDPL -NZB	-	-	7815928655	-
189	Metapally	PDPL -NZB	-	-	6281977102	-
190	Morthad	PDPL -NZB	-	-	6281977103	-
191	Armoor	PDPL -NZB	-	-	6281977104	-
192	GOSG siding	FCT with JIO CUG at Sidings	-	-	7815915082	
193	GDK siding	FCT with JIO CUG at Sidings	-	-	7815915097	
194	FCI gate	FCT with JIO CUG at Sidings	-	-	7815914987	
195	FCI gumty	FCT with JIO CUG at Sidings	-	-	7815914989	
196	RDM SIDING POINT No.102	FCT with JIO CUG at Sidings	-	-	7815915015	

SIGNAL JURIDICTION

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor		Mobile No	Section incharge supervisor		
		Name	Designation		Name	Designation	Mobile No
1	BPQ(EX)	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
2	MAGH-BPQ IB	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
3	MAGH- LC-94	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
4	MAGH BP -II	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
5	RJUA	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
6	PRPI	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
7	MCW	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
8	GDCR	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
9	MAGH BP -I	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
10	VHGN	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
11	WIRR-VHGN IB	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
12	WIRR , LC No 91	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
13	LC-89	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
14	WIRR-MKDI IB,	D.Chandra Sekhar Reddy	JE/SIG/MAGH	9730471835	Sudheer	SSE/S/SKZR	9701371835
15	MKDI	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
16	MKDI-SRUR IB	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
17	SRUR	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
18	SKZR-SRUR IB	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
19	LC 78 (SRUR-SKZR)	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
20	SRUR-SKZR IB BD	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
21	SKZR	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
22	SKZR-RLT IB	Raj Kumar Choudary	SSE/SIG/SKZR	9701356736	Sudheer	SSE/S/SKZR	9701371835
23	ASAF	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
24	LC -70(RLW-ASAF)	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
25	LC-68(RLW-RECH)	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
26	RECH	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
27	ASAF-RECH IB	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
28	ASAF-RECH IB BD	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
29	RECH-BPA(IB)	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
30	BPA	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
31	BPA-G	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
32	BPA-MMZ(IB)	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
33	MMZ-A,LC-58	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
34	MMZ-B	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
35	MMZ-MCI(IB)	Rajendra Singh	SSE/SIG/BPA	9701371834	Pankaj Kumar Meena	SSE/S/BPA	9701371832
36	MCI	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
37	PPZ-MCI(IB)	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
38	PPZ,LC-52	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
39	RDM-A	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
40	RDM-B	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
41	RDM-G, LC-49A	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
42	RDM-RGPM(IB)	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
43	RDM-BP, LC-49	Nemi chand Meena	SSE/SIG/RDM	9701371833	Pankaj Kumar Meena	SSE/S/BPA	9701371832
44	RGPM LC 44,45,46	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
45	LC-42E(RGPM-PDPL)	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
46	RGPM-PDPL IB, LC 40	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
47	PDPL, LC No 39	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
48	PDPL BP	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
49	LC 35 (PDPL-KOLR)	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
50	PDPL-KOLR IB	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
51	KOLR & LC No 34	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
52	LC 33 (KOLR-PTKP)	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
53	LC 32 (KOLR-PTKP)	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
54	LC 31 (KOLR-PTKP)	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
55	KOLR-PTKP IB	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
56	PTKP & LC No 28, 29	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
57	PTKP-BGSF IB	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
58	LC 27, LC 25	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
59	LC No 23(JMKT-BGSF)	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
60	STBD, LC 06	Boini Sai Kiran	JE/SIG/PDPL	8008554130	K.Ravi	SSE/S/PDPL	9701371829
61	KRMR LC 18	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
62	KRMR LC 19	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
63	GDRA & LC No 29	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
64	LC No 26	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
65	LC 31 (LPJL-GDRA)	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
66	LC 34 (LPJL-GDRA)	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
67	PDR	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
68	NPML	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
69	MRTD	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
70	LPJL	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
71	LC 39 (NPML-LPJL)	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
72	LC 41 (NPML-LPJL)	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
73	KRLA	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
74	MTPI	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
75	ARMU	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
76	LC 2, 3 (ARMU-NZB)	--	--	--	Anwar basha noor basha	SSE/S/KRMR	8008554126
77	BGSF	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
78	JMKT	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
79	OPL-JMKT- IB	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
80	LC No 15(OPL-JMKT)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
81	LC No 16(OPL-JMKT)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
82	LC No 17(OPL-JMKT)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
83	LC No 18 (OPL-JMKT)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
84	LC No 20 (OPL-JMKT)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
85	OPL	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
86	OPL- HSP IB	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
87	LC NO. 8 (OPL-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
88	LC No 9 (OPL-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
89	LC No 11 (OPL-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
90	LC No 12(OPL-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
91	LC No 13(OPL-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
92	LC No 14(OPL-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
93	HSP,LC-6	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
94	LC NO 2 (KZJ-HSP)	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
95	KZJ BP	Benjimen Paul	SSE/SIG/JMKT	9701371828	B.Ravi Kumar	SSE/S/KZJ/N	9701371831
96	LC-60(KZJ-WL)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
97	LC-61(KZJ-WL)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
98	WL	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
99	LC-63A(WL-CLE)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
100	LC-64(WL-CLE)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
101	WL-CLE(IB)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
102	CLE,LC-66	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
103	LC-67(CLE-YGL)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
104	YGL,LC-69	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
105	LC-70(YGL-NKD)	Pittala Sai Praneeth	JE/SIG/WL	9346901160	P. Ramki	SSE/S/WL	9701371836
106	YGL-NKD(IB)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
107	NKD	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
108	NKD-INK(IB)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
109	LC-73(NKD-INK)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
110	LC-74(NKD-INK)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
111	INK	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
112	LC-75(INK-KDM)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
113	KDM	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
114	KDM-TAA(IB)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
115	TAA	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
116	MABD,LC-80	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
117	MABD-GUU(IB)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
118	LC-83 (MABD-GUU)	G.Shankar	SSE/S/MABD	9701371840	P. Ramki	SSE/S/WL	9701371836
119	LC-84 (MABD-GUU)	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
120	LC-85, (MABD-GUU)	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
121	LC-87 (MABD-GUU)	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
122	GUU	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
123	GUU-DKJ(IB)	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
124	DKJ-RRI &LC-90	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
125	PCZ	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
126	DKJ-BP	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
127	LC 2MB, 3MB, 4 MB DKJ-KRA	Sreeraj K.R	SSE/SIG/DKJ	9701371843	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
128	DKJ-BP-1 - PPY(IB)	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
129	PPY & LC-95	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
130	MLMG	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
131	KMT - MLMG (IB)	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
132	KMT, LC 104	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
133	PNDP-KMT (IB)	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839
134	PNDP &LC-107	Moses	JE/SIG/KMT	8790991853	Pramod Kumar Aherwar	SSE/S/DKJ	9701371839

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
135	CKN	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/DKI	9701371842
136	CKN-BKL(IB)	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/DKI	9701371842
137	BKL	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
138	MTMI-BKL IB	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
139	LC -119	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
140	MTMI-BP	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
141	MTMI, LC 120	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
142	MDR	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
143	MDR-TNGM IB	K.Raghuram	JE/SIG/MTMI	9701371845	M.Gopala Rao	SSE/S/MDR	9701371842
144	TNGM	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
145	YP & LC No 129	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
146	LC 131 Up (YP-GNN)	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
147	LC 131 Dn (YP-GNN)	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
148	YP-GNN IB	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
149	LC-134 (YP-GNN)	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
150	GNN & LC NO 135	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
151	CVW,LC-138	-	-	-	V.Panchatcharam	SSE/S/YP	9701371080
152	MAPA	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
153	JPTN/A	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
154	JPTN/B	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
155	RRPM	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
156	MACU	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
157	MTMP	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
158	SSLMI	-	-	-	N.Suresh	SSE/S/JPTN	8008554129
159	KRA, 7MB, 1KK, 2KK	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
160	5 KK	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
161	13 KK	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
162	GHPU	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
163	CMW	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
164	TPY	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
165	BTPD	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
166	BTPD BP	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
167	BDCR, LC-17A	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
168	BDCR-BP	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
169	GLE	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
170	PGP	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
171	AWM	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
172	MUGR	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
173	SARV	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
174	CDRG	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
175	PSHP	K.Mallesham	JE/SIG/BDCR	9701371849	Ambala Monaiah	SSE/S/BDCR	9701371844
176	KZJ/RRJ	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
177	KZJ - LC 60A	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
178	KZJ/GC	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
179	KZJ-PQL IB	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
180	PQL , LC No 55	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
181	LC -57 (KZJ-PQL)	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
182	LC -58 (KZJ-PQL)	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
183	LC-54 (PQL-NSKL)	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
184	NSKL	V.Ravi Prasad	SSE/S/KZJ RRI	8008554128	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
185	GNP	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
186	LC No 48	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
187	LC No 47	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
188	GNP-IPG IB	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
189	IPG	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
190	LC-45 (IPG-RGP)	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
191	LC-46 (IPG-RGP)	--	--	--	G.Ashok kumar	SSE/S/KZJ RRI	9701371826
192	IPG-RGP(IB)	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
193	RGP,LC-44	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
194	LC-42(RGP-YSPM)	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
195	ZN	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
196	ZN-RGP IB	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
197	PBP,LC-40	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
198	PBP-ALER(IB)	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
199	ALER	--	--	--	Ch.Yadagiri	SSE/S/BG	9701371822
200	LC-38 (ALER-PBP)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
201	LC-34, 35(ALER-WP)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
202	WP-ALER(IB)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
203	WP & LC-33	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
204	WP-BG(IB)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
205	LC-31(WP-BG)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
206	BG,LC-30	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
207	BG-PGDP(IB)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
208	PGDP	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
209	BN,LC-23	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
210	BN-GT(IB)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
211	LC-20,(BN-GT)	Kandakatla Naveen	JE/SIG/BG	9701371823	Ch.Yadagiri	SSE/S/BG	9701371822
212	GT, LC 15	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanarayana	SSE/S/MLY	9701371822
213	LC-17	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanarayana	SSE/S/MLY	9701371822
214	CHZ-GT (AG-4)	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanarayana	SSE/S/MLY	9701371822
215	CHZ	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanarayana	SSE/S/MLY	9701371822

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
216	MLY-CHZ (AG-3)	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanaarayana	SSE/S/MLY	9701371822
217	MLY-CHZ (AG-2)	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanaarayana	SSE/S/MLY	9701371822
218	MLY-A,LC-4	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanaarayana	SSE/S/MLY	9701371822
219	MLY-B,LC-4A	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanaarayana	SSE/S/MLY	9701371822
220	MLY-C,LC-6	M.V.Subrahmanyam	SSE/SIG/MLY	9701371071	S.Satyanaarayana	SSE/S/MLY	9701371822
221	MLY-Goods	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
222	AMQ & BP 7	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
223	LC 8(MLY-AMQ)	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
224	LC 9(MLY-AMQ)	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
225	LC 10(MLY-AMQ)	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
226	MLY-LGD(A/S)	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
227	LGD	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
228	LGD-SC(A/S)	-	-	-	S.Satyanaarayana	SSE/S/MLY	9701371822
229	SC-RRI	P.Sesham Hemalatha, Asmita	JE/SIG/SCRRRI	9701371820	K.Yadagiri	SSE/S/SC RRI	9701371819
230	SC-HSJ Auto section	P.Sesham Hemalatha, Asmita	JE/SIG/SCRRRI	9121137434	K.Yadagiri	SSE/S/SC RRI	9701371819
231	HSJ	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
232	HSJ-HYB(A/S)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
233	LC-29(HSJ-HYB)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
234	LC-30(HSJ-HYB)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
235	HYB	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
236	HSJ-SNF(A/S)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
237	SNF-A	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
238	LC- BP 4E (AMQ-SNF)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
239	LC- BP 5E (AMQ-SNF)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
240	SNF-HFZ(A/S)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
241	HFZ	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
242	HFZ-LPI(A/S)	MD.H.UR REHMAN	SSE/S/SNF	9440022786	N Sandeep	SSE/S/SNF	9701371847
243	LPI & LC-25	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
244	LC-22(NPL-SKP)	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
245	TLPR	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
246	RCPT	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
247	NPL-TLPR IBS	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
248	NPL, LC-23	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
249	LC-20A,(NPL-SKP)	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
250	NPL-SKP(IB)	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
251	SKP	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
252	SKP-GGD(IB)	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
253	GGD & lc NO 19	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
254	CTF	TEJASWINI	JE/S/LPI	9701371848	N Sandeep	SSE/S/SNF	9701371847
255	CTF-VKB IB	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
256	VKB 'A'	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
257	VKB 'B'	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
258	GDQ	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
259	GDQ-DRR IB	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
260	DRR	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
261	LC No 2 (VKB-SSPD)	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
262	LC No 3 (VKB-SSPD)	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
263	LC No 4 (VKB-SSPD)	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
264	LC No 9 (VKB-SSPD)	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
265	SSPD,LC-12	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
266	MRF & LC No 18	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
267	LC-22 (MRF-KOHR)	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
268	DRR- RMY IB	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
269	RMV	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
270	RMV-TDU IB	A Mahesh	JE/S/VKB	9701371851	Anwaruddin	SSE/S/VKB	9701371068
271	TDU ,& LC -13	--	--	--	Ramanand	SSE/S/TDU	9701371852
272	MVH ,LC-10	--	--	--	Ramanand	SSE/S/TDU	9701371852
273	MVH-NAW IB	--	--	--	Ramanand	SSE/S/TDU	9701371852
274	NAW & LC No 8	--	--	--	Ramanand	SSE/S/TDU	9701371852
275	KQT & LC No 7	--	--	--	Ramanand	SSE/S/TDU	9701371852
276	SEM	--	--	--	Ramanand	SSE/S/TDU	9701371852
277	SEM-MQR IB	--	--	--	Ramanand	SSE/S/TDU	9701371852
278	MQR & LC No 4	K Lohith	JE/S/CT	9731671854	Ramanand	SSE/S/TDU	9701371852
279	MQR-CT IB	K Lohith	JE/S/CT	9731671854	Ramanand	SSE/S/TDU	9701371852
280	CT	K Lohith	JE/S/CT	9731671854	Ramanand	SSE/S/TDU	9701371852
281	SUH	K Lohith	JE/S/CT	9731671854	Ramanand	SSE/S/TDU	9701371852
282	LC 2 (WD-SUH)	K Lohith	JE/S/CT	9731671854	Ramanand	SSE/S/TDU	9701371852
283	SUHW	K Lohith	JE/S/CT	9731671854	Ramanand	SSE/S/TDU	9701371852
284	KOHR, LC No 24	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
285	LC No 27 (KOHR-ZB)	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
286	ZB	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
287	LC No 33	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
288	MTV	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
289	LC No 36	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
290	LC No 41 (MTV-BIDR)	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
291	LC No 42 (MTV-BIDR)	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
292	BIDR	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
293	LC No 44	M. Yalla Reddy	JE/S/ZB	9989752885	Satruddhun kumar	SSE/S/BIDR	9741509404
294	KHNP, LC-54	M. Yalla Reddy	JE/S/ZB	9989752886	Satruddhun kumar	SSE/S/BIDR	9741509404
295	HBU & LC No 58	M. Yalla Reddy	JE/S/ZB	9989752887	Satruddhun kumar	SSE/S/BIDR	9741509404

S.NO	Name of the installation (Stations, IBS, LC Gates, auto huts etc)	Section supervisor			Section incharge supervisor		
		Name	Designation	Mobile No	Name	Designation	Mobile No
296	BHLK & LC No 67	M. Yalla Reddy	JE/S/ZB	9989752888	Satruddhun kumar	SSE/S/BIDR	9741509404
297	HLKD-B	Shiva prasad	SSE/S/BIDR	9701343094	Satruddhun kumar	SSE/S/BIDR	9741509404
298	HMBD	Shiva prasad	SSE/S/BIDR	9701343094	Satruddhun kumar	SSE/S/BIDR	9741509404
299	HIKD'K	Shiva prasad	SSE/S/BIDR	9701343094	Satruddhun kumar	SSE/S/BIDR	9741509404
300	KMPU	Shiva prasad	SSE/S/BIDR	9701343094	Satruddhun kumar	SSE/S/BIDR	9741509404
301	KUKT	Shiva prasad	SSE/S/BIDR	9701343094	Satruddhun kumar	SSE/S/BIDR	9741509404
302	KMNR	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
303	KCP	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
304	LC-80	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
305	UDGR & LC No 83	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
306	HER	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
307	CKX & LC No 93	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
308	LTRR	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
309	JOA	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
310	PNF & LC No 107	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
311	GTU & LC No 114	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855
312	PRLI & LC No 120	K.Raj Kumar	JE/S/PRLI	9121137427	Baiju Soren	SSE/S/UDGR	9730471855

TELEPHONE NUMBERS OF CONTROL OFFICE

SL. No	CONTROL	BSNL	AIRTEL / JIO CUG	RLY. Phone Numbers
1	CTO-1 BOARD	--	7815906275	86601
2	CTO-2 BOARD	--	7815906354	88285
3	CTO-3 BOARD	--	7815906378	88288
4	CTO-4 BOARD	--	7815906395	86604
5	CTO-5 BOARD	--	7815906413	86605
6	CTO-6 BOARD	--	7815906417	86606
7	CHIEF CONTROLLER	27823156	9815906802	86637
8	CHIEF CONTROLLER/STOCK	27820377	--	86136
9	DY.COAL	--	7815906847	86207
10	DY.PUNCTUALITY	27823156	7815906437 7815906458	86675 86634 88116
11	DY.MAIN LINE	--	7815906461	86635
12	ENGINEERING CONTROL	27822901	9346900280 9701371788	86602 88283
13	TLC	27820253	8790992800 8790992801 8790991543 8790992424 8790992825 9701342878	85119 86017 88274
14	COMMERCIAL CONTROL	27833099	9701371975	86678
15	TEST ROOM/TELE	27831699	9701371086 9701371089	86700 86793
16	SIGNAL CONTROL	--	9701371087 8008554125 9676904295	86798
17	GUARDS CONTROL	--	7815906434	86654
18	POWER CONTROL	--	8790993335 8790993339	86638 86636
19	ELECTRICAL CONTROL	27821709	9701371325	88418 88652
20	C&W/TXR CONTROL	27820383	9701371412 9346901465	86206 86651
21	FOIS	--	--	85041 86632

Telephone Numbers of Railway Officers

Designation	Office		MOBILE
	Rly.	BSNL	
	GENERAL		
DRM	86199	27830449	9701371000
PS TO DRM	86199	-	9701371007
ADRM/I	86198	27834083	9701371001
CPM/GSU	86197	27831600	9701371099
ADRM/OP	86192	27831631	9701371002
Sr.DMM	86196	27825704	9701371009
DRM FAX	86256	27823993	
ADMM	81735	27831690	9701370778
	ACCOUNTS		
Sr.DFM	86194	27825510	9701371100
DFM	86193	-	9701371101
ADFM-II	86190	-	9701371105
ADFM-I	86191	-	9701371104
	AUDIT		
Sr.DAUAO	86187	-	9492063119
ADAUAO/I	86185	-	9912151610
ADAUAO/II	81730	-	9866358284
	COMMERCIAL		
Sr.DCM	86181	27821538	9701371950
DCM-Goods	86180	-	9701371951
DCM-Chg	86178	-	9701371954
ACM-TC			9701371953
ACM-Coaching	86177	-	9701371952
ACM GOODS	86689	-	9701371999
	ELECTRICAL		
Sr.DEE/M	86175	27824093	9701371300
Sr.DEE/TRSO	86173	27821021	9701371302
Sr.DEE/TRD	86174	27833031	9701371301
Sr.DEE/ELS/LGD	89724	20050084	9701371304
Sr.DEE/ELS/KZJ	82200	2549922	9701371305
ADEE/TRD	86169	-	9701371316
DEE/M/Chg/SC	86167	-	9701371313
ADEE-I/TRSO	81637	-	9704401004
DEE/ELS/LGD	89764	-	9701371306
ADEE/M	81627	-	9701371315
ADEE/PRS	86167	-	9701371307
DEE/ELS/KZJ	82202	-	9701371314
DEE/TRSO	86166	-	9701371309
	SIGNAL & TELECOMMUNICATION		
Sr.DSTE	86116	27820312	9701371800
DSTE/SC	88850	-	9701371801
DSTE/SW	86115	-	9701371803
ADSTE/VKB	81001	-	9701371805
DSTE/KZJ	82100	-	9701371804
ADSTE/KZJ	82102	-	9701371809
ADSTE/BPA	80200	-	9701371806
DSTE/KMT	82101	-	9701371807

Designation	Office		MOBILE
	Rly.	BSNL	
SECURITY			
Sr.DSC	86119	27831390	9701371700
DSC	81641	-	9701371717
ASC/SC	85019	-	9701371701
ASC/KZJ	82702	-	9701371702
MEDICAL			
CMS/SC	88626	27545685	9701371500
ACMS/CKL	85367	-	9701371501
ACMS/CKL	85368	-	9701371508
ADMO/CKL	85369	-	
Sr.Consultant/CKL	85367	-	9701371506
ACMS/HYB	81441	-	9701371509
DMO/HU/CKL	85366	-	9701371507
DMO/HU/CKL	-	-	9000122523
ADMO/HU/VKB	81041	-	9701371502
SR.DMO/SG/PC/KZJ	82500	-	9701371514
ADMO/PC/KZJ	-	-	9701371539
DMO/PC/KZJ	-	-	9701371518
ADMO/PC/KZJ	-	-	9346901500
DMO/PC/KZJ	-	-	7290842272
DMO/DSL/KZJ	82520	-	9701371504
DMO/HU/DKJ	80760	-	9701371532
ADMO/HU/BPA	80300	-	9701371510
DMO/HU/BDCR	80630	-	9701371533
ENGINEERING			
Sr.DEN/Co-Ord	86163	27822896	9701371200
Sr.DEN/N	86161	-	9701371203
SR.DEN/BRIDGES/LINES	-	-	9346901290
DEN/South	86162	-	9701371202
DEN/Bridges	86157	-	9701371207
DEN/Central	86158	-	9701371205
DEN/West	86160	-	9701371201
ADEN/Track	86282	-	9701371206
ADEN/Bridges	86153	-	9701371210
ADEN/Spl.Works	86154	-	9701371209
ADEN/East	86155	-	9701371211
ADEN/N/KZJ	82302	-	9701371217
ADEN/RDM	80441	-	9701371218
ADEN/BPA	80243	-	9701371219
ADEN/KRMR	-	-	9346901295
ADEN/VKB	81051	-	9701371214
ADEN/TDU	81159	-	9701371215
ADEN/BIDR	81807	-	9731671213
ADEN/DKJ	80730	-	9701371220
ADEN/MDR	80904	-	9701371212
ADEN/SOUTH/KZJ	82300	-	9701371216
MECHANICAL			
Sr.CDO	86150	27824141	9701371403
Sr.DME/Co-ord	86148	-	9701371400
Sr.DME/EnHM	86147	-	9701371405
Sr.DME/Dsl/KZJ	82400	-	9701371471
DME/C&W/SC	81733	-	9701371401
ADME/C&W/1	86146	-	9701371408

Designation	Office		MOBILE
	Rly.	BSNL	
ADME/E&Hm	81728	-	9701370971
CDO/SC	86145	-	9701371407
ADME/RDM	80451	-	9701371406
DME/DSL/KZJ	-	-	9701371473
ADME/KZJ-2	-	-	9701371476
ADME/KZJ-1	-	-	9701371475
ACMT	-	-	9701371477
SMM/DSL/KZJ(L/A)	-	-	9701370774
Sr.CDO/HYB	81405		9701371402
OPERATING / SAFETY			
Sr.DOM	86138	27830167	9701371900
Sr.DSO	86137	27832290	9701371750
DOM/G	86111	-	9701371751
DOM/CHG	86133	-	9701371904
DOM/Goods/1	86135	-	9701371902
DOM/Goods/1	86667	-	9701371901
AOM/Goods	-	-	9701371903
AOM/Goods/1	86664	-	9701371905
Station Director	88855	-	9701370920
Station Director/HYB	81410	-	9701371917
SS/SC (Gaz)	86130	-	9701371911
AO/SNF	81310	-	9701371906
AM/BDCR	86130	-	9701371908
AO/RDM	86129	-	9701371910
AO/KZJ	-	-	9701371907
PERSONNEL			
Sr.DPO	86127	27821178	9701371600
SRBA	86121	27820489	9701371601
DPO/2	86126	-	9701371610
APO/ENGG	81624	-	9701371608
LAW OFFICER	81632	-	9848054518
APO/1	86123	-	9701371611
APO/M&EL	86122	-	9701371609
DS/(SCRMU)	86826	-	9701372986
DS/(SCRES)	86615	-	9701361653
IMPORTANT PHONES @ CONTROL OFFICE			
Chief Controller	86637	27823156	9701371941
Dy.Punctuality	86634/88116	27823156	9701371166
CTL C	86017/88274/ 85119/ 86636/86638	27820253	9701371655
		27821244	
C&W Contorler	86651/86206	27820383	9701371412
Com.Controler	86678	27833099	9701371975
Engg.Controler	86602/88283	27822901	9701371228
Electrical controller	88418/88652	27821709	9701371325
TPC - Boards	85325/ 88168/ 86644	27823137	9701371346
TR/FAX	88558	27831699	
Security Control	86804	27820725	9701371727
Test room/Telecom	86700/86793	27831699	9701371086
Signal Test Room	86798		9701371087

Civil Authorities
(State Government) and their Jurisdiction with contact numbers and Email IDs.

District Name	Designation	Office Phone	Email
Adilabad	Collector	08732-227402	collector_adbd@telangana.gov.in
Adilabad	Additional Collector	9492422444	jc_adbd@telangana.gov.in
Adilabad	Additional Collector (Local Bodies)	9000899101	additionalcollectoradilabad@gmail.com
Adilabad	Superintendent of Police	9440795000	sp@add.tspolice.gov.in
Bhadradri Kothagudem	Collector (FAC)	08732-226203	collector-bdd@telangana.gov.in
Bhadradri Kothagudem	Additional Collector	9866182504	jc-bdd@telangana.gov.in
Bhadradri Kothagudem	Additional Collector (Local Bodies)	08732-226203	
Bhadradri Kothagudem	Superintendent of Police	08744-243666	sp@kgm.tspolice.gov.in
Hyderabad	Collector	040-23202833	collector_hyd@telangana.gov.in
Hyderabad	Additional Collector	040-23201575	jc_hyd@telangana.gov.in
Hyderabad	Commissioner of Police	040-23261666	cp@hyd.tspolice.gov.in
Jagtial	Collector	08724-222204	collector-jgtl@telangana.gov.in
Jagtial	Additional Collector	08724-222205	jc-jgtl@telangana.gov.in
Jagtial	Additional Collector (Local Bodies)	08724-222205	
Jagtial	Superintendent of Police	08724-222133	sp@jgl.tspolice.gov.in
Jangaon	Collector	8978600744	collector-jgn@telangana.gov.in
Jangaon	Additional Collector	9550632666	jc-jgn@telangana.gov.in
Jangaon	Additional Collector (Local Bodies)	9121306663	acbjangaon@gmail.com
Jangaon	Deputy Commissioner of Police	9491089147	dcpwestzonejgn@gmail.com
Jayashankar Bhoopalpally	Collector	7995088365	collector-jsk@telangana.gov.in
Jayashankar Bhoopalpally	Additional Collector	7995088367	jc-jsk@telangana.gov.in
Jayashankar Bhoopalpally	Additional Collector (Local Bodies)	7995088367	jc-jsk@telangana.gov.in
Jayashankar Bhoopalpally	Superintendent of Police	08713-222380	sp@bhp.tspolice.gov.in
Karimnagar	Collector	0878-2265206	collector_krmn@telangana.gov.in
Karimnagar	Additional Collector	0878-2240749	jc_krmn@telangana.gov.in
Karimnagar	Additional Collector (Local Bodies)	0878-2240749	
Karimnagar	Commissioner of Police	0878-2262303	cp@knr.tspolice.gov.in
Khammam	Collector	08742-224641	collector_kmm@telangana.gov.in

District Name	Designation	Office Phone	Email
Khammam	Additional Collector	08742-224174	jc_kmm@telangana.gov.in
Khammam	Additional Collector (Local Bodies)	08742-224174	-
Khammam	Commissioner of Police	08742-220000	cp@kmm.tspolice.gov.in
Kumuram Bheem Asifabad	Collector	08733-279401	collector-kb@telangana.gov.in
Kumuram Bheem Asifabad	Additional Collector	9440815887	jc-kb@telangana.gov.in
Kumuram Bheem Asifabad	Additional Collector (Local Bodies)		
Kumuram Bheem Asifabad	Superintendent of Police	08733-279833	-
Mahabubabad	Collector	7995085423	collector-mbd@telangana.gov.in
Mahabubabad	Additional Collector	7095508888	jc-mbd@telangana.gov.in
Mahabubabad	Additional Collector (Local Bodies)	7995085427	additionalcollector12@gmail.com
Mahabubabad	Superintendent of Police	08719-242666, 240000	sp@mbd.tspolice.gov.in
Mancherial	Additional Collector	9492120095	jc-mncl@telangana.gov.in
Mancherial	Additional Collector (Local Bodies)	8299269734	ilatiripathi@ias.gov.in
Mancherial	Deputy Commissioner of Police	08736-252534	
Medchal-Malkajgiri	Collector (FAC)	040-29700824	collector-mdl@telangana.gov.in
Medchal-Malkajgiri	Additional Collector	040-29700822	jc-mdl@telangana.gov.in
Medchal-Malkajgiri	Additional Collector (Local Bodies)	8008003360	aclbmedchal@gmail.com
Medchal-Malkajgiri	Superintendent of Police	040-27854081	
Mulugu	Collector	08715-223322	collector-mlg@telangana.gov.in
Mulugu	Additional Collector (Local Bodies)	08715-223322	-
Mulugu	Superintendent of Police	7901100333	sp-mulugu@tspolice.gov.in
Nalgonda	Collector	9493721234	collector_nlgd@telangana.gov.in
Nalgonda	Additional Collector	08682 - 244509	jc_nlgd@telangana.gov.in
Nalgonda	Additional Collector (Local Bodies)	9493915000	-
Nalgonda	Superintendent of Police	08682-222306	sp@nlg.tspolice.gov.in
Nizamabad	Collector & District Magistrate	08462-221966	collector_nzbd@telangana.gov.in
Nizamabad	Additional Collector	08462-232051	jc_nzbd@telangana.gov.in
Nizamabad	Additional Collector (Local Bodies)	08462-232051	-
Nizamabad	Superintendent of Police	08462-232203	sp@nzb.ts.gov.in

District Name	Designation	Office Phone	Email
Peddapalli	Collector		collector-pdpl@telangana.gov.in
Peddapalli	Additional Collector	7995070701	jcpeddapalli@gmail.com
Peddapalli	Additional Collector (Local Bodies)	7995070714	aclbpdpl@gmail.com
Peddapalli	Commissioner of Police	8332941100 / 9440900683	cp.rgm.tspolice@gov.in
Rangareddy	Collector	040-23235642, 23234774	collector_rr@telangana.gov.in
Rangareddy	Additional Collector	040-23237417	jc_rr@telangana.gov.in
Rangareddy	Additional Collector (Local Bodies)	040-23235830	aclb-coll-rr@telangana.gov.in
Rangareddy	Superintendent of Police	08416-255601	
Sangareddy	Collector	08455-276555	collector-srd@telangana.gov.in
Sangareddy	Additional Collector	08455-276426	jc-srd@telangana.gov.in
Sangareddy	Additional Collector (Local Bodies)	9063207343	addcoll-lb-srd@telangana.gov.in
Sangareddy	Superintendent of Police	08455-276600	sp@sgr.tspolice.gov.in
Suryapet	Collector (FAC)	9493741740	collector-srpt@telangana.gov.in
Suryapet	Additional Collector (Local Bodies)	9493741740	
Suryapet	Superintendent of Police	08684-254100	sp@spt.tspolice.gov.in
Vikarabad	Collector	9959090781	collector-vkb@telangana.gov.in
Vikarabad	Additional Collector	7995061161	jc-vkb@telangana.gov.in
Vikarabad	Additional Collector (Local Bodies)	7386441829	-
Vikarabad	Superintendent of Police	08416-255601/02	sp@vkb.ts.gov.in
Warangal	Collector	0870-2511777	collector-wglr@telangana.gov.in
Warangal	Additional Collector	0870-2510888	jc_wglr@telangana.gov.in
Warangal	Additional Collector (Local Bodies)	0870-2510888	jc_wglr@telangana.gov.in
Hanumakonda	Commissioner of Police	0870-2578155	sp@wrlr.tspolice.gov.in
Hanumakonda	Collector	0870-2567107	collector_wgl@telangana.gov.in
Hanumakonda	Additional Collector	0870-277215	Jc_wgl@telangana.gov.in
Warangal (Urban)	Commissioner of Police	0870-2567107/65	cp@wrlc.tspolice.gov.in
Yadadri Bhuvanagiri	Collector	8331997001	collector-ydr@telangana.gov.in
Yadadri Bhuvanagiri	Additional Collector	8331997002	jc-ydr@telangana.gov.in
Yadadri Bhuvanagiri	Additional Collector (Local Bodies)	8331997003	-
Yadadri Bhuvanagiri	Deputy Commissioner Of Police	08685-242504	dcp-bngr-rck@tspolice.gov.in
Beed	District Collector & Magistrate	02442-222201	Collector[dot]Beed[at]maharashtra[dot]gov[dot]in

District Name	Designation	Office Phone	Email
Beed	Additional Collector, Beed	02442-222273	addlcollectorbeed[at]gmail[dot]com
Beed	Resident Deputy Collector	02442-222604	rdc[dot]beed[at]maharashtra[dot]gov[dot]in
Bidar	Deputy Commissioner	08482-225409	deo[dot]bidar[at]gmail[dot]com
Bidar	Addl. Deputy Commissioner	08482-223559	adcbidar1[at]gmail[dot]com
Bidar	Chief Executive Officer	08482-233133	ceobidar-ka[at]nic[dot]in
Bidar	Superintendent of police	08482-226700	sp-bidar[at]karnataka[dot]gov[dot]in
Chandrapur	District Collector	07172-255300	collector[dot]chandrapur[at]maharashtra[dot]gov[dot]in
Chandrapur	Deputy Collector (Rehabilitation)	07172-252193	drochandrapur[at]gmail[dot]com
Chandrapur	Additional District Collector	07172-256101	addcoll[dot]chanda[at]gmail[dot]com
Chandrapur	Resident Dy. Collector	07172-255400	chandrapur[dot]rdc[at]gmail[dot]com
Chandrapur	Deputy Collector (E.G.S.)	07172-272133	dycollchandrapur[at]mahmg[dot]nrega[dot]com
Gulberga / Kalaburagi	Regional Commissioner Kalaburagi	08472-278817	rcofficegulbarga[at]gmail[dot]com
Gulberga / Kalaburagi	Deputy Commissioner and District Magistrate	08472-278860	dcoglb[at]gmail[dot]com
Latur	Collector & Dist. Magistrate	02382-224001	laturcollector@gmail.com collector.latur@maharashtra.gov.in
Latur	Additional Collector	02382-224201	adcollectorlatur@gmail.com
Latur	Resident Dy. Collector	02382-223234	rdclatur@gmail.com rdc.latur@maharashtra.gov.in
Latur	Dy. Collector (General)	02382-221205	dcglatur@gmail.com
Latur	Superintendent of Police	02382-243000	supdt.latur@gmail.com
Krishna	Collector & District Magistrate	08672-52882 , 252668	Email: collector_krsn[at]ap[dot]gov[dot]in
Krishna	Joint Collector & Additional District Magistrate	08672-252601	Email: jc_krsn[at]ap[dot]gov[dot]in
Krishna	Superintendent of Police	08672- 223666	

Telephone Numbers of Crew Lobby's

Sl.No.	CREW LOBBY AT STATION	BSNL	AIRTEL / JIO CUG	RLY. Phone Numbers
1	SC	-	8790991500	86626 86623
2	HYB	-	8790992812	81443
3	MLY/G	-	7815905804	83227
4	SNF	-	8790993325	81315

Sl.No.	CREW LOBBY AT STATION	BSNL	AIRTEL / JIO CUG	RLY. Phone Numbers
5	LPI	-	-	81253
7	TDU	-	8790991909	81293
6	CT	-	7760998335	81017
8	BIDR	-	7760998376	81823
9	PRLI	-	8790993329	81942
10	KZJ	-	8790992806	82288, 82262
11	DKJ	-	9390501587	80770
12	MTMI	-	9390501591	80893
13	KI	-	7815909445	68147
14	BZA	-	7815909439	67374
15	BDCR	-	8790992836	80663
16	MUGR	-	8790992814	80881
17	RDM	-	8790993328	80470, 80471
18	BPA	-	8790992823	80264
19	BPQ	-	9325012806	53259
20	PRPI	-	7815941379	80042

Secunderabd Division TIs Jurisdiction

No	Section	Jurisdiction	Phone Numbers	email ids
1	TI/BHLK	HBUL, BHLK, KCP, KMNR, UDGR, HER, CKX, LTRR, JOA, PNF, GTU, PRLI	9730471689 9448747117	rk Gupta_sm@yahoo.com
2	TI/BIDR	SSPD, MRF, KOHR, ZB, MTV, BIDR, KHNP, HLKH, HMBD,HIKD, KMPU, KUKT.	9731671938 8867676446	79ramesh12@gmail.com
3	TI/SEM	NAW, KQT, SEM, MQR, CT, SUH, SUH'W'	9731671115 7353103975	cspatelsm@gmail.com
4	TI/VKB	VKB, GDQ, DRR, RMY,TDU, MVH, CTF, GGD, SKP.	9701371946 9441301275	ndevendrarao@gmail.com
5	TI/SNF	NPL,TLPR, RCPT, LPI, HFZ, SNF, AMGU, HSJ, HYB.	9701371913 9441496312	sambasivudu13@gmail.com
6	TI/SC	SCMS, SC, LGD, MLY, CHZ, GT, BN, PGDP	9701371786	tiscscr@gmail.com
7	TI/ZN	BG, WP, ALER, PBP, ZN, RGP, IPG, GNP.	9701371769 8919043728	nirajkarn2013@gmail.com
8	TI/KZJ	NSKL, PQL, KZJ, HSP, OPL, WL.	9701371604 9182543875	akhalder010769@gmail.com
9	TI/MABD	CLE, YGL, NKD, INK, KDM, TAA, MABD, GUU, DKJ, PPY.	9701371638 9490062211	timabdscr@gmail.com
10	TI/RDM	JMKT, BGSF, PTKP, KOLR, PDPL, RGPM,RDM,PPZ	9701371179 7989045673	rishisintu2000@gmail.com
11	TI/BPA	MCI, MMZ, BPA, RECH, ASAF, SKZR	9701371152 9849640171	mnshastry1@gmail.com
12	TI/MAGH	SRUR, MKDI,WIRR,VHGN, MAGH. RJUA, PRPI, MCW, GDCR	7755918538	vhaldar11@gmail.com
13	TI/KRMR	STBD, KRMR, GDRA, NPML, LPJL, KRLA, MTPI, MRTD, ARMU, PUDR	9701371191 9059586246	ravidevi50@gmail.com
14	TI/MDR	MLMG, KMT, PNDP, CKN, BKL, MDR, TNGM, YP, GNN, CVV	9701371748 8555832391	mdrti1748@gmail.com
15	TI/JPTN	MTMI, MAPA, JPTN,RRPM, MACU,MTMP, SSLM	9121226011 8709958007	alkat5454@gmail.com
16	TI/BDCR	PCZ, KRA, GHPU, CMW, TPY, BTPD, BTPD By-pass, BDCR, GLE, PGP, AWM, MUGR, SAVR, CDRG, PSHP.	9701371650 9381714809	yadavrambalak409@gmail.com
TOTAL STATIONS				

Area Inspectors' details of SC Division

No	Section	Jurisdiction	Phone Numbers	email ids
1	Area Inspector	KZJ, WL	9440124323	
2	Area Inspector	MAGH-GDCR sector	9404162006	ayushawadhesh@gmail.com
3	Area Inspector	KRA-BDCR-MUGR-JVRB sector	9030635956	khajaypasha@gmail.com

DISASTER MANAGEMENT-QUICK RESPONSE TEAM (QRT)

The disaster management team will proceed to the accident spot by the first available means (Taxi/Car) with POMKA. Dr. MD MOAZUL HAQUE, ACHD/CH/LGD shall be overall in-charge of Disaster Management (CUG Mobile No.9701370551).

DOCTORS ON DISASTER MANAGEMENT TEAM (QRT)

SL.NO.	NAME OF THE DOCTOR	DESIGNATION	MOBILE NO.
1	DR. MD MOAZUL HAQUE	ACHD ORTHOPEDIC SURGEON/CH/LGD	9701370551
2	DR. B VAMSHI KRISHNA	Sr. DMO(Pediatrics & Anesthesia)/CH/LGD	9701370528
3	DR. ANURAG MISHRA	DMO(Anesthesia)/CH/LGD	9701370545

PARA MEDICAL STAFF ON DISASTER MANAGEMENT QUICK RESPONSE TEAM

SL.NO.	NAME OF THE STAFF	DESIGNATION	MOBILE NO.
1.	RAJ KUMAR	SENIOR MALE NURSING SUPDT.	9908636863
2.	SREENATH SASIDHAR	SENIOR MALE NURSING SUPDT.	8639968813
3.	JINCE RAJAN	MALE NURSING SUPDT.	9496325214
4.	ARUN M.K.	MALE NURSING SUPDT.	8301834184
5.	NIRANJAN KUMAR S	DRESSER	9652638080
6.	A. DOMNIC MARIO	DRESSER	9908839090
7.	G MADHU	DRESSER	8121356062
8.	RAJASEKAR	DRESSER	8074103951
9.	T RAJU	HOSPITAL ATTENDANT	8317561018
10.	PRAKASH LAXMAN PARATE	HOSPITAL ATTENDANT	7995417088
11.	GAURAV	HOSPITAL ATTENDANT	7396551701
12.	B S SHIV KUMAR	HOSPITAL ATTENDANT	8639126114, 9700378406

Two staff nurses, two hospital attendants and two dressers from the Disaster Management team will proceed to the accident spot along with the doctors of Disaster Management Team (QRT).

The POMKA boxes kept in casualty should not be taken to ARME.

MD/CH/LGD or Senior Doctor available will decide whether QRT will move by the first available means (Taxi/Car) or team will move by ARME.

In addition to QRT team, additional teams (TEAM- A OR TEAM – B OR TEAM – C) will proceed to accident site by MRV and the following procedure will be adopted in organizing the relief operation as per schedule.

DISASTER MANAGEMENT ACTION PLAN FOR MEDICAL DEPARTMENT, CENTRAL HOSPITAL, LALLAGUDA IMMEDIATELY AFTER SIREN CALL (3 LONG AND 1 SHORT OR 4 LONG AND 1 SHORT)

ARME NOMINATED TEAMS

TEAM A FOR PROCEEDING WITH MRV FROM 1ST TO 10TH OF THE MONTH:

S. NO.	NAME OF THE DOCTOR	DESIGNATION	TELEPHONE NUMBERS			
			OFFICE		RESIDENCE	
			MOBILE	RLY	MOBILE/BSN L	RLY
1	DR. J. SHANMUGA PRIYA	Sr. DMO(ENT)	9701370533	--	27225999	--
2	DR. G MADHUSMITHA	Sr. DMO (GYNAEC)	9701370539	--	--	--
3	DR. J KAVYA	Sr. DMO (GEN MED)	9701370549	--	--	--
4	DR. M ADITYA KUMAR VENKATA	DMO (GEN MED & NEPHROLOGY)	9701370546	--	--	--

5	Dr S NAVEEN KUMAR	DMO	9701370599			
6	DR. B HARISH	DMO (OPHTHAL)	9701370520	--	--	--
7	DR. V SARAIAH	DMO(SURGEON)	9701370530			
8	DR. S SUNIL KUMAR	DMO(PULMONOLOGY)	9866797922	--	--	--
9	DR. C K VENKATESWARLU	CH CONSULTANT	9701370511	--	--	--
10	SMT T A HIMA BINDU	APHO	8897474368	--	--	--

TEAM B FOR PROCEEDING WITH MRV FROM 11TH TO 20TH OF THE MONTH:

S. NO.	NAME OF THE DOCTOR	DESIGNATION	TELEPHONE NUMBERS			
			OFFICE		RESIDENCE	
			MOBILE	RLY	MOBILE/BSNL	RLY
1	DR. M SUVARNA JYOTHI	ACHD (PATHOLOGY)	9701370548	--	--	--
2	DR. CHETAN PANDURANG.M	Sr. DMO (RADIOLOGY)	9701370524	--	--	--
3	DR. P PRANAYA VANI	Sr. DMO(PATHOLOGY)	9701370538			
4	DR. G VEDARANYA	Sr. DMO (PULMANOLOGY)	9701370523	--	--	--
5	DR. S DIVYA YAMINI	Sr. DMO	9701370558	--	--	--
6	DR. BALAGARI RATNAMAIAH	Sr. DMO	9701370532	--	--	--
7	DR. P RAGAMAHITA	DMO (GEN MED)	9701370529	--	--	--
8	DR. M PREMA JYOTHI	DMO(OPHTHAL)	9701370534	--	--	--
9	DR. B SURENDRA NAIK	SR. CONSULTANT	9701370512	--	--	--
10	Sri K V RAMA SUBRAMANIYAN	APHO	9032371314	--	--	--

TEAM C FOR PROCEEDING WITH MRV FROM 21TH TO 30TH /31ST OF THE MONTH:

S. NO.	NAME OF THE DOCTOR	DESIGNATION	TELEPHONE NUMBERS			
			OFFICE		RESIDENCE	
			MOBILE	RLY	MOBILE/BSNL	RLY
1	DR. P V PADMA PRIYA	ACHD(PEAD)	9701370527	--	--	--
2	DR. M MEHER LATHA	ACHD (GYNAEC)	9701370537	--	--	--
3	DR. A PADMA	SR. DMO (PAEDIA)	9701370521	--	--	--
4	DR. V KRISHNA SHANKER	SR. DMO (DERMA)	9701370540	--	--	--
5	DR. B VAMSHI KUMAR	SR. DMO	9701370531	--	--	--
6	DR. B AJETA	DMO(PATHOLOGY)	9701370519	--	--	--
7	DR. K ANIL KUMAR	DMO	9701370513	--	--	--
8	DR. M NARESH KUMAR	DMO	9701370517	--	--	--
9	DR JYOTSNA CH	DMO (GEN MED)	9701370522	--	--	--
10	SRI K M ENOCH ELUMALAI	APhyO	9701370556	--	--	--

DISASTER MANAGEMENT ACTION PLAN FOR MEDICAL DEPARTMENT, CENTRAL HOSPITAL, LALLAGUDA IMMEDIATELY AFTER SIREN CALL (3 LONG AND 1 SHORT OR 4 LONG AND 1 SHORT)

I	ON DUTY DOCTOR-PHONE NOS. RLY: 89177, 89151, P&T: 040-27789151
a)	On duty Doctor/Duty Pharmacist will coordinate in forming ARME team and QRT and also receive the control message and note down the following: -
1	PLACE OF OCCURRENCE
2	TRAINS INVOLVED
3	GRAVITY OF THE ACCIDENT (IE) NO. OF. INJURED/DEAD
4	TIME OF THE ACCIDENT
5	NAME OF THE PERSON WHO IS GIVING THE MESSAGE SHOULD BE NOTED DOWN
6	THE TIME OF RECEIVING THE MESSAGE FROM THE CONTROL AND REPEAT THE TIME TO THE PERSON WHO IS GIVING THE MESSAGE.
b)	The duty doctor will inform PCMD; CHD; MD/CH/LGD; CSS/CH/LGD; ACHD (ADMIN)/CH/LGD and Medical Officer In-charge of ARME & QRT. He will instruct the on-duty pharmacist and ICCU sister on duty to convey the message to all concerned as per the list.

II	ON DUTY PHARMACIST-PHONE NOS. RLY: 89122, P&T: 040-27789122
a)	On duty Pharmacist will receive the control message and note down the following: -
1	MESSAGE NUMBER ALONG WITH THE DETAILS OF THE ACCIDENT.
2	PLACE OF OCCURRENCE
3	TRAINS INVOLVED
4	GRAVITY OF THE ACCIDENT (IE) NO. OF. INJURED/DEAD
5	TIME OF THE ACCIDENT
6	NAME OF THE PERSON WHO IS GIVING THE MESSAGE SHOULD BE NOTED DOWN
7	THE TIME OF RECEIVING THE MESSAGE FROM THE CONTROL AND REPEAT THE TIME TO THE PERSON WHO IS GIVING THE MESSAGE.
b)	The duty doctor will inform PCMD; CHD; MD/CH/LGD; CSS/CH/LGD; ACHD (ADMIN)/CH/LGD and Medical Officer In-charge of ARME & QRT. He will instruct the on-duty pharmacist and ICCU sister on duty to convey the message to all concerned as per the list.
c)	TEAM A doctors will attend the station and be proceeding with MRV if any casualty happens during 1 st to 10 th of the month. The team B & team C doctors will be attending hospital and make necessary arrangements to receive the casualties.
d)	TEAM B doctors will attend the station and be proceeding with MRV if any casualty happens during 11 th to 20 th of the month. The team A & team C doctors will be attending hospital and make necessary arrangements to receive the casualties
e)	TEAM C doctors will attend the station and be proceeding with MRV if any casualty happens during 21 st to 30 th / 31 st of the month. The team A & team B doctors will be attending hospital and make necessary arrangements to receive the casualties
f)	The on-duty pharmacist will inform the doctors as per the list notified above with a simple message "MRV ORDERED, REACH SECUNDERABAD STATION, MRV PLACED AT ____ (IF LOCATION KNOWN) without wasting time by giving details about the accident.
g)	At the same time the duty pharmacist will also press the siren button provided in the Dispensary.
h)	The duty pharmacist should also instruct the on-duty ambulance driver, on duty dresser in the casualty to pool up the Para-medical staff. The duty pharmacist will assist in sending the Medical team to the ARME quickly without any delay.

III	SISTER ON DUTY AT EMERGENCY WARD-PHONE NOS. RLY:89151, P&T: 040-27789151	
a)	The on-duty sister at emergency ward will inform the Sister In-charge, ANO. Chief Matron, CHI and other nominated staff over phone and should mobilize the staff from nominated wards as per the list below: -	
	Nurses	Ward 3 and Ward 7
	Dressers	Casualty
	Hospital Attendants	Ward 2 and Ward 10
b)	The on-duty sister at emergency ward should arrange POMKA and keep it ready for the team moving by ROAD.	

POMKA BOXES KEPT IN THE CASUALTY SHOULD NOT BE TAKEN TO ARME.
THE QUICK RESPONSE TEAM (QRT) WILL CARRY THE POMKA.

The doctors who are at CH/LGD and those who could not move by MRV or by Road rescue team will man the casualty. They will oversee the arrangements at the hospital and prepare for all the eventualities. They will make necessary arrangements for emergency beds, organizing radiology and laboratory services, keeping ready stock of all lifesaving drugs, sufficient stock of linen and also making necessary arrangements for refreshments for victims. MOT matron should arrange for the emergency surgeries.

The senior doctors will also alert the other Government/Private Hospitals and advise them to be in readiness if required. PS (GAZ) to MD and Ch. OS/MD/O/CH/LGD should at the Office for preparing various reports.

The doctors in the MRV will work under the guidance of CMS/ACMS of the division in which the accident has occurred. They will update about the happenings at the accident site and progress of the relief work from time to time to MD/CSS-1/CSS-2/ACHD (ADMIN).

The following Medical Officers & ANO should be available at CH/LGD and will coordinate during the accident.

S. NO.	NAME OF THE DOCTOR	DESIGNATION	TELEPHONE NUMBERS			
			OFFICE		RESIDENCE	
			MOBILE/BSN L	RLY	MOBILE/BSN L	RLY
1	DR. N V B K SAI	CSS-I	9701370516	--	27018645	89687
2	DR. N KRISHNAVENI	CSS-II	9701370547	--	--	--
3	DR. P O VANDANA	ACHD (ADMN)	9701370542	--	--	--
4	DR. J HANUMANTHA REDDY	DMO(ANAES)	9701370536	--	--	--
5	DR. ALLUR JYOTHI	DMO (BIO CHEMISTRY)	9701370544	--	--	--
6	SMT K SHIVA KUMARI	ANO	9701370559	--	--	--

A register should be maintained separately in the dispensary and all the activities related to the accidents/disasters should be recorded in the register by the on-duty pharmacist. DR. MD MOAZUL HAQUE, ACHD/CH/LGD, In-charge of Disaster Management Team will periodically check the register and analyze the short comings. He should coordinate with all medical staff and give guidelines and inform them about any changes.

SC DIVISION
LIST OF TRAINS ESCORTED BY RPF/GRP

Sl. No.	Tr.No.	Name of the Train	Escorted by RPF		Escorted by GRP	
			From	To	From	To
1	12794	Rayalaseema Exp	SC	CT	-	-
2	12793	Rayalaseema Exp	CT	SC	-	-
3	12721	Dakshin Exp	SC	KZJ	-	-
4	12709	Simhapuri Exp	KZJ	SC	BZA	KZJ
5	12750	Machilipatnam Exp	SC	KZJ	-	-
6	12749	Bidar Exp	KZJ	SC	-	-
7	12740	Garib Rath Exp	WL	BZA	-	-
8	20805	AP Exp	BZA	WL	-	-
9	12738	Gowthami Exp	SC	WL	-	-
10	12759	Charminar Exp	WL	SC	-	-
11	12764	Padmavathi Exp	WL	BZA	WL	KMT
12	12739	Garib Rath Exp	BZA	WL	-	-
13	12296	Sanghamitra Exp	BPQ	KMT	-	-
14	12621	Tamilnadu Exp	KMT	BPQ	-	-
15	17030	Vijayapura Exp	HYB	SEM	-	-
16	11019	Konark Exp	SEM	SC	-	-
17	17002	Shirdi Exp	BIDR	PRLI	-	-
18	17621	Tirupati Weekly	PRLI	BIDR	-	-
19	17253	Aurangabad Exp	SC	VKB	-	-
20	17013	Kazipet Exp	VKB	CHZ	-	-
21	12750	Machilipatnam Exp	KZJ	BZA	-	-
22	11020	Konark Exp	BZA	SC	-	-
23	12622	Tamilnadu Exp	BPQ	KMT	-	-
24	20625	Bhagat ki Kothi	KMT	BPQ	-	-
25	22673	Mannargudi Exp	BPQ	WL	-	-
26	12295	Sanghamitra Exp	WL	BPQ	-	-
27	12862	Visakhapatnam Exp	-	-	WL	KMT
28	12763	Padmavathi Exp	-	-	BZA	KZJ
29	12714	Satavahana Exp	-	-	KMT	BZA
30	12722	Dakshin Exp	-	-	MCI	KZJ

FIRE BRIGADES' DETAILS:

Sl. No.	RPF Post	List of Fire Brigades in the Post/OP Jurisdiction	Fire Brigade Number	District/State
1	SC	Secunderabad	04023449224, 8712699429	Secunderabad/Telangana
2	CHZ	Moula-Ali	8712699435	Medchal Malkajgiri/Telangana
3		Cherlapalli	8712699405 8712699336	Medchal Malkajgiri/Telangana
4	HYB	Hyderabad Assembly Jurisdiction	9290021299 8712699443 8712699445	Hyderabad/Telangana
5		Fire Station High Court	04023688361	Hyderabad/Telangana
6		Lakadikapool	04023442944	Hyderabad/Telangana

Sl. No.	RPF Post	List of Fire Brigades in the Post/OP Jurisdiction	Fire Brigade Number	District/State
7		Fire Station Secretariat	04023442940	Hyderabad/Telangana
8		Fire Station Secunderabad	04023449227	Hyderabad/Telangana
9		Paradise Fire Station	04023449224	Hyderabad/Telangana
10	LPI	Patancheruvu	9581012077	Sanga Reddy/Telangana
11		JNTU Kukatpally	04023155101 9963746587	Ranga Reddy/Telangana
12		Madhapur	04023442942 8712699160	Ranga Reddy/Telangana
13		Sanathnagar	04023449227	Hyderabad/Telangana
14	VKB	Vikarabad	8712699355	Vikarabad/Telangana
15		Tandur	8712699357	Vikarabad/Telangana
16		Sedam	6360189044	Kalburgi/Karnataka
17	BIDR	Zahirabad	08451-282101 8712699384	Sanga Reddy/Telangana
18		Bidar	08482226500 9449301680	Bidar/Karnataka
19		Humnabad	08483-270264	Humnabad/Karnataka
20		Bhalki	08484-262500 9480823916	Bhalki/Karnataka
21	PRLI	Parli	9096206759	Beed/Maharashtra
22		Udgir	7053101101	Latur/ Maharashtra
23	KZJ	Subedari, Hanamkonda	0870-2577666 9963733502	Hanamkonda/Telangana
24		Jammikunta	9573225100	Karimnagar/Telangana
25		Yadadri	8712699335	Yadadri/Telangana
26		Jangaon	0871-6222101 9963732977	Jangaon/Telangana
26	WL	Garla	8712699317 8712699315	Mahabubabad/Telangana
27		Warangal	8712699149 8712699150	Warangal/Telangana
28		Mahabubabad	08719-240101	Mahabubabad/Telangana
29	KMT	Khammam	8712699281	Khammam/Telangana
30		Madhira	9440033621	Khammam/Telangana
31		Jaggayyapeta	8654222101	NTR District/Andhra Pradesh
32		Kodad	8712699330	Suryapet/Telangana
33		Hujurnagar	8712699332	Suryapet/Telangana
34		Mailavaram	8659222229	NTR district/Andrapradesh
35		Dornakal	8712695347	Mahabubabad/Telangana
36	BDCR	Kothagudem	8712699296	B.Kothagudem/Telangana
37		Manuguru	8712699293	B.Kothagudem/Telangana
38		Sathupalli	8712659168	Khammam/Telangana
39	RDM	Peddapalli	08728222101	Peddapalli/Telangana
40		Godavarikhani	08723244599	Peddapalli/Telangana
41		Mancherial	08736252101	Mancherial/Telangana
42		Bellampalli	08735222368	Mancherial/Telangana

Sl. No.	RPF Post	List of Fire Brigades in the Post/OP Jurisdiction	Fire Brigade Number	District/State
43		Asifabad Road	08733279509	Kumuram Bheem Asifabad /Telangana
44		Karimnagar	08778224339	Karimnagar/Telangana
45		Lingampet –Jagityal	08724221101	Lingampet – Jagityal/Telangana
46		Metpally	08725235101	Lingampet – Jagityal/Telangana
47		Armoor	08463222700	Nizamabad/Telangana
48	SKZR	Sirpur Kagaznagar	7998952630 8712699198 8712699192	KBM Asifabad/Telangana
49		Rajura	07173222133 9552441618	Chandrapur/Maharashtra

SECUNDERABAD DIVISION MEDICAL OFFICERS TELEPHONE NUMBERS

MEDICAL			
Designation	Railway	BSNL	Mobile
CMS/SC	88626	27545685	9701371500
ACMS/HU/CKL	85367		9701371508
Sr. Consultant/HU/CKL	85368		9701371501
Sr.DMO/HU/CKL	85369		9701371507
Sr.DMO/HU/CKL	85367		9701371506
ACMS/HU/HYB	81441		9701371509
DMO/HU/VKB	81041		9701371502
Sr.DMO/HU/PRLI	81916		9730471544
ACMS/PC/KZJ	82500		9701371514
Sr.DMO/PC/KZJ			9701371518
DMO/PC/KZJ			9346901500
DMO/PC/KZJ			9346901501
DMO/DSL/KZJ	82520		9701371504
Sr.DMO/HU/DKJ	80760		9701371532
DMO/HU/BPA	80300		9701371510
Sr.DMO/HU/BDCR	80630		9701371533
Sr.DMO/HU/RDM	80473		9701371536

DISASTER MANAGEMENT

South Central Railway has well laid out accident preparedness in way of Accident Relief Medical Equipment (ARME) provided at strategic locations.

ARME: ARMEs are broadly classified into Two types viz., Scale-I and Scale-II.

Division wise ARME:

Division wise ARML:				
Division	Scale-I		Scale-II	
SECUNDERABAD	2	Secunderabad	4	Bellampalli
				Dornakal
				Vikarabad
		Kazipet		Parli Vaijanath

Rescue Ambulance attached to ARME Scale-I is manned by SC Division and is stationed at CKL health Unit.

LOCATION OF RAILWAY HOSPITALS AND HEALTH UNITS

Division	Hospitals	Health Units
Secunderabad	PC/KZJ	Chilkaalguda, Hyderabad, Vikarabad, Parli-Vaijanath, Moula-Ali, Kazipet, Diesel Loco Shed/Kazipet, Ramagundam, Bellampally, Dornakal, Badrachalam Road.

LOCKUP DISPENSARIES OPERATING IN SC DIVISION

Division	Health Units	Lockup Dispensaries	Days of Operation
SC	VKB	Bidar	Thursday
		Tandur	Tuesday
	BPA	Sirpur Kagaznagar	Thursday
		Manikgarh	Tuesday
	RDM	Karimnagar	Thursday
	HYB	Lingampalli	Wednesday
		Sanathnagar	Friday
	DKJ	Mahabubabad	Thursday
		Bonakal	Tuesday
	KZJ	Jammikunta	Tuesday

MEDICAL FACILITIES AVAILABLE FROM EMPANELLED HOSPITALS IN SECUNDERABAD DIVISION

S No	Name of the Referral Hospital	Agreement (MoU) Period	Specialities
1	ROHINI SUPER SPECIALITY HOSPITAL, Hanamkonda	09-11-2024 to 08-11-2026	Cardiology, Neurology, Nephrology, Orthopaedics, General Surgery and Gynaecology
2	EKASHILA HOSPITAL, Hanamkonda	15-03-2025 to 14-03-2027	General Medicine, General Surgery, Orthopaedics & Trauma, Neurology, Urology, Nephrology, Cardiology, Cardio Thoracic Surgery.
3	LAXMI NARASIMHA HOSPITAL, Hanamkonda	01-06-2025 to 31-05-2026	Gynaecology & Obstetrics, Paediatrics and General Surgery
4	APEX HOSPITAL, Mancheril	01-05-2025 to 30-04-2026	Cardiology, Urology, Orthopaedics & Trauma Care, Gynaecology & Obstetrics, General Medicine, General Surgery, Neurology, Gastroenterology & Surgical Gastroenterology
5	STAR WOMEN AND CHILDREN HOSPITAL, Karimnagar	01-05-2025 to 30-04-2027	Gynaecology, & Obstetrics, Paediatrics and General Surgery

NEUTRAL SECTION WARNING BOARDS AND TSS

NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN PEDDAPALLI-LINGAMPET - JAGITHYAL-NIZAMABAD

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
1	STB/SP	STB-KRMR	6/6	PTFE- ARTHUR FLURY 6.60M
2	KPHI/TSS	KRMR-KPHI	45/5	PTFE- ARTHUR FLURY 6.60M
3	KKMP/SP	LPJL-KRLA	89/13	PTFE-GALLAND 14.4m
4	MRTD/TSS	MTPI-MRTD	131/4	PTFE-GALLAND 14.4m
5	NZB/SP	ARMU-NZB	174/5	PTFE-GALLAND 14.4m

LOCATION OF TRACTION SUB-STATIONS BETWEEN PEDDAPALLI- LINGAMPET JAGITYAL- NIZAMABAD		
S.No.	Name of TSS	Traction Mast Number
1	KOTHAPALLI	45/15-13
2	MORTHAD	132/13-09

NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN KZJ-BPQ SECTION

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
UP Line				
1	KZJ/TSS	KZJ-KMPT	359/3	PTFE- ARTHUR FLURY 6.60M
2	KZJ/TSS	KZJ-KMPT	359/3A	PTFE- ARTHUR FLURY 6.60M
3	OPL/SP	OPL-JMKT	340/9	PTFE- ARTHUR FLURY 6.60M
4	JMKT/TSS	OPL-JMKT	329/7	PTFE- ARTHUR FLURY 6.60M
5	KYOP/SP	KOLR-KYOP	299/25	PTFE- ARTHUR FLURY 6.60M
6	RDM/TSS	RDM-PPZ	272/27	PTFE- ARTHUR FLURY 6.60M
7	MCI/SP	PPZ-MCI	262/29	PTFE- ARTHUR FLURY 6.60M
8	BPA/TSS	MMZ-BPA	242/7	PTFE- ARTHUR FLURY 6.60M
9	RLW/SP	RECH-RLW	225/3	PTFE- ARTHUR FLURY 6.60M
10	SKZR/TSS	SKZR-VEM	194/25	PTFE- ARTHUR FLURY 6.60M
11	SRUR/SP	SRUR-MKDI	180/19	PTFE- ARTHUR FLURY 6.60M
12	WIRR/TSS	MKDI-WIRR	161/19	PTFE- ARTHUR FLURY 6.60M
13	BPQ/SP	MAGH-BPQ	135/21	PTFE- ARTHUR FLURY 6.60M
DN Line				
1	BPQ/SP	BPQ-MAGH	135/16A	PTFE- ARTHUR FLURY 6.60M
2	WIRR/TSS	WIRR-MKDI	164/2	PTFE- ARTHUR FLURY 6.60M
3	SRUR/SP	MKDI-SRUR	179/30	PTFE- ARTHUR FLURY 6.60M
4	SKZR/TSS	VEM-SKZR	199/34	PTFE- ARTHUR FLURY 6.60M
5	RLW/SP	RLW-RECH	227/4	PTFE- ARTHUR FLURY 6.60M
6	BPA/TSS	BPA-MMZ	244/8	PTFE- ARTHUR FLURY 6.60M
7	MCI/SP	PPZ-MCI	262/28	PTFE- ARTHUR FLURY 6.60M
8	RDM/TSS	PPZ-RDM	272/26	PTFE- ARTHUR FLURY 6.60M
9	KYOP/SP	KYOP-KOLR	299/24	PTFE- ARTHUR FLURY 6.60M
10	JMKT/TSS	JMKT-OPL	328/24	PTFE- ARTHUR FLURY 6.60M
11	OPL/SP	JMKT-OPL	340/32	PTFE- ARTHUR FLURY 6.60M
12	KZJ/TSS	KMPT-KZJ	359/4A	PTFE- ARTHUR FLURY 6.60M
13	KZJ/TSS	KMPT-KZJ	359/4	PTFE- ARTHUR FLURY 6.60M
UD Line				
1	OPL/SP	OPL-JMKT	340/C5	PTFE- ARTHUR FLURY 6.60M

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
2	JMKT/TSS	OPL-JMKT	328/C1	PTFE- ARTHUR FLURY 6.60M
3	KYOP/SP	KOLR-KYOP	299/C10	PTFE- ARTHUR FLURY 6.60M
4	RDM/TSS	RDM-PPZ	272/9C	PTFE- ARTHUR FLURY 6.60M
5	MCI/SP	MCI-PPZ	262/12C	PTFE- ARTHUR FLURY 6.60M
6	RLW/SP	RLW-RECH	226/C16	PTFE- ARTHUR FLURY 6.60M
7	SKZR/TSS	SKZR-VEM	194/17C	PTFE- ARTHUR FLURY 6.60M
8	MKDI/SP	SRUR-MKDI	179/22C	PTFE- ARTHUR FLURY 6.60M
9	WIRR/TSS	WIRR-MKDI	166/C9	PTFE-GALLAND 14.4m

LOCATION OF TRACTION SUB-STATIONS BETWEEN KZJ-BPQ

S.No.	Name of TSS	Traction Mast Number		
		UP Line	DN Line	UD Line
1	KZJ	362/17-11	362/12-18	NIL
2	JMKT	330/1-329/25	330/2-329/26	330/C3-7C
3	RDM	272/13-7	272/8-14	273/12C-13C
4	BPA	242/17-11	242/10-16	NIL
5	SKZR	200/1-199/31	200/2-199/32	194/17C
6	WIRR	160/21-25	160/26-22	160/C11-C13

NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN HYDERABAD/ SECUNDERABAD-WADI SECTION

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
UP Line				
1	LPI/SP	LPI-NPL	158/3	PTFE- ARTHUR FLURY 6.60M
2	VKB/TSS	CTF-VKB	114/5	PTFE- ARTHUR FLURY 6.60M
3	DRR/SP	GDQ-DRR	92/1	PTFE- ARTHUR FLURY 6.60M
4	TDU/TSS	RMY-TDU	72/1-71/39	PTFE- ARTHUR FLURY 6.60M
5	NAW/SP	NAW-KQT	51/23	PTFE- ARTHUR FLURY 6.60M
6	MQR/TSS	SEM-MQR	25/39	PTFE- ARTHUR FLURY 6.60M
7	WD/SP	SUH-WADI	3/9	PTFE- ARTHUR FLURY 6.60M
DN Line				
1	LPI/SP	NPL-LPI	158/2C	PTFE- ARTHUR FLURY 6.60M
2	VKB/TSS	VKB-CTF	114/6	PTFE- ARTHUR FLURY 6.60M
3	DRR/SP	DRR-GDQ	92/4	PTFE- ARTHUR FLURY 6.60M
4	TDU/TSS	TDU-RMY	71/42	PTFE- ARTHUR FLURY 6.60M
5	NAW/SP	KQT-NAW	51/24	PTFE- ARTHUR FLURY 6.60M
6	MQR/TSS	MQR-SEM	25/40	PTFE- ARTHUR FLURY 6.60M
7	WD/SP	WADI-SUH	3/10	PTFE- ARTHUR FLURY 6.60M

LOCATION OF TRACTION SUB-STATIONS BETWEEN HYB/SC-WADI

S.No.	Name of TSS	Traction Mast Number	
		UP Line	DN Line
1	SNF/TSS	173/11-7	173/8-12
2	VKB/TSS	114/7-3	114/4-8
3	TDU/TSS	72/1-71/39	71/40-72/2
4	MQR/TSS	26/1-25/39	25/40-26/2

NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN SECUNDERABAD - KAZIPET SECTION

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
UP LINE				
1	PQL/SP	KZJ-PQL	320/3	PTFE- ARTHUR FLURY 6.60M
2	GNP/TSS	GNP-IPG	303/19	PTFE- ARTHUR FLURY 6.60M

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
3	YSPM/SP	YSPM-ZN	281/15	PTFE- ARTHUR FLURY 6.60M
4	ALER/TSS	PBP-ALER	264/29	PTFE- ARTHUR FLURY 6.60M
5	BG/SP	BG-PGDP	235/35	PTFE- ARTHUR FLURY 6.60M
6	GT/TSS	GT-CHZ	212/19	PTFE- ARTHUR FLURY 6.60M
7	GT/TSS	GT-CHZ	212/23M	PTFE- ARTHUR FLURY 6.60M
8	AMQ/SP	AMQ-SNF	10/7	PTFE- ARTHUR FLURY 6.60M
9	AMQ/SP	AMQ-SNF	10/6	PTFE- ARTHUR FLURY 6.60M
10	SC/SP	LGD-SC	195/59-37	SI - 53.6M
11	SC/SP	LGD-SC 3rd Line	195/1011-1003	SI - 53.6M
DN LINE				
1	PQL/SP	PQL-KZJ	320/4	PTFE- ARTHUR FLURY 6.60M
2	GNP/TSS	IPG-GNP	303/20	PTFE- ARTHUR FLURY 6.60M
3	YSPM/SP	ZN-YSPM	281/2	PTFE- ARTHUR FLURY 6.60M
4	ALER/TSS	ALER-PBP	265/14A	PTFE- ARTHUR FLURY 6.60M
5	BG/SP	PGDP-BG	235/36	PTFE- ARTHUR FLURY 6.60M
6	GT/TSS	CHZ-GT	212/20	PTFE- ARTHUR FLURY 6.60M
7	GT/TSS	CHZ-GT	212/24M	PTFE- ARTHUR FLURY 6.60M
8	SC/SP	SC-LGD	195/36-60	SI - 61.5M

LOCATION OF TRACTION SUB-STATIONS BETWEEN SC-KZJ

S.No.	Name of TSS	Traction Mast Number	
		UP Line	DN Line
1	GNP	304/15-9	304/14-20
2	ALER	263/5-7	263/6-8
3	GT	213/23-29	213/24-30

NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN KAZIPET - KONDAPALLI SECTION

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
UP LINE				
1	KI/TSS	KI-CVV	565/23	PTFE- ARTHUR FLURY 6.60M
2	MDR/SP	TNGM-MDR	533/21	PTFE- ARTHUR FLURY 6.60M
3	BKL/TSS	MTMI-BKL	514/23A	PTFE- ARTHUR FLURY 6.60M
4	KMT/SP	KMT-PPY	479/13	PTFE- ARTHUR FLURY 6.60M
5	DKJ/TSS	PPY-DKJ	467/19	PTFE- ARTHUR FLURY 6.60M
6	TAA/SP	TAA-KDM	426/15	PTFE- 4.80M
7	NKD/TSS	NKD-YGL	405/5	PTFE- ARTHUR FLURY 6.60M
8	SQZ/SP	CLE-WL	381/19	PTFE- ARTHUR FLURY 6.60M
DN LINE				
1	KI/TSS	CVV-KI	565/22	PTFE- ARTHUR FLURY 6.60M
2	MDR/SP	MDR-TNGM	533/4	PTFE- ARTHUR FLURY 6.60M
3	BKL/TSS	BKL-MTMI	513/20A	PTFE- ARTHUR FLURY 6.60M
4	KMT/SP	PPY-KMT	479/14	PTFE- ARTHUR FLURY 6.60M
5	DKJ/TSS	DKJ-PPY	467/20	PTFE- ARTHUR FLURY 6.60M
6	TAA/SP	KDM-TAA	428/28	PTFE- ARTHUR FLURY 6.60M
7	NKD/TSS	YGL-NKD	404/4A	PTFE- ARTHUR FLURY 6.60M

8	SQZ/SP	WL-CLE	381/8	PTFE- ARTHUR FLURY 6.60M
BD LINE				
1	KI/TSS	CVV-KI	565/C15	PTFE- ARTHUR FLURY 6.60M
2	BKL/TSS	BKL-MTMI	514/C18	PTFE- ARTHUR FLURY 6.60M
3	MDR/SP	MDR-TNGM	533/C14	PTFE- ARTHUR FLURY 6.60M
4	TAA/SP	KDM-TAA	426/C8	PTFE- ARTHUR FLURY 6.60M
5	NKD/TSS	YGL-NKD	405/C4	PTFE- ARTHUR FLURY 6.60M
6	SQZ/SP	WL-CLE	381/C4	PTFE- ARTHUR FLURY 6.60M

LOCATION OF TRACTION SUB-STATIONS BETWEEN KZJ-KI

S.No.	Name of TSS	Traction Mast Number		
		UP Line	DN Line	BD Line
1	KI	567/31-35	567/32-36	567/C15-C17
2	BKL	514/13-7	514/8-12	NIL
3	DKJ	464/7-1	464/2-8	NIL
4	NKD	405/5	404/4	405/C4
5	KZJ	362/17-11	362/12-18	NIL

**NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN
DORNAKAL - BHADRACHALAM ROAD - CHANDRUGONDA SECTION**

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
1	KRA/SP	CMW-KRA	17/11-9	PTFE- ARTHUR FLURY 6.60M
2	SAVR/SP	BDCR-CDRG	8/19	PTFE- ARTHUR FLURY 6.60M
3	CDRG/ TSS	CDRG-PSHP	25/1	PTFE- ARTHUR FLURY 6.60M

LOCATION OF TRACTION SUB-STATIONS BETWEEN DKJ-BDCR-CDGR

S.No.	Name of TSS	Traction Mast Number
1	BDCR	52/10-11
2	CDRG	23/11-13

**NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN
KHANAPUR - TAJ SULTANPUR SECTION**

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
1	KHANAJI/SP	KHNP-TJSP	8/5'	PTFE- ARTHUR FLURY 6.60M
2	HMBD/TSS	KHNP-TJSP	42/8	PTFE- ARTHUR FLURY 6.60M
3	TJSP/SP	KHNP-TJSP	95/11	PTFE- ARTHUR FLURY 6.60M

LOCATION OF TRACTION SUB-STATIONS BETWEEN KHNP-TJSP

S.No.	Name of TSS	Traction Mast Number
1	HMBD	42/8

**NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN
MOTUMARI - JANPAHAD SECTION**

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
1	MAPA/SP	MAPA-JPTN	18/9A	PTFE- ARTHUR FLURY 6.60M
2	MTMP/TSS	MACU-MTMP	58/5	PTFE- ARTHUR FLURY 6.60M
3	JNPD/SP	RRPM-JNPD	75/2	PTFE- ARTHUR FLURY 6.60M

LOCATION OF TRACTION SUB-STATIONS BETWEEN MTMI-JNPD

S.No.	Name of TSS	Traction Mast Number
1	MTMP	58/18-20

NEUTRAL SECTIONS & TRACTION SUB-STATIONS IN VKB-PARLI SECTION

S.No.	Name of TSS/SP	Location of Neutral Section	Traction Mast No.	Type & Length of Neutral Section
1	VKB/TSS	VKB-SSPD	5/1	PTFE- ARTHUR FLURY 6.60M
2	KOHR/SP	KOHR-ZB	50/4	PTFE-GALLAND 14.4m
3	KHNP/TSS	BIDR-KHNP	102/12	PTFE-GALLAND 14.4m
4	KMNR/SP	KHNP-PRLI	150/2	PTFE-GALLAND 14.4m
5	CKX/TSS	KHNP-PRLI	201/12	PTFE-GALLAND 14.4m
6	PNF/SP	PNF-GTU	235/13	PTFE-GALLAND 14.4m

LOCATION OF TRACTION SUB-STATIONS BETWEEN VKB-PRLI

S.No.	Name of TSS	Traction Mast Number
1	KHNP/TSS	106/2-7
2	CKX/TSS	200/1-5

Permanent Speed Restrictions

S.No.	Station	From Loc.	To Loc.	Remarks
Secunderabad Division				
1	Bhalki-Kalgupur (SL)	129/28	130/4	90 kmph due to Tramway OHE under ROB no. 168A
2	Kalgupur-Kamalnagar (SL)	151/14	151/19	90 kmph due to Tramway OHE under ROB no. 182A

MAXIMUM SPAN LENGTHS ADOPTED SECTION WISE FOR SPEED TABLE

S.no	Section	Maximum span length adopted	No. of masts /km
1	VKB-KOHR	72 Mts	14
2	LPJL-MRTD	72 Mts	14
3	KZJ-KI	72 mts	14
4	KZJ-BPQ	72 mts	14
5	KZJ-SC	72 mts	14
6	SC-LPI	72 mts	14
7	LPI-WD	72 mts	14
8	DKJ-BDCR	72 mts	14
9	BDCR-MUGR	72 mts	14
10	MTMI-JPTN	58.5 mts	17

List of Bridges in S.C. Railway requiring operation of TELS to limit the TE to 30t/loco

Sl.No	Br.No.	Km	SPAN	Type Of Bridge	Type of Locos(Double Headed) where Tractive Effort is limited to 30t per Loco	Type of Locos(Single Headed) where Tractive Effort is limited to 30t per Loco
SECUNDERABAD DIVISION						
BPO-KZJ (UP LINE)						
1	31	348/1-3	2x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	39	343/30-28	5x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
3	52	334/15-13	4x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
4	94	296/27-25	5x12.2m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
5	142	265/15-264/15	44x24.38 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG7, WAG9, WAG9H, WAG9HC	WAG11
6	298	137/20-2	5x60.31+2x60.65m	OW/G	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9, WAG9H, WAG9HC	WAG11
7	269	158/27-25	6x18.28m	PlateGirder	WDG6G, WDG5	WDG6G, WDG5
BPO-KZJ (DN LINE)						
1	31	348/2-4	2x12.2m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	
2	39	343/29-27	5x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
3	52	334/18-16	4X12.2m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	
4	94	296/30-28	5x12.04 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
5	142	265/20-265/18	44x24.38 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG7, WAG9, WAG9H, WAG9HC	WAG11
6	161	251/28-30	2x12.22 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
7	230	186/28-30	3x12.22 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
8	66	319/14-34	27x18.3m	PlateGirder	WDG6G, WDG5	WDG6G, WDG5
BPO-KZJ(3rd line)						
1	269	158.752	6x18.3m	PSC Girder	WDG6G	
KZJ-SC (UP LINE)						
1	318	228/31-35	6x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	393	280/25-27	8x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
3	442	311/27-31	4x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
KZJ-SC (DN LINE)						
1	318	228/32-36	6x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	366	263/24-26	10x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
3	442	311/28-32	4x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
SC-WADI (UP LINE)						
1	36	37/12-15	12x12.4 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	71	79/16-17	1x12.04 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
3	123	113/1-2	5x12.0 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
SC-WADI (DN LINE)						
1	134	120/12-13	8x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
VKB-PRLJ (SL)						
1	33	19/6-7	1x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11

Sl.No	Br.No.	Km	SPAN	Type Of Bridge	Type of Locos(Double Headed) where Tractive Effort is limited to 30t per Loco	Type of Locos(Single Headed) where Tractive Effort is limited to 30t per Loco
2	96	68/2-4	7x12.102 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
3	178	140/9-10	3x12.2 m + 9x18.29 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5	WDG6G
4	182	149/12-13	6x12.2 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5	
HYB-HSJ (UP LINE)						
1	7A	186/33-35	1x12.04 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
HYB-HSJ (DN LINE)						
1	7A	186/33-35	1x12.04 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
SNF-BYE PASS (SL)						
1	6	1/19-20	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
2	7	1/20-21	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
3	11	4/9-5/0	1x12.2m	PlateGirder	WDG5	
4	31	11/12-13	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
5	35	12/7-8	1x12.2m	PlateGirder	WDG5	
KZJ-BZA (UP LINE)						
1	665	481/19-21	1x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	642	468/5-9	3x18.28m	PlateGirder	WDG6G, WDG5	WDG6G, WDG5
3	727	541/17-25	8x18.28m + 2x9.14m	PlateGirder	WDG6G, WDG5	WDG6G, WDG5
4	714	526/33-41	4x45.72m	OWG	WDG5, WAG7, WAG9	
KZJ-BZA (DN LINE)						
1	665	481/20-22	1x12.19 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	714	526/34-42	9x18.28+1x12.2m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WDG6G, WAG11, WDG5
3	642	468/4-10	5x18.28m	PlateGirder	WDG6G, WDG5	WDG6G, WDG5
DKJ-KRA(SL)						
1	22MB	13/11-12	3x12.19m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
KRA-BDCR (SL)						
1	9kk	21/11-12	2x12.92 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
2	65KK	2-4-2005	5x12.13 m	PlateGirder	WDG4, WDG4D, WDG4G, WDG6G, WDG5, WAG9H, WAG9HC	WAG11
BDCR-MUGR (SL)						
1	69	59/13-14	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
2	83	67/3-4	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
3	85	67/13-14	2x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
4	86	68/1-2	1x12.67 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
5	100	77/7-8	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
6	102	78/13-14	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
7	107	83/3-4	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
8	114	86/8-9	2x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
9	130	94/1-2	2x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
10	131	94/9-10	4x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
11	145	99/12-13	1x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	
12	152	101/7-8	3x12.2 m	PlateGirder	WDG4D, WDG4G, WDG6G, WDG5	

Sl.No	Br.No.	Km	SPAN	Type Of Bridge	Type of Locos(Double Headed) where Tractive Effort is limited to 30t per Loco	Type of Locos(Single Headed) where Tractive Effort is limited to 30t per Loco
13	155	102/5-6	1x12.2 m	PlateGirder	WDG4D,WDG4G,WDG6G,WDG5	
14	81	66/1-2	1x12.2m	PlateGirder	WDG4D,WDG4G,WDG6G,WDG5	
15	125	91/3-4	1x12.2m	PlateGirder	WDG4D,WDG4G,WDG6G,WDG5	
16	95	73/2-3	1X18.3m	PlateGirder	WDG5	WDG5
17	166	1/16-2/1	1X18.3m	PlateGirder	WDG5	WDG5
18	168	2/15-16	4X18.3m	PlateGirder	WDG5	WDG5
BDCR-STPLI						
1	32	19/8-19-9	6 X 18.3m	PSC Girder	TE limit of 30t/loco applicable to all electric and diesel locos while carrying CC+8+2t loading(due to continuation of LWR)	
2	51	9/7-9/8	9 x 24.4m	PSC Box Girder		

SECUNDERABAD DIVISION LOAD TABLE-80 (2025-26) FOR GOODS TRAINS (ELECTRIC) UP DIRECTION												
DOWN DIRECTION					TRACTION						Remarks	
Section	Distance in KMs	Ruling Gradient 1 in	LOAD									Remarks
				WAG-5		WAG-7		WAG-9		WAG-12		
				SH	M U	SH	M U	SH	M U	SH		
KZJ-SNF	150	100	42 BCNL/42BCNAL	NP	P	NP	P	P *	P	P	*Run through at PQL, ZN, WP, IBS(WP-BG), CHZ, LGD (Not to be stopped at home signal of GNP, IPG, BG, BN, CHZ, AMQ, SNF Main Line).	
			58 BCNHL/59BOXNL/59BOBRNL	NP	NP	NP	P	P *	P	P		
			50BTPNL	NP	p	NP	P	P *	P	P		
			45BOST/45CONCORD E/43BRN/45BLC	NP	P*	NP	P	P *	P	P		
BZA-KZJ	220	150	42 BCNL/42BCNAL	NP	P	P*	P	P *	P	P	*Run through at IBS (MTMI-BKL), BKL, PPY, IBS(PPY-DKJ), GUU, TAA, CLE. [Not to be stopped at Home signal at CVV, TNGM, BKL, CKN, PPY, DKJ bypass, GUU, TAA, CLE, KZJ bypass]	
			58 BCNHL/59BOXNL/59BOBRNL	NP	P*	NP	P	P *	P	P		
			50BTPNL	NP	P	NP	P	P *	P	P		
			45BOST/45CONCORD E/43BRN/45BLC	NP	P	P*	P	P *	P	P		
KZJ-BPQ	235	150	42 BCNL/42BCNAL	NP	P	P*	P	P *	P	P	* Run through at RECH, SKZR, SRUR, IBS(SRUR-MKDI), (Not to be stopped at HS of BGSF, PTKP, PDPL, MCI, MMZ, BPA, RECH & SKZR)	
			58 BCNHL/59BOXNL/59BOBRNL	NP	P*	NP	P	P *	P	P		
			50BTPNL	NP	P*	NP	P	P *	P	P		
			45BOST/45CONCORD E/43BRN/45BLC	NP	P	P*	P	P *	P	P		
VKB-PRLI	268	100	42 BCNL/42BCNAL	NP	P	P*	P	P *	P	P	*Run through at SSPD, MRF, MTV, KCP and KMNR. (Not to be stopped at home signal of SSPD, BHLK, KMNR, LTRR & PNF)	
			58 BCNHL/59BOXNL/59BOBRNL	NP	NP	NP	P	NP	P	P		
			50BTPNL	NP	NP	NP	P	NP	P	P		
			45BOST/45CONCORD E/43BRN/45BLC	NP	P	P*	P	NP	P	P		
NZB-PDPL	178	100	42 BCNL/42BCNAL	NP	P	P*	P	P *	P	P	* Run through to be given at Gate Signal (LC No.3, NZB-ARMU). (Not to be stopped at Home Signal of NPML, STBD and PDPL)	
			58 BCNHL/59BOXNL/59BOBRNL	NP	P	NP	P	P *	P	P		
			50BTPNL	NP	P	NP	P	P *	P	P		
			45BOST/45CONCORD E/43BRN/45BLC	NP	P	P	P	P *	P	P		

Note: P- permitted, NP- not permitted

- 1) In addition to trailing loads mentioned, BV is also permitted.
- 2) In case of stalling Loco pilot should not indefinitely try to pull the load thus causing wheel slip and damage to rail. Instead S shall ask for assisting engine
- 3) SH of any class of any loco can haul full length empty train of any stock and stalling at any place will be shown on loco account.
- 4) If WAG-9 SH for 59 BOXN/BOBRNL and 58 BCNHL loads stalls in gradients steeper than 1 in 400, it should not be shown on loco account
- 5) In case of inclement weather or SR of 30 KMPH and below is imposed at the foot/peak of 1 in 150 and steeper gradient, banker should not be provided for all loaded (except for loads hauled by WAG-9 MU) trains on raising gradients sleeper than 1 in 150 .
- 6) In addition to the above, if stalling takes place for the loads other than Load Table published by ALSTOM/WAG-12 (failure/detention/punctuality/loss of goods trains/Coaching trains shall not be shown on Loco account

SECUNDERABAD DIVISION LOAD TABLE-80 (2025-26) FOR GOODS TRAINS (ELECTRIC) UP DIRECTION											
Section	Dis tan ce in K Ms	Rul ing Gr adi ent 1 in	Load								Remarks
				WAG-5		WAG-7		WAG-9		WAG-12	Remarks
				SH	MU	S H	M U	SH	MU		
SNF- WD	174	100	42 BCNL/42 BCNAL	NP	P	N P	P	P	P	P	* Not to be stopped at Home Signal of HFZ, NPL and MQR. [if started from SNF, banker to be given expect for Main Line]
			58 BCNHL/59BOXNL/59BOBR NL	NP	P*	N P	P	NP	P	P	
			50BTPNL	NP	P*	N P	P	NP	P	P	
			45BOST/45CONCORDE/43B RN/45BLC	NP	P	P *	P	P*	P	P	
JNPD- MTMI	78	150	42 BCNL/42 BCNAL	NP	P	P	P	P	P	P	
			58 BCNHL/59BOXNL/59BOBR NL	NP	P	N P	P	P	P	P	
			50BTPNL	NP	P	N P	P	P	P	P	
			45BOST/45CONCORDE/43B RN/45BLC	NP	P	P	P	P	P	P	
MUGR -DKJ	103	100	42 BCNL/42 BCNAL	NP	P	P	P	P	P	P	*Run through at BDCR by-pass, TPY, CWM, (Not to be stopped at home signal of BTPD bypass}.
			58 BCNHL/59BOXNL/59BOBR NL	NP	P*	N P	P	P*	P	P	
			50BTPNL	NP	P*	N P	P	P*	P	P	
			45BOST/45CONCORDE/43B RN/45BLC	NP	P	P	P	P	P	P	
BDCR- JVRB	57	150	42 BCNL/42 BCNAL	NP	P	P	P	P	P	P	
			58 BCNHL/59BOXNL/59BOBR NL	NP	P	N P	P	P	P	P	
			50BTPNL	NP	P	N P	P	P	P	P	
			45BOST/45CONCORDE/43B RN/45BLC	NP	P	P	P	P	P	P	
MAGH -GDCR	27	150	42 BCNL/42 BCNAL	NP	P	P	P	P	P	P	
			58 BCNHL/59BOXNL/59BOBR NL	NP	P	N P	P	P	P	P	
			50BTPNL	NP	P	N P	P	P	P	P	
			45BOST/45CONCORDE/43B RN/45BLC	NP	P	P	P	P	P	P	

Note: P- permitted, NP- not permitted

1) In addition to trailing loads mentioned, BV is also permitted.

2) In case of stalling Loco pilot should not indefinitely try to pull the load thus causing wheel slip and damage to rail. Instead S shall ask for assisting engine

3) SH of any class of any loco can haul full length empty train of any stock and stalling at any place will be shown on loco account.

4) If WAG-9 SH for 59 BOXN/BOBRNL and 58 BCNHL loads stalls in gradients steeper than 1 in 400, it should not be shown on loco account

5) In case of inclement weather or SR of 30 KMPH and below is imposed at the foot/peak of 1 in 150 and steeper gradient, banker should not be provided for all loaded (except for loads hauled by WAG-9 MU) trains on raising gradients steeper than 1 in 150 .

6) In addition to the above, if stalling takes place for the loads other than Load Table published by ALSTOM/WAG-12 (failure/detention/punctuality/loss of goods trains/Coaching trains shall not be shown on Loco account

SECUNDERABAD DIVISION LOAD TABLE-79 (2024-25) FOR GOODS TRAINS (ELECTRIC) DN DIRECTION										
Section	Distance in KMs	Ruling Gradient 1 in	LOAD							
				WAG-5		WAG-7		WAG-9		WAG-12
				SH	MU	SH	MU	SH	MU	SH
BPQ-KZJ	110	150	42 BCNL/42BCNAL	N P	P	P*	P	P*	P	P
			58 BCNHL/59BOXNL/59 BOBRNL	N P	P*	N P	P	P*	P	P
			50BTPNL	N P	P	N P	P	P*	P	P
			45BOST/45CONCORDE/43BRN/45BLC	N P	P	P*	P	P*	P	P
PRLI-VKB	268	100	42 BCNL/42BCNAL	N P	P@	N P	P	P@ *	P	P
			58 BCNHL/59BOXNL/59 BOBRNL	N P	NP	N P	P@ %	NP	P@	P@
			50BTPNL	N P	NP	N P	P@	NP	P	P@
			45BOST/45CONCORDE/43BRN/45BLC	N P	P@	N P	P	P@ *	P	P@
KZJ-BZA	95	150	42 BCNL/42BCNAL	N P	P	P*	P	P*	P	P
			58 BCNHL/59BOXNL/59 BOBRNL	N P	P*	N P	P	P*	P	P
			50BTPNL	N P	P	P*	P	P*	P	P

SECUNDERABAD DIVISION LOAD TABLE-79 (2024-25) FOR GOODS TRAINS (ELECTRIC) DN DIRECTION											
Section	Distance in KMs	Ruling Gradient 1 in	LOAD								Remarks
				WAG-5		WAG-7		WAG-9		WAG-12	
			SH	MU	SH	MU	SH	MU	SH		
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P*	P	P*	P	P	IBS(MDR-TNGM): YP and BZA West. (Not to be stopped at Home Signal of WL, NKD, KMT, MTMI bypass, MTMI, TNGM, YP) .
SNF-KZJ	150	100	42 BCNL/42BCNAL	NP	P	P*	P	P*	P	P	* Run through given at PGDP&MLY (Not to be stopped at Home Signal of SC, MLY & PGDP, IB signal between PGDP-BG).
			58 BCNHL/59BOXNL/59BOBRNL	NP	P	NP	P	NP	P	P	
			50BTPNL	NP	P	NP	P	NP	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P*	P	NP	P	P	
PDPL-NZB	178	100	42 BCNL/42BCNAL	NP	P	P*	P	P*	P	P	* Run through to be given at Gate Signal (LC No.3, ARMU-NZB), (Not to be stopped at Home Signal of STBD, KRMR, GDRA & NPML)
			58 BCNHL/59BOXNL/59BOBRNL	NP	P*	NP	P	P*	P	P	
			50BTPNL	NP	P	NP	P	P*	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P*	P	P*	P	P	

Note: P- permitted, NP- not permitted

- 1) In addition to trailing loads mentioned, BV is also permitted.
- 2) In case of stalling Loco pilot should not indefinitely try to pull the load thus causing wheel slip and damage to rail. Instead S shall ask for assisting engine
- 3) SH of any class of any loco can haul full length empty train of any stock and stalling at any place will be shown on loco account.
- 4) If WAG-9 SH for 59 BOXN/BOBRNL and 58 BCNHL loads stalls in gradients steeper than 1 in 400, it should not be shown on loco account
- 5) In case of inclement weather or SR of 30 KMPH and below is imposed at the foot/peak of 1 in 150 and steeper gradient, banker should not be provided for all loaded (except for loads hauled by WAG-9 MU).
- 6) In addition to the above, if stalling takes place for the loads other than Load Table published by ALSTOM/WAG-12 (failure/detention/punctuality/loss of goods trains/Coaching trains shall not be shown on Loco account

SECUNDERABAD DIVISION LOAD TABLE-80 (2025-26) FOR GOODS TRAINS (ELECTRIC) DN DIRECTION											
DOWN DIRECTION			LOAD	TRACTION						Remarks	
Section	Distance in KMs	Ruling Gradient 1 in		WAG-5		WAG-7		WAG-9		WAG-12	Remarks
				SH	MU	SH	MU	SH	MU	SH	
WD-SNF	174	100	42 BCNL/42BCNAL	NP	P	P*	P	P*	P	P	* Run through at DRR, GDQ & VKB (Not to be stopped at Home Signal of LPI & HFZ).
			58 BCNHL/59BOXNL/ 59BOBRNL	NP	P *	NP	P	P*	P	P	
			50BTPNL	NP	P	NP	P	P*	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	NP	P	P*	P	P	
MTMI-JNPD	78	150	42 BCNL/42BCNAL	NP	P	P	P	P	P	P	
			58 BCNHL/59BOXNL/ 59BOBRNL	NP	P	NP	P	P	P	P	
			50BTPNL	NP	P	NP	P	P	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P	P	P	P	P	
DKJ-MUGR	103	100	42 BCNL/42BCNAL	NP	P	P	P	P*	P	P	* Run through signals at DK J intermediate starter, DKJ by pass starter , PCZ, KRA, BTPD, PGP, AWM (Not to be stopped at Home Signal of PCZ)
			58 BCNHL/59BOXNL/ 59BOBRNL	NP	P*	NP	P	P*	P	P	
			50BTPNL	NP	P	NP	P	P*	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P	P	P*	P	P	
JVRB-BDCR	57	150	42 BCNL/42BCNAL	NP	P	P	P	P	P	P	Not to be stopped at Home Signal at SAVR & BTPD bypass (towards DKJ)
			58 BCNHL/59BOXNL/ 59BOBRNL	NP	P*	NP	P	P*	P	P	
			50BTPNL	NP	P*	NP	P	P*	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P	P	P	P	P	
GDCR-MAGH	27	150	42 BCNL/42BCNAL	NP	P	P	P	P	P	P	
			58 BCNHL/59BOXNL/ 59BOBRNL	NP	P	NP	P	P	P	P	
			50BTPNL	NP	P	NP	P	P	P	P	
			45BOST/45CONCORDE/43BRN/45BLC	NP	P	P	P	P	P	P	

Note: P- permitted, NP- not permitted

1) In addition to trailing loads mentioned, BV is also permitted.

2) In case of stalling Loco pilot should not indefinitely try to pull the load thus causing wheel slip and damage to rail. Instead S shall ask for assisting engine.

3) SH of any class of any loco can haul full length empty train of any stock and stalling at any place will be shown on loco account.

4) If WAG-9 SH for 59 BOXN/BOBRNL and 58 BCNHL loads stalls in gradients steeper than 1 in 400, it should not be shown on loco account

5) In case of inclement weather or SR of 30 KMPH and below is imposed at the foot/peak of 1 in 150 and steeper gradient, banker should not be provided for all loaded (except for loads hauled by WAG-9 MU) trains on raising gradients steeper than 1 in 150 .

6) In addition to the above, if stalling takes place for the loads other than Load Table published by ALSTOM/WAG-12 (failure/detention/punctuality/loss of goods trains/Coaching trains shall not be shown on Loco account)

SECUNDERABAD DIVISION LOAD TABLE-80 (2025-26) FOR GOODS TRAINS (DIESEL TRACTION) DIRECTION										
SECTION	LOAD	WDM 2/3 A		WDG3A		WDG4		WDG4D		REMARKS
		SH	MU	SH	MU	SH	MU	SH	MU	
KZJ-SC/AMQ-SNF (Distance in KMs 153 via AMQ & 143 via SC, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P*@\$	NP	P*	P*@\$	P	P*@\$	P	\$ Require banker KZJ-PQL, WP-CHZ * Not to be stopped at Home Signal of, BG, BN, CHZ, LGD. SC. SNF & AMQ. @ Through Signals on main line at WP, PGDP, BN & CHZ
	58 BCNHL/59 BOXNL	NP	P*@\$	NP	P*@\$	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P*@\$	NP	P	P*@\$	P	P*@\$	P	
SNF - WD (Distance in KMs 174, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P	NP	P	P*@\$	P	P*@\$	P	* Not to be stopped at Home Signal of HFZ, NPL, MQR & CT @ Through Signals at HFZ, NPL, CT # Banker to be provided while starting from Rd4, L3, L2, L1 lines of SNF and also during inclement weather.
	58 BCNHL/59 BOXNL	NP	P*@\$	NP	P*	P*@\$	P	P*@\$	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P* @	NP	P	P*@\$	P	P*@\$	P	
VKB - PRLI (Distance in KMs 267, Ruling Gradient 1/100 rising gradient)	42BCNL/42BCNAL	NP	NP	NP	P*	P*@\$	P	P*@\$	P	* Not to be stopped at Home Signal of SSPD,BHLK, KMN, LTRR, PNF. @ Through Signals on main line at SSPD, MRF,MTV, KCP, and KMN. # Banker to be provided at VKB-MRF,MTV-BIDR,KCP-KMN-UDGR,CKX-JOA-PNF.
	58 BCNHL/59 BOXNL	NP	NP	NP	P*@\$	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	NP	NP	P*@\$	P*@\$	P	P*@\$	P	
KZJ - BPA (Distance in KMs 126, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P	NP	P*	P* @	P	P* @	P	* Not to be stopped at Home Signal of MMZ,MCI. @ Through Signals to be given on main line at JMKT, PDPL & MMZ.
	58 BCNHL/59 BOXNL	NP	P*@\$	NP	P*@\$	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN	NP	P*	NP	P	P* @	P	P* @	P	
	50 BTPNL/45 BLC/70 OTL									
BPA - BPQ (Distance in KMs 110, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P	NP	P	P* @	P	P* @	P	* Not to be stopped at Home Signal of RECH, VEM & SKZR. @ Through Signals to be given on M/L at BPA, RECH, VEM & SKZR. # During inclement weather speed restriction of 30 kmph banker required at BPA-RECH and SKZR - VEM
	58 BCNHL/59 BOXNL	NP	P* @	NP	P* @	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P*	NP	P	P* @	P	P* @	P	
BZA-DKJ (Distance in KMs 125, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P	NP	P	P* @	P	P* @	P	* Not to be stopped at Home Signal of TNGM, BKL,PPY @ Through Signals to be given on M/L at BKL, PPY # During inclement weather speed restriction of 30 kmph banker required at TNGM-BKL
	58 BCNHL/59 BOXNL	NP	P* @	NP	P* @	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P	NP	P	P* @	P	P* @	P	
DKJ-KZJ (Distance in KMs 95, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P	NP	P	P* @	P	P* @	P	* Not to be stopped at Home Signal of GUU, TAA, NKD, KDM(IFS) & CLE @ Through Signals to be given on M/L at KI, PPY, GUU & TAA # During inclement weather speed restriction of 30 kmph banker required at DKJ, CLE.
	58 BCNHL/59 BOXNL	NP	P* @	NP	P* @	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P*	NP	P	P* @	P	P* @	P	
MAGH-GDCR (Distance in KMs 27, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P	NP	P	P #	P	P#	P	# Banker to be provided PRPI, GDCR
	58 BCNHL/59 BOXNL	NP	P	NP	P	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P	NP	P	P#	P	P#	P	

- Foot Note: 1.NP: Not permitted, P: Permitted
2. WDG4-SH and MU load trails to be conducted
3. In case of stalling, the LP should not try to pull the load, thus causing wheel slip and damage to rails. Instead ask relief.
4. If stalling takes place on account of not following the above conditions, failure/detention/Punctuality loss to the coaching trains shall not be shown on loco account.

SECTION	LOAD	WDM 2/3 A		WDG3A		WDG4		WDG4D		REMARKS
		S H	M U	SH	M U	SH	M U	SH	M U	
PDPL-NZB (Distance in KMs 178, Ruling Gradient 1/150, 1/100 LL Capacity 686 Mts)	42BCNL/42BCN AL	N P	P*	NP	P	P	P	P	P	* Not to be stopped at Home Signal of PDPL
	58 BCNHL/59 BOXNL	N P	NP	NP	P*	NP	P	NP	P	
	45 BOST/43 CONCORDE/43 BRN	N P	P*	NP	P	P*	P	P*	P	
	50 BTPNL/45 BLC/70 OTL									
MUGR- DKJ (Distance in KMs 103, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCN AL	N P	NP	NP	P	P* @	P	P*	P	* Not to be stopped at Home Signal of GLE, BDCR & TPY @ Through Signals at GLE, PGP, TPY
	58 BCNHL/59 BOXNL	N P	NP	NP	P	NP	P	NP	P	
	45 BOST/43 CONCORDE/43 BRN	N P	NP	NP	P	P* @	P	P*	P	
	50 BTPNL/45 BLC/70 OTL									
MTMI- MACU (Distance in KMs 45, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCN AL	N P	P	NP	P	P	P	P	P	# Through banker
	58 BCNHL/59 BOXNL	N P	NP	NP	P	P#	P	P#	P	
	45 BOST/43 CONCORDE/43 BRN	N P	P	NP	P	P	P	P	P	
	50 BTPNL/45 BLC/70 OTL									
BPA-KZJ (MAGH- GDCR) (Distance in KMs 236, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCN AL	N P	P* @	NP	P	P* @	P	P* @	P	*Not to be stopped at Home Signal of RDM, RGPM, PDPL ,BGSF, JMKT @ Through Signals at PPZ, RDM # During inclement weather, speed restriction 30kmph banker should be provided at RDM, PDPL
	58 BCNHL/59 BOXNL	N P	NP	NP	P* @#	NP	P	NP	P	
	45 BOST/43 CONCORDE/43 BRN	N P	P* @	NP	P	P* @#	P	P* @#	P	
	50 BTPNL/45 BLC/70 OTL									
KZJ-DKJ (Distance in KMs 95, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCN AL	N P	P @	NP	P*	P* @	P	P* @	P	*Not to be stopped at Home Signal of WL & KDM @ Through Signals on M/L at WL & KDM
	58 BCNHL/59 BOXNL	N P	NP	NP	P* @	NP	P	NP	P	
	45 BOST/43 CONCORDE/43 BRN	N P	P @	NP	P	P* @	P	P* @	P	
	50 BTPNL/45 BLC/70 OTL									
DKJ-BZA (Distance in KMs 125, Ruling Gradient 1/200, LL Capacity 686 Mts)	42BCNL/42BCN AL	N P	P	P*	P	P	P	P	P	*Not to be stopped at Home Signal of MLMG, MTMI and TNGM @ Through Signals on M/L at WL & KDM
	58 BCNHL/59 BOXNL	N P	P*	NP	P*	P* @	P	P* @	P	
	45 BOST/43 CONCORDE/43 BRN	N P	P	P* @	P	P	P	P	P	
	50 BTPNL/45 BLC/70 OTL									
DKJ- MUGR (Distance in KMs 103,	42BCNL/42BCN AL	N P	P	NP	P	P	P	P	P	*Not to be stopped at Home Signal of CMW, TPY & BTPD # Banker between BDCR-MUGR
	58 BCNHL/59 BOXNL	N P	NP	NP	P	P* #	P	P* #	P	

Ruling Gradient 1/100, LL Capacity 686 Mts)	45 BOST/43 CONCORDE/43 BRN	N P	P	NP	P	P	P	P	P	
	50 BTPNL/45 BLC/70 OTL									

Foot Note: 1.NP: Not permitted, P: Permitted

2. WDG4-SH and MU load trails to be conducted

3. In case of stalling, the LP should not try to pull the load, thus causing wheel slip and damage to rails Instead ask relief.

4. If stalling takes place on account of not following the above conditions, failure/detention/Punctuality loss to the coaching trains shall not be shown on loco account

SECUNDERABAD DIVISION LOAD TABLE-80 (2025-26) FOR GOODS TRAINS (DIESEL TRACTION) DIRECTION										
SECTION	LOAD	WDM 2/3 A		WDG3A		WDG4		WDG4D		REMARKS
		SH	MU	SH	MU	SH	MU	SH	MU	
NZB-PDPL(Distance in KMs 178, Ruling Gradient 1/150, 1/100 LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P *	NP	P	P	P	P	P	*Not to be stopped at Home Signal of PDPL
	58 BCNHL/59 BOXNL	NP	NP	NP	P*	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN	NP	P *	NP	P	P*	P	P*	P	
	50 BTPNL/45 BLC/70 OTL									
MACU-MTMI (Distance in KMs 45, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	NP	NP	P	P	P	P	P	# Banker to be provided
	58 BCNHL/59 BOXNL	NP	NP	NP	P	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN	NP	NP	NP	P	P	P	P	P	
	50 BTPNL/45 BLC/70 OTL									
WD-SNF (Distance in KMs 174, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P* @	P* @	P	P*@	P	P*@	P	* Not to be stopped at Home Signal of LPI, HFZ @ Through Signals at RMY, DRR, GDQ # required banker RMY-VKB During inclement weather or speed restriction of 30 kmph and below banker required
	58 BCNHL/59 BOXNL	NP	P*#	NP	P #	P*@#	P	P*@#	P	
	45 BOST/43 CONCORDE/43BRN	NP	P* @#	P* @	P #	P @	P	P@	P	
	50 BTPNL/45 BLC/70 OTL									
SNF-SC/AMQ-KZJ (Distance in KMs 153 via AMQ & 143 via SC, Ruling Gradient 1/100, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P*@	NP	P*	P*@	P	P*@	P	* Not to be stopped at Home Signal of, SC, MLY @ Through Signals on main line at PGDP
	58 BCNHL/59 BOXNL	NP	NP	NP	P*@	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN	NP	P*@	NP	P	P*@	P	P*@	P	
	50 BTPNL/45 BLC/70 OTL									

PRLI-VKB (Distance in KMs 267, Ruling Gradient 1/100 rising gradient	42BCNL/42BCNAL	NP	P* @#	NP	P* @	P* @	P	P* @	P	* Banker to be provided at PRLI- GTU. Not to be stopped at Home Signal of GTU-LTTR and BHLK @ Through Signals on main line at JOA, KCP and HBU, MTV, MRF and SSPD # During inclement weather of speed restriction below 30 kmph, required banker between PRLI-GTU, JOA- LTRR, KCP- BHLK, HBU- KHNP
	58 BCNHL/59 BOXNL	NP	NP	NP	P* @#	NP	P*	NP	P*	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P* @#	NP	P* @	P* @#	P	P* @#	P	

BPQ-BPA (MAGH-GDCR) (Distance in KMs 110, Ruling Gradient 1/150, LL Capacity 686 Mts)	42BCNL/42BCNAL	NP	P* @	NP	P	P* @	P	P* @#	P	* Not to be stopped at Home Signal of SRUR, VEM, ASAF, RLW @ Through Signals at VEM, ASAF, RLW. # During inclement weather speed restriction of 30 kmph banker required at BPQ-RLW
	58 BCNHL/59 BOXNL	NP	NP	NP	P* @#	NP	P	NP	P	
	45 BOST/43 CONCORDE/43BRN									
	50 BTPNL/45 BLC/70 OTL	NP	P* @	NP	P	P* @#	P	P* @#	P	

Foot Note: 1. NP: Not permitted, P : Permitted

2. WDG4-SH and MU load trails to be conducted.

3. In case of stalling, the LP should not try to pull the load, thus causing wheel slip and damage to rails.
 Instead ask relief

4. if stalling takes place on account of not following the above conditions, failure/ detention/Punctuality loss
 to the coaching
 trains shall not be shown on loco account.

Cost Circular

Attention!!!

Traffic; C&W; and Loco Officials

“Avoidable Detention to Rolling Stock”

Detentions results in Loss of Earnings besides higher Maintenance Costs!

Do You Know?

How much would Detention for one Hour Costs?

Or

How much Money can you Save by preventing Detention for one Hour?

Detention to Diesel Loco	Rs. 11420/-
Detention to Electrical Loco	Rs. 13705/-
Idling of AC Coach	Rs.3274/-
Sleeper coach detention	Rs.2114/-
General coach detention	Rs.1177/-
Detention to covered wagon	Rs.1177/-
Detention to open wagon	Rs.1398/-
Detention to Flat wagon	Rs.1454/-

Minimise “***Detentions***” Keep Rolling Stocks “***Moving***”

Enhance “***Revenue***” Reduce” ***Expenses***”

Improve “**Productivity**” of capital-intensive Rolling Stock
by curtailing avoidable “**detentions**” at Yards; Sheds; Sidings; Sick lines & Terminals.

Issued by”

Financial Advisor and Chief Account Officer

South Central Railway

(For Official Communication only)

TRAFFIC COSTING CELL

Cost Circular

Attention!!!

Operating & Commercial Officials

“Cost of Providing Stoppage to an Express Train”

Stoppage results in Loss of Speed; besides extra fuel for deceleration and acceleration!

Do You Know?

What is the Cost Providing an additional „Stoppage of 2“ mts. to an Express Train?

(Units in Rupees)

Elements of Costs.	Hauled by Diesel Loco	Hauled by Electric Loco
Additional Fuel/ Energy	2516/-	827/-
Maintenance of Loco	2959/-	1314/-
Earning capacity lost.	1197/-	1967/-
Total cost of provision of 2 mts stoppage.	8316/-	5763/-

To withdraw an un economical Stoppage means.

To save 30.35 lakhs p.a. in hauled by Diesel Loco.

and

To save Rs. 21.00 lakhs p.a. if hauled by Electric loco.

Issued by:

**Financial Advisor and Chief Accounts Officer
Traffic Costing Cell
South Central Railway**

(For Official Use only)

Followings are different Paper Authorities to be used in different circumstances
Relevant GR and SR should also be referred

Situations	Absolute		Automatic	
	SL	DL	SL	DL
Home / Inner Home / Routing Home/ Starter / Intermediate Starter failure	T/369(3b)			
LSS / Advanced Starter failure	PLCT (T/C or T/D 1425)		T/369(3b)	
IBS failure				
Advanced authority to pass defective Home signal	T/369 (1)			
Dispatching Relief Engine/ train into occupied block section	T/A 602		T/C 912	
TSL working –		T/D 602		T/E 912
Reception of train from wrong line		T/510		T/510
Authority to proceed during prolonged failure of signals			T/D 912	
Authority to receive a train on to an obstructed line	T/509			
Authority to receive on non-signaled line	T/510			
Authority to start from a non-signaled line	T/511			
Authority to start from lines with common starter	T/512			
Trolley/Lorry/OHE Ladder Trolley Notice	T/1518			
Authority to dispatch a Motor Trolley	T/A 1525			
Authority to dispatch a Motor Trolley following a train/motor trolley	T/1525			
Authority to proceed for Tower wagon and return to starting station	T/1708			
Authority to proceed for Tower wagon to proceed to station in advance	T/A 1708			
Authority to proceed for Material Train into block section and return to starting station.	T/462			
Authority to proceed for Material Train into block section and clear to next station	T/A 462			
Authority to proceed for Track Machine into block section and return to starting station	T/465			
Authority to proceed for Material Train into block section and clear to next station	T/A 465			

Situations	Absolute		Automatic	
	SL	DL	SL	DL
Shunting Order	T/806			
Authority to perform shunting up to LSS on single line	T/806+Shunt Key or P.N.		T/806+ P.N.	
Authority to perform shunting beyond FSS on single line.	T/806+Shunt Key or P.N.		Establish Direction Of Traffic; T/806+ P.N.	
Authority to perform shunting into advance block section on double line		T/806+ P.N.		T/806+ P.N.
Authority to perform shunting into rear block section on double line		T/806 with PN		T/806 with PN
Written permission given by Guard to Loco Pilot to proceed to next station from midsection (Divided Train working)	T/609			
Authority for Light Engine to return to pick up the 2nd portion left in the block section	T/609 endorsed by SM			
To restart a train that passed a reception signal at 'ON', partly/completely, without proper authority	Restart memo+ T/369(3b)			
To restart a train that passed starter signal at 'ON', partly and subsequently stopped before LSS	T/369-(3b) + Memo counter signed by Guard + taking off LSS			
To restart a train that entered into the block section without an Authority To Proceed or without a proper Authority To Proceed, and the report is sent to the station in rear	PLCT			
To restart a train that entered into the block section without an Authority To Proceed or without a proper Authority To Proceed, and the report is sent to the station in advance	Caution Order			
Authority to proceed on wrong line to ascertain line is free from obstruction		T/J 602		T/J 602
Opening communication with adjacent station when ALL communications failed	T/B 602		T/B 602	
Authority to proceed when ALL communications failed with adjacent station	T/G or T/H 602	T/C 602	T/G or T/H 602	T/B 912

Speed of train in different circumstances

The following Table indicates at a glance the speeds of the trains under various circumstances. Relevant GRs and SRs should be referred for details.

Sl. No.	Description	Speed Restriction	With Ref to Rule No.
I	AT STATION:		
1.	On Non-Interlocked points	15/30 kmph	G.R.4.10
2.	Speed of incoming Goods trains inside station section at Terminal yard	15 kmph	S.R. 3.36.4
3.	Motor Trolley while running over points and crossings	15 kmph	S.R. 15.25.10.1
4.	Motor Trolley shall not exceed a speed during night time	30 kmph	S.R. 15.25.10.2
II	IN BLOCK SECTION:		
1.	When IB Home is defective and phone is not working.	15 (when view ahead is clear in day/8 kmph (night or view ahead is not clear in day)	S. R. 3.75.4
2	When relief engine/train is being dispatched on T/A 602 (Double Line and Single Line) into obstructed block section	15/10 kmph	S. R. 6.02.6.1
3.	Speed of the Light engine sent to open communication (T/B 602) is restricted to- Day or view clear/Night view obstructed	15/10 kmph	S.R. 6.02.4.6.1
4.	Speed of the train dispatched during TIC on D/L (T/C 602) Straight/curve or obstructed	25/10 kmph	S. R. 6.02.3.3
5.	When Light engine/Goods trains is being dispatched on Block Ticket (T/J 602)	15/8 kmph and be prepared to stop short of obstruction	As mentioned in the Authority
6.	The speed of the first train during TSL working	25 kmph	S.R. 6.02.1.15
7.	The speed of the second and subsequent trains during TSL working	Sectional Speed	S.R. 6.02.1.15
8.	When major work in progress, for trains on adjacent line on double line or multiple lines.	50 kmph	S.R. 15.09.6
9.	When the electric head light becomes defective en-route during the hours of darkness and/or thick and foggy weather the train shall be worked cautiously.	Temporary speed restriction imposed in the B/S or 40kmph whichever is less	G.R. 4.14
10.	When engine is pushing the train and Guard is in leading vehicle/not in leading vehicle	25/8 kmph	S.R. 4.12.2.3
11.	"A" Class ODC by train-gross clearance of 22.86 cm (9 inches) and above	Sectional Speed	I R Operating Manual
12.	"B" Class ODC by train-gross clearance of 15.24 cm (6 inches) and above, but less than 22.86 cm (9 inches)	40 kmph	I R Operating Manual
13.	"C" class ODC by train- gross clearance of less than 15.24 cm (6 inches) but not less than 10.16 cm (4 inches)	25 kmph (to be moved in day only)	I R Operating Manual
14.	When caution order is issued if patrolman not turned up	40 kmph	App. IV (10).4.3
15.	When water rises over ballast-level but is below rail-level (When two men walked abreast one at either sleeper)	Stop dead and Proceed with SR 8 kmph	S.R. 15.17.3
16.	When water over tops the rail, after SSE/SE's certificate	-do-	S.R. 15.17.3.2

Sl. No.	Description	Speed Restriction	With Ref to Rule No.
17.	The Maximum speed of track machine. The speed of Track Machine over all points and crossings	As prescribed through JSC (Joint Safety Certificate)	S.R. 4.65.1.1
18.	During the Engg. Block, when track Machine is following another Track Machine	40 kmph or the lowest MPS in the group, whichever is lower.	S.R. 15.06.4.3
19.	When passing through Neutral section	Not less than 30 kmph	S.R. 17.07.1
20.	Light Engine returning to pick up 2 nd portion when a train is divided	25 kmph	S.R. 6.09.7
21.	When a four-wheeler vehicle is attached to passenger carrying train	BG 75 kmph MG 50 kmph	App. VIII 8.5.3
22.	When clamped wagon by a train	40 kmph	HQ.Cir.FLY LEAF No.15 of 1993.
23.	When visibility is restricted due to fog, speed of train in Absolute block system should not exceed (fog safe device is available in working condition) <i>Note: In case fog safe device is not available in locomotive or the device fails enroute, the maximum speed is 60 Kmph or less subject to judgment of LP.</i>	75 kmph	S.R.3.61.10.3
24.	During foggy weather, while proceeding on 'Proceed' aspect of Automatic Stop Signal, the speed should not exceed (fog safe device is available in working condition) <i>Note: In case fog safe device is not available in locomotive or the device fails enroute, the maximum speed is 60 Kmph or less subject to judgment of LP.</i>	75 kmph	S.R 3.61.10.4
	While proceeding on 'Attention' aspect of Automatic Stop Signal, proceed at speed	30 kmph	
	While proceeding on 'Caution' aspect of Automatic Stop Signal	Proceed Cautiously so as to be prepared to stop at the next stop signal	
25.	When electric loco leading cab defective and Asst. Loco Pilot is driving from trailing cab	40 kmph	S.R. 17.09.12.2
26.	When Loco Pilot is incapacitated and Asst Loco Pilot working to clear up to next block station where relief can be arranged	40 kmph	S.R. 17.09.5.7
27.	When rail breakage is up to 30 mm, 1 st train can pass	10 kmph	S.R. 6.01.3.1
28.	When rail breakage is up to 30 mm 2 nd train and subsequent train can pass with a restricted speed	15 kmph	S.R. 6.01.3.1
29.	During TIC on S/L when LC received for more than one train, second and subsequent trains on CLCT in Automatic Block Section-	25/10 kmph	S.R. 9.12.4(R)
30.	During prolonged failure of signals (automatic block section double line) when communication is available, (A) Speed of first train. (B) For second and subsequent trains	(A) 25 kmph (view clear)/10 kmph (view not clear) (B) Sectional speed and with great caution from 1 KM from stop signal of the receiving station	S. R. 9.12.2(A). 4(a) & 7
31.	When signals failed and communication not available on automatic double line section	15 (view clear)/10 kmph (view not clear) with a clear interval of 25 minutes between two trains.	S. R. 9.12.2(B)
32.	The speed during TSL working in Automatic Block System –(A) For First Train (B) For second and	25 kmph Sectional Speed	S.R. 9.12.3.15

Sl. No.	Description	Speed Restriction	With Ref to Rule No.
	subsequent trains		
33.	Speed of L/E sent to open communication in Automatic Block system when signals and communication have failed	15/10 kmph	S.R. 9.12.4(F)
34.	Speed of the train to pass automatic signal at ON	Not exceeding 15 kmph up to next stop signal	S. R. 9.02.1
35.	The speed of the train which is already in healthy section which is temporarily isolated, if Loco Pilot able to contact TPC	60 kmph by day and 30 kmph by night	S. R. 17.09.16.2(iv)
36.	The speed of the first train to enter into the healthy section which is temporarily isolated and re-energized	60 kmph by day and 30 kmph by night	S. R. 17.09.16.1(c)(i)
37.	When danger is suspected to the P. Way and the location remain vague and if train is to be dispatched	10 kmph	S. R. 6.07.1(e)
38.	After stopping the train at stop indicator, the Loco Pilot shall proceed with a speed of	8 kmph	S. R. 15.09.3
39.	On seeing a flasher light flashing (view is clear/not clear)	20/10 kmph	S. R. 6.03.7
40.	While testing detonators- speed	8-11 kmph	S. R. 3.64.5.6
41.	In case of an axle box of a wagon is found hot between station and the Loco Pilot has decided to take the train to next station the speed of the train is	Discretion of Loco Pilot	S. R. 4.29.2
42.	The speed of 'Patrol' or 'Search Light' special with one or more vehicles in front of the engine.	40 kmph	G. R. 4.12
43.	Unsafe condition of bunds of tanks or Rivers	Special caution	Accident Manual 401
44.	ON detection/receiving report of “flat tyre” in the formation, the speed limit to be observed by the LP to clear the block section	Max. 30 kmph	JPO "Flat Tyre"
45.	After getting the report of "flat tyre" subsequent passenger carrying and empty Goods trains in that section before USFD testing is done shall run at a speed of ... Kmph, after visual inspection by SE/JP-P-Way	50 kmph	JPO "Flat Tyre"
III SPEED WHILE PERFORMING SHUNTING:			
1.	Maximum Shunting Speed	15 kmph	G. R. 5.13
2.	Shunting with loaded petroleum, kerosene, dangerous goods, explosives etc.,	8 kmph	S. R. 5.14.3
3.	Hand shunting with vehicles other than roller bearing stock	5 kmph	S. R. 5.20.5.6

Details of Cranes and their location

(a) 140Te Diesel Hydraulic Breakdown (DHBD) Cranes:

No.	Particulars	Location				
1	Station	SC	KZJ	BZA	GY	PAU
2	Division	SC	SC	BZA	GTL	NED
3	Type of ART	“A” Class	“A” Class	“A” Class	“A” Class	“A” Class
4	Capacity of the Crane	140 Ton	140 Ton	140 Ton	140 Ton	140 Ton
5	Make of the Crane	Cowans Sheldon	Cowans Sheldon	Cowans Sheldon	Cowans Sheldon	Gottwald
6	Design (Old/New)	New	Old	Old	Old	New
7	Year of Manufacturing of Crane/DoC	2001	1989	1990	1990	2009
9	Capacity to run at Speed (kmph)	100	75	75	75	100

(b) Status of 140T DHBD Cranes, ART, ARME & RARVs over SCR

Accident Relief Trains (ARTs):

No.	Div.	Location	Type of ARTs	Make and Capacity of the Crane
01	SC	SC	“A” Class	Cowans Sheldon New Design-140T
02		SC	“B” Class (SPART)	
03		KZJ	“A” Class	Cowans Sheldon Old Design-140T
04		KZJ	“B” Class (SPART)	
05		BPA	“B” Class	
06	HYB	NZB	“B” Class	
07	BZA	BZA	“A” Class	Cowans Sheldon Old Design-140T
08		BZA	“B” Class (SPART)	
09		RJY	“B” Class	
10		BTTR	“B” Class	
11	GTL	GY	“A” Class	Cowans Sheldon Old Design-140T
12		GTL	“B” Class	
13		RU	“B” Class	
14		DMM	“B” Class	
15	GNT	GNT	“B” Class	
16	NED	PAU	“A” Class	Gottwald New Design-140T

“A” Class ART – 140T DHBD Crane + Hydraulic Re-railing Equipment (HRE) Set.

“B” Class ART- Hydraulic Re-railing Equipment (HRE) Set.

(c) Accident Relief Medical Equipment/Van (ARMES):				(d) Road Mobile Accident Restoration Vehicles (RMARVs):			
No.	Div.	Location	Scale-I ARMES/SPARMV	No.	Div.	Location	
01	SC	SC	SPARMV	01	SC	SC	
02		KZJ	HS-SPARMV	02		BDCR	
03	HYB	NZB	SPARMV	03	HYB	KCG	
04	BZA	BZA	HS-SPARMV	04	BZA	BZA	
05		RJY	SPARMV	05	GTL	GTL	
06		BTTR	SPARMV	06	GNT	GNT	
07	GTL	GTL	HS-SPARMV	07	NED	PAU	
08		RU	Conventional ARME				
09		DMM	Conventional ARME				
10	GNT	GNT	HS-SPARMV				
11	NED	PAU	HS-SPARMV				

Beat of 140T BD Cranes (A-Class ARTs) with its normal jurisdiction on SCR

I. Div: SC, Station: SC, ART Type: “A” Class, BD Crane: Cowans Sheldon New

Beat: SC-ALER, SC-WADI, SC-DHNE, DKC-KSN, GWD-RC, BN-NLDA, VKB-UDGR, KHNP-TJSP, TLPR-RCPT, SC-MUE, MOB-GJWL, AKE-MDAK, JKM-BDHN, MLY-SNF (By-pass),

II. Div: SC, Station: KZJ, ART Type: “A” Class, BD Crane: Cowans Sheldon Old

Beat: KZJ-BPQ, KZJ-KI, KZJ-ALER, DKJ-MUGR, KRA-SYI, MAGH-GDCR, PDPL-NZB, MTMI-JNPD, BDCR-JVRB

III. Div: BZA, Station: BZA, ART Type: “A” Class, BD Crane: Cowans Sheldon Old

Beat: BZA-DVD, BZA-GDR, BZA-NLDA, VNUP-JNPD, BZA-MTM, GDV-BVRM, NDD-NS, SLO-COA, GNT-TEL-RAL, NDKD-MCLA, GNT-DKD, PGRN-SYM, VRJN-OBVP, VRJN-KAPT

IV. Div: GTL, Station: GY, ART Type: “A” Class, BD Crane: Cowans Sheldon Old

Beat: GY-RU-TPTY, TPTY-KPD, RU-GDR, GY-GTL-WADI, GY-DMM, GTL-KLU, DMM-PAK, GTL-BAY, GTL-DKD, NDL-YA, HX-PDMI, GY-PDL

V. Div: NED, Station: PAU, ART Type: “A” Class, BD Crane: Gottwald New

Beat: PAU-MMR, PAU-MUE-PMKT, PAU-AK, PAU-PBN-UDGR

BEAT of B-Class ARTs with its normal jurisdiction on SCR

I. Div: SC, Station: SC, ART Type: “B” Class

Beat: SC-ALER, SC-WADI, VKB-PRLI, KHNP-TJSP, SC-DHNE, DKC-KSN, GWD-RC, SC-AKE

II. Div: SC, Station: KZJ, ART Type: “B” Class

Beat: KZJ-KI, KZJ-ALER, KZJ-PDPL, DKJ-MUGR, KRA-SYI-SPSG, MTMI-JNPD, BDCR-JVRB

III. Div: SC, Station: BPA, ART Type: “B” Class

Beat: BPA-BPQ, BPA-PDPL-KRMR, MAGH-GDCR

IV. Div: HYB, Station: NZB, ART Type: “B” Class

Beat: NZB-AKE, NZB-MUE, NZB-KRMR, AKE-MDAK, MOB-GJWL, JKM-BDHN

V. Div: BZA, Station: BZA, ART Type: “B” Class

Beat: BZA-KI, BZJ-CJM, BZA-BMD, BZA-MTM, GDV-BVRM

VI. Div: BZA, Station: BZA, ART Type: “B” Class

Beat: RJY-DVD, RJY-BMD, SLO-COA, NDD-NS

VII. Div: BZA, Station: RJY, ART Type: “B” Class

Beat: RJY-DVD, RJY-BMD, SLO-COA, NDD-NS

VIII. Div: BZA, Station: BTTR, ART Type: “B” Class

Beat: BTTR-GDR, BTTR-CJM, VRJN-KAPT, VRJN-OBVP

IX. Div: GTL, Station: GTL, ART Type: “B” Class

Beat: GTL-WD, GTL-BAY, GTL-NDL-YA, GTL-KLU, GTL-YA, NDL-YA

X. Div: GTL, Station: RU, ART Type: “B” Class

Beat: RU-KPD, RU-GDR, RU-YA, HX-PDMI

XI. Div: GTL, Station: DMM, ART Type: “B” Class

Beat: DMM-PAK, DMM-GY

XII. Div: GNT, Station: GNT, ART Type: “B” Class

Beat: GNT-KCC, GNT-PGDP, GNT-TEL-RAL, GNT-NDL, NDKD-MCLA, VNUP-JNPD, PGRN-SYM

XIII. Div: NED, Station: PAU, ART Type: “B” Class

Beat: PAU-MMR, PAU-MUE-PMKT, PBN-PRLI, PAU-AK

BEAT of ARMVs with its normal jurisdiction on SCR

I. Div: SC, Station: SC, ARMV Type: (Scale-I) SPARMV

Beat: SC-ALER, SC-WADI, VKB-PRLI, SC-AKE, KHNP-TJSP, DKC-KSN, GWD-RC, PGDP-NLDA, SC-DHNE

II. Div: SC, Station: SC, ARMV Type: (Scale-I) HS-SPARMV

Beat: KZJ-ALER, KZJ-PDPL, DKJ-MUGR, KRA-SYI-SPSG, MTMI-JNPD, KZJ-BPQ, PDPL-KRMR

III. Div: HYB, Station: NZB, ARMV Type: (Scale-I) SPARMV

Beat: NZB-MUE, NZB-KRMR, NZB-MDAK, MOB-GJWL, NZB-BDHN

IV. Div: BZA, Station: BZA, ARMV Type: (Scale-I) HS-SPARMV

Beat: BZA-KI, BZJ-CJM, BZA-BMD, BZA-MTM, GDV-BVRM

V. Div: BZA, Station: RJY, ARMV Type: (Scale-I) SPARMV

Beat: RJY-DVD, RJY-BMD, SLO-COA, NDD-NS

VI. Div: BZA, Station: RJY, ARMV Type: (Scale-I) SPARMV

Beat: BTTR-GDR, BTTR-CJM, VRJN-KAPT, VRJN-OBVP

VII. Div: GTL, Station: GTL, ARMV Type: (Scale-I) HS-SPARMV

Beat: GTL-WD, GTL-BAY, GTL-NDL, NDL-YA, GTL-KLU, GTL-YA

VIII. Div: GTL, Station: RU, ARMV Type: (Scale-I) CONVENTIONAL

Beat: RU-KPD, RU-GDR, RU-YA, HX-PDMI

IX. Div: GTL, Station: DMM, ARMV Type: (Scale-I) CONVENTIONAL

Beat: DMM-PAK, DMM-GY

X. Div: GNT, Station: GNT, ARMV Type: (Scale-I) HS-SPARMV

Beat: GNT-MCLA, GNT-TEL, TEL-RAL, NDKD-NLDA, GNT-NDL, GNT-KCC, VNPD-JNPD, PGRN-SYM

XI. Div: NED, Station: PAU, ARMV Type: (Scale-I) HS-SPARMV

Beat: PAU-MMR, PAU-MUE, MUE-PMKT, PBN-PRLI, PAU-AK

Conditions for movement of ISMD

Ref: 1. RAILWAY BOARD'S LETTER No.2014/CEDO/SR/04 Dtd 20.10.2014
2. RAILWAY BOARD's LETTER No. 2022/TT-1/27/6 Dtd 23.06.2022.
3. DIAGRAM NO:1 D(EDO/T-2202 OF ACS No.27 TO IRSOD-2014

Consignments which when loaded upon a wagon, would infringe the maximum standard moving Dimension, at any point, on the entire route, from the booking station to the Destination is called an Over Dimensional Consignment (ODC).

Any consignment exceeding the Dimension quoted below shall not be registered for booking unless prior sanction for its acceptance has been obtained from the zonal headquarters.

Height at centre-----4265 mm

Height at side-----3735 mm

Width-----3250 mm up to a height of 3735 mm and 2030 mm beyond 3735 mm

Maximum width-----3250 mm.

Classification of ODC: ODC's are divided into 3 classes according to the minimum clearance available between the consignment and minimum fixed structure profile.

CLASS 'A' (Permitted out of gauge Loads): Those ODC loads which have gross clearance of 228.6 mm (9") and above.

CLASS 'B' (Exceptional out of gauge Loads): Those ODC loads which have gross clearance of 152.4 mm (6") and above, but less than 228.6 mm (9").

CLASS 'C' (Extra-ordinary out of gauge Loads): Those ODC loads which have gross clearance of less than 152.4 mm (6") but not less than 101.6 mm (4").

Sanctioning Authority:

Class 'A'	Within Division: DRM
	Inter Division of the same Zone: COM
	Inter Railway: COM of the Zone and COM of the concern Railway
Class 'B'	Local: DRM
	Inter Division/Foreign Railway: COM
Class 'C'	CRS

CONDITIONS FOR MOVEMENT OF ODC

Class 'A'	Class 'B'	Class 'C'
Speed: Sectional Speed.	Speed: Not to exceed 40 kmph.	Speed: not to exceed 25 Kmph.
Permitted: both during day and night.	Permitted: both during day and night.	Permitted: Only during day time.
Escort: Not Necessary.	Escort: Necessary both during day and night: TXR.	Escort: Necessary: SSE/P.WAY, SSE/C&W, TI.

Procedure to conduct “GLP check” in a sequential manner

No.Safety.157/G&SR, AM & BWM/Vol.II

Date: 04.04.2012.

In order to bring in clarity as to how to conduct “GLP check” in a sequential manner, following procedure is issued;

I. IF THE FREIGHT TRAIN IS ORDERED TO WORK WITH GUARD:

- a. LP shall apply A9 (formation brakes) in ‘application’ position (this is necessary to calculate the percentage of brake power as per SR 4.31).
- b. LP shall walk from one side of the formation from the locomotive towards BV duly observing application of brakes for all the wagons and noting down the inoperative cylinders.
- c. Guard after fixing the gauge in the BV, ensure droppage of BP Pressure in the BV and then shall walk from other side of the formation from BV towards locomotive noting down the application of brakes and inoperative cylinders.
- d. While checking the formation, the LP and Guard shall check the formation as per SR 4.31 and JPO No.5/2008 as given in this WTT.
- e. LP after reaching the BV and Guard after reaching locomotive, the LP shall advise the ALP to keep the A9 in ‘release’ position.
- f. In the return direction, the LP shall walk from other side of the formation from BV and Guard on the other side of the formation from engine duly checking the release position of brakes of all wagons.
- g. After ensuring the above procedure, both shall go to station, prepare the GDR memo in triplicate duly signing the same along with the SM, who shall retain one copy as station record which shall be pasted in the Stabled Load Register.
- h. The train can commence its journey.

II. WHEN THE FREIGHT TRAIN IS ORDERED WITHOUT GUARD:

- a. LP is totally responsible to conduct GLP check in the absence of Guard.
- b. However, one Pointsman from the station shall be deputed to assist the LP in conducting GDR check.
- c. LP shall apply A9 (formation brakes) in ‘application’ position (this is necessary to calculate the percentage of brake power as per SR 4.31).
- d. LP shall walk from one side of the formation from the locomotive towards BV duly observing application of brakes for all the wagons and noting down the inoperative cylinders. The LP need to observe the application of brakes of all the wagons.
- e. He is also required to check the formation on both sides as per SR 4.31 and JPO 5/2008 as given in this WTT.
- f. After reaching the BV, the LP shall advise the ALP to release the formation by keeping the A9 in ‘release’ position.
- g. Then, he shall walk from the other side towards the locomotive duly observing the release of brakes of all the wagons.
- h. After ensuring the above procedure, the LP shall go to station, prepare the GDR Check memo in duplicate (signature of Guard column be kept ‘blank’) duly signing the same along with the SM, who shall retain one copy as station record which shall be pasted in the Stabled Load Register.
- i. The train can commence its journey.

NOTE: When the freight train is ordered without Guard and GLP check is necessary, **additional time for GLP check from the existing 30 minutes to 60 minutes is permitted for a rake of 59+1 to note down the application of brakes and inoperative cylinders.**

This has the approval of PCME, PCEE & PCOM.

PRINCIPAL CHIEF SAFETY OFFICER

CC+8+2 t ROUTES ON SOUTH CENTRAL RAILWAY as on 31-03-2024
(As per CTE/SC's Lr No. W.506/CRS/TR/CC+6+2t/Vol.IV, dated 23.05.2024)

Sl. No.	Section	Identified for running of CC+8+2t loading	Route Length	Speed (Loaded)
1	Bellary - Guntakal	15.05.05	46.20	60
2	Guntakal-Renigunta	15.05.05	309.50	60
3	Guntakal-Guntur	06.02.06	401.28	60
4	Guntur-Krishna canal Jn.	06.02.06	27.12	60
5	Krishna canal Jn.-Vijayawada	06.02.06	5.05	60
6	Vijayawada-Samalkot	06.02.06	199.57	60
7	Visakhapatnam – Samalkot (incl By pass line Duvvada)	11.07.07	131.37	60
8	Samalkot-Kakinada Port	06.02.06	15.60	60
9	Vijayawada - Kondapalli Power House	11.07.07	17.49	60
10	Dornakal - Kondapalli incl. Siding	30.11.07	107.69	60
11	Manikgarh - Dornakal	31.12.07	319.41	60
12	Manikgarh - Ballarshah	31.12.07	6.91	60
13	Manuguru- Bhadrachalam Rd incl Siding	30.11.07	51.10	60
14	Bhadrachalam Rd - Dornakal incl. Siding	30.11.07	56.01	60
15	Komatpalli (incl Kazipet bypass)-Kazipet - SC - (incl by pass) -WADI	31.12.07	327.75	60
16	Vijayawada - Gudur	31.12.07	294.46	60
17	Pendekallu - Gooty - Dharmavaram -Bangalore Area	31.12.07	119.88	60
18	Secunderabad - Manmad	31.12.07	617.40	60
19	Vikarabad - Parbhani	31.12.07	331.38	60
20	Wadi - Raichur - Guntakal	17.04.08	226.44	60
21	Motumari - Jagayapet Town branch line	17.04.08	25.82	60
22	Renigunta - Gudur Jn	17.04.08	83.17	60
23	Renigunta - Tirupati	17.3.16	9.79	60
24	Guntur Jn - Tenali Jn	17.04.08	25.47	60
25	Singreni Collieries- Karepalli Branch line	17.04.08	10.36	30
26	Gadchandur - Manikgarh Jn Branch line (inc. Bye-Pass Line)	17.04.08	31.51	60
27	Guntakal-Kalluru	20.07.10	40.26	60
28	Adilabad-Mudkhed	20.07.10	161.95	60
29	Pimpalkutti-Adilabad	20.07.10	20.40	60
30	Purna-Akola	25.06.11	206.88	60
31	Venkatachalam-Krishnapatnam	25.06.11	20.28	60
32	Peddapalli-Karimnagar	02.03.15	34.93	60
33	Malkajgiri - Moula-Ali 'B' Cabin Chord Line	17.3.16	4.90	20
34	Katpadi - Tirupati	17.3.16	103.59	60
35 a	Karimnagar-Lingampet Jagityal	16.2.18	47.83	60
35 b	LingampetJagityal-Mortad-Nizamabad	16.2.18	95.05	60
36	Nallapadu-Nadikude	8.12.18	90.25	60
37	Pagidipalli-Nadikude	8.12.18	148.67	60
38	Vijayawada-Gudivada-Bhimavaram-Nidadavolu (incl. Bye-Pass)	16.5.19	155.76	60
39	Gudivada-Machilipatnam	16.5.19	36.74	60
40	Bhimavaram-Narasapur	16.5.19	29.48	60
41	Obulavaripalle-Venkatachalam Rd.Jn.	4.7.19	95.40	60

Sl. No.	Section	Identified for running of CC+8+2t loading	Route Length	Speed (Loaded)
42	Janakampet-Bodhan	11.11.19	20.05	50
43	Jaggayyapeta Town – Janpahad-Vishnupuram	11.11.19	62.99	40
44	Bhadrachalam Road(excl.) – Bhavanapalem (SL)	27.05.22	37.567	50
45	Bhavanapalem (excl.) – Sattupalli (SL)	27.05.22	13.949	40
46	Akanapet-Medak	08.07.22	17.338	40
47	Devarakadra – Krishna (SL)		65.825	60
48	Manoharabad – Siddipet (SL)		76.135	60
49	New Piduguralla Jn.–Savalyapuram(SL)		45.85	60
50	Secunderabad-Falaknuma-Mahaboobnagar(DN)		112.98	60
51	Mahaboobnagar-Devarakadra (SL)		24.4	30
52	Bye pass at Secunderabad (Sitaphalmandi-Lallaguda Gate)		0.74	20
TOTAL CC+8+2t ROUTE Km			5567.914	
Total Route Km of S.C.Railway			6532.475	
Percentage of CC+8_2t Route			85.23	

C+6+2t ROUTES ON SOUTH CENTRAL RAILWAY as on 31.03.2024

Sl. No.	Route	Divn.	Section	Route Length
1	D	SC	Khanapur-Taj Sultanpur (SL)	97.7
2	D	SC	Telapur-Ramachandrapuram (SL)	5.337
3	E	BZA	Kakinada – Kothapalli (SL)	45.2
4	D	GTL	Dharmavaram-Pakala	227.42
5	D	GTL	Kadapa-Pendlimarri (SL)	21.3
6	D	GNT	Nadikude-Macherla (SL)	35.01
7	D	GNT	Tenali-Repalle (SL)	33.85
8	D	GNT	Gundlakamma-Darsi (SL)	22.889
9	D	GNT	Nandyal-Yerraguntla (SL)	123
10	B	HYB	Secunderabad-Mahabubnagar (UP line)	112.98
11	D	HYB	Devarakadra – Dhone (SL)	159.71
12	D	HYB	Raichur-Gadwal (SL)	57.16
13	D	NED	Akola-Akot (SL)	45.54
14	D	NED	Khandwa (Excl.)-Amlakhurd (SL)	53.447
			TOTAL	1040.543

Sl.No.	25 Tonne Axle Load	Station Code
1	Duvvada (Excl.)–Vijayawada (Bypass)-Kondapalli (UP line)	DVD-BZA-KI (UP LINE)

Safety Instructions in Electrified Section

1. No work shall be done within a distance of 02 meters from live OHE without a permit to work.
2. No fallen OHE shall be touched unless the power is switched off and OHE is earthed. In case, OHE snaps at a level crossing, the gate man shall make arrangements to stop all road vehicles and keep the public away.
3. Any abnormality noticed in OHE/Loco/EMU should be intimated to Traction power Controller immediately for further guidance.
4. Don't allow roof traveling.
5. Keep the emergency telephone in good working condition and ensure it is tested periodically.
6. Do not direct water jet from hose pipe towards live OHE.
7. No crane shall be operated near Traction overhead equipment's unless authorized Representative of OHE is present.
8. The mugging of foundations of Traction masts shall be kept clear of all materials. Unloading of Rails along the tracks, should be done such that Rails do not touch each other to form continuous metallic mass of length greater than 300 meters.
9. Unloading of PSC sleepers should be taken in such a way that they will not hit any supporting structures.
10. Permanent Way Staff should be clear of tracks and avoid contact with the rails when electrically hauled train is within 250 meters.
11. During weld failures/Rail fractures, ensure two ends of rail shall be temporarily connected by rail jumpers.
12. Don't climb on the roof of Loco/EMU/Coaches for attending any work unless the OHE is made dead and earthed properly.
13. Stations masters should ensure that all precautions are taken to protect the power block/line block section. Any doubts regarding OHE section to be consulted with TPC for guidance.
14. AC Loco Drivers/ Motor man to ensure "Open DJ" and "Close DJ" at neutral sections.
15. AC Loco Drivers/ Motor Man ensure coasting of train without power at the coasting board locations to conserve energy.
16. Regarding speed restrictions at Neutral section, S.R. 17.07 () may be referred to.
17. Observe that stop boards & Caution boards are exhibited promptly.
18. ASMS to prevent entry of Electric Locos in to dead section during power block.
19. Commercial staff to secure tarpaulins firmly to the wagon to avoid entanglement with OHE.
20. Commercial staff to close/secure and lock properly the flap doors of wagons, loaded or empty.
21. Station staff should not allow Electric Locos with raised pantographs into a dead section or into an unwired turnout.
22. Station staff shall not allow any traffic into the section when OHE is snapped or obstructing.
23. Permanent Way staff to ensure not to stew track/re-alignment without the knowledge of Traction staff.
24. Permanent Way staff shall ensure no disturbance to track bonding and earthing of TRD Installations.

Loco Crew to follow these Instructions to avoid Panto Entanglement

1. Don't go beyond stop board/into unwired section during shunting.
2. Wrong operation of ZPT may lead to panto entanglement during lower/raise panto caution order.
3. Check the loco roof after major storm.
4. In case of noticing any abnormality in OHE take quick action by lowering the pantograph and stop the train immediately to inform control. After thoroughly seeing the situation, inform control, if train can be worked further without causing further damages.
5. In case it is not possible to work the train further, protect the train accordingly.
6. Inform to Control regarding the damages to OHE and pantograph.
7. Preserve the broken panto/OHE parts relevant to entanglement.
8. In case train is held up in mid-section for want of OHE power supply instructions given in SR 17.03.1 para-4.9.5, 4.9.6 and 4.10.5 to be followed.

VANDE BHARAT - Various Loops Troubleshooting and Isolation procedure

1. BAL (Brake Applied Loop) Isolation

Purpose:

The TCMS (Train Control and Management System) monitors the brake applied status in every coach of the train. Stuck brake is detected, if unwarranted brake is applied when train is either in Motoring or coasting. If stuck brake is detected, the TCMS applies the service brake and brings the train to standstill and is indicated on DDU (Driver Display Unit).

Consequence of Stuck brake:

Traction will be cutoff, if the train speed is > 10 Kmph, and the train will be stopped.

Reason for stuck brake:

There may be leakage issue in application valve of any BCU (Brake Control Unit) panel or

There may be problem in any bogie BC pressure switch or Brake Applied Relay which make BAL energized (even if brake is not applied by crew).

Isolation procedure:

If brake is stuck,

Isolate EP brake physically through BIC (Bogie Isolation Cock) and verify stuck brake symbol on DDU.

After releasing brake, brake applied symbol disappear on DDU, that means the brake was really stuck.

In this case, BAL isolation shall not be done and train can be moved with isolated bogie brake and with restricted speed.

If there is malfunction of BAL loop,

Isolate EP brake physically through BIC and verify stuck brake symbol on DDU.

After releasing brake, brake applied symbol appear on DDU, that means this is an electrical failure in BAL loop.

Operate "BAL ISO" switch on the CRW (Cab Rear Wall) panel, changing it from the "normal" to "isolate" position in the occupied cab. This will make BAL loop De-energized.

Implications:

After bypassing BAL, the TCMS will no longer detects stuck Brake on any coach. However, Brake indication is available on DDU.

At every stop, the TCMS will warn the Loco Pilot that the BAL is in the isolated position and the stuck brake monitoring is not possible.

Precautions:

The driver shall periodically check the Brake status on the DDU to ensure that all Brakes are in the released state during motoring or coasting.

2. ADCR Bypass (Analog to Digital Converter Relay):

Purpose:

TCMS monitors the door closure status of train through the ADCR loop. If any door remains open, the ADCR loop will be de-energized, and the TCMS will cut off the traction. In such cases, the Loco Pilot/Guard shall issue a door closure command to close the door again.

Consequence of ADCR not closed: Traction will not be allowed.

Isolation procedure:

If door is not closing physically even after close command,

Close the door manually.

Isolate the door through local isolation switch on the door.

Check status of the ADCR after closing and isolating the door.

If ADCR is energised, no need to do ADCR bypass.

If there is malfunction of ADCR loop,

Even after closing all the doors, ADCR is not energised, that indicates malfunction of ADCR loop.

Maintenance person shall bypass ADCR by operating "ADCR BYPASS" switch on the CRW panel, moving it from the "normal" to the "isolate" position in the occupied cab.

Implications:

After bypassing the ADCR, ADCR loop will be energized.

At every stop, the TCMS will remind the Loco Pilot that the ADCR is in an isolated position and monitoring of open doors is not possible.

The Loco Pilot must acknowledge this fault. Traction will be allowed after acknowledgment only.

If acknowledgment through the DDU is not feasible, the TCMS will flash the “Fault Reset” lamp, and the pilot must acknowledge the fault by pressing the “Fault Reset” button.

Precautions:

The pilot should verify that all doors are closed on DDU before acknowledging fault in normal mode. Door must be physically verified, for door closure in RDM mode (Rescue Drive Mode).

3.PB Isolation (Parking Brake)

Purpose:

TCMS monitors the parking Brake application status in every coach of the train. If any parking Brake remains unreleased even after a release command, the TCMS detects a stuck brake. Upon detecting a stuck parking brake, the TCMS applies the service brake. The TCMS identifies the coach with the detected stuck parking brake and same will be displayed on DDU. It is also indicated as “minimum one parking brake applied”.

Consequence of Stuck parking Brake:

Traction will not be allowed.

Isolation procedure:

A. If parking Brake is really applied,

Physically check for application of parking Brake in respective coach. If brake is applied and not releasing, then parking brake to be released manually.

After releasing parking brake, from occupied cab, isolate the parking brake through PB isolation switch.

Go to DDU for PB override for respective car and override parking brake of that car.

Verify Vmax and do the motoring in normal mode.

B. If parking Brake is not applied, and still applied status is showing as high,

Verify that the Brake is not applied.

After verifying the ‘released parking brake’, from occupied cab isolate parking brake through PB isolation switch on CRW.

Go to DDU for PB override for TC car and override parking brake of that car

Verify Vmax and do the motoring in normal mode.

Implications:

After bypassing the PB loop, the TCMS will no longer detect a stuck parking Brake for the particular coach.

However, the stuck parking Brake condition in all other coaches will continue to be monitored, provided those coach TCMS units are in the network.

At every stop, the TCMS will remind the Loco Pilot that the PB is in an isolated position, and monitoring for stuck parking Brakes is not possible.

4.EBL Bypass (Emergency Brake Loop)

Purpose:

Each coach in the train set is equipped with an emergency brake. The emergency brake valve in each coach is released by three independent loops, forming a two-out-of-three logic. The EBL bypass serves as an additional loop to bypass the emergency brake only in case of electrical fault. The emergency brake is applied if atleast two loops are triggered, and it is released if atleast two loops are energized. In case of emergency brake application, indication is available on DDU, and also faults are available. For EBL MCB trip also indication is available on DDU.

Consequence of Applied EBL:

Traction will not be allowed.

Isolation Procedure:

If any particular coach EBL MCB is tripped,

Emergency brake will be applied in that particular coach.

Go to that particular coach where MCB is tripped and then try to close the MCB.

If MCB is ON, No need to do any isolation. Train can be driven in normal mode.

If MCB is tripping repeatedly, then release the brake through isolation of BIC as it is done in stuck brake condition.

Verify released brake physically.

After releasing brake move the train in normal mode.

If EBL is triggered without actuation,

This can happen if EBL input used for actuation of EBL is faulty (or) two loops of EBL faulty. This kind of failures are very rare and comes under critical failure.

This lead to emergency brake activation in complete train.

In this case, EBL loop shall be bypassed with EBL Isolation switch of CRW panel.

After isolation of EBL move the train in RDM mode.

Implications:

Emergency brake still apply through EB Switch and emergency position of master controller

The train speed will be limited to 60 kmph, which is the set limit in RDM mode.

Precautions:

After energizing the emergency brake via EBL Bypass, the operation of the emergency brake shall be confirmed by placing the MCH handle in the emergency position.

Note: In case of mal-function with “EMR Brake” switch, it can be by passed by using “EB Sw. Bypass”.

5.EOL Bypass (Emergency Off Loop)**Purpose:**

The EOL Bypass is designed to lower the pantograph and open the Vacuum Circuit Breaker (VCB) of all Trailer Coaches (TC) in case of emergency, which can be done using the Emergency Off button located on the Driver's Desk. Each TC coach is equipped with a relay that will open the VCB and lower the pantograph if the Emergency Off button is pressed. This relay is powered by three separate loops, forming a two-out-of-three logic. In case of 'Emergency Off' button fail, all pantographs will be lowered, and VCBs will be opened. To recover from this situation, the Loco Pilot must perform an EOL Bypass.

Consequence of Applied EOL:

Pantograph will not be UP and VCB can't be closed.

Isolation procedure:

The Loco Pilot shall operate the “EOL Bypass” switch on the CRW panel, to change it from “normal” to the “isolate” position in the occupied cab.

Implications:

After bypassing the EOL loop, the Pantograph can be lowered and UP through normal switch but in case of emergency, pantograph can't be lowered and VCB can't be switched OFF with 'Emergency OFF' push button.

Troubleshooting points...

Ensure “Driver Authentication” switch should be in Auto position, for normal operation. When Authorization required, then with valid credentials operate the switch to ON position.

In case, Traction not available due to TSL loop mal-function, then change the 'Traction selection' switch to Loop2 from Loop1.

In case, Cab is not occupying, change the 'Cab Selector' switch from LPT to HPT mode
In case of Master Controller faulty, work the Train with redundant Master Controller (Shunting operation).
Emergency Brake applying due to VCD relay mal-function, keep VCD By pass switch in ON position.

Joint Procedure Order on “FLAT TYRE”

There have been several instances where Flat-tyre has caused extensive damage to track by causing rail fractures and weld failures resulting into serious accidents. In order to prevent recurring of such incidences, following guidelines are to be followed:

PREVENTIVE MEASURES:

The TXR staff in Depots / Sick lines must check the flatness of wheel tread with the help of tyre-defect gauge during Examination since; it is possible to detect flatness of tyre only when the train is stationary. The permissible flat on wheel tread is limited to 60mm for Goods Stock and 50mm for Coaching Stock / Locomotive. All train examination staff shall adhere to the provisions of Rule 2.8.4, 3.2.2 and 'S' 4.21.1 "Tyre Defects" of Part IV IRCA Conference Rules for Coaching Stock and Para 4.18.1 of Part III of IRC A Conference Rules for Freight Stock.

The train crew and Shunting staff should release brakes whenever DV Isolating Cock is operated by them. The empty / load device should be kept in the relevant position to avoid skidding of wheels, resulting into flatness of tyre during run by the GLP at the time of clearing empties from the Sidings.

DETECTION OF FLAT TYRE:

The Loco-Pilot and Guard should be vigilant in detection of unusual/hammering sound in the formation.

TXR staff during 'rolling-in' examination at all major train examination points to detect flat face on wheel tyre in train while in motion. Such a wagon in a motion train can be located by them as per procedure given below;

Station Operating Staff while exchanging 'all-right' signals shall be vigilant and attentive to hear any unusual / hammering sound in the running train and make efforts to stop and examine the train. If they hear such sound, they should start counting the location of such a wagon (counting it as one) till the BV. It will demarcate location of such a wagon in moving train and communicate it to control and next station.

Traffic & Engineering Gatemen shall also be vigilant in detecting any unusual / hammering sound on a running train and they should be in readiness to exhibit STOP hand signal and stop the train; or intimate the SM if they failed to stop train. Such a wagon in moving train can be located by them as per procedure given above;

Engineering Staff and Supervisors while at worksites or while doing trolley inspection or foot-plate inspection should also be advised to be vigilant towards detection of flat-tyre on the passing train/s and take suitable action for stopping the train or informing the train Crew / SM by the quickest means of communication available. Such a wagon in moving train can be located by them as per procedure given above;

On-board staff like TTEs, Coach Attendants, AC Mechanics and other Supervisor / Officers travelling by the train can also detect any unusual / hammering sound in the coach / train.

ROLE OF STAFF AFTER DETECTION OF A FLAT TYRE:

1.0 Loco Pilot & Guard of the train:

On detecting / getting information about the hammering sound on the formation in the block section, the train crew shall observe a speed restriction of 30 KMPH for clearing the section up to next station. After clearing the block section, the LP and Guard of the train shall ask for the TXR staff for examining the concerned coach / wagon.

If no TXR staff is posted to work at that station, and it is likely to take more time for TXR staff to come, the LP, Guard and ASM shall decide in consultation with the SCOR to detach the coach / wagon at the

same station. If the coach / wagon are detached at that station, the detached coach / wagon shall be moved by another train / loco as planned by the SCOR up to the next TXR examination point with a restricted speed of 30 KMPH.

If TXR staff is available at that station or they can come quickly from other station, the flat tyre shall be examined by them and they will certify whether the flatness is within the permissible limits or beyond. If the flatness is within the permissible limit, they can certify for running the train further at normal speed and if flatness is beyond the permissible limit, the wagon has to be detached at the same station.

2.0 Mechanical (C&W) Staff:

Mechanical staff /TXR staff working at the station shall inspect the wagon/ coach which were reported with flat tyre and take action as per the above mentioned guidelines in Para 1.0 above.

3.0 Operating Staff:

Once report about hammering sound is reported in the train from the SM in rear or by any Gateman from the rear block section, the SM shall definitely stop the train. Arrange to issue a memo to the TXR staff if available; to measure the length of flatness and allow the train further only if the measured flat is within the permissible limits. If no TXR staff is posted to work at that station, the SM shall take action to detach the coach/wagon in consultation with Control and allow the remaining train to proceed with normal speed. Under no circumstances, ASM shall allow the train to run with a suspected flat tyre, once the information is received.

4.0 Functions of Control Office:

The SCOR after getting information from the SM, shall stop the train at the next immediate station duly taking the advice seriously as reported by stations and advice Deputy Controller and Chief Controller. He shall take action as stated in Para 1.0 & Para 3.0 in consultations with LP, Guard & ASM. Deputy Controller shall co-ordinate with Engineering Control and depute the SSE (P. Way) / JE/P. Way / P. Way Supervisor of Engineering Department to inspect the rear block section either by travelling in a light engine / Tower Car with a restricted speed of 30 KMPH or by proceeding on a motor / push trolley if Loco/Tower car is not readily available or arranging the same is likely to take more time.

5.0 Engineering Staff:

On getting the advice from the Control (Engineering or Traffic) they shall be in readiness to proceed for inspection and certification of track in the rear affected block section duly taking protective action for any failure noticed during such inspection.

6.0 Engineering Control:

Engineering control shall co-ordinate with Traffic Control in alerting SSE/JE/P.Way Supervisor of Engineering department and getting the section inspected by Engineering official as laid down in Para 4.0 and 5.0 above. Thereafter, engineering control in consultation with SSE/JE-P.Way Supervisor who has inspected the section shall impose SR of 50 KMPH for Passenger trains as well as for empty Goods trains in the affected section till USFD in the affected section (point of detection of unusual sound to next station) is completed and protective action thereafter is taken. No loaded goods train shall be allowed to run unless USFD testing is completed. Adequate number of Ultrasonic teams for checking the affected section shall be arranged, if required by pooling them from other Divisions so as to complete testing within the earliest possible time. On completion of USFD testing, speed of passenger trains and that of empty goods trains shall be raised to 75 KMPH and after observing for 24 hours, normal sectional speed shall be restored for these trains. Loaded goods shall be permitted at 50 KMPH on completion of USFD and after observing for 24 hours, normal speed shall be restored for such trains.

Joint Procedure Order on Freight Train Examination C&W JPO No 04/2023

This consolidated JPO supersedes all the previous JPOs and covers all connected letters on Freight examinations of SCR and all amendments thereof.

While formulating this JPO the references drawn from the following Railway Board letters:

98/M (N)/951/12 dated 24.09.2003 (BPC revalidation by SSE/JE (C&W)).
94/M (N)/951/57/Vol II /Pt dated 25.10.04 (RB JPO on freight examination).
M (N)/2005/Train Examination dated 25.05.05 (Premium, End to End Rake for covered stock).
98/M (N) /951/12 dated 7.6.2005 (GLP Check for covered stock).
M (N)/2005/Train Examination dt 07.04.06 (Premium End to End for BOXN stock).
2005/M (N)/951/13 dt 8.2.2006 & 05.11.07 (Various instruction related to Freight Train examination and GLP check for open airbrake stock etc).
2005/M (N)/951/13/pt dt.31.01.07 (Premium examination of freight trains).
2007/M (N) /951/11 dated 11.02.08 (Movement of rakes with invalid BPC on GLP).
2007/M (N)/951/67 dated 19/20.11.2008 (Examination of container trains).
2009/ M (N)/951/4 dated: 04.03.2009 (Procedure to prevent dissipation/ loss of CC rakes).
2002/M (N)/204/10/Vol.I dt: 30.07.2009 (Validity of BPC of BLCA/B Wagon rakes)
2008/M (N)/951/13/ CC Rakes date: 11.03.2010 (Pattern of examination for CC rakes).
2010/M (N)/951/5 dated: 29.08.2012 (Issue of BPC for CC BLC rakes at SNF)
2013/TT-I/27/19 dated: 13.12.2013 (Holding of CC rakes and circuits for BOXN/BOXNHL & BCN/ BCNHL).
2013/M (N)/951/22 CC Rakes dated: 26.12.13. (CC bases of BTPN/ BTFLN rakes).
2013/M (N)/951/25 dated: 02.01.14 (Distance covered by the rake is discontinuous or not mentioned, Retrieving the details from FOIS).
RDSO letter no.MW/APB/BMB dated 28.01.2022 (Maintenance of APM for proper functioning of BMBS in freight stock).
RDSO letter no. EL/3.2.19/3-phase dated 10.05.2022 (Running of loaded trains (more than 3000T) BOXNHL and similar rakes with BMBS).
RDSO letter no. MW/APB/BMB dated 15.07.2022 (Investigation of issues reported related to Brake power in BOXNHL rakes and sudden dropping of BP pressure in LHB coaches).
RDSO letter no. MW/APB/BMB dated 08.11.2022 (Guidelines for calculation of Brake power percentages in rakes having both conventional and BMBS wagons).
2017/M (N)/951/14 dated 10.10.2018 (Periodicity of BPC for RE vehicles).

1.0 Examination points in SCR

The examination points on SCR shall be as under:

Div	CC+ Premium base depot	Premium Examination Point	End to End examination
SC	RDM , BPA & SNF	RDM, BPA, SNF, DKJ	RDM, BPA, SNF, DKJ & KZJ
BZA	BZA & COA	BZA, COA & BTTR	BZA, COA, BTTR & RJY*
GTL	GY	GY	GY
NED	-	PAU	PAU
GNT	-	NLPD	NLPD
HYB	-	-	NZB

* 62 Nos of privately owned Tank Wagons (BTCS) loaded with Caustic soda owned by M/s Andhra sugar Ltd, Tanuku, being examined on end-to-end pattern at freight examination facilities developed at KVR by the firm.

For only material train (Depots): GY, KZJ, RJY, BTTR, NLPD & PAU

Note: All CC rake and premium points should be upgraded to 'A' category, and works sanctioned should be completed.

RDM, BPA, SNF (for BLC, BCFC & BCCW), BZA and GY are nominated as ROH depots.

For carrying out CC & Premium rake examination, Divisions should plan and provide the following infrastructure facilities, Machinery & Plants without fail.

Infrastructure & facilities:

- Centre to centre distance between tracks for examination lines should be minimum 7.5 meters.
- Concrete pathways, material handling equipment, multi utility vehicle to facilitate movement of men and material smoothly from one end to other end.
- Proper illumination, specially covering bogies and brake gear locations so that the wagons needing attention can be easily detected.
- Welding grid on the entire length of train of nominated line with proper earthing arrangement so that welding can be carried out without marking the wagon sick.
- Enough outlets for tapping air pressure for testing of the stock.
- Duty room for Section Engineer/Junior Engineer (C&W), staff room, Air compressor room, store room for stocking material, tool room, welding machine room, battery charging room etc.
- VHF sets/CUG phones for close monitoring and communication between supervisors, staff and Sr. Section Engineer (In-charge).
- Portable LED type inspection lamps.
- FOIS, Broadband and Wi-Fi connectivity.
- Sufficient no. of Desktop systems for working on FMM and record keeping.

Machinery & Plants, Tools & Plants:

- Diesel and Electrically driven Compressor with air driers..
- Welding plants.
- Wagon /Rake Test rigs.
- Hydraulic jacks of various capacities.
- Lister truck for carrying material such as brake blocks etc.
- DG set (Cap. 200 KVA min.)
- Multi utility vehicle for transportation of Men, Materials and Tools from one end of rake to other.
- Gas/ Plasma cutting set.
- All required T&P items. Latest high productivity, user friendly Tooling shall be provided.

2.0 Type of examinations:

There shall be 3 types of examinations:

CC Rake examination - Premium Rake Examination - End to End examination

3.0 Closed Circuit rakes (Periodical Monitoring Examination (PME))

Closed circuit (CC rake) shall be formed at RDM, BPA, BZA, GY, SNF Container Depot (Only for BLC, BLL, BCFC & BCCW) and COA (for BTAP).

CC rake shall be given 100 % brake power during periodical maintenance examination (PME) at original base depot.

The BPC of the rake shall be valid for 7500 Kms or 30+5 days whichever is earlier.

Rakes should be offered for examination through FOIS and the BPC should be issued through FMM after linking the rakes to FOIS.

The nomenclature of the CC rake and the region of operation of CC rake shall be as follows:

TABLE A: Closed Circuit rakes

Sl. No.	Div	Stock	Base	Name of the Rake	Region of Operation
1	SC	BOXNHL	RDM	BHADRADRI	SCR/ SR/ SWR/ ECoR/ SECR & CR
2	SC	BOBRN	RDM	GODAVARI	SCR,SWR and CR
3	SC	BOXN	BPA	BLACK ROCKET	SCR/ SR/ SWR/ ECoR/ SECR & CR
4	SC	BLC/BLL	SNF	Container Rakes	OVER IR
5	SC	BLC/BLL	TMX	Container Rakes	OVER IR
6	SC	BCFC	SNF	-	SCR/ SR/ SWR/CR/SECR
7	SC	BCCW	SNF	-	SCR/ SR/ SWR/CR/SECR
8	GTL	BCCW	GY	-	SCR/SWR
9	GTL	BCFCM	GY	-	SCR/SWR
10	GTL	BOXN	GY	RED STARS	SCR/ SR/ SWR/ ECoR/ SECR & CR
11	GTL	BOXNHL	GY	BLUE STAR	SCR/ SR/ SWR/ ECoR/ SECR & CR
12	GTL	BCN	GY	RED ARROW	SCR /SR/SWR/ CR/ ECoR & WR
13	BZA	BCN	BZA	GREEN ARROW	SCR /SR/SWR/ CR/ ECoR & WR
14	BZA	BOXNHL	BZA	AMARAVATHI	SCR /SR/SWR/ CR/ ECoR & SECR
15	BZA	BOXN	BZA	GALAXY	SCR/ SR/ SWR/ ECoR/ SECR & CR
16	BZA	BCNHL	BZA	BLUE ARROW	SCR /SR/SWR/ CR/ ECoR & WR
17	BZA	BTAP	COA	-	SCR/ECoR/SER

3.6 Only the name of the Zones over which the CC rakes ply shall be mentioned in the BPC. The rake shall move over any station to any station in these zones within the validity of the BPC. Loco Pilot must record the kilometres run in the BPC and sign with name, base and date. In case it is found that the record of distance covered by the rake is discontinuous or not mentioned correctly, an effort should be made to retrieve the kilometres run after issue of last BPC through FOIS. In the eventuality of not getting such details even from FOIS, BPC of such CC rakes will be deemed to be valid only for 20 days.

3.7 After loading at every loading point the CC rake BPC shall be revalidated in the form of GLP check as stipulated in Para 13.0 of this JPO.

3.8 When a CC rake is unloaded with tippler arrangement, BPC revalidation shall be done by the SSE/JE (C&W) staff at MSEB/Parli, VTPS/KI, RTPS/KSN, and RTPP/MOO as per Para 11. At ICL/KMH, L&T/JUR, YA etc the BPC revalidation by SSE/JE (C&W) should be substituted by GLP check by Train Manager and Loco Pilot as per Para 13.0 of this JPO.

3.9 Overdue CC rakes:

When the PME is due and the CC rake is in empty condition, it shall be taken to nearest train examination point with GLP check. At examination point the rake is subjected to safe to run examination and original BPC to be endorsed by SSE/JE (C&W) as under.

“Safe to run examination conducted and BPC revalidated for onward movement as empty to original base depot..... for PME”.

When the PME is due and CC rake is in empty condition and the rake is required for one cycle of loading/unloading, the rake shall be taken to nearest train examination point with GLP check for intensive examination and endorsement on original BPC by SSE/JE (C&W) as under:

“BPC revalidated for one cycle of loading/ unloading to specified destinations and onward movement as empty to original base depot....for PME”

While revalidation of BPC after conducting STR examination and intensive examination of overdue CC rakes, POH/ ROH due wagons may not be detached duly ensuring safe condition of the wagons to run up to destination.

When the PME is due and the CC rake is detected in loaded condition, it shall be subjected to GLP check upto nearest train examination point in the direction of movement for intensive examination and endorsement on original BPC as under.

“BPC revalidated for movement up to its destination and after unloading further moved to original base depot.....for PME”.

The unsafe rakes from the point of detection to the nearest train examination point will move on GLP check, as per para No. 13 of this JPO.

3.10 It shall be the responsibility of the division and the signatories of the Agreement between Railways and Plant authorities to ensure periodical Joint Inspection of the tippers, retarders and their repair to avoid any damage of the wagon in the body, couplers, airbrake hose fittings etc. Periodical Joint Inspection to be carried out by Sr DME/DME(C&W) once in 6 months.

3.11 The integrity of CC rakes shall be maintained and any changes even for Interception of ROH and POH wagons to be done only during PME at base depot only.

3.12 Only off POH/off ROH rake should be inducted as new CC rakes under normal circumstances. For formation of CC rakes other than this, CRSE's approval is required, which should be recorded in writing.

3.13 Colour of the CC BPC shall be yellow.

3.14 CC rakes should come back to base depot only for PME, and no other depot shall utilize this rake as premium/ End to End rake.

3.15 Monitoring of CC rakes:

In order to have effective check /control, close monitoring of the above rakes at Divisional as well as at Zonal Headquarters level has become essential for which both Mechanical & Traffic Controller of the Division shall record the movement particulars of every CC rake of SCR origin. The following instructions should be followed for strict compliance:

Details of CC rake after formation and Examination shall be given by SSE/C&W to concerned YM/SM who should ensure that details are fed in FOIS. RDM, BPA, BZA, COA, GY & SNF (CONCOR) should not allow the CC rake movement unless it is entered in FOIS. Operating/Mechanical Officer in Divisions should monitor the movement of CC rakes through FOIS.

It should be ensured that CC rakes are returned to the base depots on or before the date of expiry of the validity of BPC. The incoming BPC should be handed over to on duty SSE/ JE (C&W).

The last loading of CC rakes should be before 30 days from the date of issue of BPC. This would help in timely movement of CC rakes to the base depot.

In the control chart, the CC rake number like BR-1, GA-1, RS-1, BA-1 & BS-1 etc. shall be mentioned in addition to the train number so that proper monitoring of the CC rakes movement can be done. Any failure in this regard will be viewed seriously.

At unloading and loading points where no SSE/ JE (C&W) is posted, the YM/SM under whose custody the CC BPC remains shall repeat the cumulative KM logged, detachment of wagons from the CC rakes to the Section Controller on receipt of the BPC. C&W control will collect the KM logged, detachment details from the Section Controller. However, at train examination points, (GY, RDM, BPA, SNF, BZA, & COA) the details of CC rakes shall be repeated by SSE/JE (C&W) to the respective C&W control directly.

If the cumulative KM exceeds 6500 Kms/ 25days the YM/SM concerned shall intimate to Chief controller so that loading of the rake towards PME Depot or within the Railway can be planned sufficiently in advance.

The Chief Controller at Divisional and Zonal Headquarters level shall maintain arrival and departure timings during loading/unloading/stabling/crew changing/interchange for all rakes to monitor the detention. The rakes shall be moved in the defined regions of operation as mentioned in **Table A of Item No.3 (Closed Circuit Rakes)**. As an exception, CFTM can permit them to run on routes/circuits not covered in the specified region of operation, but ensure the return of CC rakes within the stipulated time.

The logging of Kms in the brake power certificate is to be ensured by the LP for CC Rakes. In case it is found that the record of distance covered by the rake is discontinuous or not mentioned correctly, an effort

should be made to retrieve the kilometers run after issue of last BPC through FOIS. In the eventuality of not getting such details even from FOIS, BPC of such CC rakes will be deemed to be valid only for 20 days. It is necessary to ensure that the CC rakes are not lost/ dissolved. Each case of loss /dissolve of CC rake proper analysis should be made in the concerned Division and Sr.DOM/Sr.DME (C&W) concerned may fix up responsibility of staff in the event of any wrong dispatch and other defaults by which the rake moves out of the circuit and initiate necessary disciplinary action against them with an advise to Headquarters Office.

No overdue rakes shall be permitted to run on SCR. Timely PME must be ensured at the base depots for due/overdue rakes.

In case of train running with GLP check (loaded/empty) the GLP check sheet along with invalid original BPC of the train should be produced for train examination at the first train examination point in the direction of movement.

Loading of rakes which are due for PME should be avoided as far as possible.

If there is a problem of movement of loaded rakes, those rakes whose BPC is expiring should be moved on priority.

The details of all overdue rakes running on GLP check should be monitored by Sr.DOM, Sr.DME/C&W.

4.0 Premium rakes:

4.1 Premium rakes will be formed out of Air brake stock (BOXN, BOXNHL, BOBRN, BRN, BOST, BCN, BCNA types etc). On SC Railway, Premium rakes will be examined in empty condition and certified by examination points at RDM, BPA, DKJ, SNF, BZA, COA, GY, BTTR, NLPD and PAU on the nominated lines. Required infrastructure facilities should be provided without fail.

4.2 If any of the conditions i.e. examination in empty condition or at nominated points is not satisfied, rake will not be certified as premium rake and will operate as normal end-to-end rake.

4.3 As per Board letter (Ref. C & E) Premium Examination should be carried out only in 'A' category Depots or Depots should be upgraded to 'A' category on priority.

4.4 Brake power certificate issued for such premium end-to-end rakes will be valid for 12 days from the date of issue. During this 12 day period, the rakes will be allowed for multiple loading/unloading.

4.5 After each loading/unloading the rake shall be examined by Train Manager and Loco Pilot before commencement of journey and observations shall be recorded under the relevant columns of the Brake Power certificate.

4.6 Stipulation to form rakes out of off POH/ROH wagons as applicable for CC rakes will not apply in case of Premium rakes. However, the rakes shall be turned out with minimum 95% Brake Power.

4.7 a) After the lapse of 12 days, the rake should be offered for next intensive examination at the first examination point in the direction of movement. To avoid examination in loaded condition, a grace period of 3 days be permitted, if the rake is in loaded condition on 12th day. However, after expiry of the grace period i.e. after a lapse of 15 days from the date of issue of BPC, even a loaded premium rake shall be offered for examination at the first train examination point in the direction of movement. Further in no case Premium end to end rake shall be offered for loading through by-pass routes or through yards which are not nominated for examination. After examination the rake will be certified as premium rake subject to fulfillment of above mentioned conditions, otherwise as conventional end to end rake, the incoming BPC should be handed over to on duty SSE/JE (C&W)

b) The last loading should be before 12 days from the date of issue of BPC. However the rake can be moved in loaded condition up to 15 days, the unloading must be completed before 15th day and also the rake should reach at any nominated premium examination yard within 15 days from the date of issue of BPC.

4.8 Premium rakes after examination should be entered in FOIS.

4.9 Movement of Premium rakes will be monitored through FOIS by traffic.

4.10 Loading after 12th day should be prohibited so that rake is not overdue.

4.11 Detachment of overdue POH / ROH wagons from Premium rakes is to be done in premium examination points. ROH due wagons from SNF, DKJ & PAU should be moved to RDM. At COA & NLPD depots, ROH due wagons to be moved to BZA depot duly stenciling on the wagons. All the POH due stock to be moved to RYPS.

4.12 The details of overdue rakes running with GLP check should be monitored by Sr.DOM, Sr.DME/C&W.

5. End to End examination: All trains which are not checked in the CC or premium rake examination will come under this category. This is for all stocks including mixed stock where freight wagons are available.

5.1 Air Brake Rakes:

Empty rakes shall be offered in full formation for examination and issue of BPCs. Thereafter, C&W staff will carry out no further examination after loading. After such examination, the empty rake should be moved to the loading station as per the requirement of traffic.

The validity of BPC for an empty rake will be given at the train examining point as "Up to loading point & further up to unloading point". But after loading the rake, the operating staff (commercial staff in case no operating staff is posted at that station) shall ensure that the destination of the loaded train is clearly mentioned on the BPC and the same BPC valid up to destination.

No Loco Pilot shall move the loaded train from the loading point unless the destination is clearly mentioned on the BPC. BPC of the loaded train without destination shall be treated as invalid.

The empty rake must reach the loading point within 04 days of the issue of BPC including the day of issue, for the loaded rake to move on the same BPC. Otherwise the rake (empty or loaded) will have to be offered for examination for issue of fresh BPC at a suitable examination point in the direction of movement.

At the destination after unloading, the rake must be examined once again in the empty condition if it is a train examination point and the above cycle repeats. If the unloading point is not a train examination point then the rake will be cleared with GLP check to the next examination point in the direction of movement as detailed in Para 13 of this JPO, and should not more than 400km.

Station Master shall inform the section controller to stop the train at the next nominated train examination point in the direction of the movement for examination.

The rake shall not be moved by-passing the next examination point in the direction of the movement.

Green Color BPC shall be used for such rakes.

Minimum brake power should be 90% after end-to-end examination.

No freight trains should be allowed to skip train examination and run with invalid BPC. This is a potential safety hazard. To obviate this following procedure should be followed:

Before accepting the train from the adjacent Division/ Railway, the section Controller concerned should obtain the BPC particulars (Station/depot, date of issue & serial number of BPC) from the Division/Railway.

In case it is found that the train is running with an invalid BPC, it would be the responsibility of the forwarding Division/ Railway to have the train examined and is issued with proper valid BPC.

If the train is running on GLP check and no train examination point available en-route after the GLP check, the train may be accepted duly informing to Sr. DOM/Sr.DME/Sr.DEE/TRO of division, and arrange for checking at the next train examination point.

The incoming BPC should be handed over to on duty SSE/JE (C&W).

Guidelines for attending BMBS (Bogie Mounted Brake System) wagons:

6.1 Ensure 100% working of LSD/APMs during train examination. Make of APM (like Knorr Bremsse/Escorts etc) should be recorded during train examination.

6.2 The type of rake (whether BMBS/Conventional/Mixed BMBS and conventional) and the number of wagons with BMBS in the rake should be endorsed in the BPC.

6.3 In mixed rakes (rakes consisting of wagons with under frame mounted brake cylinder and BMBS), the method of calculation of brake power on BPC should consider that the under frame mounted brake cylinder is equivalent to two brake cylinders.

6.4 All types of Brake vans may be treated as having brake cylinder equivalent to one BMBS cylinder.

6.5 Ensure that the leakage of BP/FP pressures are within permissible limits.

6.6 Ensure that the rakes having twin pipe arrangement are issued with twin pipe BPC only.

6.7 Ensure timely replacement of worn out brake blocks during Train examination.

7.0 Intensive examination for Departmental trains:

7.1 All ballast wagons/sleeper carrier wagons comprising of material train must have a nominated base depot, which should be clearly stenciled on these wagons.

7.2 These trains must touch the base depot at least once in a month where they will be thoroughly examined and issued BPC.

7.3 The originating Brake power of these trains would be 90%. The validity of the BPC for engineering specials subjected to:

The validity of BPC for wagons having CASNUB bogies with Air Brake stock is 30 days.

The validity of BPC for wagons having UIC bogies with Air Brake stock is 30 days with fortnightly revalidation.

7.4 After loading/ unloading, GLP check should be conducted.

7.5 For unloading of BOBYN wagons, SSE/P.Way should ensure

Complete unloading of wagons.

In case of partial unloading, leveling of ballast on both sides of the wagons.

In case of any defect in door closing, it should be reported to C&W staff for immediate attention.

7.6 Periodicity of BPC of RE vehicles:

For all departmental trains used for RE activities, BPC will be issued with validity of maximum 30 days as per existing practice.

Revalidation of BPC of these trains at work site can be done by flying gangs maximum by 30 days, when trains are moving within the Zone/Division on a project.

During the examination preceding such revalidation of such BPC by flying C&W gang, in case any defect detected which can affect safety of train, the train must be brought back to the nominated C&W depot for taking corrective action.

It should be ensured that these trains are brought out to the nominated examination depot for proper examination every 60 days.

In case the identified trains are getting transferred for working across Zonal Railways, examination prior to such movement on a nominated depot shall have to be ensured.

8.0 Examination of trains in loaded condition: (other than CC Rakes)

8.1 No train shall be examined in loaded condition except in the following cases:

Trains received from adjoining Railway zones with invalid BPC.

When loading is required to be done without examination in exigencies.

Trains formed out of loaded wagons at different stations, when all wagons should be examined in empty condition before loading.

In the above cases, a special report / message indicating the reasons for examination in loaded condition shall be sent to CRSE / CFTM by the division in each case.

In all such cases trains in loaded condition, End to End BPC shall be issued after examination at train examination point.

9.0 Back loading of trains/Movement of Stabled loads:

9.1 When back loading is done at a station where freight train examination facilities exists, the loaded rake should be examined at that station only and an End to End BPC will be issued up to destination. In case where back loading is done at a Non-SSE/JE (C&W) station, such trains can be moved on GLP check up to first nominated train examination yard in the direction of movement and issued End-to-End BPC up to destination.

9.2 The movement of unexamined “empty rakes/back loaded rake/ stabled load/Missing BPC” from the respective point to first train examination point will be permitted on GLP check.

9.3 Running of trains on GLP check will be permitted only up to first train examination point. (The distance should not exceed 400 Kms)

10.0 Marking of freight stock for POH/ROH:

Current instructions for making wagons for ROH/POH as given in Rule No.2.4.3.4/2.4.3.6 of IRCA Pt.III are reproduced below:

10.1. Empty wagon will be marked sick for ROH/POH up to 30 days in advance of the due date.

10.2. Loaded wagons may be allowed up to 30 days after the due date for ROH/POH.

Accordingly the marking of POH/ROH wagons on S.C Rly will be as follows:

Detachment of wagons in CC rakes for POH/ROH should be done only at their base depots.

Detachment of wagons in Premium and End to End rakes (Other than containers, Tanks and departmental stock) for POH/ROH should be done as under:

RDM, BPA, SNF, DKJ, BZA, COA, GY, NLPD, PAU are the nominated points for POH/ROH detachments.

11.0 Post loading and post tripling examination

11.1 Post loading examination after loading of the rake should be carried out for all type of stock by Train Manager and Loco Pilot as per the GLP check indicated in Item No. 13 except trains loaded with steel consignment.

11.2 Post loading check of all trains that are loaded with steel consignment should be carried out by SSE/JE (C&W) staff. In case the loading point is not a train examination point, necessary C&W staff should be deputed for checking and certifying proper lashing/ securing of steel consignments.

11.3 Post tripling examination will have to be done by Train Manager and Loco Pilot for all types of stock at wherever SSE/JE (C&W) is not available. Post tripling examination is to be done by C&W staff wherever SSE/JE (C&W) is posted.

11.4 Train Manager and Loco Pilot shall carry out GLP check as per checklist given in Item No. 13.3 and will prepare a Joint Check Memo in triplicate on the format indicated in Item No.13.3.1.

11.5 SSE/JE (C&W) should check as per check list as given in Item No.12.1 and will revalidate the BPC.

12.0 BPC revalidation at train examination point (post loading/post tripling):

12.1 BPC revalidation, as mentioned in this JPO, shall mean attention to the following as per Board's letter No. 98/M (N)/951/12 dt 24.09.03 by SSE/JE (C&W) and endorsement of same in the BPC.

Sl. No	SSE/JE (C&W) revalidation Check List
1	Rake integrity is not disturbed by 04 or more than 04 Wagons. Only intensively examined wagons given fitness by train examining staff may be attached.
2	All CBCs and Air Hoses are properly coupled and locked.
3	All the angle cocks are in open condition.
4	The last Angle cock in closed condition.
5	Empty/Load device handle is in proper position.
6	There are no loose fittings/hanging parts like Push pull rod, Brake Beam, Safety Brackets, Brake blocks and Operating handle etc. which may endanger safe running of the train.
7	There are no broken or displaced springs.
8	There are no displaced Elastomeric Pads.
9	Hand brakes are released.
10	Doors of wagons are closed and locked/secured.
11	Ensure visually that there is no excessive body bulging, which is dangerous.
12	Any symptoms of Hot axle like de-colourisation of bearing, Heavy grease oozing, Breakage of axle box cover plate, end plate etc.
13	Any other abnormality noticed which may endanger the safety and if so corrective action taken.
14	Continuity of the brake pipe pressure is to be checked vide JPO No. M.320/C&W/Train Examination/ 256/ Vol. IV Date: 29.07.2013.
15	Endorsement of revalidation to be made on the same BPC.

12.2 Special stock like military specials which are based at nominated depots and are running with invalid BPC, SSE/JE (C&W) can revalidate the BPC up to the base depot. This is to be undertaken only at train examination depots. SSE/JE (C&W) cannot give revalidation of BPC in any other cases.

13.0 GLP Check (Guard & LP Joint check)

13.1 GLP check is required in following circumstances:

At every loading/Unloading point the CC and Premium rake BPC shall be revalidated in the form of GLP check before commencement of journey and observations shall be recorded under the relevant columns of the Brake Power certificate.(Para 3.6).

When a CC rake is unloaded in a tippler, where C&W staff are not available the BPC is to be revalidated in the form of GLP check by Train Manager and Loco Pilot.

For end to end rakes, if the unloading point is not a train examination point then the rake shall be cleared with GLP check to the next examination point in the direction of movement.

In case where back loading is done at a non-train examination point, such trains can be moved on GLP check upto first nominated train examination yard in the direction of movement.

After rake is stabled for more than 24 hours at way side stations.

If BPC is invalid.

13.2 Post loading examination after loading of the rake with steel consignment is to be done by SSE/JE (C&W) only.

13.3 GLP Check List

No	Items to be checked
1	Rake integrity is not disturbed by 04 or more than 04 wagons. Only intensively examined wagons given fit by train examining staff may be attached.
2	All CBCs and Air Hoses are properly coupled and locked.
3	All the angle cocks are in open condition.
4	The last Angle cock in closed condition.
5	Empty/Load device handle is in proper position.

No	Items to be checked
6	There are no loose fittings/hanging parts like Push pull rod, Brake Beam, Safety Brackets, Brake blocks and Operating handle etc. which may endanger safe running of the train.
7	There are no broken or displaced springs.
8	There are no displaced Elastomeric Pads and canted Adopters.
9	Hand brakes are released.
10	Doors of wagons are closed and locked/secured.
11	Ensure visually that there is no excessive body bulging, which is dangerous.
12	Any symptoms of Hot axle like de-colourisation of bearing, Heavy grease oozing, Breakage of axle box cover plate, end plate etc.
13	Any other abnormality noticed which may endanger the safety and action taken.
14	Continuity of the brake pipe pressure is confirmed through VHF/Whistle code before starting the train. Vide JPO No. M.320/C&W/Train Examination/ 256/ Vol.IV Date: 29.07.2013
15	Train Manager and Loco Pilot shall prepare a memo jointly on a plain sheet in triplicate indicating the brake power and deficiency, if any, and shall append their signatures and both of them shall retain a copy of the same. Guard should obtain SM/YM's endorsement on two copies of Joint Memo and hand over the third for SM/YM's record. SM/YM will inform the Section controller after making the endorsement on the Joint Memo and obtain clearance for the train to move.

13.3.1 Performa for joint check by the Loco Pilot and Train Manager (SR 4.31.5)

1	Date	:	
2	Train & Loco No.	:	
3	From...	To	
4	BPC No., Date & Station of Issue		
5	Loaded at.		Tippled at
6	Time of Locomotive attached	:	
7	Total Load	:	
8	Air levels	Loco	BV

(Signature of the Loco Pilot)

Loco Pilot 's name:.....

HQrs

(Signature of Train Manager)

Train Manager's name:.....

HQrs.

(This memo should be prepared in 3 copies, one copy to be kept with LP, one with the Train Manager and one will be given by the Train Manager to the Station Master/Yard Master).

13.4 SM shall not start the train until he receives the Joint Memo duly signed by Loco Pilot and Train Manager to the effect that the rake is fit to proceed.

14.0 BPC becomes invalid under the following conditions for different types of examinations:

Sl. No.	CC	Premium	End to End
1	Rake integrity disturbed by more than 4 wagons within the validity of the BPC. Only up to 4 wagons attachment/ detachment of CC fit wagons is permitted	Rake integrity disturbed by more than 4 wagons within the validity of the BPC. Only up to 4 wagons attachment/ detachment is permitted enroute during validity of BPC.	Rake integrity disturbed by more than 4 wagons within the validity of the BPC. Only up to 4 wagons attachment/ detachment is permitted enroute during validity of BPC.

Sl. No.	CC	Premium	End to End
2	The rake shall not be stabled for more than 24 hrs at Train examination Yard.	The rake shall not be stabled for more than 24 hrs at Train examination Yard.	The rake shall not be stabled for more than 24 hrs at Train examination Yard.
3	CC rakes moved to any other Zone not mentioned in the circuit.	--	--
4	Overdue CC rake is not moved in the direction of PME depot.	Premium rake moves for loading after 12 days from the date of issue of BPC.	
5	CC Rake running more than 35days/7500kms or as per latest guidelines issued by Railway Board.	Empty rake running after the 12 th day of issue of BPC or as per latest guidelines issued by Railway Board.	Destination stations not mentioned or unsigned corrections of destination name in the BPC of loaded rakes.

Note: As per Railway Board letter No. 2002/M (N)/204/10/Vol.I dated 30.07.2009 regarding validity of BPC for detachment/ attachment of 5 BLC/BLL wagons permitted en-route during validity of BPC.

15.0 Under trial items:

The following items are under trial as directed by Railway Board.

15.1 Extension of validity of BPC for CC rakes of BOXN/BOXNHL wagons from 7,500Kms or 30+5 days, whichever is earlier to 10,000Kms or 35+5 days, whichever is earlier as special measure as advised vide Railway Board letter no. 2022/M(N)/951/34 Pt.2 dated 14.04.2022, 30.05.2022, 30.06.2022, 26.08.2022, 29.11.2022 and 29.03.2023.

15.2 Special Premium (SP) pattern of examination of BCN/BCNA rakes with BPC validity of 20+5 days and 100% Brake Power to be examined at RDM, BPA, SNF, BZA, COA and GY yards over SCR as advised vide railway Board letter no. 2022/M(N)/951/34 Pt.1 dated 11.04.2022 and 06.01.2023.

15.3 Enhancement of validity of BPC of CC rakes of BCN stock from 7,500Kms to 9000 kms or 30+5 days whichever is earlier, on trial basis for one year as advised vide Railway Board letter no. 2022/M (N)/951/34 dated 06.12.2022.

15.4 Enhancement of validity of BPC of CC rakes of container rakes from 7,500Kms to 9000 kms or 30 days whichever is earlier, on trial basis for one year as advised vide Railway Board letter no. 2022/M (N)/951/34 dated 06.12.2022.

15.5 Enhancement of validity of BPC of CC rakes of BOBRN stock is 7,500Kms or 35+5 days whichever is earlier, on trial basis for one year as advised vide Railway Board letter no. 2022/M (N)/951/34 dated 06.12.2022.

15.6 As part of rationalization of CC examination on South Central Railway and Twinning of CC depots on trial basis as advised vide Railway Board letter no. 2022/M(N)/951/34 Pt.3 dated 22.06.2022, RDM, BZA & GY depots are grouped for BOXN/BOXNHL stock and BZA & GY depots are grouped for BCN stock. Vide Railway Board letter no: 2022/M(N)/951/34 Pt.3 dated 17.03.2023, approval for additional twinning of BPA depot with other 03 depots RDM, BZA, GY for CC examination of BOXN rakes.

16.0 Rake composition:

16.1 It shall be the responsibility of the Station Master / Yard Master to ensure that the intensively examined rakes should leave the depot with full length of standard formation as prescribed by Railway Board. The Station / Yard Masters of loading / unloading station / sidings shall be responsible for ensuring the rake integrity and for returning the rake after loading / unloading with the proper BPC.

16.2 SMs, SSE/JE(C&W) and Loco Pilot should ensure that the rake composition is not altered.

16.3 SMs / CGSRs will also be responsible for ensuring closing of doors and correct setting of empty / load lever of BOXN wagons after loading / unloading as the case may be.

16.4 The above rake composition will continue till further orders. Any change in rake composition needs thorough trial for load factor and approval of PCME/PCOM.

16.5 The divisions shall observe strict compliance of these instructions for freight train examination so that proper maintenance and safe running of wagon stock is ensured.

16.6 Detachment of embedded empties from CC rakes is permitted at any CC base depot subject to detachment/attachment of 4 Wagons only within the validity of the BPC. Whenever, such embedded empties have identified concerned SM/CGSR at loading/unloading points should immediately inform to division/Headquarters control to make necessary arrangements for replacement of embedded empties at base depots. The same should be entered in BPC.

16.7 It will be the responsibility of the operating and mechanical departments in the Zonal Railways to ensure that JPO issued for the Railway do not violate any of the provisions of the JPO issued by the RB in any manner and no train should run without proper and valid BPC.

CFTM

CRSE/Freight

Joint Procedure Order for Loading, Unloading and transportation of Ballast departmental material trains (DMTs)

No.W.506/General/Track/Ballast loading-Unloading/JPO/2023 Date: 14.09.2023.

This JPO is issued to curb the cases of derailments involving the Departmental Material Trains.

Derailments of ballast trains occur primarily due to the following reasons:

Obstruction of running rails with excess ballast / heaps during unloading of ballast.

Ballast between the running rail and check rail at the locations like Points & Crossings, Level Crossings, etc.

Partial unloading of wagons leading to uneven loading.

While backing of Ballast DMT during block without ensuring clear flange way clearance towards the gauge face side.

1. General:

All the relevant rules given in G&SR chapter IV, GR No's. 4.62, 4.63, & 4.64 and the relevant SRs pertaining to Working of material trains and Para 806 (I) of IRPWM-2020 are to be scrupulously followed. Sr.DEN/DEN/ADEN should counsel the P.Way staff responsible for loading/unloading of ballast hopper wagons. Trackmen with sufficient experience only should be deputed for DMT working.

In case Ballast is unloaded by contractual agency, ensure that contractor's supervisor is available with authorized photo identity card. Contractor's Supervisor/workmen should be trained to work on the ballast train and properly counseled about the safety measures to be followed during loading/unloading.

Staff overdue for Medical/refresher course should not be deputed to undertake the DMT work.

Ensure proper planning and preparation before going for block working and ensure sufficient block before going for unloading.

Any defect noticed on the wagons which may endanger the safety should be brought to the notice of C&W department i.e Control & Base depot for immediate attention by Engineering Department officials during the course of DMT (Departmental Material Trains) working.

2. Duties of Train Manager/Loco Pilot/SSE/(P.Way):

Respective SSE/JE/P.Way supervising the unloading shall be responsible for efficient functioning of the unloading operation of ballast train.

The Sectional P.Way Engineer, not below the rank of JE/P.Way shall be responsible for:

Supervising safe unloading of ballast.

Clearing of unloaded ballast, so that ballast does not infringe the Standard Moving Dimensions.

The loco pilot of ballast train shall be vigilant and follow the instructions of P.Way Engineer available in loco driving cab, who shall be on constant look out for signals from sectional P.Way Engineer/Guard while unloading of ballast and follow the signals given from rear of the train or otherwise.

A continuous proceed hand signal shall be shown by the Train Manager throughout the movement of the train during unloading.

During engine reversal, entire formation brakes are to be released by Train Manager/P. Way staff.

3. Examination of rake before sending to ballast depot for loading:

All ballast wagons/sleeper carrier wagons of material trains should have a nominated Base depot and name of the nominated depot should be clearly stenciled on these wagons.

These trains should be offered for examination at the Base depot at least once in a month where they will be thoroughly examined as per prescribed maintenance instructions.

Door operating mechanism of all the ballast wagons should be maintained properly to ensure smooth and trouble free operation of doors.

The rake should be offered for checking in empty condition at the time of issue of BPC, train examination staff should ensure that all the doors are kept in working condition with door fittings & gears intact. All the doors should be properly closed. BPC should be clearly endorsed by hand or with Stamp as **"All Doors Checked and kept in working condition"**.

The originating Brake power of these trains should not be less than 90%. The validity of the BPC for DMT is 30 days.

The nominated Base depot should ensure adequate stock of maintenance spares for these wagons.

The BPC is validity for movement of the rakes over SCR jurisdiction only.

It is the responsibility of SSE/P.way in-charge of Ballast depot to move the rake to Base depot in Empty condition prior to expiry of BPC, so that running of these trains with invalid BPC is completely avoided.

After loading/unloading, TMLP check should be conducted for ensuring safe running of DMT.

4. Pre-loading of the Ballast at depot:

SSE/P.Way In-charge of Ballast Depot must ensure oiling and greasing of door operating mechanism in all the wagons of BOBYN rakes at Ballast Depot before loading of every trip and must keep a proper record in the form of a Log Book. The sectional ADEN and Sr. DEN during their inspection at ballast Depot should check the Log Book and ensure that the same is properly maintained.

Door operation of all the wagons should be checked before offering the rake for loading of ballast.

Wagon with defective doors should not be permitted for loading and prominently marked as "Not to be loaded" and the same to be informed to C&W control for attending repairs.

Defective wagon should be examined and attended by C&W staff. If it is not possible to attend the repairs, same should be booked to Base depot for attention.

SSE/P.Way/In-charge of Ballast Depot will maintain a Log Book on the following pro-forma in which deficiencies observed before loading of rake should be entered:

Date of Checking	BOBYN Nos. in which doors are badly jammed and could not be opened	BOBYN Nos. in which gap observed even in closed position of doors	BOBYN Nos. in which door opening assembly is very tight and is not working smoothly and doors opened with a lot of extra effort	BOBYN Nos. in which Oiling and Greasing done and doors handles have free movement	Any other remark of the inspecting officials	Signature of the inspecting officials
1	2	3	4	5	6	7

Before entering into block section, opening of doors should be checked and if some of the doors of any BOBYN are not opening properly, unloading should not be done from that wagon and C&W staff should be booked on the next day to attend the same in the depot.

The list of deficiencies should be handed over to TXR when rake goes for issuing BPC.

5. Action to be taken prior to departure of Ballast DMT from depot:

The In-Charge of the Ballast Depot should ensure that the BOBYNs are loaded & levelled up to the pre-determined paint mark depending on the Carrying Capacity of the BOBYN.

6. Action to be taken prior to departure of Ballast DMT before taking the block:

Unloading should be done during day light hours only.

The ballast train should be accompanied by a qualified Engineering Official-in-charge not below the rank of JE(P.Way) and one efficient Blacksmith with required tools. He should be well conversant with the rules & regulations pertaining to the working of DMT. The Official-in-charge should have the details of exact location at which the ballast has to be unloaded, duly approved by SSE/P.Way or ADEN. Proper planning for unloading of ballast hoppers TP wise should be done by SSE/JE/P.Way in advance and clear signal should be shown to drivers to stop at exact required locations.

SSE/JE/P.Way should always be available during unloading of Ballast DMTs. SSE/JE should remain at site after completion of unloading and clear the track from heaps of ballast which obstruct DMT movement duly ensuring closing of the doors of empty hopper wagons.

Adequate trained/competent experienced labour shall be made available during unloading of Ballast DMT.

Ballast train should not be taken in to section for unloading if any hopper is having uneven load. The unevenly loaded wagon should be adjusted before taking in to the section.

Ensure that the safety equipment and first aid boxes are available with supervisor and are in good working order and in updated condition.

In case of non-operation of doors detected after loading of ballast/movement of DMT, a message to be given to C&W control for arranging staff to attend.

7. Action to be taken during unloading of Ballast DMT by SSE/JE (P.Way) for unloading:

Direct unloading of ballast on Platform lines should not be undertaken. Ballast may be first unloaded on the adjoining non-platform lines in phases and then taken to Platform lines.

DMT should not be moved at speeds higher than 8 to 10 KMPH while unloading ballast. Also DMT shall move only in one direction and no pushing back without clearing flange way.

While ballast train is working, it should be ensured that all the doors are opened slowly to avoid sudden discharge and uniform spreading of the ballast. On curves, inner door should be adjusted so that the required quantity of unloading is ensured on both the sides.

While unloading ballast from hoppers, care should be taken in Point and Xing Zones, so that check rails and gap between tongue rail and stock rail are clear. (Motors of points be covered with any wooden/MS sheet to avoid dropping of ballast between point rods)

DMT should not be stopped while unloading is in process. If the ballast train has stopped during unloading, it should be ensured that the ballast is clear off the top table of rail and flange way before start of the train.

All TL JB (Track Lead Junction Box) should be kept clear off ballast. OHE mast should be clear off ballast so that it can be checked whether bonding of mast with rail is intact or not.

If for any reason one side door is not opened opposite door should also be closed so that uneven unloading is avoided.

Due to poor visibility at the time of unloading, if it becomes difficult to exchange signal between LP and Train Manager/SSE/JE/P.Way, Walkie-Talkie sets should be made available to the LP and Train Manager/SSE/JE/P.Way for proper and safe working of DMTs. Walkie-Talkie sets should have particular channel for Engg. staff so that loco pilot will not get disturbed and loco pilot will be advised of movements through the person available on engine orally. Sufficient Nos. of P.Way staff should be provided to exchange signal between driver and Guard/SSE/JE/P.Way.

Wagons which cannot be opened / unloaded even with the help of Blacksmith, empty rake with such unloaded wagons shall be taken to nearest yard/stabling lines for getting the door attended by TXR. After repair of defective doors, ballast from these wagons shall be unloaded at convenient locations, ballast accounted for and empty rake dispatched to loading depot. By mistake, if unloading done unevenly those

rakes should not be taken on to loop line via turnouts and also try to move such wagons on curves with restricted speed with all precautionary measures.

8. Action to be taken after unloading of Ballast DMT by SSE/JE(P.Way):

After unloading the ballast, it must be physically ensured that no uneven unloading of ballast exists. In case of uneven unloading in rake is noticed and the same cannot be attended to in the block, ballast in the wagon to be levelled manually duly taking care of OHE lines, the DMT must be taken to nearest station with speed restriction as considered necessary ensuring that speed is not more than 10 kmph.

SEJs should be cleared off stone ballast after unloading.

Ensure clearance of ballast heaps properly to avoid jamming of signal rods, gears and lock bars after unloading.

Ensure that unloaded ballast from train should be kept clear off moving dimensions. If required suitable SR may be imposed.

SSE/JE/P.Way who is official In-charge of DMT will ensure before leaving the site that no stone is left inadvertently between the stock rails, tongue rail, Check rail & nose of crossings etc.

Ballast which has fallen between the running rail and check rail on curves & LCs should be cleared invariably before cancellation of block.

Ballast heaps should not obstruct the movement of wheel.

While giving the Memo to ASM for clearing the block of unloading of ballast, it must be ensured by SSE/JE (P.Way) supervising the work that there is no infringement to moving dimension.

Despite all precautions it is likely that some ballast may hit the foot board of the train resulting in rising of dust etc. It is therefore, recommended that a speed restriction of 45 KMPH be imposed for the first two trains which passes over the portion where the ballast had been unloaded. Caution order shall indicate the location where the ballast had been unloaded and also that the temporary engineering indicator Board are not displayed at station.

SSE/JE(P.Way)/Mate with gang shall remain at site standing at gaps to cover entire unloaded length until next two trains have passed. Without ensuring unloaded ballast clear off running gears of train Track FIT certificate should not be issued.

After each unloading, SSE/P.way in-charge of Ballast depot should ensure clearing of the ballast dust from gear wheels of door operating mechanism and then oiling and greasing of door operating mechanism should be carried.

In order to ensure complete unloading of ballast, the hopper doors must be in working order after unloading of ballast hoppers (BOBYN rakes), SSE/JE (P.Way) supervising unloading must also invariably record the unloading details in the following tabular form in a register.

No. of hoppers unloaded			
Empty	Partly unloaded	Fully unloaded	Total

CRSE/Freight

CELE

CFTM

CTE

JPO for preventing open doors of wagons hitting Railway structures

Railway Board vide letter no.2018/M(N)/951/34 pt dated 23.6.2020 has issued instructions with approval of MT & MRS on GDR check and door working. These instructions are placed as annexure-1. In Railway Board letter, activities and responsibilities of Guards & Driver, Operating and Commercial staff on duty at terminals and Mechanical staff have been given in detail. This must be followed strictly.

Responsibility of closing and securing of the wagon doors, on both sides after loading/unloading lies with parties. Railway Supervisor including CGSR/Commercial Clerk or other staff of the goods shed shall ensure door closure before accepting the release of the rake. This should be explicitly mentioned in the release memo.

Loading/unloading party will inform to CGSR/SMR by a memo with wagon and defective door details, if any door is unfit for locking or cannot be secured. After receipt of the memo, CGSR/Dy.SS/SMR will take decision to call C&W staff for necessary repair if required.

GDR check has to be conducted as per RB guidelines before drawing out of the rake and GDR memo has to be signed as prescribed.

At the time of issue of fresh BPC, Train Examination Staff should ensure that all doors are in working condition with all door fittings, all the doors are properly closed and secured. BPC should be clearly endorsed by hand or by rubber stamp as **“ALL DOORS CHECKED AND FOUND WORKING”**.

Crew shall ensure that BPC has endorsement of **“ALL DOORS CHECKED AND FOUND WORKING”** during issue of fresh BPC after C&W examination.

The JCB or other machines shall not be deployed for closing of wagon doors. Coal or material accumulated in the door grooves should be cleaned by the unloading party instead of forcefully closing or mishandling of the door.

For closing and locking of doors, unloading party staff should carry required tools.

In case minor defect in the door, wagon may be permitted with door secured properly in such that there is no possibility of its opening during run or hitting any fixed structures or causing damage to any person. Details of such wagons should be informed to Divisional Control for taking required follow up action.

During loading/unloading wagon door should not be mishandled and allowed to be hit by truck etc. Adequate distance of truck from wagon door should be maintained to eliminate chances of damage to wagon doors.

In case any damage to the wagon door or wagon by the loading/unloading party, the same should be recorded by CGSR/SMR and inform to C&W staff. The cost of such damages shall be raised.

Wherever C&W staff is not posted and in case the problem of doors not closing is highlighted, the C&W staff shall be informed by CGSR/SMR to attend such work promptly.

On receiving information, C&W staff shall rectify/secure defective doors and give fitness of these wagons. In case wagons cannot be repaired they should be detached.

Enroute detection of open/hanging door is an important issue from safety and operational point of view. All Gateman, Pointsmen, ASM/Dy.SS, Station staff, patrolling staff and the crew of the passing train should lookout for unsafe wagon doors and inform to next station.

The crew on run should look back frequently to see whether the doors are in safe condition. In case any unsafe door is noticed, Station master of next station should be informed giving approximate location of the wagon in the rake. Station staff along with Asst. Driver and Guard and any other Railway staff available in that station, will make all possible efforts to close/secure the doors.

When the door could not be closed due to any defect, the decision of calling C&W staff at that station/detachment of wagon/permitting rake up to the next operationally convenient point will be taken by the Operating staff. While calling C&W staff, details of wagons like wagon number and type of defect should be informed to them. Before allowing movement of such wagons, concerned staff should ensure its safety.

In case an unsafe door is detected in the block section, then Guard and LP/ALP with the help of any available Railway staff in the section will try to secure the door by all means available with them. If it is not possible to close/secure the door, train crew shall clear the block section in consultation with Control. Such trains should be received on non-platform lines.

RPF personnel wherever posted in Goods sheds/sidings or yards should ensure that no tampering takes place with the closed wagon doors. As it is possible that some miscreant may open the door for the purpose of pilferage or collection of residual material in the wagon.

Proper investigation for open door incidents must be done and responsibility fixed.

Cameras should be installed at major loading/unloading terminals to capture recording of rakes while entering/leaving the siding.

During Loading of commodity “Loading Pattern” as recommended by RDSO to be strictly followed to avoid contents falling on doors.

Engineering, S&T departments should ensure that fixed structures installed are as per Indian Railway Schedule of Dimensions 2004 and amendments there in.

CCM/FS

CRSE/Freight

CFTM

Procedure for Brake Continuity Test on Air Brake Passenger Carrying Trains

(Authority RDSO Lr.No.MC/AB dt.18/19-04-2006)

Before starting the train either from originating station or after any attachment/detachment of coaches/loco change of locomotive (from diesel to electric or vice versa en-route, the Loco Pilot and Guard must carry out this test as soon as possible after the locomotive or coaches are coupled or re-coupled to ensure continuity of the brake pipes throughout fitted portion of the train when all shunting work has been completed.

1. The Brake Continuity Test must be carried out on the train in the following circumstances without exception.

- 1.0 Locomotive or additional locomotive is attached to the front of the train.
- 1.1 One or more coaches attached in any position of the train.
- 1.2 One or more coaches detached from any position other than extreme rear.
- 1.3 After any brake defect or irregularity attended by closing Angle Cock or detaching BP or FP hose of any coach or locomotive on the train, which has affected the continuity.
- 1.4 Loco Pilot and Guard should ensure the removal of safety dummy plug provided in the Air Hoses before fitment /coupling of Air Hoses, whenever replacement is required in the reroute/mid-section.

2. The Brake Continuity Test need not be carried out on the train in the following circumstances.

- 2.1 When locomotive other than train locomotive is detached from the extreme front of the train.
- 2.2 When train locomotive is used for ‘complete’ brake test of the whole train and is not there after detached before starting.
- 2.3 When the train locomotive or coach is detached from the extreme rear of the train.

3. The following procedure shall be followed for carrying out the Continuity Test:

3.1	First of all it must be ensured that all angle cocks of BP & FP are in open position. However, rear end angle cocks of rear most coach and free end angle cocks of locomotive should be kept in closed position.
3.2	The Loco Pilot and Guard must confirm for the test by means of communication.
3.3	The Loco Pilot must charge the BP & FP pressure of the train and check that 5.0+0.1Kg/sq.cm & 6.0+0.1Kg/sq.cm pressure is registered respectively in BP & FP Gauge in the leading driving compartment and confirm from the Guard that minimum 4.8 Kg/sq.cm and 5.8 Kg/ sq.cm pressure is registered respectively in BP & FP Gauges in the rear SLR.
3.4	The loco pilot must then without delay carryout the following: The loco pilot must reduce BP pressure to 4.0 Kg/sq.cm by moving the A- 9 Automatic brake valve handle towards application position and confirm that the guard that the pressure registered in BP Gauge in the rear SLR within the range of 3.6 to 4.0 Kg/sq.cm, otherwise it indicated discontinuity in brake pipe which should be attended by the SSE/C&W staff. After correction any fault a further brake continuity test commencing at step 3.3 must be carried out.
3.5	After step at 3.4, the loco pilot must then recharge the BP pressure by moving A- 9 automatic brake valve handle to “RELAESE” position and check that 5.0 + 0.1Kg/sq.cm pressure is registered in BP Gauge in the loco motive and confirm from the Guard that minimum pressure is registered in BP

	Gauge in the rear SLR.
3.6	After the brake pipe pressure has stabilized in the locomotive and rear SLR/Last vehicle the loco pilot must then cut off air supply for the brake pipe either by moving the automatic brake valve handle to “HANDLE OFF/NEUTRAL” position if available or by closing the brake pipe isolating cock handle providing between additional C- 2 relay valve and brake pipe of the locomotive. The Guard must then without delay carryout the following:
3.6.1	<i>If SLR is rear vehicle, the guard must then open the Emergency brake valve handle in the rear SLR to reduce the BP pressure to 3.6 Kg/sq.cm. As soon the pressure in the BP Gauge of the rear SLR is dropped to the specified limit 3.6 kg/sq.cm the guard must then close the Emergency brake valve.</i>
3.6.2	<i>If SLR is not the rear vehicle, the guard must open the cut off angle cock of the BP on the last vehicle to reduce the BP pressure to 3.6Kg/sq.cm. As soon as the pressure in the BP Gauge is dropped to the specified limit 3.6 kg/sq.cm, the guard must then close the cut off angle cock of last vehicle. Wherever SSE/C&W staff is posted they should assist the Guard in this</i>
3.6.3	<i>After step 3.6.1 (or) 3.6.2, the guard must then confirm from the loco pilot that the pressure is registered in BP Gauge in the locomotive is within the range of 3.6 to 4.0 Kg/Sq.cm, otherwise it indicates discontinuity in the brake pipe, which should be attended by the SSE/C&W staff. After correction of any fault, Brake continuity test commencing at step 3.3 to 3.6 must be repeated.</i>
3.7	When continuity is assured and Guard’s emergency brake valve in rear SLR/Cut off angle cock of last vehicle is closed, the loco pilot must open the air supply of brake pipe to recharge the air pressure and check that 5.0 + 0.1 Kg/Sq.cm pressure is registered in BP Gauge in leading driving compartment and confirm from the Guard that minimum 4.8 Kg/Sq.cm, pressure is registered in BP Gauge in rear SLR.

4.0 Originating Trains:

(a) For the originating trains after Primary/Secondary maintenance

The Continuity Test will be done after attachment of locomotives by the Loco Pilot and Guard in the presence of SSE/SE/C&W. (SSE/SE/C&W will remain near SLR) The SSE/SE/C&W, after being satisfied with the Continuity, will issue BPC to the Loco Pilot and Guard. Guard's copy will have the signature of only SSE/SE/C&W & Guard whereas Loco Pilot's copy will have the signatures of Guard, SSE/SE/C&W & Loco Pilot.

(b) For Originating trains after turn round attention.

(b.1) Where SSE/SE/C&W is Posted : Continuity check will be done by the Loco Pilot and Guard in the presence of SSE/SE/C&W and SSE/SE/C&W will make the endorsement on the reverse of the original BPC of both Loco Pilot & Guard's copy.

(b.2) Where SSE/SE/C&W is not Posted: For Stations, like CT, SRUR, SHNR, TEL, RAL, MCLA, NDKD, BVRM, NDD, etc, Loco Pilot and Guard will check the Continuity as per the procedure and they will also make the endorsement on the reverse of original BPC of their copies.

5.0 Brake feel test:

After starting the train, when train attains the speed around 15 kmph Loco Pilot should apply A9 value and feel the brake power. 'BRAKE FEEL TEST" to be conducted at crew changing points, after crew changing, and also if train is detained en-route (for more than 30 mts.)

Note: - 1) In case VHF/Walkie-Talkie sets are not available; the Loco Pilot shall sound one long whistle before step 3.4 and as a confirmation of step 3.6.3

2) Only during recharging/recreation of BP after brake application, initial charging or resetting of ACP/TP/GVA, the “RELEASE/RUN” Push button switch must be kept in “RELEASE” position otherwise it should always be kept in ‘RUN’ position.

**Joint procedure order on
Haulage of Diesel/Electrical Dead Locomotives w.e.f October 2021.**
(In suppression of JPO dated 13-08-2015)

The following are the instructions to haul dead locomotives by goods train and passenger carrying trains except Rajdhani/Shatabdi/Duranto trains:

a) Need for haulage of dead locomotives;

Locomotives may be required to be moved as dead:

To clear a block section and take locomotive to its destination in case of failure or breakdown on the railroad.

For sending the locomotive to work shop/running shed for repairs and /or maintenance schedules.

For link balancing from Shed/station/division to another station/division.

Diesel loco bridging over made dead electric loco in Non-RE patch sections.

b) Movement of 2 dead locos + 2 working locos on coaching trains(Except Rajdhani, Duranto and Shatabdi trains) is permitted on the following sections of S.C.Railway:

No	Divn	Section UP & DN (both directions)	Distance in KM
1	HYB	KCG-DHNE	290
2		MUE- NZB- KCG	247
3	NED	MMR-ANK-PAU-MUE	371
4		MUE-ADB	162
5		PAU-AK	207
6		PBN-PRLI	63
7	SC	HYB/SC-WD	184
8		VKB-PRLI	267
9		PDPL-KRMR-NZB	178
10		HYB/SC-KZJ*	143
11	GTL	DHNE-GY/GTL-RU	337
12		GTL-DMM-TPTY	370
13		GTL-WD	230
14	BZA	BZA-GDV	43
15		NS-BVRM-NDD	76

*Already permitted as per JPO dated 13-08-2015.

c) The following combination of dead locos along with working locos are permitted.

. For goods trains-

- i) One live/working loco + One dead loco.
- ii) One live/working loco + Two dead locos
- iii) Two live/working locos + One dead loco.
- iv) Two live/working locos + Two dead locos.

2. For coaching/passenger carrying trains except Rajdhani/Shatabdi/Duranto-

- i) One live/working loco + One dead loco.
- ii) One live/working loco + Two dead locos
- iii) Two live/working locos + One dead loco.
- iv) Two live/working locos + Two dead locos.

3. However, the movement of two dead locomotives with two live/working locomotives on coaching trains(except Rajdhani/Shatabdi/Duranto) is permitted only during exigencies/failure of train engine

(MU/SH) in the sections of SCR mentioned above, up to next loco change station or where the failed / dead locos can be detached.

d) Movement of two dead locomotives with two live/working locomotives on coaching trains (except Rajdhani/Shatabdi/Duranto) is permitted in sections mentioned above subject to compliance of following conditions vide RDSO L.No.SD.DFM.A.7, dated 10.02.2015.

Dead locomotives are attached next to working locomotives (train engine) and brakes on dead locomotives are functional.

Dead locomotives can be attached to a mail/express/passenger trains including superfast trains excluding Rajdhani/Shatabdi/Duranto trains.

As a result of attachment of dead locomotives, the maximum permissible length and maximum permissible load of the train should not be exceeded.

In case of maximum permissible speed of the dead locos is less than the maximum permissible speed of the train, suitable speed restriction shall be imposed on the train while attaching the dead locomotives.

Certificate for FIT to run shall be issued by Senior Section Engineer/Loco Inspector or power controller.

As a final check, the coupled locos should be run about 500 meters and the Loco Pilot shall check for any abnormal rise in temperature of wheels/axle boxes of dead locomotives and shall also check it at subsequent stops / halts during journey.

Locomotives with defect(s) in under gear equipment should not be attached.

The other conditions mentioned in General and Subsidiary Rules for train operations are to be followed.

e) Other guidelines issued vide RDSO instruction bulletin No.MP.IB.BK.01.05.05, Rev-03, April-2010 in section-1 for recommended instructions to haul dead diesel & electric locomotives are to be complied in addition to the conditions mentioned in RDSO L.No.SD.DFM.A.4.7, dt.10.02.2015 as under;

1. Basic requirements under para 2.3:

As far as possible brakes should be applied on dead locomotives in synchronization with working locomotive.

On dead locomotives all the circuit breakers and battery knife switch shall be off and such other steps taken to ensure that the dead locomotives cannot be started inadvertently.

On diesel/electric locomotives it should be ensured that reverser handle placed in neutral position and removed.

The locomotives brakes shall be released fully before starting.

The brake pipe and main reservoir pressures shall be fully discharged. The MU2B or Lead trail switch should be placed in trail/dead position.

The Loco Pilot shall be informed that he should work the train carefully as dead locomotives are attached.

2. Haulage of dead locomotives by Goods and mail/express/passenger trains under para 2.5 & 2.6 of RDSO instruction bulletin No.MP.IB.BK.01.05.05, Rev-03, April-2010.

Haulage of dead locomotive by Goods train	Haulage of dead locomotive by mail/express/passenger/superfast trains.
Para 2.5.1: If the dead locos brakes are functional, it is attached next to working locomotive(s) and MR and BC equalizing pipes are connected so that the brake power of the dead locomotives can be utilized. Para 2.5.2: The dead locomotives to be treated as piped vehicle i) If the dead locos brake are functional but it is not attached next to working locomotive or. ii) MR & BC equalizing pipes are not connected. iii) Dead locomotives brakes are not functional. The conditions to be satisfied in these cases are as under a) Only one dead diesel/electric locomotive is permitted to haul. b) If the dead locomotive is not placed next to train locomotive, It may be marshalled anywhere on the goods train provided that the distance between dead loco and the train loco/banking loco (if any) shall be equalled to the largest span of bridge in the section duly following the below given safety requirements from the point of view of brakes. Brake pipe of dead loco: -Brake pipe of dead locomotive shall be attached to brake pipe of the train and at least ten fully braked wagons shall be attached behind the locomotive.	Para 2.6.1: If the dead locos brakes are functional, it is attached next to working locomotive(s) and MR and BC equalizing pipes connected so that the brake power of the dead locomotives can be utilized. Para 2.6.1.2: Dead locomotive may be attached at originating station or en-route provided that the brake power of mail/express/passenger trains(excluding dead locos) is at least 90% when dead locomotive is attached. Para No.2.6.2: Dead locomotive brakes are not functional and it is hauled as piped vehicle. i) Only one dead diesel/electric locomotive is permitted to haul. ii) Brake power of mail/express/passenger trains (Excluding dead locos) is at least 90% when dead locomotive is attached.
Note: -It should be ensured that the brakes of dead locomotive is functional/ piped (synchronization of brakes), <i>when attached in rear of the train as last vehicle.</i> i) Only one dead locomotive is permitted to haul. ii) Dead locomotive shall be accompanied by a competent person not less than ALP. This competent person should be provided with suitable equipment including walkie-talkie set, flags, detonators etc., The Guard of the train to which dead locomotive has been attached shall personally ensure that the dead locomotive is accompanied by such a competent person. It will be the duty and the responsibility of competent person to switch on the flasher light and secure in case uncouple occurs.	

3. RDSO instruction Bulletin No.MP.IB.BK.01.05.05, Rev-03, April-2010 in section-2: Instructions concerning brake system for hauling dead locomotive should be notified to the crew through SOB for both diesel and electric locomotives separately.

4. RDSO instruction bulletin No.MP.IB.BK.01.05.05, Rev-03, April-2010 in section-1 of Para 3.0:

Bridges: Instructions if any, related to Bridges on SCR for haulage of dead locomotives (Two live and two dead) will be advised by Engineering department to CPTM for incorporation in WTT.

JPO for power interception/loco reversal of Passenger carrying trains dated 23.9.2016.

1.0 Before detaching the loco.

Outdoor Dy.SS/YM/Shunting Master/Guard shall supervise the entire activity related to power interception/loco reversal of passenger carrying trains.

On arrival of the train, front SLR Guard compartment door will be opened by the C & W Staff.

Shunting Staff of the station shall apply the hand brake of the front SLR before the LP applied A-9 and also ensure placing two iron skids/wedges under the wheels of the last vehicle before detaching the loco.

Incoming Guard of the train is responsible to apply hand brakes in the rear SLR Shunting staff of the station shall place two iron skids/wedges under the wheels of the last vehicle before authorizing the loco for detachment.

Outdoor Dy.SS/YM/Shunting Master/Guard who is supervising shunting operations (after confirming from the Shunting Staff in front and Guard in rear regarding application of hand brakes in SLRs) shall advise the LP to apply formation brakes i.e. A-9.

2.0 Detaching the loco

Shunting Staff shall close both FP & BP cut-off-angle cocks and uncouple the BP& FP air hoses between loco and formation.

BP cut-off angle cock of the formation shall be opened by the Shunting Staff and rain out the PF pressure so that formation brakes are applied. Secure both the BP & FP air hoses in their hangers and also ensure closing of COC of BP & FP.

Shunting Staff shall 'open' the screw/CBC coupling and allow the loco to proceed forward.

3.0 Attaching loco onto the formation.

Shunting Staff should ensure that loco is stopped 20m before the formation and proceed at walking speed to couple with the formation.

After attaching the loco to the formation, following shall be ensured;

Shunting Staff shall tighten the screw/locking of CBC.

FP& BP air hoses to be coupled by C& W Staff.

FP COC of the formation to be opened by the C & W Staff.

FP COC of the loco to be opened by the C & W Staff.

After ensuring 6 Kg/cm² in FP in engine by the LP and 5.8 kg/cm² in the rear SLR Guard compartment by the Guard, BP COC of the formation to be opened by the C & W Staff.

BP COC of the engine to be opened by the C& W Staff.

Ensure 5 kg/cm² in engine by the LP and 4.8 kg/cm² in the rear SLR by Guard and C & W Staff.

Iron skids which are placed for securing the formation is removed by the Shunting Staff on either end of the formation.

Releasing of front SLR Guard compartment hand brake should be done by the Shunting Staff and rear SLR hand brake by the Guard.

Shunting Supervisor (YM, SM & Guard)/ Outdoor Dy.SS should inform the C& W Staff to release the formation. The formation releasing activity is the responsibility of C & W Staff which may be coordinated by the Operating Staff. However, C&W shall ensure that releasing the formation should take place only after attaching the loco to the formation.

In case of wayside stations where C & W Staff shall be carried out by the GLP and Pointsman.

Proper communication should be maintained between Operating and C & W staff.

On receipt of confirmation from C & W Staff about releasing of the formation, Guard and LP should conduct air-continuity test as per the procedure in vogue.

After carriage watering and removal of water pipes, C & W Staff shall also ensure that the front SLR Guard compartment door is locked and then endorse on the face of BPC.

Entire activity reiterated above needs to be executed within the time allotted.

Attachment of Inspection Carriages

As per Railway Board L.No.88/CHG.II/34/2 dated 16.06.2006, NOT MORE THAN ONE INSPECTION CARRIAGE SHALL BE ATTACHED WITH MAIL/EXPRESS TRAINS AT A TIME.

JPO - For Running Head on Generation (HOG) trains

All trains running on EOG are provided with power car for feeding lights, fan, air-conditioning and other auxiliary loads. As such power cars are adequate to cater for entire load of the rakes. 750 Volts power from HOG facility availability in 3-phase locomotives is being used in select trains for feeding light/fan/AC and other auxiliary loads of coach as an alternative. This facility will progressively be extended to more number of trains as HOG loco population increases. While providing power from HOG facility of loco, the DG sets in power car remain on standby and can be taken on load in the event of HOG power from loco not being available for any reason.

In order to streamline use of power from HOG following procedure shall be adopted.

1	At originating station after attachment of locomotive to the train the HOG power & Control couplers between train & loco shall be coupled & locked by power car manning staff. The HOG couplers shall be coupled/uncoupled, only after ensuring that both pantos are in lowered condition. Permission shall be obtained from Shunter/LP before coupling/uncoupling.
2	After coupling LP shall be informed by power car manning staff in writing that "HOG couplers have been fixed and locked and that the HOG can be switched ON"
3	Only after ensuring that HOG couplers are connected & locked and on getting written confirmation from power car manning staff, Loco Pilot/Shunter shall raise the panto, close VCB and switch ON BLHO switch (spring loaded). LSHO lamp shall glow.
4	Till the time the loco is connected and HOG is switched "ON", power car manning staff should ensure the power supply to coaches for pre-cooling etc is available through DG set.
5	On availability of HOTEL load supply and after ensuring that the supply is stable, changeover to HOTEL load shall be affected by Power car manning staff.
6	Power car manning staff shall continuously monitor the power supply from loco and ensure proper voltage is displayed in each phase in the control panel of power car.
7	The power car manning staff to ensure availability of power supply to rake either from HOG or Generator. In case of any trouble in coupling or difficulty in extending HOG supply from loco, the train shall not be detained. The train shall be worked with power car.
8	In case of loco/OHE failure, Loco Pilot shall inform to Guard, Guard in turn shall inform power car manning staff to switch over the supply from HOG to power car. Loco Pilot shall inform TLC within 05 minutes of such failure and TLC in turn will inform Electrical Control. Electric controller shall verify availability of power supply to the coaches.
9	At destination or en-route station before disconnection of the HOG couplers, Loco Pilot shall switch OFF the BLHO switch and ensure that the LSHO lamp is not glowing. Loco Pilots shall also ensure that both panto are lowered.
10	Power car manning staff shall disconnect the HOG couplers from locomotive, before detachment of loco at destination/en-route. Before disconnecting of HOG couplers power car manning staff shall take permission from Shunter/LP and ensure that both panto of the loco are lowered.
11	Loco Pilot/Shunter shall ensure that all three HOG couplers are disconnected, before detaching the locomotive.
12	Maintenance of power couplers and replacement in case of necessity and availability of adequate spare couplers should be ensured by respective SSE of coaching depot or SSE of ELS/Trip shed.
13	Utilization of Hotel load (HOG) facility in nominated trains shall be ensured by both SSE/Coaching and SSE/Loco shed/trip shed by ensuring smooth functioning of associated circuit and components. For monitoring purpose details in enclosed format be recorded by SSE/Coaching at the end of each return trip of rake of each nominated train. These details to be monitored by respective divisional officers for effective utilization.

Weekly report on utilization of HOG (i.e. % of KWH generated through HOG and % of KWH generated through Dsl) for each nominated trains be sent to CESE and CELE on every Friday.											
Depot	Date	Train No.	Running days	Run time (hrs)	Use on HOG		Use on Dsl		Diesel consumption liters	Reason for Dsl running	
					Hrs	KWH generated	Hrs	KWH generated			

The responsibility of supplying power to train entirely rests on power car staff deputed there with. Supply of HOG power of loco is only an alternative to save Diesel fuel consumption. In case of unforeseen tripping of loco/detachment of HOG powered loco in en-route, the power car staff shall immediately switch over from HOG to Diesel engine and ensure uninterrupted supply to all coaches.

Any punctuality loss may be booked on “Electrical Account”.

CELE/SCR

CEE/OP/SCR

CESE/SC

JPO on Head On Generation (HOG) operation of SCR Locos

Ref:-Railway Board letter no. 98/Elect(G)/114/3 dated 18.03.25

Railway Board vide reference above has advised that the Zonal Railways to take measures to improve the reliability of Power car and HOG compliant locomotives. Hence, in order to streamline the operation of SCR locos on HOG trains, the following procedure shall be adopted.

1.	It is to be ensured at originating station that HOG loco is provided as per nominated loco link.
2.	Proper working of power car should be ensured at originating station. Both the DA sets should be working properly and full fuelling should be carried out.
3.	In case of non-availability HOG locos, non-HOG loco may be attached to LHB trains with two Power cars or shorter distance LHB trains only. Same should be informed to TLC/HQ for obtaining the approval of CESE & CELE.
4.	TLC should inform Electrical control in advance about non availability of HOG Locomotive for the particular train and in turn Electrical control should ensure full fuelling of Power cars and working of DA sets in such trains.
5.	Efforts should be made to replace non-HOG locos at the earliest location with HOG compliant loco
6.	In case of exigency, HOG loco with one converter working may be given to shorter distance trains.
7.	In case of failure of HOG converter or power car enroute, they must be replaced by the healthy one at the next station where the asset is available.
8.	For provision of HOG locomotive, special TODs which are not in the regular HOG link should be given the last priority. Therefore, as far as possible long distance HOG trains should be planned with two power cars.
9.	ADEE (Op)/ ADME (P) and ADEE/M to monitor nomination of HOG locos on real time basis and should also be aware of status of Power cars.
10.	In case of failure of HOG converter, a joint note should be prepared at destination station of train and must be brought in the knowledge of CESE & CELE. Electrical Chg. Control/TLC of originating/owning division should convey the details of converter defect to the destination respective control for preparation of joint note.

CPTM/SCR

CELE/SCR

CESE/SCR

JPO for rectification of failures in Automatic Signals with MSDAC/Axle Counters

On coming to know about an Automatic Signal failure either through the Loco pilot or through the panel indications or through any other means, the SM shall advise concerned signal staff as per SR 9.11.4 “The Station master on receipt of signal failure shall at once advise by telephone the concerned signal maintainer, the SCOR, and the station master in rear, giving the correct number of the signal that has failed duly making suitable entry in the S&T failure register.”

In case of Automatic signal failure due to an MSDAC/Axle counter failure, as visible on VDU/indication board, the on-duty Station Master shall observe whether preparatory reset got activated; and after passing one train, the failure got restored. In case of restoration, the SM shall advise the Signal Maintainer concerned, the SCOR and the SM in rear, duly making suitable entry in the S&T failure register.

On continuation of the failure, the Signal maintainer shall issue Disconnection notice to SM and proceed to site. On reaching the site, the Signal maintainer shall disconnect the fuse and link of Yellow, Double Yellow and Green aspect of the concerned signal in that particular Goomty / location ensuring the signal will never get any Green, Yellow or Double Yellow aspect during failure time.

The trains shall continue to be run as per the Automatic Block System rules, even under such disconnection of Automatic Signal(s) for failure attention.

After rectification of failure, the Signal maintainer shall advise that the failure has been attended and if required, seek on duty Station Master to initiate manual resetting procedure as prescribed in SWR.

Before initiating manual reset, the on-duty Station Master shall ensure that no further train is dispatched towards the affected section till the completion of reset procedure.

On completion of manual reset procedure, the on-duty Station Master shall observe for appearance of preparatory reset indication on the VDU/indication panel and shall communicate the same to the Signal maintainer at site.

On ascertaining the preparatory reset indication through station master, the Signal maintainer shall connect the links of fuses of Yellow, Double Yellow and Green aspects.

Once Axle counter accepted preparatory reset mode, Station master shall allow one train in to the section in order to clear and reset the faulty MSDAC/Axle counter. Only on clearance of the train beyond the affected section, further trains shall be dispatched in to the section.

If failure restored S&T staff will issue restoration message to SM, record the rectification time in his diary and inform the same to S&T controller. The SM shall advise the restoration message to the SCOR and the Station master in rear. Signal maintainer after reaching the station shall issue reconnection notice to SM and make suitable entry in S&T failure register.

CSE/I/SCR

COM/G/SCR

Joint Procedural Order for Placement and Removal of Container Rakes into & out of Goods Sheds/Sidings/Private Freight Terminals

X-X-X

The following Joint Procedural Order shall be followed while placing and clearing of container rakes into and out of sidings.

I. Securing of the rake before placement:

- a. After shunting into siding, the Shunting staff shall ensure that the container rake is standing within fouling mark/signals of the concerned line on both ends.
- b. The rake shall be secured as per the rules for securing of vehicles laid down vide SR 5.23 of SCR G&SR.
- c. The In-charge of the Shunting Staff shall ensure that the above instructions have been complied and sign in the 'Stabled Load Register' at the station, duly filling all the required columns given in the Register, along with date and time.
- d. In the absence of separate shunting staff, Guard of the train shall supervise the shunting and stabling of the rake and sign in the Stabled Load Register.
- e. If the siding is away from the Station, a separate Stabled Load Register shall be maintained in Siding, under control of Goods Supervisor/Goods Clerk. If there is no Goods Supervisor/Goods Clerk is posted, the Register shall be maintained by the siding in-charge designated by the siding authorities, under advice to the Station Master.
- f. The Station Master/Goods Supervisor/Goods Clerk/the designated Siding in-Charge shall countersign against the signature of the Shunting-in-charge/Guard in the respective column in the 'Stabled Load Register', along with date and time.

II. Precautions while Lifting-on and Lifting-off Containers:

- a. Private operator supervisor at Goods Sheds/Sidings/Private Freight Terminals should monitor the Lifting-on (placing a container on the BLC wagon) and Lifting-off (lifting a container off the BLC wagon) Containers and all possible care should be taken to prevent damage to wagons by rough and careless handling. They will be held responsible for any damages.
- b. Containers must be evenly loaded so that the load is equally distributed on all springs. No overloading beyond carrying capacity is to be allowed.
- c. Before 'Lifting-on' containers, siding authorities should check the condition of Automatic Twist Locks. In case of any defect/deficiency, same should be brought to the notice of the Railway staff for corrective action.
- d. Containers should be lowered equally, parallel to locks and positioned without any jerk or sudden drop by the Reach stacker, duly ensuring that twist locks are properly locked.
- e. The Reach Stacker deployed should be in good working condition.
- f. Crane Operator should work very carefully and should blow horn to alert if extra load is exerted while unloading of containers. Road mobile cranes preferably should have the provision of load cell should be used for unloading.
- g. One supervisor should be exclusively deputed by the siding authorities for ensuring proper locking/unlocking of ATLs. He will also guide the crane driver suitably. The supervisor shall also ensure that wagon is not lifted along with the container. In case any wagon is lifted, the supervisor shall alert the crane operator in this regard and ensure that the wagon's all wheels are again placed properly on the rails and will inform the same to the Siding authorities and Railway Authorities for further action.
- h. While Containers are being lifted, it should be ensured that lifting is done gently, evenly and vertically and see that twist locks are unlocked and under frame is not lifted while lifting the container.

- i. Crane operator and site supervisor should check and ensure that wagon is properly seated on bogie, wheels are not mounted on rails and wagon/bogie/wheel is not derailed while unloading/loading the containers.
- j. Before releasing the unloaded/loaded rakes, the Yard Supervisor of CONCOR shall ensure that all the wagons are properly seated on bogies, wheels are not mounted on rails and wagon/bogie/wheels are not derailed while unloading/loading the containers and all the containers loaded are positioned on the wagons properly and locked.
- k. Committee of Divisional Officers of Mechanical, Operating & Commercial departments should jointly inspect container sidings at regular intervals for ensuring availability and working condition of suitable machinery, facilities and proper Lift-on and Lift-off practices by the siding authorities.

Precautions to be taken before releasing the rake:

On duty Commercial Staff/SMR on duty at Lift-on-Lift-off operated terminals of containers at Goods-sheds/sidings/Private Freight Terminals (PFTs) should issue Release Memo mentioning the loading and unloading particulars as per the extant guidelines and after obtaining Certificate/Memo/Letter from the container Operator, duly indicating the following:

Checked the rake and found all the wheels of wagons are intact on the rails.

There are no abnormalities with regard to twist locks.

Commercial staff should ensure that copies of Release Memo and Certificate/Memo/Letter of the Container Operator are handed over to the on duty Station Master.

III. Removal of rake from the siding:

All rakes examined on CC pattern should be subjected to safe to run examination by TXR (at TXR point) or GLP check by Guard & Loco pilots (at other than TXR points) after every loading/un-loading. Such safe to run examination should be followed by endorsement on original BPC. In such safe to run examination brake power, hanging parts and other defects which can be noticed visually on wagon loaded with containers, should be checked and given proper attention.

Container rakes detained for more than 24 hours at a TXR point should be subjected to safe to run examination and endorsement on BPC should be made by TXR that rake is safe to run for the remaining validity period of BPC. At non TXR point GDR check should be conducted.

The rake shall be drawn forward slowly while backing/bringing onto station's running line. The Guard/Shunting staff shall travel by the brake van and see that the train is moving safely. One of the Shunting staff shall stay at the end of the line where from the rake is being drawn and be watchful for any unusuals and be ready to alert the Loco Pilot to stop the train. The Loco Pilot too shall be in an alertness to stop the train immediately upon Guard's/Shunting Staff's warning.

General:

Siding Authorities shall provide pathways and lighting on both sides of the line(s), where from rakes will be cleared, for movement of Shunting staff/Guard/Loco Pilot while checking the rakes.

The Station Superintendents of Serving stations, Section TIs and SSE/C&W shall inspect the sidings regularly and counsel the siding staff, Shunting staff and Guards, who are involved in the activities detailed above. Acknowledgements shall be obtained from the staff who have been counselled.

This JPO does not supersede any Agreements/Circulars, Manuals, etc., in this regard.

CME/Plg

CEE/OP

CCM/FS

COM/G

Joint Procedure Order for running freight trains with twin Pipe Brake System

Ref: 1. Railway Board Lr No. 2010/M(N)/60/10 Pt.II dt: 25.08.15

2. RDSO's letter No. MW/APB/TPM dt: 29.07.15.

<<>>

Working of freight trains on twin pipe brake system improves the operational efficiency and the average speed of freight trains, as the brake releasing time is lesser. Data reveals that twin pipe brake system also results in a reduction in train parting cases.

However, a large number of twin pipe rakes are returned with single pipe working, the main reason for which are non-coupling of feed pipe (FP) hoses at loading / unloading points, non-availability of brake vans and locomotives with twin pipe. In view of above JPO is issued in order to provide instructions and guidance to facilitate twin pipe working to concerned staff.

1. The following to be stamped on the BPC of twin pipe rakes at the time of issuance of BPC by TXR duly endorsing FP pressure of locomotive and brake van.

This rake is fitted with pipe air brake system.

FP Pressure in Loco Kg/cm²

FP Pressure in Brake van.....Kg/cm²

2. An item should be added to the list of items to be checked during GDR checks circulated vide Railway Board's letter No. 2005/M(N)/95/1/13 dated 08.02.06 as follows: " the rake should be cleared with twin pipe brake system if BPC has endorsement as twin pipe, subject to a compatible loco being attached to the train.
3. Whenever the rake is maintained by TXR as a twin pipe rake, the Pool ID of the rake in FOIS shall be entered with a suffix of "TP" so that the users of FOIS are aware that the rake is twin pipe. The suffix of "TP" shall be entered into FOIS based on a certificate issued by TXR.
4. The field operating staff may be directed to ensure that the twin pipe rakes should work on twin pipe brake system and the FP hoses should be reconnected, if they were disconnected for loading/unloading.
5. In case of defective/deficient feed pipe noticed during GDR they should replace using spare feed pipe available in the loco. In case this does not solve the problem, assistance of TXR staff should be sought at the first available opportunity to connect the rake to twin pipe and an endorsement should be made on the BPC to that effect.
6. Frequent counselling of Guards and Driver in the crew lobby and on foot plate to be done by LI, TI and other officials advising them to clear such rakes as twin pipe to improve the running. These instructions to be passed to LPs, ALPs, and Guards through shed order book maintained in the crew lobbies.
7. All cases, wherein twin pipe rakes have to be operated in single pipe shall be flagged on FOIS by control based on message conveyed by train crew. The report should be perused by operating and mechanical officers in the Divisional and Zonal Headquarters for taking suitable corrective action.
8. Frequent surprise checks should be carried out by Traffic, Mechanical and Electrical department supervisors and officials and the Flying Squads of IRCA so as to ensure that the twin pipe brake rakes are actually working on twin pipe in the field.
9. The FP gauge along with the adopter shall be provided to the Guards as a personal store by operating department.
10. Locos having twin pipe air brake system in operational condition should be provided for working the twin pipe rakes.

11. Non-availability of twin pipe Brake Van: As far as possible, the Brake Vans having the provision of twin pipe air brake system should be provided for working the twin pipe rakes. However, in case of non-availability of twin pipe BVs, the train should work with twin pipe brake system up to the last wagon ahead of the BV and the BV may be with single pipe brake system. Such rakes shall be treated as twin pipe rakes for the purpose of entry of Pool ID in FOIS. However, it shall be ensured that the Feed Pipe (F.P) hose couplings are connected to form a continuous air passage from locomotive to last wagon ahead of the single pipe BV. The following point shall be ensured at the originating station / C&W examination point:

- i. Suitable arrangement shall be used by SSE/C&W for checking of Feed Pipe Pressure at the tail end of the last wagon (before single pipe BV) and to ensure that the FP Pressure is not less than 5.8 kg/cm².
- ii. After checking of Feed Pipe Pressure, it is to be ensured that the cut-off-angle cock of Feed Pipe of last wagon is in closed condition.
- iii. Other general guidelines for operation and examination of twin pipe air brake system of complete train as per Amendment No.3 of January 2010 of G-97 are to be followed.

Revised Post loading / Post tripling checks by the Guard and the Driver.

Items to be checked by Guard and Driver:

Sl. No.	Post loading /Post tripling and rakes clearing from Non train examination point
1.	All CBCs and Air Hoses are properly coupled and looked.
2.	All the angle cocks are in open condition.
3.	The last Angle cock in closed condition.
4.	Empty / Load device handle is in proper condition.
5.	There are no loose fittings / hanging parts like springs, Push pull rod, Brake Beam, Safety Brackets, Brake blocks etc., which may endanger safe running of the train.
6.	Hand brakes are released.
7.	Doors of wagons are closed and looked / secured.
8.	Check continuity of the air pressure / vacuum before starting.
9.	The rake should be cleared with twin pipe brake system if BPC has endorsement as twin pipe, subject to a compatible loco being attached to the train.

No.T.411/JPO/KAVACH/Operations

Date: 11.09.2024

Joint Procedural Order for Kavach Ver 3.2 Operations in SCR in Nagarsol-Mudkhed-Secunderabad-Dhone- Guntakal and Bidar-Parli-Parbhani sections of SC Railway.

1.1 Kavach Ver 3.2 is installed in Nagarsol-Mudkhed- Secunderabad- Dhoni- Guntakal and - Bidar-Parli-Parbhani sections in Nanded, Hyderabad, Guntakal and Secunderabad divisions as an additional safety aid to the Loco Pilots.

1.2 The Loco Pilot/Assistant Loco pilot shall always act accordingly to the Track side signals aspects, warning boards and stop boards as per the General and Subsidiary Rules of SCR. At any point given of time, LP/ALP shall not fully rely upon the signal aspects displayed on the DMI. The operation of Kavach shall, never, interfere/infringe or override the stipulations of regular train operations mentioned in the G&SR in SCR, unless otherwise specified through amendments in G&SR.

1.3 Kavach Ver 3.2 fitted Loco shall run in the Kavach territory as per Kavach Loco links.

1.4 Training on Kavach Ver 3.2 is being imparted to CLI/LP/ALPs in STTC/MLY and competency certificates are being issued on successful completion. The LPs/ALPs with valid competency certificate shall be booked to work in Kavach fitted Locos.

1.5 To ensure the authorized access to the Onboard TCAS, sealing of Onboard Computers, Break Interface Unit and Driver Machine Interface (DMI) shall be ensured. In case of tampering of seal, Onboard TCAS shall be declared defective. LP shall inform TLC, isolate LTCAS and shall work the Train.

1.6 Signal Sighting Committee in Division shall carry out the Quarterly Inspection of existing Kavach system functionality based on the Kavach documents (RFID layout and Table of Control). Whenever there are alterations in existing Kavach installation or introduction of Kavach in Station/LC/IBS/ABS in the Kavach working territory, the Signal Sighting Committee shall also carry out the inspection of Kavach system, to check the correspondence of Track side Signals with signal aspects displayed on Kavach Driver Machine Interface (DMI). After verification, a certificate shall be issued in the format enclosed as Annexure-1.

1.7 The Loco pilot shall follow the existing laid down procedures as per G&SR 4.08 in case of defective Speedometer of Loco irrespective of Speed Indication on Kavach DMI.

1.8 After energizing the Locomotive, the Loco Pilots shall boot up Kavach loco system and configure the trailing load as per the train consist in DMI. Further, the LP shall configure trailing load whenever attaching/detaching any coach/coaches en-route.

1.9 In case of report of any Accidents and Unusual occurrences, the Station Master shall follow the laid down procedures as per G&SR 6.01. Further, the procedure issued vide JPO No. T.411/JPO/KAVACH/SMs dated 26.06.2024 shall be followed for generation of SoS through SMOCIP by Station Masters. The SoS facility shall be available only between two functional Kavach trains. The same shall be incorporated in SWRs. On receipt of SoS, SM shall act as per G&SR 6.01 and 6.07.

1.10 G&SR 6.07 shall be followed by the Loco pilot, Guard and Station Masters as per the laid down procedures in case of any unusual circumstances. Further, the Loco pilot and Station Masters shall also generate SoS in addition to the laid down procedures. The SoS facility shall be available only between two functional Kavach trains.

1.11 Limitations of Kavach Ver 3.2 functionality in detection of collision scenarios at Junction stations where different kilometres converge from multiple directions shall be mentioned as PSRs in Caution Orders based on the information given by Sr.DSTE/Dy.CSTEs as per the format mentioned below. At such locations, LPs/ALPs shall follow the normal train operations with Kavach working. A special condition shall be incorporated in the SWRs of adjoining stations.

Sl. No.	Station		Line UP/DN	Kilometer		Speed limit in Kmph	Reasons/ Remarks	Date and time of imposition
	From	To		From	To			
						LPs/ALPs shall follow the normal train operations with Kavach	Kavach collusion prevention is not available from Km xx/xx-yy/yy due to limitation of Kavach Ver 3.2 functionality at Junction stations	Permanent imposition in Kavach till further advice.

Note: LP/ALPs shall follow PSR, if imposed in these KMs.

1.12 There are limitations of Kavach functionality when Exit RFID tags are provided at stations/Locations, wherever, a new Station/LC/IBS/ABS commissioned or any modifications in Signalling Interlocking without Kavach modifications exist or during Non-Interlocking period. Kavach modifications as per the revised Signalling arrangements require some time to implement Kavach system. The Kilometre details of such locations shall be mentioned in Caution Orders based on the information given by

Sr.DSTE/Dy.CSTEs. At such locations, LPs/ALPs shall follow the normal train operations procedures with Kavach working in Staff Responsible (SR) mode.

Sl. No.	Station		Line UP/DN	Kilometre		Speed limit in Kmph	Reasons/ Remarks	Date and time of imposition
	From	To		From	To			
						LPs/ALPs shall follow the normal train operations	Kavach will be in staff responsible mode.	Temporary imposition in Kavach from .. hrs of DD/MM/YYYY until further advice.
Note: LP/ALPs shall follow PSR/TSR, if imposed in these KMs.								

1.13 Whenever a new PSR is introduced or existing PSR removed/relaxed or Speed restriction or Kilometre details are changed, the TI Caution Order will inform Test room staff, and they will in turn inform OEM and Project unit for carrying out necessary modifications in Kavach. The PSR modifications in Kavach shall be done expeditiously. LPs/ALPs shall follow the caution order only and if necessary, isolate the Kavach to avoid undesirable braking.

1.14. Whenever a Loco pilot encounters any issue related to Kavach working during run with Kavach fitted Locos, the LP/ALP shall inform the TLC. TLC in turn shall inform the on-duty Test room staff of the division. The Test room staff shall guide the LP/ALP with the help of OEM Engineer to resolve the issue. If issue is resolved the LP can work normally. If the issue is not solved, then the LP shall isolate the Kavach and work the Train and shall make an entry in the CMS and Loco log book. The issue recorded in the CMS shall be passed on to the Projects unit and the OEM, by divisional Test room staff and the issue has to be resolved at the earliest, when the Loco comes back to Trip shed/Home shed based on the severity and time period required for attention. In case of any delay in attending of Loco Kavach, Loco can be given for service without Kavach in operations if there is traffic requirement or any operation exigency.

1.15. After attending the Kavach related issues, the OEMs along with Project/Divisional S&T staff and Loco shed staff shall check the working of Kavach as per the check list issued and shall sign in check list and Loco log book.

1.16 The periodic maintenance of Pulse Generators shall be done by OEMs in coordination with Loco shed staff during the scheduled maintenance as per the procedure and schedule mentioned in the check list issued.

1.17 Whenever there is change in wheel diameter due to turning of wheels done by Loco shed staff, the details shall be informed to OEM by Loco shed staff to carryout necessary modifications in the Loco Kavach. After modification in Loco Kavach, it will be jointly checked by OEM and Loco shed staff as per the check list enclosed.

1.18 In case of Kavach SMOCIP is not functioning, Station Masters shall act as per the JPO issued vide JPO No. T.411/JPO/KAVACH/SMs dated 26.06.2024, and inform Divisional Test room staff for necessary action.

1.19 Networking Monitoring System (NMS) is provided in Divisional Test rooms of SC, HYB, NED and GTL divisions to monitor the working of Kavach system. The Divisional Test room staff shall monitor the Kavach system performance on 24x7 basis and guide the field staff to resolve the issues.

1.20 Train Punctuality loss and asset failure cases due to failure or malfunctioning/limitations of Loco Kavach or Station Kavach system shall be shown on S&T-Kavach account. However, the cases of Punctuality loss and asset failure due to wrong operation by LP (with Kavach 3.2 Competency Certificate) shall be shown on Loco crew account.

1.21 In case of Maintenance or for carrying out alterations in the Kavach system at Stations/LCs/IBS/ABS locations, the existing procedure of disconnection/reconnections of S&T gears shall be followed.

1.22 At present the Kavach Ver 3.2 is deployed in the Nagarsol-Mudkhed-Secunderabad-Dhone-Guntakal and Bidar-Parli-Pharbhani sections of South Central Railway. Based on the feedback from LP/ALPs the suggestions shall be advised by S&T to RDSO and CoE for necessary action.

1.23 In view of the above observations, as Amendments in G&SR are to be approved by Railway Board, till such time as a temporary measures, the Kavach Ver 3.2 system shall be made Operational in the Nagarsol-Mudkhed-Secunderabad-Dhone-Guntakal and Bidar-Parli-Pharbhani sections of South Central Railway based on this JPO to take advantage of Kavach protection.

CSE/SC

CSTE/P-I/SC

COM/G/SC

CELE/SC

SCR-PCOM0RULE(JPO)/1/2020-RULES SECTION (67319)

Date 21/10/2025

JPO for safe execution of shunting operations – special emphasis on push back movements towards dead end.

At stations where separate shunting staff are employed, they shall attend all shunting operations. At all other stations, shunting operations shall be supervised personally by the TMR of the train, under the orders of Station Master.

Where shunting operations are supervised by TMR/SM, Loco Pilot shall be given Form No. T/806 (Shunting order) duly filled with additional information regarding length of the siding should also be provided. The speed during shunting operations shall not exceed 15 kmph.

It is the responsibility of the LP/TMR/Shunter and shunting staff to acquaint with shunting restrictions before the commencement of shunting.

The person, who initially gives instructions for shunting operations, shall not change instructions and authorise the changing of points etc., unless he has satisfied himself that shunting operations have been stopped completely.

Loco Pilot/Shunter must ensure that hand signal is exhibited from the concerned points (not governed by signals) enroute by shunting supervisor/ Points man as an assurance of correct setting and locking of points. Shunting staff shall have the knowledge of layout of the station, yard, or line where they are operating. They should clearly understand the length of the line up to the dead end, measured in terms of meters/ number of coaches or wagons it can accommodate. Before initiating push-back shunting, the Loco pilot/Shunter/Shunting staff shall know the number of wagons or coaches involved.

Shunting staff shall position themselves and continuously exhibit hand signals to the loco pilot and also have view of dead-end to monitor the movement safely. Absence of proceed hand signal from shunting staff shall be treated as danger, LP/Shunter shall stop and ascertain.

In case LP/Shunter is unable to see the hand signals due to curvature, lengthier load or obstruction an additional pointsman should be deputed in the working cab to relay the hand signals/shunting instructions. Walkie talkie can be used for continuous flow of instructions. No movement is to be carried out by Loco pilot/Shunter when there is any break in communication.

The Chief Crew controller (CCC) must ensure that loco pilots and Shunters are provided with proper LR and handling instructions before being assigned rostered shunting duties in the nominated yards. Additionally, Loco Inspectors (LIs) shall conduct regular checks on shunting operations and assess the driving techniques of Shunters during the course of shunting activities. TI/SM/YMs shall check the Shunting practices of the staff and educate them on safe working procedures.

While using walkie talkies, Staff shall clearly mention line and train number (Ex. GL1 BCNHL) and also confirm the identity of the speaker at the other end.

Provision of Standard buffers and regular maintenance of buffers/dead end shall be ensured by the Supervisor concerned. Illuminated strips to be provided to dead ends/buffer stops to enable shunting staff to notice nearness of buffer stop/ dead end clearly during night time.

Chief Crew controller/SM should ensure that walkie- talkies supplied to Shunters/ LPs and train manager are fully charged and in working condition. In case of non- functioning and communication/signal problem at the particular location of the yard, the matter should be brought to the notice of concerned supervisors for further action.

When a formation is split for placement across spurs through push-back movements on reaching five vehicles from dead end, shunting staff shall show hand signal indicating "move slowly towards the person signalling" and shall show stop hand signal when leading vehicle reached 20 meters before the dead end. LP/Shunter after stopping shall continue with utmost caution to avoid dashing against buffer end.

Formation limit boards shall be provided at all sidings which are in close proximity with outside roads/ residential areas/ dwellings/nullahs /culverts indicating the maximum permissible extent to which wagons/formation may be pushed. In this regard STOP and proceed with 03 kmph speed restriction board is to be provided at 20 metres before formation limit board of all such sidings to serve as a visible reminder for LP/Shunter to avoid any mishap during shunting near dead ends. Details and provision of such additional boards/ indicators shall be shown in SWR.

During push back, Shunter/ LP should follow the instructions of shunting staff, however when the Shunter / LP feels pushing hard than usual, he should stop the movement.

No shunting movement shall begin until all relevant points are properly set, securely clamped, and locked as per operational requirements.

Along with above instructions, existing provisions for shunting given under GR/SRs 5.13 to 5.23, Appendix XII and SWR shall be followed.

CTPM

CELE

CTE

JPO for Securing and Release of vehicles/load/train/Loco in station/yard or in block section

1. Action by Station Master / Train Manager / Loco Pilot / Assistant Loco Pilot / Traffic Staff when vehicles / load / train is to be stabled at Station without locomotive attached:

As far as possible, the vehicles / load / train should be stabled on a line which is isolated from other lines, particularly running lines.

The vehicles / load / train shall be stabled inside the fouling marks. Clearance of FM by train after reception shall be ensured by Train Manager / Loco Pilot /Assistant Loco pilot/ Station Master as per GR 4.56, 4.58 and 14.10.

The vehicles / load / train be chained and padlocked using at least two chains, one at either end; The padlock keys of the Safety Chains shall be in the personal custody of the Station Master.

At least four wooden wedges / skids be used, two each below the outermost pair of wheels at either end.

Hand brakes of at least 6 wagons from either end of train plus BV and in case of coaching train, hand brakes of SLRs at other end must be fully tightened by Pointsman under the supervision of Train manager. Train manager after applying the hand brakes of his BV/SLR, shall supervise the entire activity of stabling and securing done by Pointsman. In absence of Train Manager, all the necessary hand brakes will be applied by Pointsman under the supervision of Shunting Jamedhar / Station master.

While detaching loco from the load, the Pointsman shall close BP cut-off angle cock *of the loco first and after 5 – 10 seconds close the BP cut-off angle cock of the formation*, then uncouple the BP air hoses between the loco and the formation. Then, he/she shall open the BP cut-off angle cock of the formation so as to drain out the *entire* BP pressure in order to ensure full application of formation brakes. The BP cut-off angle cock of the formation shall then be closed and the air hoses shall be secured in the hanger.

Additional precautions to be taken while stabling vehicles / load / train at a station with gradient of 1 in 400 or steeper may have been prescribed under approved special instructions (by CRS) and mentioned in SWR of respective station. These should be followed scrupulously. In addition following precautions must also be observed over and above those prescribed under approved special instructions:

i. Before train engine / vehicles are uncoupled, the hand brakes should be applied, wooden wedges / Skids should also be used to prevent vehicles from rolling down.

The vehicles of stabled load / train should be coupled together. In case the stabled load has to be split for any reason, each such split part should be treated as a separate load for the purpose of securing.

The points must be set, clamped and padlocked against the blocked line and towards dead end or trap point (if available). Scotch blocks must be used, if available. The padlock keys shall be in the personal custody of the Station Master.

Line block collars must be placed on relevant point buttons / slides / levers etc.

Remarks should be made in TSR and / or SM diary in Red ink to the effect that 'Line No. ___ is blocked by Station Master. All the precautions for securing the load that have been taken as prescribed above shall be recorded/ signed by Pointsman, Train Manager in Stabled load register and counter signed by Station Master.

After any load / train is stabled, station master must inform the section controller supported by private number that all laid down precautions for stabling and securing the load / train have been taken.

Action by Loco Pilot / Assistant Loco Pilot before leaving the loco in case load / train is stabled with locomotive attached or light engine(s) is / are stabled:-

Stop train on A-9 and bring A-9 to Emergency position (i.e., BP pressure=0) and the SA-9 to Applied position. Physically ensure that trains brakes are applied.

Apply the hand brake / parking brake on the locomotive. In case of multi / consist locomotives, hand brake of all the locomotives should be applied. Physically verify that hand brake's chain is tightened / parking brake(s) are applied.

Place 4 wooden wedges under the wheels of both the trucks on either end of the loco. Record this action in the loco logbook, noting the wheel numbers clearly. If less than four wooden wedges are available on the locomotive(s), inform SM for requisite wedges, and then secure the loco.

Shut down the locomotive, turn off the battery switch and submit the loco keys and the locomotive log book at the SM office/Crew Controllers Office.

a) Loco Pilot while on duty should not leave loco unmanned. In case he is required to leave the locomotive unmanned, he should do so only after receiving written authority from the Station Master / Yard Master and ensuring actions mentioned at Para 2 above.

b) *Before leaving the station / yard, all the precautions that have been taken as Prescribed above shall be recorded / signed by Pointsman, Train Manager, Loco Pilot in Stabled load register and countersigned by Station Master. In Stations where Shunters are deployed, the precautions taken for stabling Light Engines shall be recorded in loco logbook as per para 2C above.*

Action to be taken by Loco Pilot / Assistant Loco Pilot and Train Manager when the train is stalled in block section due to accident, failure, obstruction or any other reasons:-

Loco Pilot / Assistant Loco Pilot and Train Manager should protect the train as per provisions of G&SR 6.03;

The train should be secured by applying Loco brakes (SA-9, A-9 & hand brake) and hand brakes of **at least** six wagons at either end of the train and BV. Loco Pilot / Assistant Loco Pilot and Train Manager may take additional safety precautions depending on gradient, brake power of the train etc as deemed necessary to prevent run-away. The hand brake should be operated by Assistant Loco Pilot from leading end and by the Train Manager from the rear end. In case the train is being worked without Train Manager, the duties of the Train Manager shall devolve on the Assistant Loco Pilot. In case of coaching trains, the Train Manager should apply hand brakes of the rear SLR and front SLR by ALP, if not locked.

If MR pressure starts dropping while train is stationary, Loco Pilot has to apply A-9 to emergency first and then inform Train Manager about MR pressure dropping in loco and advise him to drop BP through emergency valve of brakevan/SLR. Loco pilot shall secure the loco with wedges and Train Manager shall secure the train with wedges in the last vehicle.

Action by Station Master / Train Manager / Loco Pilot / Assistant Loco Pilot / Traffic Staff for clearing of stable vehicle / load / train / locomotives from station / yard:

LP and ALP shall collect loco keys, log book, etc. from the SM's office / Crew Controllers Office. Check the loco log book for any irregularities. If any are found, inform the TLC and act according to their advice. Then LP and ALP to Energize the loco, bring A-9 on release position and build BP pressure to 5 kg/cm², keeping SA-9 applied.

Perform a BP Continuity Test to ensure BP pressure continuity in the load / formation.

Apply train brake i.e., keep the A-9 at full-service application position, and check a few wagons to confirm that the brakes are applied (excluding those with hand brakes applied).

ALP to release the hand brake/parking brake in the loco(s) with assistance of LP, if required. Then remove the wooden wedges from the loco wheels, returning wedges taken over from station, if any.

Once train brakes are applied, securing arrangements of load shall be removed as per following sequence - removal of chain, followed by removal of wooden wedges/metal skids and then release of hand brakes by Pointsman under the supervision of the Train Manager.

In case of difficulty in release of hand brakes, Train manager shall advise LP for partial release of train brakes (A-9) till hand brakes are released.

If it is necessary to make a TMLP Report (Train Manager & LP), inspect the load as per rules. In case of any irregularities, report them to SM. During the preparation of the TMLP Report, either LP or ALP must be present in the loco cab.

After the above steps if everything is in order, TM upon consulting LP shall inform SM that the train is ready.

Once the signal is taken off for the train, release A-9 and then SA-9. On gradients, release A9 & take traction and as it moves forward release SA-9 to avoid roll down.

Before starting the train, ensure BP is at 5.0kg/cm² and that Air Flow Indicator (AFI) is in its predefined position.

After starting the train, check for free movement of the load. If it feels jammed, notify SM or TLC.

Immediately after starting the train, perform Brake Feel Test (BFT).

Station staff, Train Manager, Crew and Section Controller should be aware of gradients at Stations / Yards / Sidings and block sections.

Frequent counseling in this regard should be done by concerned Supervisors.

Adequate number of skids, wooden wedges and chains of approved design at stations shall be ensured by Station Master as per SWR. While stabling, if less than four wedges are available in the locomotive, LP should inform SM for requisite wedges and secure the locomotive.

COM/G

CELE

Joint Operating and Signal Procedure Order: 01/2023

Subject: Procedure for Operation of Signaling Gears under Disconnection from Panel / VDU.

During the interaction with the field signaling staff responsible for the periodic maintenance or attending failures at various levels, the difficulty in operation of the signaling equipments viz. points and signals during the course of repair or maintenance and correspondence testing after repair and maintenance, has been expressed.

In order to facilitate such operation, Station Masters are assigned with the operation of the signaling equipments viz. points and signals, from SM's panel as per SR 3.51.6. The following precautionary measures shall be taken by S&T in-charge and Station Master on duty during such operation of gear under disconnection to ensure safety:

During disconnection of any signaling gear, S&T staff in charge of the work shall ensure that no signal can be taken off for the routes involving the disconnected gear.

During the period of disconnection, SM shall not operate the disconnected gears from panel, unless authorized by S&T staff working on the disconnected signaling gear.

When the operating panel / VDU is not disconnected, SM on duty shall operate the disconnected gear from panel / VDU during the course of repair and maintenance only as per the requests made by signaling staff working in the field.

During such operation of the disconnected gear, SM on panel and S&T staff at site during shall take the protection measures as follows:

Gear under disconnection to be operated	Action by SM on Duty	Action by S&T staff at site
Point	The SM shall keep all the signals protecting the point at ON and place Line Block caps on such signals' Knobs /	OFF aspect of all the signals protecting the point shall be disabled

Gear under disconnection to be operated	Action by SM on Duty	Action by S&T staff at site
	Buttons in case of panel, or apply 'Block' for such signals, in case of VDU.	/ disconnected.
Signal (with train waiting at Signal)	The SM shall advise the LP of the train through walkie-talkie that signal testing is being done. Hence do not move the train until further advice.	S&T staff at site to cover the signal with suitable opaque material so that only the most restrictive aspect of the signal is visible to the Loco Pilot.
Signal (with train approaching)	The SM shall not operate the signal until the train comes to a stop at the foot of the signal, thereafter he/she shall follow the procedure above.	S&T staff at site to cover the signal with suitable opaque material so that only the most restrictive aspect of the signal is visible to the Loco Pilot.
Signal (with no train waiting/ approaching)	The SM shall not permit any train to arrive at the signal being tested.	S&T staff at site to cover the signal with suitable opaque material so that only the most restrictive aspect of the signal is visible to the Loco Pilot.
Block instrument	The SM shall keep the signal interlocked with Block instrument at ON and place Line Block cap on the signal Knob / Button in case of panel or apply 'Block' for the signal in case of VDU.	OFF aspect of the signal interlocked with Block instrument shall be disabled / disconnected.

The staff at site shall be in readiness to display danger signal with red flag during the day and red lamp during the night.

A Para in this regard shall be included in the SWR and instructions be implemented with immediate effect.

PCSTE

PCOM

Details of Railway Owned Weighbridges for weighment of Parcel vans over S.C. Railway

Sl. No	Name of the Weigh Bridge	Type	Date of Commissioning
1	Secunderabad	Electronic	11.11.2011
2	Hyderabad	Electronic	12.12.2011
3	Vijayawada	Electronic	09.11.2011

Details of Railway Owned Weighbridges over S.C. Railway

Sl. No	Name of the Weigh Bridge	Type	Date of Commission
1	Rajahmundry	Electronic	14.06.06
2	Bitragunta	Electronic	05.05.06
3	Sarpavaram	Electronic	08.11.20
4	Samalkot	Electronic	24.10.14
5	Annavaram	Electronic	06.09.18
6	Gudivada	Electronic	18.07.22
7	Guntakal west	Electronic	12.04.97
8	Garladinne	Electronic	15.02.21
9	Malkapuram	Electronic	28.02.09
10	Koduru	Electronic	11.01.10
11	Nallapadu	Electronic	10.01.06
12	Nandyal	Electronic	30.06.20
13	Nadikudi	Electronic	24.03.23

Sl. No	Name of the Weigh Bridge	Type	Date of Commission
14	Tondalagopavaram	Electronic	27.07.11
15	Manikgarh	Electronic	31.03.08
16	Kazipet	Electronic	30.10.06
17	Sulahelli	Electronic	24.01.20
18	Sultanabad	Electronic	09.06.15
19	Charlapalli	Electronic	10.02.15
20	Shankarpalli	Electronic	10.06.15
21	Hasanparthi Road	Electronic	11.06.15
22	Metpalli	Electronic	08.11.22
23	Sadashivapet Road	Electronic	13.03.23
24	Shivani Shivapur	Electronic	06.09.19
25	Maltekdi	Electronic	08.11.21
26	Aurangabad	Electronic	28.08.12

Electric Locomotive Axle Load

Sl. No	Details of Locomotive	WAM4	WAG5	WAG7	WAP1	WAP4	WAP5	WAP7	WAP7 HS	WAG 9
	Service	Chg	Goods/ Chg	Goods/ Chg	Chg	Chg	Chg	Chg	Chg	Goods
1	Axel load (Tonnes)	18.8	20	20.5	18.8	19	19.5	20.5	18.08	20.5

Sl. No.	Details of Locomotive	WAG 9H	WAG 9HH	WAG 9HC	WAG 12B	WAG 11	WCAM 3	WAG C3
	Service	Goods	Goods	Goods	Goods	Goods	Goods	Goods
2	Axel load (Tonnes)	22	22	22	22.5	21	20.2	20.5

Maximum axle load of various Diesel Engines in tonnes

Type of Engine	WDM2	WDM3A	WDM3D	WDM3F	WDP4	WDP4B	WDP4D
Axle Load in tones	18.8	18.8	19.5	20.0	19.5	20.2	20.5

Type of Engine	WDG4D	WDG4	WDG3A	WDG4G	WDG6G	WDP1	WDP4DD
Axle Load in tones	21.7	21+2%	20.5	22.0	23.0±3%	20.0	21.5

Coaching load table of Diesel Locos

TYPE OF LOCO	WDM3A (ALCO)	WDG3A (ALCO)	WDM3D (ALCO)	WDM3F (ALCO)	ALCO (MU)	WDP4
MAX.LOAD (COACHES)	Upto 18	Upto 18	Upto 20	Upto 20	Upto 24	Upto 22

TYPE OF LOCO	WDP4B	WDP4D	WDP4 (MU)	WDG4	WDG4(MU)
MAX.LOAD (COACHES)	Upto 24	Upto 24	Upto 24	Upto 22	Upto 24

CRS/GM sanction for Diesel Locos with MPS

Sl. No	Type of Loco	RDSO permitted speed	Speed sanctioned by CRS/GM
1	WDM 2	110	110
2	WDM 3A (WDM2C) (SH/DH)	120	120
3	WDG 3A (SH/DH)	105	105
4	WDM 3D (SH/DH)	120	120
5	WDM 3D without equalizer (WDM3E) (SH/DH)	120	120
6	WDM 3F (SH/DH)	120	110
7	WDS6	65	55
8	WDG 4 (SH) & SH/DH	105	105
9	WDG4D (Twin Cab) SH/DH	105	100
10	WDG4G (SH/DH) (4500 HP) GE Loco	100	100
11	WDG6G(SH/DH) (6000HP) GE Loco	100	100
12	WDG5	90	90
13	WDP1	105	105
14	WDP2	105	105
15	WDP4 (SH) & SH/DH	160	120
16	WDP4B (SH/DH)	130	120
17	WDP4D (Twin Cab)	135	120
18	WDP4DD (disc brake)	135	110
19	DEMU [700hp]	95	95
20	DEMU [1400hp]	100	100
21	HHP DMU (180 KN Secondary . Susp)	105	105
22	AC chair car(SG) for 1400HP DEMU	105	100
23	HHP DEMU [1600hp]	95	95
24	Air Conditioned self-propelled Inspection car(SPICAC)	105	105
25	DHMU	95	95

Leading dimensions of conventional ICF coaches

Sl. No.	Description	Code	Length over Buffers (mm)	Length over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/ Sleeping)
1	A/C FIRST CLASS COACH (SELF GENERATING)	WGFAC	22297	21337	3250	1313	46.2	1.4	14783	2896	16.25	18 TO SEAT/SLEEP
2	SECOND CLASS 3-TIER SLEEPER COACH	WGSCNY	22297	21337	3250	1303	39.85	5.76	14783	2896	13	72 TO SEAT/SLEEP
3	SECOND CLASS COACH DAY COACH (108 BERTH)	WGSCZ	22297	21337	3250	1278	36.90	8.64	14783	2896	13	108 TO SEAT
4	SECOND CLASS, LUGGAGE & BRAKE VAN	SLR	22297	21337	3250	1303	36.92	9.92	14783	2896	13	42 TO SEAT
5	SECOND CLASS LUGGAGE & BRAKE VAN	LR	22297	21337	3250	1295	35	17	14783	2896	13	-
6	SECOND CLASS COACH	WGS	22297	21337	3250	1278	36.79	7.2	14783	2896	13	90 TO SEAT
7	PANTRY CAR	WGCB	22297	21337	3250	1303	40.30	1.92	14783	2896	13	22 TO SEAT /SLEEP
8	A/C FIRST CLASS CUM A/C 2-TIER SLEEPER (SELF GENERATING)	WGACFCW	22297	21337	3250	1313	50.05	2.4	14783	2896	16.25	10 TO SEAT-I AC 20 TO SEAT- II AC
9	A/C II CLASS CHAIR CAR (WITH AIR BRAKE)	WSCZAC	22297	21337	3250	1313	49.2	5.68	14783	2896	16.25	73 TO SEAT
10	A/C 3-TIER SLEEPER COACH (WITH AIR BRAKE)	WACCN	22297	21337	3250	1313	52.53	5.12	14783	2896	16.25	64 TO SEAT /SLEEP
11	SELF GENERATING A/C SLEEPER CAR(WITH ROOF MOUNTED A/C PACKAGE)	WGACCW	22297	21337	3250	1313	50	3.7	14783	2896	16.25	46 TO SEAT/SLEEP
12	HIGH CAPACITY PARCEL VAN	VPH	22297	21337	3250	1284	32	23	14783	2896	13	23 t TO CARRY
13	HIGH CAPACITY MOTOR CUM PARCEL VAN (16.25t AXLE LOAD BOGIE)	VPU	22297	21337	3250	1295	31.1	18	14783	2896	13	18 t TO CARRY
14	MILK TANK VAN TYPE 40,000 LTRS/ 9000 GALLONS	VVN	14070	12800	2750	--	33.7	41.2	7925	2515	18.725	40,000 LTRS/ 9000 GALLONS
15	NEW MILK TANK VAN	VVNH1	12588	11318	3006	1269	29.70	51.58	6794	2896	20.32t	44,660 LITRES

C-57 (SCR)

Sl. No.	Description	Code	Length over Buffers (mm)	Length over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/ Sleeping)
	(44,660 LITRES CAPACITY) ON ICF ALL COILED BOGIE											CAPACITY
16	INSPECTION CARRIAGE	RA	22297	21337	3250	1303	41.3	1	14783	2896	13	--
16	Self-Generating ICF AC Inspection carriage (Administrative)	RAAC	22297	21337	3250	1303	46.69	1.2	14783	2896	16.25	--
17	FIRST CLASS	FC	22297	21337	3250	1303	40.03	3.12	14783	2896	13	39 TO SEAT /SLEEP
18	NMG (NEW MODIFIED GOODS)	NMG	22297	21337	3250	1303	32	9.2	14783	2896	13	--
19	ICF DESIGN AUTOMOBILE CARRIER COACH	NMGH	22297	21337	3245	1378	32	12	14783	2896	16.25	--
20	ICF DESIGN AUTOMOBILE CARRIER COACH WITH SIDE ENTRY	NMGHS	22297	21337	3245	1378	32	18	14783	2896	16.25	--
21	ICF DESIGN AUTOMOBILE CARRIER COACH WITH SIDE ENTRY	NMGHS-FS	22297	21337	3245	1378	33	18	14783	2896	16.25	--
22	A/C FIRST CLASS COACH	WFAC	22297	21337	3250	1303	44	---	14783	2896	---	18 TO SEAT/SLEEP
23	A/C 2-TIER SLEEPER COACH (WITH AIR BRAKE)	WACCW	22297	21337	3250	---	---	---	14783	2896	---	---
24	SELF GENERATING A/C 3-TIER SLEEPER COACH (WITH AIR BRAKE)	WGACCN	22297	21337	3250	1312	---	---	14783	2896	16.25	64 TO SEAT/SLEEP

Leading dimensions of Hybrid SG Variant Coaches (LHB Shell with ICF Bogie) with air spring suspension

Sl. No.	Description	Code	Length over Buffers (mm)	Length over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
1	AC 1 st class	SWGAFAC	24000	23540	3240	1320	47.52	2.04	14900	2896	16.25	24/24
2	AC 2 tier	SWGACCW	24000	23540	3240	1320	46.87	4.44	14900	2896	16.25	54/54
3	AC 3 tier	SWGACCN	24000	23540	3240	1320	50.60	5.66	14900	2896	16.25	72/72
4	AC 1 st class cum 2 tier sleeper	SWGFCWAC	24000	23540	3240	1320	47.20	3.16	14900	2896	16.25	10-1st 28- 2 tier
5	AC First class cum 3 tier sleeper	SWGFCNAC	24000	23540	3240	1320	49.10	4.96	14900	2896	16.25	10- 1st 38- 3 tier
6	AC 2 tier cum 3 tier sleeper	SWGWCNAC	24000	23540	3240	1320	48.70	5.24	14900	2896	16.25	24-2 tier 40- 3tier
7	AC chair car	SWGSCZAC	24000	23540	3240	1320	44.66	5.10	14900	2896	16.25	83 seats
8	AC 3 tier sleeper cum AC pantry car	SWGCBNAC	24000	23540	3240	1320	51.2	6	14900	2896	16.25	35/35
9	2 nd class cum luggage & brake van with AC &Non AC disabled compartment	SGSLRDAC	24000	23540	3240	1320	48.1	10.3	14900	2896	16.25	40-2 nd
10	2 nd class with disabled friendly compartment lug & brake van	SGSLR	24000	23540	3240	1320	38.30	16.0	14900	2896	16.25	60-seat
11	High capacity motor cum parcel van	SVPHU	24000	23540	3240	1320	34	30	14900	2896	16.25	30 tonne
12	2 nd class	SGS	24000	23540	3240	1320	37.6	12	14900	2896	13	99 seat
13	2 nd class sleeper	SWGSCN	24000	23540	3240	1320	39.6	6	14900	2896	13	80/80
14	2 nd class with disabled friendly compartment lug & brake van	SGSLRD	24000	23540	3240	1320	37.9	3.3	14900	2896	13	30-2 nd 4- disabled
15	2 nd class with disabled friendly compartment and brake van	SGSRD	24000	23540	3240	1320	37.9	3.3	14900	2896	13	69-sleeper 4- disabled
16	2 nd class day coach	SSGCZ	24000	23540	3240	1320	42.4	8.8	14900	2896	13	86-seat
17	Non AC Pantry cum sleeper class	SWGCBN	24000	23540	3240	1320	40.2	6.2	14900	2896	13	40/40 12- pantry
18	Chair car (Non AC)	SWGSCZ	24000	23540	3240	1320	39.1	9.7	14900	2896	13	114-seat

C-59 (SCR)

Leading dimensions of LHB SG Variant coaches with FIAT bogies

Sl. No	Description	Code	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
1	AC 1 st class SLEEPER	LWGFAC	24000	23540	3240	1320	45.90	4.80	14900	2560	16.25	24 to SEAT/ SLEEP
2	AC 2 tier SLEEPER	LWGACCW	24000	23540	3240	1320	48.00	7.04	14900	2560	16.25	54 to SEAT/ SLEEP
3	AC 3 tier SLEEPER	LWGACCN	24000	23540	3240	1320	50.50	8.00	14900	2560	16.25	72 to SEAT/ SLEEP
4	Non-AC 3-Tier sleeper	LWGSCN	24000	23540	3240	1320	36.28	6.63	14900	2560	16.25	78 to SEAT/ SLEEP
5	Non-AC second class	LGS	24000	23540	3240	1320	35.29	15.20	14900	2560	16.25	99 to SEAT
6	A/C First class cum 2 Tier sleeper	LWGFCWAC	24000	23540	3240	1320	---	---	14900	2560	16.25	---
7	A/C First class cum 3-Tier sleeper	LWGFCNAC	24000	23540	3240	1320	---	---	14900	2560	16.25	---
8	A/C 2-Tier cum 3-Tier	LWGCWNAC	24000	23540	3240	1320	---	---	14900	2560	16.25	---
9	Non-AC Second class Luggage cum Guard van	LGSLR	24000	23540	3053	1320	35.40	9.10	14900	2560	16.25	36 to SEAT

Leading dimensions of ICF type Garibrath coaches (EOG)

Sl. no	Description	Code	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/ Sleeping)
1	AC SLEEPER 3 tier	WACCNH	22297	21337	3245	1313	44	5.12	14783	2896	16.25	74-sleep
2	AC chair car	WSCZACH	22297	21337	3245	1313	43.1	5.36	14783	2896	16.25	102-seat
3	Power car with disabled compartment	WRRMDAC	22297	21337	3245	1313	56.52	--	14783	2896	16.25	2- disabled 2-attendant
4	AC SLEEPER 3 TIER	WACCNH1	22297	21337	3245	1313	44	5.42 approx	14783	2896	16.25	78-sleep

C-60 (SCR)

Leading dimensions of LHB Variant coaches with FIAT bogies

Sl. no.	Description	Code	Secondary Suspension (Coil/Air Spring)	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
1	Non-AC second class	LWS	140 kN Air spring	24000	23540	3240	1320	43.2	13.00	14900	2560	16.25	PASSENGERS to SEAT -100
2	Non-AC second class	LS2	Coil Spring	24000	23540	3240	1320	43.19	13.00	14900	2560	16.25	200/16T
3	Non-AC second class	LS3	Coil Spring/ 140kN	24000	23540	3240	1320	43.0	13.00	14900	2560	16.25	PASSENGERS to SEAT -99
4	Non-AC second class	LS5	140 kN Air spring	24000	23540	3240	1320	43.19	13.00	14900	2560	16.25	PASSENGERS to SEAT -100
5	Non-AC second class	LS 5A	160 kN Air spring	24000	23540	3240	1320	41.19	13.00	14900	2560	16.25	PASSENGERS to SEAT -100
6	Non-AC Second class chair car	LWSCZ	Coil Spring	24000	23540	3240	1320	40.55	8.64	14900	2560	16.25	106 to SEAT
7	Non-AC Second class chair car	LWSCZ1	Coil Spring	24000	23540	3240	1320	41.60	8.64	14900	2560	16.25	102 to SEAT
8	Non-AC Second class chair car	LWSCZA	140 kN Air spring	24000	23540	3240	1320	43.29	8.64	14900	2560	16.25	102 to SEAT
9	Non-AC Second class chair car	LWSCZAA	160 kN Air spring	24000	23540	3240	1320	43.29	8.64	14900	2560	16.25	108 to SEAT
10	AC 2nd class chair car	LWSCZAC	Coil Spring	24000	23540	3240	1320	41.03	9.27	14900	2560	16.25	78 to SEAT
11	AC 2nd class chair car	LWSCZAC2	120 kN Air spring	24000	23540	3240	1320	41.03	9.27	14900	2560	16.25	78 to SEAT
12	AC 1st class chair car (executive chair car)	LWFCZAC	Coil Spring	24000	23540	3240	1320	41.37	7.36	14900	2560	16.25	56 to SEAT
13	AC 1st class chair car (executive chair car)	LWFCZAC2	120 kN Air spring	24000	23540	3240	1320	41.37	7.36	14900	2560	16.25	56 to SEAT
14	AC chair car double Decker	LWCZDAC	120 kN Air spring	24000	23540	3050	353/1320	49.15	10.24	14900	2560	16.25	120 to SEAT
15	AC chair car double Decker	LWSCZDAC1	120 kN Air spring	24000	23540	3053	353/1320	49.60	8.64	14900	2560	16.25	120 to SEAT
16	AC EOG Double	LWCZDACA	160 kN	24000	23540	3050	353/1320	49.60	8.64	14900	2560	16.25	120 to SEAT

C-61 (SCR)

Sl. no.	Description	Code	Secondary Suspension (Coil/Air Spring)	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
	Decker Chair Car		Air spring										
17	AC Vista Dome Chair Car	LWCTZAC	120 kN Air spring	24000	23540	3240	1320	45.07	4.64	14900	2560	16.25	44 to SEAT
18	AC Vista Dome Chair Car	LWCTZAA	160 kN Air spring	24000	23540	3240	1320	45.07	4.64	14900	2560	16.25	44 to SEAT
19	Non-AC 3-Tier sleeper	LWSCN	Coil Spring	24000	23540	3240	1320	36.28	6.63	14900	2560	16.25	78 to SEAT/ SLEEP
20	Non-AC 3-Tier sleeper	LWSCN1	Coil Spring	24000	23540	3240	1320	41.63	--	14900	2560	16.25	80 to SEAT/ SLEEP
21	Non-AC 3-Tier sleeper	LWSCNA	140 kN Air spring	24000	23540	3240	1320	42.73	6.4	14900	2560	16.25	80 to SEAT/ SLEEP
22	Non-AC 3-Tier sleeper	LWSCNAA	160 kN Air spring	24000	23540	3240	1320	44.43	---	14900	2560	16.25	80 to SEAT/ SLEEP
23	AC 1st class SLEEPER	LWFAC	Coil Spring	24000	23540	3240	1320	43.30	1.92	14900	2560	16.25	24 to SEAT/ SLEEP
24	AC 1st class SLEEPER	LWFAC2	120 kN Air spring	24000	23540	3240	1320	45.59	2.0	14900	2560	16.25	24 to SEAT/ SLEEP
25	A/C First class cum 2Tier sleeper	LWFCWAC	Coil Spring	24000	23540	3240	1320	47.35	3.20	14900	2560	16.25	AC 1 TIER to SEAT/SLEEP -10 AC 2 TIER to SEAT/SLEEP -28
26	A/C First class cum 2Tier sleeper	LWFCWACA	120 kN Air spring	24000	23540	3240	1320	47.05	3.20	14900	2560	16.25	AC 1 TIER to SEAT/SLEEP -10 AC 2 TIER to SEAT/SLEEP -28
27	AC 2 tier SLEEPER	LWACCW	Coil Spring	24000	23540	3240	1320	44.50	4.32	14900	2560	16.25	52 to SEAT/ SLEEP
28	AC 2 tier SLEEPER	LWACCW2	120 kN Air spring	24000	23540	3240	1320	44.49	4.32	14900	2560	16.25	52 to SEAT/ SLEEP
29	AC 3 tier SLEEPER	LWACCN	Coil Spring	24000	23540	3240	1320	45.60	5.76	14900	2560	16.25	72 to SEAT/ SLEEP
30	AC 3 tier SLEEPER	LWACCN2	120 kN Air spring	24000	23540	3240	1320	45.3	5.76	14900	2560	16.25	72 to SEAT/ SLEEP
31	AC 3 tier SLEEPER	LWACCNAA	160 kN	24000	23540	3240	1320	45.3	5.76	14900	2560	16.25	72 to SEAT/ SLEEP

C-62 (SCR)

Sl. no.	Description	Code	Secondary Suspension (Coil/Air Spring)	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
			Air spring										
32	Third AC economy coach	LWACCNE	160 kN Air spring	24000	23540	3240	1320	47.67	6.72	14900	2560	16.25	80 TO SEAT /SLEEP
33	AC Hot buffet car	LWCBAC	Coil Spring	24000	23540	3240	1320	40.80	1.44	14900	2560	16.25	18 to SEAT/ SLEEP
34	AC Hot buffet car	LWCBAC2	120 kN Air spring	24000	23540	3240	1320	40.81	4.440	14900	2560	16.25	18 to SEAT/ SLEEP
35	AC Hot buffet car	LWCBACDQ	120 kN Air spring	24000	23540	3240	1320	43.61	---	14900	2560	16.25	40 to SEAT-DINING
36	AC Inspection Carriage- Administrative.	LRAAC	120 kN Air spring	24000	23540	3240	1320	49.122	1.26	14900	2560	16.25	---
37	AC Track Recording Car	LRZAC	Coil Spring	24000	23540	3240	1320	40.0	---	14900	2560	16.25	04 to SEAT/ SLEEP
38	A/C First class cum 3-Tier sleeper	LWFCNAC	---	24000	23540	3240	1320	45.30	5.76	14900	2560	16.25	---
39	A/C 2-Tier cum 3-Tier	LWCWNAC	---	24000	23540	3240	1320	45.30	5.76	14900	2560	16.25	---
40	High capacity parcel van without luggage racks	LVPH	140 kN Air spring	24000	23540	3240	1320	33.50	24.00	14900	2560	16.25	24 t to carry
41	High capacity parcel van without luggage racks	LVPHR	140 kN Air spring	24000	23540	3240	1320	33.50	24.00	14900	2560	16.25	24 t to carry
42	Second class cum luggage and brake van with compartment for Divyangjan passengers	LSLRD	140 kN Air spring	24000	23540	3240	1320	48.84	8.82	14900	2560	16.25	OTHER PASSENGERS to SEAT -31 DIVYANGJAN PASSENGERS/ ATTENDANT to SEAT – 6 DIVYANGJAN PASSENGERS/ ATTENDANT to

Sl. no.	Description	Code	Secondary Suspension (Coil/Air Spring)	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
													SLEEP – 2+2
43	Second class cum luggage and brake van with compartment for Divyangjan passengers	LSLRDAA	160 kN Air spring	24000	23540	3240	1320	43.84	8.82	14900	2560	16.25	OTHER PASSENGERS to SEAT -31 DIVYANGJAN PASSENGERS/ ATTENDANT to SEAT – 6 DIVYANGJAN PASSENGERS/ ATTENDANT to SLEEP – 2+2
44	Power car with underslung DG set having compartment for luggage, second class unreserved passengers & disabled passengers	LDSLRA	140 kN Air spring	24000	23540	3240	1320	48.90	8.60	14900	2560	16.25	OTHER PASSENGERS to SEAT -30 NO. OF PWDS TO SEAT – 6 NO. OF PWDS TO SLEEP -2 NO. OF ATTENDANTS TO SLEEP -2
45	Generator car	LWLRRM	Coil Spring	24000	23540	3240	1320	53.60	3.05	14900	2560	16.25	5 (4-CREWS & 1-GUARD)
46	Generator car	LWLRRM2	120 kN Air spring	24000	23540	3240	1320	54.90	4.380	14900	2560	16.25	5 (4-CREWS & 1-GUARD)
47	LHB EOG Brake Luggage cum Generator Car	LWLRRMAA	160 kN Air spring	24000	23540	3240	1320	54.99	5.1	14900	2560	16.25	6 (5-CREWS & 1-GUARD)
48	Non-AC EOG/HOG Brake, Luggage cum Generator Van (on board DA sets)	LWLRRMD	140 kN Air spring	24000	23540	3240	1320	53.60	---	14900	2560	16.25	DIVYANGJAN PASSENGERS/ ATTENDANT to SEAT – 9

C-64 (SCR)

Sl. no.	Description	Code	Secondary Suspension (Coil/Air Spring)	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
49	Non-AC SLR Coach with Under Slung DG set.	LWLRRMU	120 kN Air spring	24000	23540	3240	1320	40.0	---	14900	2560	16.25	DIVYANGJAN PASSENGERS/ ATTENDANT to SLEEP – 3+3 5 (4-CREWS & 1-GUARD)

Leading dimensions of Vande Bharat Train Set (8/12/16/20 Car formation)

Sl. no.	Description	Code	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
1	DRIVING TRAILER CAR	DTC	24000	23100	3240	1320	48.615	4.327	14900	2700	17	Seat- 44 Loco Pilot – 02 Technical Crew – 03 Pantry Crew - 02
2	DRIVING TRAILER CAR	DTC2	24000	23100	3240	1320	50.12	4.327	14900	2700	17	Seat- 44 Loco Pilot – 02 Technical Crew – 03 Pantry Crew - 02
3	TRAILER CAR	TC	24000	23100	3240	1320	54.044	6.48	14900	2700	17	Seat- 78
4	NON DRIVING TRAILER COACH – EXECUTIVE CLASS	NDTC/EC	24000	23100	3240	1320	48.397	4.416	14900	2700	17	Passenger – 52
5	NON DRIVING TRAILER COACH – EXECUTIVE CLASS	NDTC/EC2	24000	23100	3240	1320	48.397	4.416	14900	2700	17	Passenger – 52 Pantry Crew - 02
6	MOTOR COACH	MC	24000	23100	3240	1320	54.703	6.48	14900	2700	17	Passenger – 78 Pantry Crew - 02
7	MOTOR COACH	MC2	24000	23100	3240	1320	54.703	6.48	14900	2700	17	Passenger – 78 Pantry Crew - 02

C-65 (SCR)

Sl. no.	Description	Code	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
8	NON DRIVING TRAILER COACH – STANDARD CHAIR CAR	NDTC	24000	23100	3240	1320	49.05	6.48	14900	2700	17	Passenger – 78
9	TRAILER CAR – EXECUTIVE CLASS	TC/EC	24000	23100	3240	1320	55.11	4.416	14900	2700	17	Seat- 52

Leading dimensions of PUSH –PULL Train (Non AC LHB train with a rake comprising of maximum 22 (HOG/EOG) variant coaches with single WAP5/WAP7 Locomotive at front of rake and same Locomotive at rear of rake)

Sl. no.	Description	Code	Length over Buffers (mm)	Length Over Body (mm)	Overall Width (mm)	Height of floor from RL (mm)	Tare Weight (T)	Carrying Capacity (T)	Bogie Centres (mm)	Wheel Base (mm)	Max. Axle Load (T)	Accommodation (Seating/Sleeping)
1	LHB Non-AC Second class sleeper coach (Push Pull rake)	LWSCNP _P	24000	23540	3240	1320	44.0	---	14900	2560	16.25	80 TO SEAT /SLEEP
2	LHB Non-AC Second class GS coach (Push Pull rake)	LWSPP	24000	23540	3240	1320	43.4	---	14900	2560	16.25	100 to SEAT
3	LHB Non-AC Second class cum luggage & Brake van with compartment for Divyangjan passengers (Push Pull rake)	LSLRDP _P	24000	23540	3240	1320	44.0	---	14900	2560	16.25	OTHER PASSENGERS to SEAT -31 DIVYANGJAN PASSENGERS/ ATTENDANT to SEAT – 6 DIVYANGJAN PASSENGERS/ ATTENDANT to SLEEP – 2+2

MEMU TECHNICAL DETAILS

Sl. No	DETAILS OF MEMU & EMU	Conv. MEMU (Steel Spring)	Conv. MEMU (Air Spring)	3-Phase MEMU (on Board) IGBT based Propulsion (MEDHA)	3-Phase MEMU (Under Slung) IGBT based propulsion (MEDHA)	3-Phase MEMU (on Board) IGBT based propulsion Modified suspension system (BHEL)
1	Service	Coaching	Coaching	Coaching	Coaching	Coaching
2	Length (mm)	21337	21337	21337	21337	21337
3	Height (mm)	4255	4255	4255	4255	4257
4	Weight (in tons)	60	60	60	60	60
5	Horse power	900 (TM – 4601) 1120- (4303/C1005)	900 (TM – 4601) 1120- (4303/C1005)	1450	1450	1416
6	Maximum Speed Certified by RDSO	100	105	100	110	110
7	Maximum speed sanctioned by CRS/GM	100	105	100	110	110
8	Axle load (in Tons)	MC : 20.32T TC : 16.25 T	MC : 20.32T TC : 16.25 T	MC : 18.135T TC : 14.633 T	MC : 19.124 T TC 7 : 16.816 T TC 8 :17.103	MC : 18.135T TC : 14.63 T
9	Type of Propulsion	Conventional (Tap Changer & DC Traction Motors)	Conventional (Tap Changer & DC Traction Motors)	IGBT	IGBT	IGBT
10	Type of Suspension	Steel Spring	Air Spring	Air Spring	Air Spring	Air spring
11	Tractive effort (in Tons)	9.6	9.6	14.27	14.28	14.24
12	Traction motor type	DC series motor	DC series motor	3 Phase Squirrel Cage Induction Motor	3 Phase Squirrel Cage Induction Motor	3 Phase Squirrel Cage Induction Motor
13	Dynamic brake	No	No	Regenerative	Regenerative	Regenerative
14	Gear ratio	1:4.55	1:4.55	23:103	23:103	1:4.54
15	Brake system	EP brake system	EP brake system	EP brake system	EP brake system	EP brake system
16	No.of motors	04	04	04	04	04

C-67 (SCR)

Sl. No	DETAILS OF MEMU & EMU	Conv. MEMU (Steel Spring)	Conv. MEMU (Air Spring)	3-Phase MEMU (on Board) IGBT based Propulsion (MEDHA)	3-Phase MEMU (Under Slung) IGBT based propulsion (MEDHA)	3-Phase MEMU (on Board) IGBT based propulsion (BT)	3-Phase MEMU (on Board) IGBT based propulsion Modified suspension system (BHEL)
17	Passenger Capacity (Motor Coach)	65	65	55	84	65	55
18	Passenger Capacity (Motor Coach)	150	150	171	195	142	171
19	Passenger Capacity (Trailer Coach)	80	80	84	96	80	84
20	Passenger Capacity (Trailer Coach)	200	200	241	247	245	241

EMU TECHNICAL DETAILS

Sl. No	DETAILS OF MEMU & EMU	Conv. EMU (Air Spring)	3-Phase EMU (On Board) IGBT based propulsion (MEDHA)
1	Service	Coaching	Coaching
2	Lenth (mm)	21521	21521
3	Height (mm)	4398	4398
4	Weight (in tons)	60	60
5	Horse power (in HP)	900	1450
6	Maximum Speed Certified by RDSO	105	105
7	Maximum speed sanctioned by CRS/GM	100	105
8	Axle load (in Tons)	20	20
9	Type of Propulsion	Conventional (Tap Changer & DC Traction Motors)	IGBT
10	Type of Suspension	Air Spring	Air Spring
11	Tractive effort (in Tons)	9.6	13.76
12	Traction motor type	DC series motor	3 Phase Squirrel Cage Induction Motor
13	Dynamic brake	No	Regenerative
14	Gear ratio	1:4.55	23:103
15	Brake system	EP brake system	EP brake system
16	No.of motors	04	04
17	Passenger Seating Capacity (per Motor Coach)	80	93
18	Passenger Standing Capacity (per Motor Coach)	197	433
19	Passenger Seating Capacity (per Trailer Coach)	84 (C coach) 76 (D coach)	93 (DTC) 104 (TC) 110 (NDTC)
20	Passenger Standing Capacity (per Trailer Coach)	272 (C coach) 277 (D coach)	433 (DTC) 449 (TC) 402 (NDTC)

Diesel Loco Parameters:

Sl No	Description	WDM 2	WDM3 A	WDG3A	WDP1	WDM3D		WDM3F	WDG4	WDP4	WDP4B	WDP4D	WDG4D	WDG4G (Dual cab)	WDG6G
1	Induction in I R	1960	1995-96	1995-96	1998-99	With Equal beam	Without Equal beam	2009	2000-01	2001-02	2001-02	2001-02	2001-02	2021	2021
2	Service	Mixed	Mixed	Freight	Coaching	Mixed		Mixed	Freight	Coaching	Coaching	Coaching	Freight	Freight	Freight
3	Length in mm (over Buffers)	17120	17145	19132	16092	18632		19920	21240	21240	19182	21700	22982	22573	22319
4	Width in mm	3010	3010	3016	3016	3090		3084	3070	3070	3000	3050	3050	3200	3250
5	Height in mm	4185	4185	4162	4162	4265		4265	4220	4220	4185	4211	4258	4227	4227
6	Buffer height from Rail (mm)	1090	1090	1090	1090	1090		1090	1090	1090	1090	1090	1090	1090	1090
7	Weight in working order (t)	112.8	112.8	123.6	80	117	118.2	120	126	117	121	123	130.2	132	138
8	Axle Load in (t)	18.8	18.8	20.5	20	19.5	19.7	20	21	19.5	20.2	20.5	21.7	22	23
9	Adhesion in %	27	27	33	25	33			42	42	42	42	42	42	42
10	Type of bogie & Wheel arrgt.	Trimount CO type, 2side bearers, 1centre pivot	CO- CO type, 2side pivot	Bolsterless high adhesion HAHS Co-Co type, 4 side load pads, 1centre pivot	Bolsterless BO type, Flexi coil (side spring groups, centre pivot)	Bolsterless high adhesion HAHS Co-Co type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HAHS Co-Co type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HTSC CO-CO type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HTSC CO-CO type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HTSC CO-CO type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HTSC CO-CO type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HTSC CO-CO type, 4 side load pads, 1centre pivot	Bolsterless high adhesion HTSC CO-CO type, 4 side load pads, 1centre pivot	CO-CO fabricated type, 4 side load pads,	CO-CO fabricated type, 4 side load pads,
11	Bogie Structure	Cast steel	Cast steel	Fabricated	Fabricated	Fabricated			Cast steel	Cast steel (HTSE)	Cast steel	Cast steel	Cast steel	fabricated high	fabricated high

C-70 (SCR)

SI No	Description	WDM 2	WDM3 A	WDG3A	WDP1	WDM3D		WDM3F	WDG4	WDP4	WDP4B	WDP4D	WDG4D	WDG4G (Dual cab)	WDG6G
						With Equal beam	Without Equal beam								
									(HTSE)		(HTSE)	(HTSE)	(HTSE)	adhesion	adhesion
12	Weight transfer	C.P 60% S.B 40%	C.P 60% S.B 40%	Side load pads 100%	Side spring group 100%	Side load pads 100%			Side load pads 100%	Side load pads 100%	CP/side springs	Side load pads 100%	Side load pads 100%	Side load pads 100%	Side load pads 100%
13	Tractive effort in Kgs - Max.	30450	30450	40600	20000	38610		38500	53000	27550	39200	39200	540 KN	54.4t	58.1
14	Tractive effort in Kgs -Cont.	24600	28050	31920	16400	25950		-----	40774	20377	30570	30570		405KN	420KN
15	Maximum Rated speed KMPH	120	120	105	120	120			105	160	135	135	100	100	100
16	Min.continuous speed in KMPH	18	22.8	20	29	26.1		-----	20	22.5	22.5	22.5	22.5	-----	-----
17	Fuel oil capacity in Liters	5000	5000	6000	3000	6000		-----	6000	4000	5000	5000	6000	6000	8000
18	Lube oil capacity in Liters	1070	1270		760	1270		-----	950	1073	1073	1073	1073	2400	2400
19	Cooling water capacity in Ltrs	1210	1210	1210	1210	1210	1210	-----	1045	1045	1045	1045	1045	1249	1468
20	Sand cap.(cu.m)/ No.off boxes	0.40/4	0.16m ³ /4			0.16m ³ /4		-----	0.04/8	0.028/8	0.028/8	0.028/8	0.028/8	0.085/8	0.085/8
21	Rated HP of Eng	2600	3100	3100	2300	3300		3600	4500	4000	4500	4500	4500	4500	6000
22	HP available for traction	2400	2750		2000	2950		2750	3726	3726	4150	4150	4150	4260	5686

C-71 (SCR)

Sl No	Description	WDM 2	WDM3 A	WDG3A	WDP1	WDM3D		WDM3F	WDG4	WDP4	WDP4B	WDP4D	WDG4D	WDG4G (Dual cab)	WDG6G
						With Equal beam	Without Equal beam								
23	Engine RPM idle	400			350	400			269/200	269/200	269/200	269/201	269/200	440	440
24	Engine RPM Max	1000	1050		1000	1050			904	904	954	954	954	1050	1050
25	Engine RPM during OSTA tripping	1110-1150	1160-1200	1180-1220	1110-1150	1180-1220			4000HP-1035-1050 4500HP-1085-1100	1085-1100	1085-1100	1085-1100	1085-1100	1150	1150
26	Type of Transmission	DC/DC	AC/DC	AC/DC	AC/DC	AC/DC		AC/DC	AC/AC	AC/AC	AC/AC	AC/AC	AC/AC	AC/AC	AC/AC
27	Type of Turbo	720 A, ABB/Napier	ABB/Napier		ABB/Napier	GE 7S 1716 / ABB TPR-61			EMD Model G	EMD Model G	EMD Model G	EMD Model G	EMD Model G	GE Model no. 7S1712	GE Model no. 7S1408 D5/D9
28	Type of Engine Governor	GE/WW	GE/WW	EDC	PGEV	PGEV	-----		WW	WW	WW	WW	WW	EUI	EUI
29	Traction motor isolation	Individual motor can be isolated	Individual motors can be isolated	Individual motors can be isolated	Individual motors can be isolated	Individual motors can be isolated	Individual motors can be isolated	Individual motors can be isolated	EMD/Siemens-Full truck to be isolated in which defective motor is available Medha- Individual motor	EMD/Siemens-Full truck to be isolated in which defective motor is available Medha- Individual motor	EMD/Siemens-Full truck to be isolated in which defective motor is available Medha- Individual motor	EMD/Siemens-Full truck to be isolated in which defective motor is available Medha- Individual motor	EMD/Siemens-Full truck to be isolated in which defective motor is available Medha- Individual motor	Individual motor	Individual motor

SI No	Description	WDM 2	WDM3 A	WDG3A	WDP1	WDM3D		WDM3F	WDG4	WDP4	WDP4B	WDP4D	WDG4D	WDG4G (Dual cab)	WDG6G
						With Equal beam	Without Equal beam								
30	No.of transitions	3	1	1	0	2		----- --	0	0	0	0	0	0	0
31	Traction motor arrangement	LLR/LRRR	LLR/LRR	LLL/RRR	LR/RL	LLR/LRR	LLL/RRR	LLL/RRR	LLL/RRR	LL/RR	LLL/RRR	LLL/RRR	LLL/RRR	LLL/RRR	LLL/RRR
32	No.of T.M's	6			4	6			6	4	6	6	6	6	6
33	Gear ratio	18/65		18/74	18/65	18/65			17/90	17/77	17/77	17/77	17/90	18/85	16/85
34	Engine cranking done by	Traction Generator	Exciter & Auxiliary generator	Exciter & Auxiliary generator	Exciter & Auxiliary generator				2 DC Starter motors	2 DC Starter motors	2 DC Starter motors	2 DC Starter motors	2 DC Starter motors	Starter motor	Starter motor
35	Brake system	28 LAV-1	IRAB-1		28LAV-1	IRAB-1			CCB	CCB	CCB	CCB	CCB	EAB	EAB
36	Dynamic brake facility	Available			Not Available	Available			Available	Available	Available	Available	Available	Available	Available
37	Dynamic brake working in case of traction motor isolation	Cannot be used	Cannot be used		----- --	Cannot be used			Effective for one truck	Effective for one truck	Effective for one truck	Effective for one truck	Effective for one truck	Effective for remaining TMs	Effective for remaining TMs
38	Dynamic braking force	22.0t	22.0t	21.0t	----- --	17.94t	19.8		26.25t	16.3t	26.25t	26.25t	27t	27.52t	29.15t

WAGON DATA (ALL TYPE OF WAGONS)

Sl.No	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m3	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
1	BOXNM1- 22.32t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.32	22.53	66.75	2.96	89.28	58	3871	8.33	56.29	60/80	CBC	CTR B	A
2	BOXNM1- 22.82t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.82	22.53	68.75	3.01	91.28	58	3987	8.52	56.29	60/80	CBC	CTR B	A
3	BOXNM2- 22.82t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.82	22.53	68.75	3.01	91.28	58	3987	8.52	56.29	75/100	CBC	CTR B	A
4	BOXNHS- 20.32t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	20.32	22.51	58.77	2.61	81.28	58	3410	7.59	56.29	100/100	CBC	CTR B	A
5	BOXNHSM1- 22.32t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.32	22.53	66.75	2.96	89.28	58	3871	8.33	56.29	60/90	CBC	CTR B	A
6	BOXNHSM1- 22.82t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.82	22.53	68.75	3.05	91.28	58	3987	8.52	56.29	60/80	CBC	CTR B	A
7	BOXNHSM2- 22.82t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.9	22.53	69.07	3.06	91.6	58	4006	8.59	56.29	75/100	CBC	CTR B	A
8	BOXNHA- 22.82t	9784	10713	9784	2950/3 200	2175/ 3450	6524	2260	1000	22.82	23.17	68.11	2.94	91.28	58	3950	8.52	62.8	75/100	CBC	CTR B	A
9	BOXNHAM- 22.82t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.82	23.1	68.18	2.95	91.28	58	3954	8.52	56.28	75/100	CBC	CTR B	A
10	BOXNHL-22.9t	10034	10963	10034	3022/3 250	2028/ 3301	6690	2260	1000	22.9	20.52	71.08	3.46	91.6	58	4123	8.35	61.5	75/100	CBC	CTR B	A
11	BOXNHL-25t	10034	10963	10034	3022/3 250	2028/ 3301	6690	2260	1000	25	20.52	79.48	3.87	100	58	4610	9.12	61.5	45/100	CBC	CTR B	A
12	BOXNEL-25t	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	25	22.77	77.23	3.39	100	59	4556	9.33	56.29	45/85	CBC	CTR B	A
13	BOXNS-22.9t	9784	10713	9784	3111/3 135	2300/ 3581	6524	2260	840	22.9	19.85	71.75	3.615	91.6	59	4322.25	8.55	69.36	75/100	CBC	CTR B	A
14	BOXNS-25t	9784	10713	9784	3111/3 135	2300/ 3581	6524	2260	840	25	19.85	80.15	4.04	100	59	4729	9.33	69.36	45/100	CBC	CTR B	A
15	BOXNRM2	9784	10713	9784	2954/3 176	2127/ 3408	6524	2260	1000	22.9	21.2	70.4	3.32	91.6	58	4083	8.55	61.47	75/100	CBC	CTR B	A
16	BOXNRHS- 22.9t	9784	10713	9784	2954/3 176	2127/ 3408	6524	2260	1000	22.9	21.2	70.4	3.32	91.6	58	4083	8.55	61.47	75/100	CBC	CTR B	A
17	BOXNLWM2- 22.82t	9784	10713	9784	3022/3 250	1990/ 3263	6524	2260	1000	22.82	20.52	70.76	3.45	91.28	58	4104	8.52	58.84	75/100	CBC	CTR B	A

Sl.No.	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m ³	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
18	BOST-20.32t	12800	13729	12800	2850/3 100	1805/ 3077	8800	2260	1000	20.32	25.5	55.78	2.19	81.28	45	2510.1	5.92	65.79	75/80	CBC	CTR B	A
19	BOST-22.9t	12800	13729	12800	2850/3 101	1805/ 3077	8800	2260	1000	22.9	25.5	66.1	2.59	91.6	46	3040.6	6.67	65.79	50/80	CBC	CTR B	A
20	BOSTM1- 22.32	12800	13729	12800	2850/3 100	1805/ 3077	8800	2260	1000	22.32	25.5	63.78	2.5	89.28	45	2870	6.5	65.79	60/65	CBC	CTR B	A
21	BOSTHS- 20.32t	12800	13729	12800	2850/3 100	1805/ 3078	8800	2260	1000	20.32	25.5	55.78	2.19	81.28	45	2510.1	5.92	65.79	75/100	CBC	CTR B	A
22	BOSTHSM1- 22.9t	12800	13729	12800	2850/3 100	1805/ 3080	8800	2260	1000	22.9	25.5	66.1	2.59	91.6	46	3040.6	6.67	65.79	60/80	CBC	CTR B	A
23	BOSTHSM2- 22.32t	12800	13729	12800	2850/3 100	1805/ 3078	8800	2260	1000	22.32	25.5	63.78	2.5	89.28	45	2933	6.5	65.79	75/100	CBC	CTR B	A
24	BOSTHSM3- 22.32t	12800	13729	12800	2850/3 100	1805/ 3078	8800	2260	1000	22.32	25.3	64.03	2.54	89.28	45	2933	6.5	65.79	75/100	CBC	CTR B	A
25	BOMIN-16.4t	18460	19724	18460	3100/3 200	1275	13890	2260	1000	16.4	29.78	35.85	1.2	65.62	31	-	3.324	-	75/75	CBC	CTR B	A
26	BCNM1-22.32t	14500	15429	14494	2944/3 100	2446/ 3789	10000	2260	1000	22.32	27.2	62.08	2.28	89.28	40	2483	5.79	104	60/80	CBC	CTR B	A
27	BCNM1-22.82t	14500	15429	14494	2944/3 100	2446/ 3789	10000	2260	1000	22.82	27.2	64.08	2.36	91.28	40	2563	5.92	104	60/80	CBC	CTR B	A
28	BCNM2-22.82t	14500	15429	14494	2944/3 100	2446/ 3789	10000	2260	1000	22.82	27.2	64.08	2.36	91.28	41	2627.28	5.92	104	75/100	CBC	CTR B	A
29	BCNHSM1- 22.32t	14500	15429	14494	2944/3 100	2446/ 3786	10000	2260	1000	22.32	27.2	62.08	2.28	89.28	41	2545	5.79	104	60/90	CBC	CTR B	A
30	BCNHSM1- 22.82t	14500	15429	14494	2944/3 100	2446/ 3786	10000	2260	1000	22.82	27.2	64.08	2.36	91.28	41	2627	5.92	104	75/90	CBC	CTR B	A
31	BCNHL-22.9t	10034	10963	10034	3345/3 450	3024/ 4305	7153	2260	1000	22.9	20.8	70.8	3.4	91.6	58	4106	8.35	92.54	75/70	CBC	CTR B	A
32	BCNAM1- 22.32t	13521	14450	13515	2944/3 200	2677/ 4017	9500	2260	1000	22.32	24.6	64.73	2.63	89.28	44	2848	6.18	103.4	60/80	CBC	CTR B	A
33	BCNAM1- 22.82t	13521	14450	13515	2944/3 200	2677/ 4017	9500	2260	1000	22.82	24.6	66.73	2.71	91.28	44	2936	6.32	103.4	60/80	CBC	CTR B	A
34	BCNAHS- 20.32t	13521	14450	13515	2944/3 200	2677/ 4017	9500	2260	1000	20.32	24.6	56.73	2.3	81.28	43	2439	5.625	103.4	100/100	CBC	CTR B	A
35	BCNAHSM1- 22.32	13521	14450	13515	2944/3 200	2677/ 4017	9500	2260	1000	22.32	24.6	64.73	2.63	89.28	43	2783	6.18	103.4	60/100	CBC	CTR B	A

C-75 (SCR)

Sl.No.	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m ³	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
36	BCNAHSM1- 22.82t	13521	14450	13515	2944/3 200	2677/ 4017	9500	2260	1000	22.9	24.6	67	2.72	91.6	43	2881	6.34	103.4	75/100	CBC	CTR B	A
37	BCNAHSM2- 22.82t	13521	14450	13515	2944/3 200	2677/ 4017	9500	2260	1000	22.82	24.6	66.98	2.71	91.6	44	2947	6.32	103.4	75/100	CBC	CTR B	A
38	BCBFG	11861	12790	11770	3140/3 250	4260	8661	2260	1000	21.82	25.96	61.32	2.36	87.28	48	2942	6.82	81.76	75/75	CBC	CTR B	A
39	BCCNR-A- 10.5t	19071	20000	-	2895/3 150	4265	13621	2260	840	10.5	28.3	13.7	0.484	42	12	164.4	2.1	-	75/75	CBC	CTR B	A
40	BCCNR-B- 10.5t	19071	20000	-	2895/3 150	4265	13621	2260	840	10.5	28.3	13.7	0.484	42	18	246.6	2.1	-	75/75	CBC	CTR B	A
41	BCACM-A- 8.28t	13625	14569	-	2600	4305	9675	2260	810	8.28	26.3	6.825	0.259	33.125	-	-	2.27	-	100/100	CBC	CTR B	A
42	BCACM-B-7.9t	12212	13171	-	2600	4305	8812	2260	810	7.906	24.8	6.825	0.275	31.625	-	-	2.4	-	100/100	CBC	CTR B	A
43	BCACBM-A - 12.715	22626	23555	-	2900	4305	14345	2260	840	12.715	35.86	15	0.418	50.86	6	-	2.16	-	90/90	CBC	CTR B	A
44	BCACBM-B- 12.680t	22626	23555	-	2900	4305	14345	2260	840	12.68	35.72	15	0.419	50.72	21	-	2.15	-	90/90	CBC	CTR B	A
45	BCFC-22.32	9784	10713	10084	3128/3 245	4165	6684	2260	1000	22.32	22	67.3	3.06	89.3	58	3904	8.335	72.8	60/65	CBC	CTR B	A
46	BCFCM-22.9	9784	10713	10084	3128/3 245	4265	6684	2260	1000	22.9	23.1	68.5	2.97	91.6	59	4041.5	8.55	78.98	60/100	CBC	CTR B	A
47	BCFCM1-22.9	9784	10713	10084	3128/3 245	4265	6684	2260	1000	22.9	23.1	68.5	2.97	91.6	59	4041.5	8.55	78.98	75/100	CBC	CTR B	A
48	BRN-20.32	13716	14645	13716	2845	-	9144	2260	1000	20.32	24.39	56.88	2.33	81.28	42	2389	5.55	-	65/65	CBC	CTR B	A
49	BRN-22.9t	13716	14645	13716	2930	-	9144	2260	1000	22.9	23.3	68.3	2.93	91.6	42	2868	5.42	-	65/65	CBC	CTR B	A
50	BRN-22.9M1	13716	14645	13716	2930	-	9144	2260	1000	22.9	23.3	68.3	2.93	91.6	42	2868	5.42	-	75/100	CBC	CTR B	A
51	BRNA-20.32	13716	14645	13716	2845	2544	9144	2260	1000	20.32	23.54	57.73	2.452	81.28	42	-	5.55	-	75/80	CBC	CTR B	A
52	BRNM1-20.32t	13716	14645	13716	2845	-	9144	2260	1000	20.32	24.39	56.88	2.33	81.28	42	-	5.55	-	100/100	CBC	CTR B	A
53	BRNAM1- 20.32t	13716	14645	13716	2845	2544	9144	2260	1000	20.32	23.54	57.73	2.452	81.28	42	-	5.55	-	100/100	CBC	CTR B	A

Sl.No.	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m ³	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
54	BRNAHS- 20.32t	13716	14645	13716	2845	2544	9144	2260	1000	20.32	23.54	57.73	2.452	81.28	42	-	5.55	-	100/100	CBC	CTR B	A
55	BRHNEHS- 20.32t	13716	14998	13716	3049	2008	9144	2260	1000	20.32	22.6	58.68	2.596	81.28	41	-	5.419	-	65/65	CBC	CTR B	A
56	BRHNEHSM1- 20.32t	13716	14998	13716	3049	2008	9144	2260	1000	20.32	22.6	58.68	2.596	81.28	41	-	5.419	-	100/95	CBC	CTR B	A
57	BRSTN-20.32t	13716	14998	13716	3200	1264	9144	2260	1000	20.32	25.01	56.27	2.25	81.28	41	-	5.419	-	80/75	CBC	CTR B	A
58	BFNS-20.32t	13716	14645	13716	3045	2772	9144	2260	1000	20.32	26.71	54.57	2.043	81.28	42	-	5.55	-	75/80	CBC	CTR B	A
59	BFNS-22.9t	13716	14645	13716	3045	2772	9144	2260	1000	22.9	26.71	64.89	2.429	91.6	42	-	6.25	-	60/60	CBC	CTR B	A
60	FLATCOIL3- 22.9t	13716	14645	13716	3045	2776	9144	2260	1000	22.9	26.71	64.89	2.429	91.6	43	-	6.25	-	75/100	CBC	CTR B	A
61	BFNSM-22.9t	10034	10963	-	2945	1791	6690	2260	1000	22.9	23.6	68	2.88	91.6	58	3944	8.35	-	60/60	CBC	CTR B	A
62	BFNSM1-22.9t	10034	10963	-	2945	1791	6690	2260	1000	22.9	22	69.6	3.16	91.6	58	4036	8.35	-	75/95	CBC	CTR B	A
63	BFNV-22.9t	10034	10963	-	2800	-	6690	2260	840	22.9	22	69.6	3.16	91.6	58	4036.8	8.355	-	60/100	CBC	CTR B	A
64	BTALNM1 (20.03t)	16600	17529	16325	3050	4265	11570	2260	1000	20.03	47.97	32.13	0.67	80.1	33	-	-	60.663	90/100	CBC	CTR B	A
65	BTAPM1 (21.82t)	11400	12329	-	3200	4350	8300	2260	1000	21.92	27.32	60.36	2.21	87.68	47	-	7.11	62	60/65	CBC	CTR B	A
66	BTPN	11491	12420	11434	2850	4265	8391	2260	1000	20.32	27	54.28	2.01	81.28	47	2552	6.54	67.58	75/80	CBC	CTR B	A
67	BTPNM1 (20.32t)	11491	12420	11434	2850	4265	8391	2260	1000	20.32	27	54.28	2.01	81.28	47	2552	6.54	67.58	80/100	CBC	CTR B	A
68	BTPGLN-19.8t	18000	18929	17960	2400/3 049	2400/ 4285	12970	2260	1000	19.8	41.6	37.6	0.9	79.2	31	-	4.184	79.48	90/90	CBC	CTR B	A
69	BTFLN-20.32t	11491	12420	11522	2950/3 191	2950/ 4358	8391	2260	1000	20.32	23.33	57.95	2.48	81.28	47	2724	6.54	76	65/65	CBC	CTR B	A
70	BTFLNM1- 20.32t	11491	12420	11522	2950/3 191	2950/ 4359	8391	2260	1000	20.32	23.53	57.75	2.45	81.28	47	2714.25	6.54	76	85/100	CBC	CTR B	A
71	BTCS	9784	10713	9760	2300/2 834	2300/ 4110	6524	2260	1000	20.32	24.77	55.28	2.23	81.28	-	-	7.59	38.75	60/60	CBC	CTR B	A

Sl.No.	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m ³	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
72	BLC-A (S.S)	13625	14566	-	/2438	3893	9675	2260	840	20.32	19.1	61	3.19	80.1	18	1098	5.5	-	100/100	CBC/ SDB	CTR B	A
73	BLC-B (S.S)	12212	13165	-	/2438	/3893	8812	2260	840	20.32	18.1	61	3.39	79	27	1647	6	-	100/100	SDB	CTR B	A
74	BLC-A- 22.32(S.S)	13625	14554	-	/2438	3893	9675	2260	840	25	19.2	80.8	4.21	100	18	1454.4	6.87	-	60/65	CBC/ SDB	CTR B	A
75	BLC-A- 22.32(S.S)	12212	13141	-	/2438	/3893	8812	2260	840	25	18.1	81.9	4.52	100	27	2211.3	7.6	-	60/65	SDB	CTR B	A
76	BLC & BLCM A Car (DSDC)	13625	14566	-	2600	/4877	9675	2260	840	20.32 & 22	19.1	62.18 & 68.9	3.25 & 3.6	81.28 & 88	18	1463 & 1584	5.58 & 6.04	-	65/65	CBC/ SDB	CTR B	A
77	BLC & BLCM B Car (DSDC)	12212	13165	-	2600	/4877	8812	2260	840	20.32 & 22	18	63.28 & 70	3.51 & 3.89	81.28 & 88	27	1708.5 & 1891	6.17 & 6.68	-	65/65	SDB	CTR B	A
78	BLL-A (S.S)	15220	16161	-	/2438	3893	10700	2260	840	20.32	19.8	61	3.08	80.8	16	976	5	-	100/100	CBC/ SDB	CTR B	A
79	BLL-B (S.S)	13810	14763	-	/2438	/3893	9810	2260	840	20.32	19	61	3.21	80	24	1464	5.42	-	100/100	SDB	CTR B	A
80	BLSS-A (S.S) (22.9t)	13607.5	14537	13607.5	2480	/3893	9657.5	2260	840	25	18.85	72.75	3.8594	91.6	4	291	6.3	-	65/65	CBC/ SDB	CTR B	A
81	BLSS-B (S.S) (22.9t)	12177	13106	13106	2480	/3893	8777	2260	840	20.32	17.6	74	4.2045	91.6	44	3256	5.6463	-	65/65	SDB	CTR B	A
82	BWTB	15510	16792	-	/3048	1306	11850	2260	1000	22.9	31.21	60.39	1.93	91.6	-	-	5.45	-	65/65	CBC	CTR B	A
83	BVZI	13540	14469	-	/3200	2448/ 3894	9026	-	915	5.875	23.5	-	-	-	1	-	1.624	-	-/100	CBC	SRB	A
84	BVZC	8540	9469	-	/3200	/3894	5400	2240	1000	7	13.97	-	-	-	1	-	1.499	-	-/100	CBC	RB	A
85	BVCM	9784	10713	-	/3200	/3894	6524	2260	1000	20.32	21.10	-	-	-	1	-	1.97	-	-/100	CBC	CTR B	A

C-78 (SCR)

Sl.No.	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m3	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
86	BOBR/ BOBRM1	10671	11600	8732	3340/3 500	2461/ 3735	7571	2260	1000	22.32	26.4	62.88	2.38	89.28	53	3333	7.7	57.2	60/75	CBC	CTR B	A
87	BOBRN	9671	10600	9327	3340/3 500	2466/ 3735	6790	2260	1000	20.32	25.61	55.67	2.174	81.28	58	3229	7.67	56.78	70/75	CBC	CTR B	A
88	BOBRNM1	9671	10600	9327	3340/3 500	2466/ 3735	6790	2260	1000	22.9	25.61	65.99	2.5767	91.6	58	3827.42	8.65	56.78	65/80	CBC	CTR B	A
89	BOBRNHS	9671	10600	9327	3340/3 500	2466/ 3735	6790	2260	1000	20.32	25.61	55.67	2.173	81.28	58	3228.86	7.67	56.78	100/100	CBC	CTR B	A
90	BOBRNHSM 1-22.9t	9671	10600	9327	3340/3 500	2466/ 3735	6790	2260	1000	22.9	25.61	65.99	2.5767	91.6	58	-	8.65	56.78	65/65	CBC	CTR B	A
91	BOBRNHSM 2-22.32t	9671	10600	9327	3340/3 500	2466/ 3735	6790	2260	1000	22.32	25.61	63.67	2.48	89.28	58	-	8.42	56.78	75/100	CBC	CTR B	A
92	BOBRNEL	9671	10600	9327	3340/3 500	2466/ 3735	6790	2260	1000	25	26.61	74.39	2.8	100	58	4314.62	8.6415	-	45+5/6 0+5 (provi sional)	CBC	CTR B	A
93	BOBRNAL	9671	10600	9327	3316/3 500	2466/ 3735	6790	2260	1000	20.32	22.4	58.88	2.62	81.28	58	3414	7.67	56.6	-	CBC	CTR B	A
94	BOBRNAL HSM1	9671	10600	9327	3316/3 501	2466/ 3736	6790	2260	1000	21.82	23.54	63.74	2.7077	87.28	58	-	-	60/65	60/65	CBC	CTR B	A
95	BOBSN-22.9	10668	11597	9296	2743/3 020	/3301	7112	2260	1000	22.9	30	61.6	2.07	91.6	-	-	7.9	34	45/60	CBC	CTR B	A
96	BOBSNS 22.9t	9784	10713	-	/3015	/3435	6524	2260	1000	22.9	28.5	63.1	2.214	91.6	59	3723	8.55	34	75/100	CBC	CTR B	A
97	BOBSNM1(25t)	10668	11597	9296	2743/3 020	/3301	7112	2260	1000	25	30	70	2.33	100	-	-	8.62	34	45/55	CBC	CTR B	A
98	BOBY/BOBYN	10718	11647	9000	2863/3 189	2018/ 3287	7470	2260	1000	22.9	25.2	66.4	2.6	91.6	54	3320	7.86	46.1	65/65	CBC	CTR B	A
99	BOBYNM1 (22.32)	10718	11647	9000	2863/3 189	2018/ 3050	7470	2260	1000	22.32	24.9	66.3	2.59	89.28	54	3580.2	7.86	46.16	75/100	CBC	CTR B	A
100	BOBYNHSM 1-22.9t	10718	11647	9000	2863/3 189	2024/ 3293	7470	2260	1000	22.9	25.2	66.4	2.6	91.6	54	3586	7.86	46.16	75/100	CBC	CTR B	A
101	BOSM - 22.9t	12600	13529	12592	3052/3 250	2250/ 3530	8500	2260	840	22.9	23.4	68.2	2.9	91.6	47	3205.4	6.77	86.46	75/85	CBC	CTR B	A

C-79 (SCR)

Sl.No.	Type of wagon/ Description	Length over Hd. Stock in mm	Length over buffer/ couplers in mm	Length inside in mm	Width inside/overall in mm	Height inside/from rail in mm	Bogie Centers in mm	Journal Centers in mm	Wheel Dia On tread in mm	Nominal Max. axle load in tonnes	Tare in tonnes	Pay Load in tonnes	Ratio pay Load /Tare	Gross Load in tonnes	No. of wagons per rake	Throughput per rake in tonnes	Loading Density - tonne/m ³	Cubic Capacity in Cu.m	Speed (Load/Empty) in kmph	Type of Coupler	Type of Bearing.	Braking system (Air/Vacuum)
102	BOY/IR BOY/ Iron ore Spl	11000	11929	10990	2924/3 134	1175/ 2450	7330	2260	1000	22.9	20.71	70.89	3.422	91.6	52	3686	7.678	37.8	65	CBC	CTR B	A
103	BOVEL	11000	11929	10990	2924/3 134	1175/ 2450	7330	2260	1000	25	20.71	70.89	3.422	91.6	52	-	8.38	37.8	45/100	CBC	CTR B	A
104	BCN	14500	15429	14494	2944/3 100	2446/ 3788	10000	2260	1000	20.32	27.2	54.08	1.99	81.28	40	2163	5.268	104	75/80	CBC	CTR B	A
105	BCCNA	19071	20000	-	2895/3 150	/4265	13621	-	840	10.425	31.7	10	1.315	41.7	12	-	2.085	-	100/100	CBC	RB	A
106	BCCNB	19071	20000	-	-	/3617	13621	-	840	10.5	32	10	1.312	42	18	-	2.1	-	100/100	CBC	RB	A
107	BOXN-22.82	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.82	23.1	68.18	2.95	91.28	58	3954	8.52	56.29	75/80	CBC	CTR B	A
108	BOXN-22.32	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	22.32	23.1	66.18	2.86	89.28	58	3838	8.33	56.29	75/80	CBC	CTR B	A
109	BOXNR	9784	10713	9784	2994/3 176	2127/ 3408	6524	2260	1000	22.9	21.2	70.04	4.32	91.6	58	-	8.55	61.47	75/100	CBC	CTR B	A
110	BOXNCR	9784	10713	9784	2950/3 200	1950/ 3233	6524	2260	1000	20.32	23.2	58.08	2.5	81.28	58	-	7.59	56.29	75/80	CBC	CTR B	A
111	BOXNLW	9784	10713	9784	2066/3 341	1990/ 3263	6524	2260	1000	20.32	20.41	60.87	2.98	81.28	58	3530	7.59	58.84	100/100	CBC	CTR B	A
112	BOXNAL	9784	10713	9784	3022/3 250	2066/ 3341	6524	2260	1000	20.32	18.26	63.02	3.45	81.28	58	3655	7.59	61.09	-	CBC	CTR B	A
113	BFAT	14500	15782	-	/3550	/4406	10000	-	-	20	45	75	-	120	-	-	-	25/40	-	CBC	Cylin drical	V
114	BAFRDR	-	-	-	/2438	/3910	-	2260	1000	20.32	-	-	-	-	50	-	-	70/75	-	CBC	CTR B	A
115	FMP-22.0t (A Car)	14371	15300	-	/2990	/4080	9681	2260	840	22	26	60/62	-	88	45#	2770/ 2860	5.75	-	90\$	CBC	CTR B	A
116	FMP-22.0t (B Car)	12871	13800	-	/2990	/4080	8681	2260	840	22	24	60/64	-	88	-	-	6.38	-	-	CBC	CTR B	A
117	BCCW	9784	10713	9776	/3248	/4115	6524	2260	1000	22.9	23.25	64.3	2.77	87.55	59	3793.7	8.2	70	65/65	CBC	CTR B	A
118	ACT1	18343	19272	-	2500/2 600	/4875	13700	2260	840	20.32	30	14	0.47	44	33	462	2.28	-	95/100	CBC	CTR B	A

* for 9'6" high container # A car-10 & B Car-35 \$ Empty (without trucks) &100-Empty & Loaded.



दक्षिण मध्य रेलवे

SOUTH CENTRAL RAILWAY

SYSTEM MAP मान चित्र

AS ON 31-03-2025



DIVISION LEGEND

- SECONDERABAD
- HYDERABAD
- VIJAYAWADA
- GUNTAKAL
- GUNTUR
- NANDED
- OTHER RAILWAYS
- STATE BOUNDARY
- BROAD GAUGE SINGLE LINE
- BROAD GAUGE TRIPLE LINE
- BROAD GAUGE ELECTRIFIED SINGLE LINE
- BROAD GAUGE ELECTRIFIED TRIPLE LINE
- QUADRAPEL LINE
- METRE GAUGE SINGLE LINE
- METRE GAUGE DOUBLE LINE
- RAILWAY HEAD QUARTERS
- DIVISIONAL HEAD QUARTERS



STATE WISE ROUTE/RUNNING TRACK KM.

STATE	ROUTE	RUNNING
ANDHRA PRADESH	3043.825	5302.074
TELANGANA	2014.616	3159.887
MAHARASHTRA	1102.695 @	1238.925 @
KARNATAKA	399.194	601.179
MADHYA PRADESH	70.180 #	70.180 #
TAMILNADU	6.860	6.860
TOTAL	6637.37	10379.105

@ - INCLUDES 59.94 KM (M.G.)

- M.G. INCLUDES (17.22 KM)

DIVISION WISE ROUTE/RUNNING TRACK KM.

DIVISION	ROUTE	RUNNING
SECUNDERABAD	1616.863	2752.307
VIJAYAWADA	1070.872	2250.871
GUNTAKAL	1459.508	2398.750
GUNTUR	721.765	987.744
HYDERABAD	782.567	921.767
NANDED	985.795 \$	1067.666 \$
TOTAL	6637.370	10379.105

\$ - INCLUDES 77.16 (Route Km) & 76.073 (Running Track Km) (M.G.)



