








# Detail & Specification



#### Standard Double profile Cylinder with Thumbturn (For entrance)

238


Size 8 C PINS 60 mm 30 30 5

#### Features

- . Able to make master key
- . Brass cylinder with 5 pins
- . One side has key way another side has thumbturn

## Provided with

- 1 Double profile cylinder with thumbturn
- 3 Brass nickel plated keys 1 Set of installation kit



#### Standard Double profile Cylinder with Emergengy Slot (For bathroom)

Finish AB, AC, SS, PB

#### Features

- . Suitable for privacy function
- · Brass cylinder
- . One side has emergency slot another side has thumbturn

## Provided with

Finish AB,AC,SS,PB

hand door

· Stainless steel

Material


. For flush timber or doors

. Suitable for both left and right

. With 4 ball bearings

Features

- 1 Double profile cylinder with emergency slot
- 1 Set of installation kit



#### Zinc Alloy Door Stopper DS003

Stainless Steel Flush Bolt

NO.111

Finish SSHL

Material : Zno Aloy

-245-260-

: Stainless Steel SUS


304

Size (A)

Material


Dimension

Finish AB, AC, HLNI, PB, C, CS



#### Stainless Steel Dust **Proof Strike** JH-K007

Description: JH-K007 Material : Stainless Steel




#### Stainless Steel Flush Bolt NO.416

Finish AB, AC, SSHL, B-HL

Description: NO.416 Size (A) : 6" 8" 12" Material : Stainless Steel SUS 304


\* longer size available



#### Stainless Steel Door Stopper DS008

Material : Stainless Steel

Finish SSHL



**Door Viewer** DV

Description: Door Viewer

: 160 Degree : 180 Degree : 200 Degree


19

# Standard Duty

Mortis Cylinder Lock

Material Finish	Forend	Latch	Dead bolt	Lock case	Lever follower
LC8645-SS-ET	Stainless steel	Broos	Brace	Plated steel	Stairless Steel
PB LOBS4S-PB-ET	Stainless steel	Braco	Brace	Plated steel	Stainless Steel

Dimension



#### Features

- . For flush timber or steel doors
- . Latch operated with levers
- . Deadbolt operated with cylinder
- · Reversible latch

#### Technical data

- . Lever follwer: 8mm
- . Distance between axes: 85 mm
- Backset: 45 mm

# Hinge 4BB

Item	Height (A)	Width (B)	Thickness (C)	Pin : diameter (D
	102 mm/4"	76 mm/3*	2mm	11 mm
488	102 mm/4*	76 mm/3*	2.5 mm	12.5 mm
	102 mm/4*	76 mm/3*	3 mm	14 mm