

Special Relativity Solutions 5:

MINKOWSKIAN GEOMETRY II

Refer to the attached completed diagram on grid paper.

[easy] 1. $2 \times 20 \text{ m} = 40 \text{ m}$

[easy] 2. 20 m

[easy] 3. $\text{slope} = \frac{4}{5}$

[medium] 5. AA' see B time "running slow" by factor: $\frac{c\Delta t_B}{c\Delta t_{AA'}} = \frac{9m}{15m} = \frac{3}{5}$

[medium] 6. BB' see A' time "running slow" by a factor $\frac{c\Delta t_{A'}}{c\Delta t_{BB'}} = \frac{15m}{25m} = \frac{3}{5}$

Hey, the same factor!

[hard] 7.

i) $\frac{* - B'}{B - B'} \times 20 \text{ m} = 0.36 \times 20 \text{ m} = 7.2 \text{ m}$

ii) $ds = \sqrt{-c^2 dt^2 + dx^2} = \sqrt{-(9.6 \text{ m})^2 + (12 \text{ m})^2} = 7.2 \text{ m}$

[easy] 8. $\frac{7.2 \text{ m}}{12 \text{ m}} = \frac{3}{5}$

Which is the same as $\sqrt{1 - \left(\frac{v}{c}\right)^2} = \sqrt{1 - \left(\frac{4}{5}\right)^2} = \sqrt{\frac{9}{25}} = \frac{3}{5}$