# Package 'Covid19CohortEvaluation'

March 24, 2020

Type Package
Title A Central Package for Evaluation the Cohorts Used in the Various COVID-19 Studies
Version 0.0.1
Author Martijn Schuemie [aut, cre]
Maintainer Martijn J. Schuemie <schuemie@ohdsi.org></schuemie@ohdsi.org>
<b>Description</b> A central package for evaluation the cohorts used in the various COVID-19 studies.
<b>Depends</b> DatabaseConnector (>= 2.2.0)
Imports CohortDiagnostics (>= 0.1.2), ParallelLogger, OhdsiSharing (>= 0.2.0), readr
Suggests knitr, rmarkdown, ROhdsiWebApi, OhdsiRTools
License Apache License 2.0
VignetteBuilder knitr
<pre>URL https://ohdsi-studies.github.io/CohortDiagnostics, https:     //github.com/ohdsi-studies/CohortDiagnostics</pre>
BugReports https://github-studies.com/OHDSI/CohortDiagnostics/issues
LazyData TRUE
RoxygenNote 7.0.2
R topics documented:
Covid19CohortEvaluation2execute2getCohortGroups3uploadResults4
Index 5

2 execute

Covid19CohortEvaluation

Covid19CohortEvaluation

#### **Description**

Covid19CohortEvaluation

execute

Execute the main cohort evaluation

#### **Description**

Execute the main cohort evaluation

## Usage

```
execute(
  connectionDetails,
  cdmDatabaseSchema,
  cohortDatabaseSchema = cdmDatabaseSchema,
  cohortTable = "cohort",
  oracleTempSchema = cohortDatabaseSchema,
  outputFolder,
  databaseId = "Unknown",
  databaseName = "Unknown",
  databaseDescription = "Unknown",
  cohortGroups = getCohortGroups(),
  createCohorts = TRUE,
  runCohortDiagnostics = TRUE,
  minCellCount = 5
)
```

# **Arguments**

connectionDetails

An object of type connectionDetails as created using the createConnectionDetails function in the DatabaseConnector package.

 ${\tt cdmDatabaseSchema}$ 

Schema name where your patient-level data in OMOP CDM format resides. Note that for SQL Server, this should include both the database and schema name, for example 'cdm\_data.dbo'.

cohortDatabaseSchema

Schema name where intermediate data can be stored. You will need to have write priviliges in this schema. Note that for SQL Server, this should include both the database and schema name, for example 'cdm\_data.dbo'.

cohortTable

The name of the table that will be created in the work database schema. This table will hold the exposure and outcome cohorts used in this study.

getCohortGroups 3

oracleTempSchema

Should be used in Oracle to specify a schema where the user has write priviliges

for storing temporary tables.

outputFolder Name of local folder to place results; make sure to use forward slashes (/). Do

not use a folder on a network drive since this greatly impacts performance.

databaseId A short string for identifying the database (e.g. 'Synpuf').

databaseName The full name of the database (e.g. 'Medicare Claims Synthetic Public Use Files

(SynPUFs)').

databaseDescription

A short description (several sentences) of the database.

cohortGroups A character vector indicating which cohort groups to evaluate. See getCohortGroups()

for options.

createCohorts Create the cohortTable table with the exposure and outcome cohorts?

runCohortDiagnostics

Run the various cohort diagnostics?

minCellCount The minimum number of subjects contributing to a count before it can be in-

cluded in packaged results.

#### **Details**

This function executes the cohort diagnostics.

getCohortGroups

Get the list of cohort groups

#### **Description**

Get the list of cohort groups

#### Usage

getCohortGroups()

# Value

A character vector of cohort group names included in this package.

4 uploadResults

uploadResults

Upload results to OHDSI server

## **Description**

Upload results to OHDSI server

### Usage

uploadResults(outputFolder, privateKeyFileName, userName)

# **Arguments**

outputFolder

Name of local folder to place results; make sure to use forward slashes (/). Do

not use a folder on a network drive since this greatly impacts performance.

privateKeyFileName

A character string denoting the path to the RSA private key provided by the

study coordinator.

userName

A character string containing the user name provided by the study coordinator.

## **Details**

This function uploads the 'AllResults\_<databaseId>.zip' to the OHDSI SFTP server. Before sending, you can inspect the zip file, wich contains (zipped) CSV files. You can send the zip file from a different computer than the one on which is was created.

# Index

```
Covid19CohortEvaluation, 2 createConnectionDetails, 2 execute, 2 getCohortGroups, 3 uploadResults, 4
```