Table S1: Summary of Integrative Structure Determination of Structure of Saccharomyces cerevisiae exosome determined with CX-MS (PDBDEV00000002)

1. Model Composition	
Entry composition	- Dis3: Chain A (1001 residues) - Rrp45: Chain B (305 residues) - Rrp4: Chain C (359 residues) - Csl4: Chain D (292 residues) - Mtr3: Chain E (250 residues) - Rrp40: Chain F (240 residues) - Rrp42: Chain G (265 residues) - Ski6: Chain H (265 residues) - Rrp46_gfp: Chain I (475 residues) - Rrp43: Chain J (394 residues) - Lrp1: Chain K (184 residues) - Rrp6: Chain L (733 residues) - MPP6: Chain M (186 residues) - Dis3: Chain A (1001 residues) - Rrp45: Chain B (305 residues) - Rrp4: Chain C (359 residues) - Csl4: Chain D (292 residues) - Mtr3: Chain E (250 residues) - Rrp40: Chain F (240 residues) - Rrp42: Chain G (265 residues) - Ski6: Chain H (265 residues) - Rrp46_gfp: Chain I (475 residues) - Rrp43: Chain J (394 residues) - Lrp1: Chain K (184 residues) - Rrp6: Chain L (733 residues) - MPP6: Chain M (186 residues) - Dis3: Chain A (1001 residues) - Rrp45: Chain B (305 residues) - Rrp4: Chain C (359 residues) - Csl4: Chain D (292 residues) - Mtr3: Chain E (250 residues) - Rrp40: Chain F (240 residues) - Rrp42: Chain G (265 residues) - Ski6: Chain H (265 residues) - Rrp46_gfp: Chain I (475 residues) - Rrp43: Chain J (394 residues) - Ski7: Chain N (747 residues) - Dis3: Chain A (1001 residues) - Rrp45: Chain B (305 residues) - Rrp4: Chain C (359 residues) - Csl4: Chain D (292 residues) - Mtr3: Chain E (250 residues) - Rrp40: Chain F (240 residues) - Rrp42: Chain G (265 residues) - Ski6: Chain H (265 residues) - Rrp46_gfp: Chain I (475 residues) - Rrp43: Chain J (394 residues) - Ski7: Chain N (747 residues)
Datasets used for modeling	- Experimental model, PDB ID: 4IFD - Experimental model, PDB ID: 1GFL - Experimental model, PDB ID: 2HBJ - Comparative model, template PDB ID: Not listed - CX-MS data, Linker name and number of cross-links: DSS, 218 cross-links

2. Representation	
Atomic structural coverage	79%
Number of rigid bodies, flexible units	30, 31
Rigid regions	- A: 9-237:Experimental model/4IFD, 249-329:Experimental model/4IFD, 364-471:Experimental model/4IFD, 472-1001:Experimental model/4IFD. - B: 2-301:Experimental model/4IFD. - C: 2-17:Experimental model/4IFD, 50-102:Experimental model/4IFD, 103-245:Experimental model/4IFD, 275-357:Experimental model/4IFD. - D: 1-71:Experimental model/4IFD, 99-113:Experimental model/4IFD, 126-162:Experimental model/4IFD, 185-291:Experimental model/4IFD. - E: 4-22:Experimental model/4IFD, 42-149:Experimental model/4IFD, 163-248:Experimental model/4IFD. - F: 1-60:Experimental model/4IFD, 61-236:Experimental model/4IFD. - G: 1-265:Experimental model/4IFD. - H: 1-242:Experimental model/4IFD. - I: 1-223:Experimental model/4IFD, 247-475:Experimental model/1GFL. - J: 7-99:Experimental model/4IFD, 121-193:Experimental model/4IFD, 206-309:Experimental model/4IFD, 327-394:Experimental model/4IFD. - K: - - L: 127-516:Experimental model/2HBJ, 532-557:Experimental model/4IFD, 565-619:Experimental model/4IFD. - M: - - N: 259-747:Comparative model/None.
Flexible units	- A: 1-8, 238-248, 330-363. - B: 1-1, 302-305. - C: 1-1, 18-49, 246-274, 358-359. - D: 72-98, 114-125, 163-184, 292-292. - E: 1-3, 23-41, 150-162, 249-250. - F: 237-240. - G: - - H: 243-265. - I: 224-246. - J: 1-6, 100-120, 194-205, 310-326. - K: 1-184. - L: 1-126, 517-531, 558-564, 620-733. - M: 1-186. - N: 1-258.
Resolution	Rigid bodies: 1 residue per bead. Flexible regions: 50 residues per bead.
3. Restraints	
Physical principles	Excluded volume and Sequence connectivity.

Experimental data	- 1 unique CrossLinkRestraint: DSS, 218 cross-links
4. Validation	
Sampling validation	1. Information related to sampling validation has not been provided
Clustering algorithm ,*clustering feature*	Distance threshold-based clustering, RMSD
Number of ensembles	4
Number of models in ensembles	69, 131, 159, 41
Model precision (uncertainty of models)	24.374Å, 19.258Å, 9.798Å, 11.517Å
Quality of data	1. Quality of input data has not be assessed
Assessment of atomic regions	Not applicable
Assessment of excluded volume	1. Model-1: Number of violations-9530.0 2. Model-2: Number of violations-9561.0 3. Model-3: Number of violations-9595.0 4. Model-4: Number of violations-9583.0
Fit of the model to information used to compute it	1. Fit of model to information used to compute it has not been determined
Fit of the model to information not used to compute it	1. Fit of model to information not used to compute it has not been determined
5. Methodology and Software	
Method	Sampling
Name	Replica exchange Monte Carlo
Details	- Method details unspecified
Software	- Integrative Modeling Platform (IMP) (version develop-0a5706e202) - IMP PMI module (version 67456c0) - Phyre2 (version 2.0) - No location specified