

# 投稿注意事项

投稿时邀请码：Q8367

1、官网标注的基础页数，是需要完全写满，如 IEEE，基础页数双栏排版 4 页，需要 4 页都写满，包含文献在内

less than 0.25 dB across the 140 GHz frequency band, with all performance metrics meeting the design requirements.

## REFERENCES

- [1] Wu Yong. Research on key technologies of transceiver front-end of millimeter wave wireless communication system[D]. Nanjing University of Aeronautics and Astronautics, 2022.DOI:10.27239/d.cnki.gnhu.2022.002651.
- [2] Li Bin, Yang Jun, Zhang Bo, et al. Research and application progress of microwave systems-level packaging[J]. Space Electronics Technology, 2025, 22(81): 100-113.
- [3] D. Sun, X. Chen, L. -X. Guo, W. Cui and J. -Y. Deng, "Hard-Soft Groove Gap Waveguide Based on Perpendicularly Stacked Corrugated Metal Plates," in IEEE Transactions on Microwave Theory and Techniques, vol. 69, no. 8, pp. 3684-3692, Aug. 2021, doi: 10.1109/TMTT.2021.3086497.
- [4] Shi Y, Feng W, Qian Z, et al. Gap waveguide technology: An overview of millimeter-wave circuits based on gap waveguide technology using different fabrication technologies[J]. IEEE Microwave Magazine, 2022, 24(1): 62-73.
- [5] Chen Xiang, Sun Dongquan, Cui Wanzhao. Gap waveguide technology and its space applications[J]. Journal of Electronics & Information Technology, 2023, 45(01): 168-180.
- [6] Bo Y, Naoki S. Microwave power transmission technologies for space solar power station[J]. Chinese Journal of Space Science and Technology, 2025, 45(02): 1-14. DOI: 10.16708/j.cnki.1000-758X.2025.0017.
- [7] Pérez-Escudero J M, Torres-García A E, Gonzalo R, et al. A Chebyshev transformer-based microstri-to-groove-gap-waveguide inline transition for MMIC packaging[J]. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9(8): 1595-1602.
- [8] Sun D, Chen X, Deng J Y, et al. Gap waveguide with interdigital-pin bed of nails for high-frequency applications[J]. IEEE Transactions on Microwave Theory and Techniques, 2019, 67(7): 2640-2648.
- [9] Pérez-Escudero J M, Torres-García A E, Gonzalo R, et al. A simplified design inline microstrip-to-waveguide transition[J]. Electronics, 2018, 7(10): 215.

4页需要写满

## 2、文章中通讯作者名字后面打\*+通讯邮箱前面打\*

School of Computer Science,  
Guangdong University of Foreign  
Studies South China Business  
College,  
Guangzhou, 510545, China  
\*xj@163.com

School of Computer Science,  
Guangdong University of  
Foreign Studies South China  
Business College,  
Guangzhou, 510545, China  
@foxmail.com

School of Computer Science,  
Guangdong University of  
Foreign Studies South China  
Business College,  
Guangzhou, 510545, China  
@qq.com

School of Computer Science,  
Guangdong University of  
Foreign Studies South China  
Business College,  
Guangzhou, 510545, China  
3@qq.com

## 3、文章中所引用的文献，需要有一半以上是近 3-5 年的文献

### REFERENCES

- [1] Du Murran. Smart Transportation for Future Cities [J]. Intelligent Buildings and Smart Cities, 2025, (04): 30-32.
- [2] Chen Hanhuan, Wang Junying, Ren Xiaoyue. A Review of Detection and Recognition Methods for Traffic Signs [J]. Information Technology and Informatization, 2024, (03): 77-82.
- [3] Wang Yu. A Review of Object Detection Algorithms Based on Deep Learning [J]. Science and Technology Information, 2025, 23 (02): 64-66.
- [4] Zhao Lei, Li Dong, Pang Jiandong, Cao Qi. Improved YOLO Object Detection Algorithm for Traffic Signs [J]. Journal of Graphics, 2024, 45 (04): 779-790.
- [5] Liu A, Liu Y, Kifah S. Deep convolutional neural network for enhancing traffic sign recognition developed on Yolo V5[C]//2024 International Conference on Advancements in Smart, Secure and Intelligent Computing (ASSIC). IEEE, 2024: 1-6.
- [6] Yu Xiang, Jin Shanshan, Yang Lu. An improved multi-scale feature fusion traffic sign recognition algorithm [J]. Telecommunications Technology, 2024, 64 (12): 1955-1962.
- [7] Yang Z, Guan Q, Zhao K, et al. Multi-branch Auxiliary Fusion YOLO with Re-parameterization Heterogeneous Convolutional for Accurate Object Detection[C]//Chinese Conference on Pattern Recognition and Computer Vision (PRCV). Springer Nature Singapore, 2024: 492-505.
- [8] Li Y, Li J, Meng P. Attention-YOLOv4: a real-time and high-accurate traffic sign detection algorithm[J]. Multimedia tools and applications, 2023, 82(5): 7567-7582.
- [9] Han Y, Wang F, Wang W, et al. EDN-YOLO: Multi-scale traffic sign detection method in complex scenes[J]. Digital Signal Processing, 2024, 153: 104615.
- [10] Ouyang D, He S, Zhang G, et al. Efficient multi-scale attention module with cross-spatial learning[C]//ICASSP 2023-2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP). IEEE, 2023: 1-5.
- [11] Li C, Li L, Jiang H, et al. YOLOv6: A single-stage object detection framework for industrial applications[J]. arXiv preprint arXiv:2209.02976, 2022.
- [12] Ding X, Zhang X, Ma N, et al. Repvgg: Making vgg-style convnets great again[C]//Proceedings of the IEEE/CVF conference on computer vision and pattern recognition. 2021: 13733-13742.

文献参考6篇以上，需超过一半以上是2021-2025年

## 4、如需引用中文参考文献，请翻译为英文，并在结尾注明 in Chinese

- [1] M. Khojaste-Sarakhsi, Seyedhamidreza S. Haghighi, SMT F. Ghomi, and Elena Marchiori, " Deep learning for Alzheimer's disease diagnosis: A survey," Artif. Intell. Med., vol. 130, 102332 (12 June 2022). <https://doi.org/10.1016/j.artmed.2022.102332>
  - [2] P. Scheltens, B. De Strooper, M. Kivipelto, H. Holstege, Ch  telat, C. E. Teunissen, J. Cummings, and W. M. van der Flier, " Alzheimer's disease," The Lancet., vol. 397, no. 10284, 1577-1590 (24 Apr 2021). [https://doi.org/10.1016/S0140-6736\(20\)32205-4](https://doi.org/10.1016/S0140-6736(20)32205-4)
- in Chinese

5、表格分为两页， 请为第二页添加表头

ion measure in the current state. The system samples based on this probability distribution and selects an action  $a_t$  to execute.


Reward Function ( $R$ ): The design of the reward function is the key to the success of RL. The goal of the reward function is to guide the system to learn intervention strategies that can transition students from a negative learning state to a positive state.

| Model                 | Dimensions | Accuracy | Precision | Recall | F1-Score |
|-----------------------|------------|----------|-----------|--------|----------|
| Video-Oaly (CNN-LSTM) | Unimodal   | 0.721    | 0.715     | 0.708  | 0.711    |


| Logs-On ly (GRU) | Unimodal   | 0.885 | 0.679 | 0.671 | 0.675 |
|------------------|------------|-------|-------|-------|-------|
| Early Fusion     | Multimodal | 0.813 | 0.809 | 0.805 | 0.807 |
| Late Fusion      | Multimodal | 0.825 | 0.821 | 0.818 | 0.819 |
| MAFDIN (Ours)    | Multimodal | 0.876 | 0.872 | 0.869 | 0.870 |

The table data clearly indicates that MAFDIN leads significantly in all indicators. The unimodal model has the worst performance, which verifies the necessity of multimodal information.


6、 图表里的文字和分辨率需要确保在 150%比例下也是清晰的



7、SAE出版社的会议，文章翻译请勿使用 AI，出版社审查 AI 率，需要低于 15%



8、文中所有的 Table 都需要在正文中有所提及







## 2、投稿系统指引（邀请码登记Q8367）

以第五届先进算法与神经网络国际学术会议（AANN 2025）为例子

科研领域的连接者 400-607-9388

首页 | APP下载 | 国际站 | 主办方中心 | 我的艾思 | ais130993

艾思科蓝 AisScholar

会议主页 | 参会报名 | 论文投稿 | 会议公告 | 会议资料 | 照片分享

中文 / Eng

从投稿链接直接进来，或者从会议官网投稿进来，可以开始填写论文投稿

论文信息

会议名称: 【IEEE出版|连续四届稳定EI检索】第五届先进算法与神经网络国际学术会议（AANN 2025）

距离报名截止还有: 01天 08时 52分 23秒

论文标题:

请输入论文标题

关键字:

请输入关键字

摘要:

请输入摘要

论文名称 (中文):

请输入论文名称 (中文)

上传论文附件:

上传PDF格式文档 (必传)

上传WORD/LaTeX(ZIP)格式文档 (必传)

1、正常英文填写

2、需要上传排版好的，PDF和word的稿件，个别会议支持latex可上传latex压缩包

3、若是格式不清楚直接找我

作者信息

\* 请按论文中作者顺序完善所有信息，以确保录用通知无误。

第一作者:

请输入作者姓名

请输入作者英文名

学校/单位:

请输入学校/单位

手机:

+86

请输入手机

工作邮箱:

请输入工作邮箱

微信:

请输入微信

职称:

选择职称

4、中文和英文都要，论文有多少个作者就填写多少个，到时候录用通知会显示你填写的作者名字

增加作者

联系信息

\* 请填写有效的收货地址，以便于主办方邮寄论文集。

联系作者

请选择联系作者

5、联系作者填写你的名字，方便对接，地址是邮寄论文集的

联系地址

请选择联系地址

请输入街道、门牌号

邀请码

请输入邀请码

Q8367

6、邀请码登记好了，可提交发订单编号我