WEB TECHNOLOGY LABORATORY (21CSL481)

7.a) Write a HTML page that uses JavaScript to display a message when the mouse button is pressed and hide it once it is lifted.

Prgm7a.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Mouse Button Event</title>
  <style>
    body {
       font-family: Arial, sans-serif;
       background-color: #f2f2f2;
     }
    h1 {
       text-align: center;
       color: #333;
    p {
       margin-bottom: 10px;
     .container {
       max-width: 400px;
       margin: 0 auto;
       padding: 20px;
       background-color: #fff;
       border-radius: 5px;
```

```
box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
    }
    #message {
       display: none;
       text-align: center;
       margin-top: 20px;
       padding: 10px;
       background-color: #ffd700;
       color: #333;
       border-radius: 5px;
  </style>
</head>
<body>
  <div class="container">
    <h1>Mouse Button Event</h1>
    Press and hold the mouse button to show the message.
    Release the mouse button to hide the message.
    <div id="message">Mouse button is pressed!</div>
  </div>
  <script>
    var message = document.getElementById('message');
    document.addEventListener('mousedown', function() {
       message.style.display = 'block';
    });
    document.addEventListener('mouseup', function() {
       message.style.display = 'none';
    });
  </script>
</body>
</html>
```

7.b) Write a JavaScript code that displays text "text-growing" with increasing font size in the interval of 100ms in red colour, when the font size reaches 50pt it displays "text-shrinking" in blue colour, then the font size decreases to 5pt.

Prgm7b.html

```
<!DOCTYPE HTML>
<html>
<head>
<style>
p {position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
}
</style>
</head>
<body>
<script>
var var1 = setInterval(inTimer, 1000);
var fs = 5;
var ids = document.getElementById("demo");
function inTimer()
ids.innerHTML = 'TEXT GROWING';
ids.setAttribute('style', "font-size: " + fs
+ "px; color: red");
f_{S} += 5;
if(fs >= 50)
clearInterval(var1);
```

```
var2 = setInterval(deTimer, 1000);
}

function deTimer()
{
  fs -= 5;
  ids.innerHTML = 'TEXT SHRINKING';
  ids.setAttribute('style', "font-size: "
  + fs + "px; color: blue");
  if(fs === 5)
  {
    clearInterval(var2);
  }
}
</body>
</html>
```