Appendix A -- conf/server.xml Tomcat 4.1 configuration

```
<Server port="8005" shutdown="SHUTDOWN" debug="0">

  <Service name="Tomcat-Apache">

    <Connector className="org.apache.ajp.tomcat4.Ajp13Connector"
               port="8009" minProcessors="50" maxProcessors="375"
               acceptCount="10" connectionTimeout="0" debug="0"/>

    <Engine name="Tomcat-Apache" defaultHost="www.myhost.com" debug="0">

      <Logger className="org.apache.catalina.logger.FileLogger"
              prefix="catalina_log." suffix=".txt" timestamp="true"/>

      <Host name="www.myhost.com" debug="0" appBase="webapps" swallowOutput="true"
            unpackWARs="true" autoDeploy="true" liveDeploy="false">

        <Realm  className="org.apache.catalina.realm.JDBCRealm" debug="0"
                driverName="org.gjt.mm.mysql.Driver"
                connectionURL="jdbc:mysql://localhost/realm?autoReconnect=true"
                connectionName="admin" connectionPassword="password"
                userTable="users" userNameCol="user_name" userCredCol="user_pass"
                userRoleTable="user_roles" roleNameCol="role_name" digest="MD5" />

        <Logger className="org.apache.catalina.logger.FileLogger"
                prefix="myhost_log-" suffix=".txt" timestamp="true"/>

        <DefaultContext debug="0" reloadable="false" swallowOutput="true">
          <!-- JNDI JDBC DataSource Resource for using MySQL dB -->
          <Resource name="jdbc/data" auth="CONTAINER"
                    type="javax.sql.DataSource"/>
          <ResourceParams name="jdbc/data">
            <parameter>
              <name>factory</name>
              <value>org.apache.commons.dbcp.BasicDataSourceFactory</value>
            </parameter>
            <parameter><name>username</name><value>username</value></parameter>
            <parameter><name>password</name><value>password</value></parameter>
            <parameter>
              <name>driverClassName</name>
              <value>org.gjt.mm.mysql.Driver</value></parameter>
            <parameter>
              <name>url</name>
              <value>jdbc:mysql://localhost/myhost?autoReconnect=true</value>
            </parameter>
            <parameter>
              <name>maxIdle</name>
              <value>50</value>
            </parameter>
            <parameter>
              <name>maxActive</name>
              <value>200</value>
            </parameter>
            <parameter>
              <name>maxWait</name>
              <value>10000</value>
            </parameter>
            <parameter>
              <name>logAbandoned</name>
              <value>true</value>
            </parameter>
            <parameter>
              <name>removeAbandoned</name>
              <value>true</value>
            </parameter>
            <parameter>
              <name>removeAbandonedTimeout</name>
              <value>300</value>
            </parameter>
          </ResourceParams>
        </DefaultContext>
```

```
        <Context path="/manager"
                 docBase="/usr/local/kinetic/tomcat4/server/webapps/manager"
                 debug="0" privileged="true">
          <Valve className="org.apache.catalina.valves.RemoteAddrValve"
                 allow="127.0.0.1"/>
        </Context>

      </Host>

    </Engine>

  </Service>

</Server>
```