Annotated forrest.xmap

Table of contents

name="document-v20a"> <document-declaration public-id="-//APACHE//DTD Documentation V2.0a//EN" /> </sourcetype> <sourcetype name="document-v20"> <document-declaration public-id="-//APACHE//DTD Documentation V2.0//EN" /> </sourcetype> <sourcetype name="todo-v20"> <document-declaration public-id="-//APACHE//DTD Todo V2.0//EN" /> </sourcetype> <sourcetype name="changes-v20"> <document-declaration public-id="-//APACHE//DTD Changes V2.0//EN" /> </sourcetype> <sourcetype name="howto-v20"> <document-declaration public-id="-//APACHE//DTD How-to V2.0//EN" /> </sourcetype> </map:action> <map:action logger="sitemap.action.locale" name="locale" src="org.apache.cocoon.acting.LocaleAction"> </map:action> </map:actions> <map:selectors default="parameter"> <map:selector logger="sitemap.selector.parameter" name="parameter" src="org.apache.cocoon.selection.ParameterSelector" /> <map:selector logger="sitemap.selector.exception" name="exception" src="org.apache.cocoon.selection.ExceptionSelector"> <exception name="syntax" class="net.sourceforge.chaperon.process.ParseException"/> <exception class="java.lang.Throwable" unroll="true"/> </map:selector> <map:selector logger="sitemap.selector.config" name="config" src="org.apache.cocoon.selection.SimpleSelector" /> </map:selectors> </map:components> <map:resources> <map:resource name="transform-to-document"> <map:act type="sourcetype" src="{src}"> <map:select type="parameter"> <map:parameter name="parameter-selector-test" value="{sourcetype}" /> <map:when test="document-v10"> <!-- FIXME (JJP): This should use the v12 now--> <map:transform src="{forrest:stylesheets}/docv10todocv11.xsl" /> </map:when> <map:when test="document-v20a"> <map:transform src="{forrest:stylesheets}/docv20todocv12.xsl" /> </map:when> <map:when test="document-v20"> <map:transform src="{forrest:stylesheets}/docv20todocv13.xsl" /> </map:when> <map:when test="howto-v10"> <map:transform src="{forrest:stylesheets}/howto2document.xsl" /> </map:when> <map:when test="howto-v11"> <map:transform src="{forrest:stylesheets}/howto2document.xsl" /> </map:when> <map:when test="howto-v12"> <map:transform src="{forrest:stylesheets}/howto2document.xsl" /> </map:when> <map:when test="howto-v13"> <map:transform src="{forrest:stylesheets}/howto2document.xsl" /> </map:when> <map:when test="howto-v20"> <map:transform src="{forrest:stylesheets}/howto2document.xsl" /> </map:when> <map:when test="todo-v10"> <map:transform src="{forrest:stylesheets}/todo2document.xsl" /> </map:when> <map:when test="todo-v11"> <map:transform src="{forrest:stylesheets}/todo2document.xsl" /> </map:when> <map:when test="todo-v12"> <map:transform src="{forrest:stylesheets}/todo2document.xsl" /> </map:when> <map:when test="todo-v13"> <map:transform src="{forrest:stylesheets}/todo2document.xsl" /> </map:when> <map:when test="todo-v20"> <map:transform src="{forrest:stylesheets}/todo2document.xsl" /> </map:when> <map:when test="changes-v10"> <map:transform src="{forrest:stylesheets}/changesv10tochangesv11.xsl" /> <map:transform src="{forrest:stylesheets}/changes2document.xsl" /> </map:when> <map:when test="changes-v11"> <map:transform src="{forrest:stylesheets}/changes2document.xsl" /> </map:when> <map:when test="changes-v12"> <map:transform src="{forrest:stylesheets}/changes2document.xsl" /> </map:when> <map:when test="changes-v13"> <map:transform src="{forrest:stylesheets}/changes2document.xsl" /> </map:when> <map:when test="changes-v20"> <map:transform src="{forrest:stylesheets}/changes2document.xsl" /> </map:when> <map:otherwise /> </map:select> </map:act> </map:resource>

1.1 Definition of File-Resolver-Resource

<map:resource name="file-resolver"> <map:select type="exists"> <map:when test="{project:content.xdocs}{uri}.ihtml"> <map:generate src="{project:content.xdocs}{uri}.ihtml" type="html" /> <map:transform src="{forrest:stylesheets}/html2document.xsl" /> <map:transform type="idgen" /> <map:serialize type="xml-document"/> </map:when>

```
<map:when test="{project:content.xdocs}{uri}.html"> <map:generate src="{project:content.xdocs}
{uri}.html" type="html" /> <map:transform src="{forrest:stylesheets}/html2document.xsl" /
> <map:transform type="idgen" /> <map:serialize type="xml-document"/> </map:when>
<map:when test="{project:content.xdocs}{uri}.txt"> <map:match type="regexp" pattern="^(.*?)
([^/]*).xml$"> <map:generate type="text2xml" src="{project:content.xdocs}{1}{2}.txt" />
<map:transform src="{forrest:stylesheets}/text2document.xsl"> <map:parameter name="filename"
value="{2}" /> </map:transform> <map:serialize type="xml-document"/> </map:match> </
map:when> <map:otherwise> <map:select type="exists"> <map:when test="{project:temp-dir}/
input.xmap"> <map:mount uri-prefix="" src="{project:temp-dir}/input.xmap" check-reload="yes"
pass-through="true"/> </map:when> </map:select> <map:generate src="{project:content.xdocs}
{uri}.xml" /> <map:call resource="transform-to-document"> <map:parameter name="src"
value="{project:content.xdocs}{uri}.xml" /> </map:call> <map:serialize type="xml-document"/> </
map:otherwise> </map:select> </map:resource> </map:resources> <map:pipelines> <map:pipeline>
<!-- ============================================================= --> <!--
INTERMEDIATE FORMATS --> <!--
=============================================================
--> <map:match pattern="**body-*.html"> <map:select type="exists"> <map:when
test="{project:content.xdocs}{1}{2}.ehtml"> <map:generate src="{project:content.xdocs}
{1}{2}.ehtml" /> <map:transform src="{forrest:stylesheets}/html2htmlbody.xsl" /
> <map:serialize type="xml" /> </map:when> </map:select> </map:match> <!--
============================================================= --> <!-- SOURCE
FORMATS --> <!--
============================================================= -->
```

1.2 Second Match for '**.xml'

```
<map:match pattern="**.xml"> <map:select type="config"> <map:parameter name="value"
value="{defaults:i18n}"/> <map:when test="true"> <map:act type="locale"> <map:call
resource="file-resolver"> <map:parameter name="uri" value="{../1}_{language}"/> </map:call>
</map:act> </map:when> <map:otherwise> <map:call resource="file-resolver"> <map:parameter
name="uri" value="{1}"/> </map:call> </map:otherwise> </map:select> </map:match> </
map:pipeline> </map:pipelines> </map:sitemap>
```