How to Publish Forrest Documentation

This documents the steps that the Documentation Coordinator should follow to update the Forrest Website.

Table of contents

1 Introduction	2
2 Updating the site with a local forrestbot	2
3 original docs	2

```
FIXME ( open):
This is work in progress!
```

1 Introduction

All documentation about Apache Forrest is managed as a Forrest-built project located in the site-author directory of forrest/trunk SVN. The Apache Forrest website is updated by generating static pages from the site-author-project and committing them to the forrest/site SVN, which is then 'svn checkout' on the forrest.apache.org webserver to create the website.

See other notes for the Documentation Coordination tasks.

2 Updating the site with a local forrestbot

Generating and publishing the main docs is very easy using a local forrestbot:

```
cd site-author
forrest -f publish.xml build
forrest -f publish.xml deploy
```

Note: if your system username is not the same as your "svn username" then provide a "deploy.svn.settings" file as explained at \$FORREST_HOME/etc/publishing_our_site.txt This builds the documentation locally then deploys it by committing it to the forrest/site SVN. Then a

cronjob on the server will automatically publish it. However, if quicker turnaround is required, then do this:

```
ssh people.apache.org
cd /www/forrest.apache.org
svn update
```

See more detailed <u>explanation</u> of this procedure.

Publishing documentation for a particular plugin is done by:

```
cd plugins/myPluginName
$FORREST_HOME/tools/ant/bin/ant deploy-docs
```

See further information in the <u>buildPlugin</u> doc.

See some general notes about managing project websites.

3 original docs

There have been a few explantions of our docs processing on the forrest-dev mail list. Need to glean the info from them. Here is the content of some:

```
To publish from trunk/site-author/

# Make changes to sources, and then test, then commit.

# Please, please, ensure valid xml docs. Errors will be

# reported during the 'build' phase if you don't.

# Also it prevents other people from working with the docs,

# which goes against the collaborative development process.

# You can do 'forrest validate-xdocs" beforehand or use

# a validating editor (link: catalog.html) or for a single doc use

# xmllint (link: catalog.html) from the command-line, e.g.

# xmllint --noout --valid --catalogs faq.xml
```

Some more notes that need to be integrated above ...

Note that forrestbot does not remove docs from the forrest/site SVN (FOR-392). So need to manually delete: 'cd /svn/forrest/site; svn delete oldDoc'. Then remove it from the forrestbot work directories: 'cd \$FORREST_HOME/site-author; rm build/forrest-docs/oldDoc; rm work/svn-deploy/forrest-docs/oldDoc'.

The generated docs are in build/forrest-docs which is the name given to it in the forrestbot descriptor (site-author/publish.xml). Here is a trick for reviewing changes that forrestbot is ready to deploy ...

```
forrest -f publish.xml build
svn update work/svn-deploy/forrest-docs
diff -rq build/forrest-docs work/svn-deploy/forrest-docs | grep -v "\.svn" | grep differ
```

If you change something that affects all pages (e.g. layout changes; navigation menu additions or MOTD changes that affect old "versioned docs") then see the note in conf/cli.xconf about temporarily not excluding old "docs_*" patterns.

If there have been changes to tools/forrestbar then need to follow the instructions there to build it. Then copy its build/forrestbar.xpi to site-author/content/xdocs/tools/forrestbar.xpi and commit that. Then run forrestbot to build and deploy the site, or alternatively for a quick fix, just commit it to forest/site/tools (which is what forrestbot would do).