

History of Changes

Table of contents

1	Version 2005-11 ().....	2
1.1	1.2.....	2
1.2	1.4.....	3
1.3	Documentation.....	5
1.4	Site.....	5



(changes.rss)

1. Version 2005-11 ()

1.1. 1.2

- [1.2] deprecated source type action added [Diff](http://svn.apache.org/viewcvs.cgi?rev=332041&view=rev) (michi)
- [1.2] updated Forrest with fixed SourceTypeAction thanks to Josias [Diff](http://svn.apache.org/viewcvs.cgi?rev=332042&view=rev) (michi)
- [1.2] input module to make content dir configurable started [Diff](http://svn.apache.org/viewcvs.cgi?rev=332057&view=rev) (michi)
- [1.2] ProxyGenerator with https resp. getScheme enhanced [Diff](http://svn.apache.org/viewcvs.cgi?rev=332837&view=rev) (michi)
- [1.2] obsolete libraries [Diff](http://svn.apache.org/viewcvs.cgi?rev=332043&view=rev) (michi)
- [1.2] Open live page in a new window [Diff](http://svn.apache.org/viewcvs.cgi?rev=330213&view=rev) (jann)
- [1.2] bug re hardcoded filename generation fixed. DocumentIdToPathMapper is now being used [Diff](http://svn.apache.org/viewcvs.cgi?rev=330231&view=rev) (michi)
- [1.2] getChildFileName fixed such that one is forced to upgrade the creators because of the DocumentIdToPathMapper bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=330247&view=rev) (michi)
- [1.2] getChildFileName fixed such that one is forced to upgrade the creators because of the DocumentIdToPathMapper bug [Diff](http://svn.apache.org/viewcvs.cgi?rev=330248&view=rev) (michi)
- [1.2] there seems to be a bug re concat filesystem path. TODO added [Diff](http://svn.apache.org/viewcvs.cgi?rev=331231&view=rev) (michi)
- [1.2] preparations for making root content dir configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=331233&view=rev) (michi)
- [1.2] content authoring element fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=331768&view=rev) (michi)
- [1.2] SourceTypeAction package name changed [Diff](http://svn.apache.org/viewcvs.cgi?rev=332044&view=rev) (michi)
- [1.2] content-dir input module added as TODO [Diff](http://svn.apache.org/viewcvs.cgi?rev=332058&view=rev) (michi)
- [1.2] Get the content path with help of the new PublicationContentDirModule in all default's sitemaps [Diff](http://svn.apache.org/viewcvs.cgi?rev=332085&view=rev) (edith)
- [1.2] Get the content path with help of the new PublicationContentDirModule in all default's sitemaps [Diff](http://svn.apache.org/viewcvs.cgi?rev=332086&view=rev) (edith)
- [1.2] paths neutralized [Diff](http://svn.apache.org/viewcvs.cgi?rev=332247&view=rev) (michi)
- [1.2] paths neutralized [Diff](http://svn.apache.org/viewcvs.cgi?rev=332248&view=rev) (michi)
- [1.2] needs also to work without configuration in order to stay backwards compatible [Diff](http://svn.apache.org/viewcvs.cgi?rev=344356&view=rev) (michi)
- [1.2] needs to work also without configuration in order to stay backwards compatible [Diff](http://svn.apache.org/viewcvs.cgi?rev=344357&view=rev) (michi)
- [1.2] note about xopushandler action added [Diff](http://svn.apache.org/viewcvs.cgi?rev=344359&view=rev) (michi)
- [1.2] Revision controller prepared such that it works with configurable content directories [Diff](http://svn.apache.org/viewcvs.cgi?rev=344363&view=rev) (michi)
- [1.2] getDocument added to make content dir configurable [Diff](http://svn.apache.org/viewcvs.cgi?rev=345212&view=rev) (michi)
- [1.2] advanced methods such that document root dirs will be configurable commented [Diff](http://svn.apache.org/viewcvs.cgi?rev=345783&view=rev) (michi)
- [1.2] security patch [Diff](http://svn.apache.org/viewcvs.cgi?rev=348771&view=rev) (michi)
- [1.2] thanks to Josias Thoeny the sitetree bug re access controlling has been fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=349402&view=rev) (michi)
- [1.2] patch update from Josias [Diff](http://svn.apache.org/viewcvs.cgi?rev=349410&view=rev) (michi)
- [1.2] call fallback for the root transformation and the sitetree2nav.xsl, so that they can be overridden in the pubs (ex: no

language suffix _ in url) [Diff](http://svn.apache.org/viewcvcs.cgi?rev=349988&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=349988&view=rev) (edith)

1.2. 1.4

- [1.4] First steps re. JCR-only approach: removed dependencies on JCR block, added own JCR libs, started JCR facade objects and content migration build target. [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330793&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330793&view=rev) (andreas)
- [1.4] Added 1st version of new Lenya repo interfaces + JCR-based implementation [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330846&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330846&view=rev) (andreas)
- [1.4] Robert Goene's lucene usecase added [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345026&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345026&view=rev) (michi)
- [1.4] lucene XSLTs added [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345027&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345027&view=rev) (michi)
- [1.4] lucene specific classes re Robert Goenes code [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345031&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345031&view=rev) (michi)
- [1.4] lucene module of Robert Goene added [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345033&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345033&view=rev) (michi)
- [1.4] more lucene stuff of Robert Goene added [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345035&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345035&view=rev) (michi)
- [1.4] lucene config added [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345041&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345041&view=rev) (michi)
- [1.4] simple opendocument XSLT added [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345271&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345271&view=rev) (michi)
- [1.4] replaces the SourceWritingTransformer with a flow approach that uses the processPipelineTo() method of the cocoon flow object. When exiting the flow a plain status code is sent back to the browser. Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345494&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345494&view=rev) (chestnut)
- [1.4] replaces the SourceWritingTransformer with a flow approach that uses the processPipelineTo() method of the cocoon flow object. When exiting the flow a plain status code is sent back to the browser. Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345495&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345495&view=rev) (chestnut)
- [1.4] Update Jetty to version 5.1.4 Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345639&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345639&view=rev) (chestnut)
- [1.4] Update Jetty to version 5.1.4 Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345640&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345640&view=rev) (chestnut)
- [1.4] clean up, moved lucene specific files into the lucene module directory [Diff](http://svn.apache.org/viewcvcs.cgi?rev=348067&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=348067&view=rev) (chestnut)
- [1.4] moved lucene specific files into lucene module directory [Diff](http://svn.apache.org/viewcvcs.cgi?rev=348074&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=348074&view=rev) (chestnut)
- [1.4] applied Patch for removing log4j:WARN removing upon Jetty start-up, Bug 37240, Thanks to a patch by Felix Röthenbacher [Diff](http://svn.apache.org/viewcvcs.cgi?rev=348422&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=348422&view=rev) (chestnut)
- [1.4] moved lucene stylesheets into resource specific modules xslt directory Thanks to Felix Fixes Bug 37626 [Diff](http://svn.apache.org/viewcvcs.cgi?rev=348759&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=348759&view=rev) (chestnut)
- [1.4] Extended repo API, updated JCR repo implementation to a more generic approach (using a repository facade and path structures) [Diff](http://svn.apache.org/viewcvcs.cgi?rev=350074&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=350074&view=rev) (andreas)
- [1.4] LGPL code removed [Diff](http://svn.apache.org/viewcvcs.cgi?rev=345270&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=345270&view=rev) (michi)
- [1.4] Don't call opendocument2xhtml.xsl: the transformation is replaced by the xslt of art rhyno [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330006&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330006&view=rev) (edith)
- [1.4] the attribute for the style's properties change from style:properties into style:local-name()-properties [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330083&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330083&view=rev) (edith)
- [1.4] allow to patch lenya.roles by publications and modules [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330229&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330229&view=rev) (andreas)
- [1.4] [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330292&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330292&view=rev) (chestnut)
- [1.4] [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330293&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330293&view=rev) (chestnut)
- [1.4] Accidental commit (messing around with cform type), sorry about that [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330294&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330294&view=rev) (chestnut)
- [1.4] fixed img references for up/down arrows [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330541&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330541&view=rev) (chestnut)
- [1.4] Changed cform code that it is possible to use a cancel button. [Diff](http://svn.apache.org/viewcvcs.cgi?rev=330572&view=rev) (http://svn.apache.org/viewcvcs.cgi?rev=330572&view=rev) (thorsten)
- [1.4] Fixed typo in usecase.js. Spotted by Felix. Thx Felix. [Diff](#)

- (<http://svn.apache.org/viewcvcs.cgi?rev=330789&view=rev>) (thorsten)
- [1.4] prompt for clean build of cocoon with new local.blocks.properties [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=330833&view=rev>) (chestnut)
- [1.4] Added a fallback for module specific menu generation. Now you can override the menus provided by the modules. e.g. If you want to override the menu provided by the xhtml module, just create a file in pub-id/conf/menus/xhtml.xsp and provide your own menu implementation for the module. [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=331273&view=rev>) (thorsten)
- [1.4] Usecase exit parameters can now be supplied without a value in the xconf, the value will be picked up from the parameters passed to the usecase. This fixes Bug 37362 [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=331627&view=rev>) (chestnut)
- [1.4] Fixes non working cancel buttons [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=331826&view=rev>) (thorsten)
- [1.4] Configuration of log4j.xconf [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332068&view=rev>) (chestnut)
- [1.4] languages choice is hidden if just one language available in publication Thanks to a patch by Simon Litwan, fixes Bug 37434 [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332227&view=rev>) (chestnut)
- [1.4] added userId, groupId, and ipRangeId to exit usecases where needed [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332235&view=rev>) (chestnut)
- [1.4] fixes ability to save in kupu using webdav interface instead of kupu usecase. Will clean up usecase if this seems to work out. Post processing (before validation) of document can be done with modules/xhtml/xslt/clean-xhtml.xsl if needed. [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332356&view=rev>) (chestnut)
- [1.4] Example of a optional xhtml sample in the default pub. Perhaps someone can provide a patch for a better example of a 2 column page [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332385&view=rev>) (chestnut)
- [1.4] comment this sample out untill there is a way to make additional samples publication specific [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332439&view=rev>) (chestnut)
- [1.4] JCR integration: implemented writing and reading document content [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=332599&view=rev>) (andreas)
- [1.4] removed reference to non-existing entry module from blog publication [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344086&view=rev>) (andreas)
- [1.4] Added ContextUtility to allow the DocumentPolicyManagerWrapper to access the context on demand. This fixes bug #36494. Credits to Felix Roethenbacher. [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344087&view=rev>) (andreas)
- [1.4] Throw comprehensible exception when a resource type does not support a particular format. [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344088&view=rev>) (andreas)
- [1.4] Added XHTML format to search resource type [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344089&view=rev>) (andreas)
- [1.4] Apply module menu fallback to menus.xmap, not to single XSPs [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344095&view=rev>) (andreas)
- [1.4] return proper status code on success PUT request [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344237&view=rev>) (chestnut)
- [1.4] Fixed missing i18n namespace in cforms module and example. [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=344352&view=rev>) (thorsten)
- [1.4] Calling DocumentManager.isValidDocumentName() from CreateDocument usecase to validate document names. DocumentManagerImpl allows only characters and numbers in document IDs. [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345016&view=rev>) (andreas)
- [1.4] config for Jeceira Repository Factory added [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345019&view=rev>) (michi)
- [1.4] Lucene block added [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345022&view=rev>) (michi)
- [1.4] lcr changed because of additional lucene block [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345029&view=rev>) (michi)
- [1.4] lucene code of Robert Goene added [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345032&view=rev>) (michi)
- [1.4] search field added [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345034&view=rev>) (michi)
- [1.4] added kupusave.xsl as import to clean up kupu generated source before validation [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345036&view=rev>) (chestnut)
- [1.4] indexing added [Diff](#) (<http://svn.apache.org/viewcvcs.cgi?rev=345038&view=rev>) (michi)

- [1.4] indexing added [Diff](http://svn.apache.org/viewcvs.cgi?rev=345039&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345039&view=rev) (michi)
- [1.4] opendocumenttext fixed [Diff](http://svn.apache.org/viewcvs.cgi?rev=345280&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345280&view=rev) (michi)
- [1.4] Added infrastructure for module test builds [Diff](http://svn.apache.org/viewcvs.cgi?rev=345521&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345521&view=rev) (andreas)
- [1.4] Updated custom_nodetypes.xml to new Jackrabbit syntax [Diff](http://svn.apache.org/viewcvs.cgi?rev=345522&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345522&view=rev) (andreas)
- [1.4] Improved repo interfaces and JCR-based implementation, added JCRRepositoryTest, updated migration class accordingly [Diff](http://svn.apache.org/viewcvs.cgi?rev=345523&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345523&view=rev) (andreas)
- [1.4] Initialize all mandatory JCR properties. The migrate-14 target works now. [Diff](http://svn.apache.org/viewcvs.cgi?rev=345525&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345525&view=rev) (andreas)
- [1.4] added JOB_DATA column to qrtz_triggers table fixes error "Column count does not match in statement" when trying to schedule a job [Diff](http://svn.apache.org/viewcvs.cgi?rev=345632&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345632&view=rev) (chestnut)
- [1.4] Takes care of class cast exception when scheduled job tries to publish [Diff](http://svn.apache.org/viewcvs.cgi?rev=345636&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345636&view=rev) (chestnut)
- [1.4] allows publish usecase to reindex doc in live index when run from scheduled job [Diff](http://svn.apache.org/viewcvs.cgi?rev=345637&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345637&view=rev) (chestnut)
- [1.4] made lucene indexes area (live and authoring) specific, lucene usecase which can be called as an exit usecase of other usecases [Diff](http://svn.apache.org/viewcvs.cgi?rev=348547&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=348547&view=rev) (chestnut)
- [1.4] xhtml2index xsl path changes [Diff](http://svn.apache.org/viewcvs.cgi?rev=348760&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=348760&view=rev) (chestnut)
- [1.4] JCR module: added Assertion utility class, fixed some NPE issues [Diff](http://svn.apache.org/viewcvs.cgi?rev=349406&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=349406&view=rev) (andreas)
- [1.4] added ability to request shared resources [js or css] inherited [or ancestor] from templated pubs ex: page.css @import url(page.inherited.css); /* pub specific css */ [Diff](http://svn.apache.org/viewcvs.cgi?rev=349588&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=349588&view=rev) (chestnut)
- [1.4] don't allow to reload cocoon for security reasons. see bug #37631 [Diff](http://svn.apache.org/viewcvs.cgi?rev=350020&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=350020&view=rev) (josias)

1.3. Documentation

- [Documentation] started documentation about repository layout [Diff](http://svn.apache.org/viewcvs.cgi?rev=330093&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=330093&view=rev) (andreas)
- [Documentation] added documentation about usecase parameters [Diff](http://svn.apache.org/viewcvs.cgi?rev=332040&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=332040&view=rev) (andreas)
- [Documentation] Add the University of Zuerich to the live site [Diff](http://svn.apache.org/viewcvs.cgi?rev=345470&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=345470&view=rev) (jann)

1.4. Site

- [Site] Adding Uni Zuerich to the live websites [Diff](http://svn.apache.org/viewcvs.cgi?rev=348525&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=348525&view=rev) (jann)
- [Site] Adding Uni Zuerich to the live websites [Diff](http://svn.apache.org/viewcvs.cgi?rev=348526&view=rev) (http://svn.apache.org/viewcvs.cgi?rev=348526&view=rev) (jann)