Adding a new Document Creator

0.1 Documentation

by Lenya community

Table of contents

1 Adding a new Menu Item: "New MyDocument"	2
2 Adding usecase "create" to the sitemap.	
3 Create doctypes.xconf	
4 Create a sample document.	

1. Adding a new Menu Item: "New MyDocument"

The Menubars can be found within the directory config/menus. Add the "New MyDocument" menu item to the appropriate menubar:

2. Adding usecase "create" to the sitemap

The pipelines of the usecases are located within usecase.xmap:

```
<map:pipeline>
 <map:match pattern="*/*/*/*/index.html">
   <map:match type="lenya-usecase" pattern="create">
     <map:match type="lenya-step" pattern="showscreen">
       <map:generate type="serverpages" src="../../content/authoring/parent-child.xsp"/>
       <map:transform src="../../xslt/authoring/create.xsl"/>
       <map:serialize type="html"/>
     </map:match>
     <map:match type="lenya-step" pattern="execute">
       <map:act type="parent-child">
         <map:redirect-to uri="{parent_uri}" session="true"/>
       </map:act>
       <map:redirect-to
uri="index.html?lenya.usecase=create&lenya.step=showscreen&status=failed" session="true"/>
     </map:match>
   </map:match>
 </map:match>
</map:pipeline>
```

3. Create doctypes.xconf

The file doctypes.xconf is supposed to be located within the directory config/doctypes.

4. Create a sample document

The sample documents are located within the directory config/doctypes/samples.

Adding a new Document Creator