Installation of the Source Version

0.1 Documentation

by Jan Prill, Andreas Hartmann

1. Example directory structure

If you're new to all this, it is recommended to use the following directory structure:

```
your_home
/src
/lenya $LENYA_HOME
/cocoon-2.1-M1 $COCOON_HOME
/build
/webapp $COCOON_WEBAPP
/build
/tomcat-4.1.24 $TOMCAT_HOME
/ant-1.5.3
```

2. Installation

- 1. Get the Java SDK (see Prerequisites)
- 2. Get Apache Tomcat (see Prerequisites)
- 3. Install Tomcat

See Running The Tomcat 4.0 Servlet/JSP Container

MS Windows:

Basically this is setting the JAVA_HOME environment variable and double-clicking on tomcat-4.1.24.exe. Decide to run Tomcat as a Windows NT/2000/XP-Service.

4. Check if Tomcat is running

http://localhost:8080.

5. Stop the Tomcat service

MS Windows:

If you don't know how, try *Start* > *Help* > *Services*.

- 6. Get Apache Ant (see <u>Prerequisites</u>)
- 7. Install Ant

See section **Installing Ant** of the Ant Manual

MS Windows

Set a few environment variables, e.g.:

- JAVA HOME = C:\Programme\j2sdk1.4.1 01
- ANT_HOME = C:\Programme\Apache Group\apache-ant-1.5.2
- CATALINA_HOME = C:\Programme\Apache Group\Tomcat 4.1
- CLASSPATH = .\;C:\Programme\Apache Group\apache-ant-1.5.2\lib
- 8. Get Apache Cocoon (see <u>Prerequisites</u>)

Note: The current CVS version of Lenya works only with Cocoon Milestone 1 and newer versions.

9. If you use a Cocoon source version: **Compile Cocoon**

See Installing Apache Cocoon

MS Windows

```
$COCOON HOME > build -Dinclude.webapp.libs=yes webapp
```

Unix

```
$COCOON_HOME > ./build.sh -Dinclude.webapp.libs=yes webapp
```

10. Copy the endorsed libraries

Copy all files from \$COCOON_HOME\lib\endorsed/ to \$TOMCAT_HOME/common/endorsed/.

11. If you have downloaded the source version: Extract Lenya

Extract the downloaded Lenya archive to a directory of your choice.

12. Configure Lenya

Copy \$LENYA_HOME/build.properties.sample to

NYA_HOME/build.properties.

Edit build.properties. For the described configuration the following settings will work (MS Windows: Don't use backslashes "\" for directory separation.). It is important that install.dir is an absolute path. The asterisk (*) has to be replaced by the appropriate version number. Replace \$TOMCAT_HOME by your tomcat installation directory.

- src.cocoon.dir=\$COCOON_HOME/build/webapp
- pubs.root.dirs=src/webapp/lenya/pubs
- install.dir=\$TOMCAT_HOME/webapps/lenya
- cache.dir=\$TOMCAT_HOME/work/Standalone/localhost/lenya

13. Build Lenya

```
$LENYA HOME > ant install
```

14. Restart the Tomcat service

MS Windows:

```
Start > All Programs > Apache Tomcat > Stop Tomcat
Start > All Programs > Apache Tomcat > Start Tomcat
```

or

```
$TOMCAT_HOME\bin > shutdown.bat
$TOMCAT HOME\bin > startup.bat
```

Unix:

```
$TOMCAT_HOME/bin > ./shutdown.sh
$TOMCAT_HOME/bin > ./startup.sh
```

15. Test the installation

http://localhost:8080/lenya