# **Reserved Checkout**

by Edith Chevrier

### 1. Revision Controller

To check out a file call the method:

org.apache.lenya.cms.rc.RevisionController.reservedCheckOut(String source, String ident where the source is the path of the file from the publication and the identity is the identity of the user.

This method is called from the ReservedCheckoutAction.

### 2. The ReservedCheckoutAction

To invoke a reserved check out from a sitemap pipeline, you use The ReservedCheckoutAction.

### 3. URL

The call

{document-URL}?lenya.usecase=checkout&lenya usecase.step=checkout invokes a check-out of the document

### 4. The ReservedCheckoutTestAction

The ReservedCheckoutTestAction checks out a document only if this isn't already checked out

# 5. FileReservedCheckOutException

When the file cannot be checked out because another user has already checked it out, a fileReservedCheckOutException is thrown:

```
File Reserved Checkout Exception

Could not check out the file

Reason: The resource has already been checked out by another user User: lenya
Date: Wed Oct 22 12:02:28 CEST 2003
Filename: /content/authoring/index/index_de.xml
```

### Reserved Checkout

#### The serverpage

cocoon-lenya/src/webapp/lenya/content/rc/fileReservedCheckOutException.xsp generates the xml which will be transformed with

cocoon-lenya/src/webapp/lenya/xslt/rc/rco-exception.xsl

## 6. Exception

The errors are catched as generic Exception

```
Generic Exception
Check the log files :-)
Filename: /content/authoring/malaVida/index_de.xml
```

#### The serverpage

cocoon-lenya/src/webapp/lenya/content/rc/exception.xsp

generates the xml which will be transformed with

cocoon-lenya/src/webapp/lenya/xslt/rc/rco-exception.xsl