Xopus

0.1 Documentation

by Michael Wechner

Table of contents

1 Demo	2
2 Configuration	2
3 Saving via POST	
4 Exit Xopus	
5 Making a page editable with Xopus: Schemas, Views (XSLT) and Menus	

1. Demo

Try Xopus at:

```
http://www.xopus.com/demo/index.html
```

2. Configuration

Lenya needs to know the prefix of Xopus:

```
src/webapp/lenya/usecase.xmap
src/webapp/lenya/resources/misc/xopus/index.html
```

3. Saving via POST

To enable saving via POST, one needs to modify \$XOPUS/xopusPlugins/datadriver.js as follows

```
// Save data START
   alert('Save XML via POST');
   var result = Application.sendXML(doc, 'POST', name);
    switch (result.status)
     case 200:
       //OK
       var resultXML = result.responseXML;
       alert('XML saved');
       return;
     case -1:
       alert('Error while saving ' + name + ':\n\n' + result.responseText);
       break;
     default:
       alert('Server responded not ok while saving ' + name + ':\n\nstatus:' + result.status +
'\nestriction ' + resul
t.responseText);
    // Save data END
```

whereas the text of the alerts might be replaced by something else.

4. Exit Xopus

To exit Xopus one needs to modify \$XOPUS/xopusPlugins/cmsdriver.js as follows

```
getExitURL: function(path)
{
  exitURL = path.substring(0, path.indexOf('?'));
  alert('Exit to: ' + exitURL);
  return exitURL;
},
```

whereas the text of the alert might be replaced by something else.

5. Making a page editable with Xopus: Schemas, Views (XSLT) and Menus

Xopus needs an XML Schema for validation and an XSLT to view the document. The Schemas and XSLTs need to be located at:

\$PUBLICATION/config/doctypes/schemas/\$DOCTYPE.xsd \$PUBLICATION/lenya/xslt/xopus/\$DOCTYPE.xsl

whereas one might want to use <u>Trang</u> (http://www.thaiopensource.com/relaxng/trang.html) to generate XML Schemas.

Editing with Xopus is implemented as a usecase. One can add a menu item as follows:

<item uc:usecase="xopus" href="?lenya.step=open&doctype=\$DOCTYPE">Edit with Xopus</item>