The PageEnvelopeModule

Table of contents

1. Overview

The `PageEnvelopeModule` is an `InputModule` that provides access to the `PageEnvelope` parameters. For documentation on input modules see section [Modules](http://cocoon.apache.org/2.1/userdocs/concepts/modules.html) (http://cocoon.apache.org/2.1/userdocs/concepts/modules.html) of the Cocoon documentation.

2. Module Parameters

publication-id
The current publication ID.
context-prefix
The context prefix of the web application, e.g. `/lenya`.
area
The CMS area, `authoring` or `live`.
publication
The current publication
document-id
The document ID, i.e. the path of the document in the sitetree.
document-name
The document name, i.e. the very last part of the document ID.
document-url
The URL of the document within the area, e.g., `/news/index.html`
document-path
The file path where this document is physically located in the file system.
document-language
The language of this document.
document-type
The document type.

3. Sitemap usage

```
<map:parameter name="document-id" value="{page-envelope:document-id}"/>
```

4. XSP usage

```
<xsp:page
        language="java"
        xmlns:xsp="http://apache.org/xsp"
        xmlns:input="http://apache.org/cocoon/xsp/input/1.0">

<usecase:url>
  <input:get-attribute
      module="page-envelope" as="string" name="document-url"/>
</usecase:url>

</xsp:page>
```