

Apache OpenOffice

Version 4.1

Calc Guide

AOO Documentation Team

Chapter 6

Printing, Exporting, and E-mailing

Copyright

This document is Copyright © 2025 by The Apache Software Foundation. You may distribute it and/or modify it under the terms of the Creative Commons Attribution License, version 3.0 or later (<https://creativecommons.org/licenses/by/3.0/>).

Apache, Apache OpenOffice, and OpenOffice.org are trademarks of the Apache Software Foundation. Used with permission.

Acknowledgments

This document is updated from a previous version by the OOoAuthors team. The AOO Documentation Team appreciates the many contributions of Michael Scarborough and Michele Petrovsky.

Publication date and software version

Published August 25, 2025. Based on Apache OpenOffice 4.1.

Note for Mac Users

Some keystrokes and menu items differ on a Mac from those used in Windows and Linux. The table below gives some common substitutions for the instructions in this chapter. For a more detailed list, see the application Help.

<i>Windows/Linux</i>	<i>Mac equivalent</i>	<i>Effect</i>
Tools > Options menu selection	OpenOffice > Preferences	Access setup options
<i>Right-click</i>	<i>Control+click</i>	Opens context menu
<i>Ctrl</i> (Control)	⌘ (Command)	Used with other keys
<i>F5</i>	<i>Shift+⌘+F5</i>	Opens the Navigator
<i>F11</i>	<i>⌘+T</i>	Opens Styles & Formatting window

Contents

Chapter 6

Printing, Exporting, and E-mailing.....	1
Quick Printing.....	4
Controlling Printing.....	4
Selecting General Printing Options.....	5
Printing Multiple Pages on a Single Sheet of Paper.....	6
Selecting Sheets to Print.....	6
Using Print Ranges.....	7
Defining a Print Range.....	7
Printing Rows or Columns on Every Page.....	9
Defining a Custom Print Range.....	10
Page Breaks.....	11
Inserting a Page Break.....	11
Deleting a Page Break.....	11
Printing Options Setup in Page Styles.....	12
Headers and Footers.....	14
Setting a Header or a Footer.....	14
Header or Footer Appearance.....	15
Setting the Contents of the Header or Footer.....	15
Exporting to PDF.....	16
Quick Export to PDF.....	16
Controlling PDF Content and Quality.....	16
Exporting to XHTML.....	21
Saving as Web Pages (HTML).....	22
E-mailing Spreadsheets.....	22
E-mailing a Spreadsheet to Several Recipients.....	22
Digital Signing of Documents.....	22
Removing Personal Data.....	23

Quick Printing

Click the **Print File Directly** icon  to send an entire document to the default printer defined for your computer.

Note

You can change the action of the **Print File Directly** icon to send the document to the printer defined for the document instead of to the computer's default printer. Choose **Tools > Options > Load/Save > General** and select the **Load printer settings with the document** option.

Controlling Printing

For additional printing controls, use the Print dialog (**File > Print** or *Ctrl+P*).




Figure 1. The Print dialog

The Print dialog has four tabs. From these, you can choose a range of options, as described in the following sections.

Note

The options selected on the Print dialog apply to this printing of the current document only.

To specify default printing settings for OpenOffice, go to **Tools > Options > OpenOffice - Print** and **Tools > Options > OpenOffice Calc - Print**. See Chapter 14 (Setting Up and Customizing Calc) for details.

Selecting General Printing Options

On the *General* tab of the Print dialog (Figure 1), you can choose:

- The **printer** (from the printers available)
- Which **sheets** and **pages** to print, the number of copies to print, and whether to collate multiple copies or print the pages in reverse order (*Range and copies* section)

Select the **Properties** button to display a dialog to choose portrait or landscape orientation, which paper tray to use, and the paper size to print on.

On the *Options* tab of the Print dialog (Figure 2), you can choose to print to a file instead of to a printer, or to create a single print job containing several copies of the document, instead of a separate print job for each copy.




Figure 2: General print options

Printing Multiple Pages on a Single Sheet of Paper

You can print multiple pages of a document on one sheet of paper. To do this:

- 1) In the Print dialog, select the *Page Layout* tab (Figure 3).




Figure 3: Printing multiple page per sheet of paper

- 2) In the *Layout* section, choose the number of pages to print per sheet from the drop-down list. The preview panel on the left of the Print dialog shows how the printed document will look.
When printing more than 2 pages per sheet, you can choose the order they print across and down the paper.
- 3) Click the **Print** button.

Selecting Sheets to Print

In addition to printing an entire document, you can print individual sheets, ranges of sheets, or a selection of a document.




Figure 4: Choosing what to print in Calc

Printing an individual sheet:

- 1) In the spreadsheet, click on the sheet tab to select the sheet you want to print.
- 2) Choose **File > Print** from the menu bar.

- 3) In the *Ranges and copies* section of the *General* tab of the Print dialog, choose the *Selected sheets* option.
- 4) Click the **Print** button.

Printing a range of sheets:

- 1) In the spreadsheet, select the sheets to print.
 - a) Select the first sheet.
 - b) Hold down the *Control* key.
 - c) Click on the additional sheet tabs.
 - d) Release the *Control* key when all required sheets are selected.
- 2) Choose **File > Print** from the menu bar.
- 3) In the *Ranges and copies* section of the Print dialog, choose the *Selected sheets* option.
- 4) Click the **Print** button.

Printing a selection of cells:

- 1) In the document, select the section of cells to print.
 - a) Select the first cell.
 - b) Hold down the *Control* key.
 - c) Click on the additional desired cells.
 - d) Release the *Control* key when all required cells are selected.
- 2) Choose **File > Print** from the menu.
- 3) In the *Ranges and copies* section of the Print dialog, select the *Selected cells* option.
- 4) Click the **Print** button

Caution



After printing, be sure to **deselect** the extra sheets. If you keep them selected, the next time you enter data on one sheet, you enter data on all the selected sheets. This might not be desirable.

Using Print Ranges

Print ranges have several uses, including printing only a specific part of the data, or printing selected rows or columns on every page.

Defining a Print Range

To define a new print range or modify an existing print range:

- 1) Highlight the range of cells that comprise the print range.
- 2) Choose **Format > Print Ranges > Define**.

The page break lines display on the screen.

Tip

You can check the print range by using **File > Page Preview**. OpenOffice will only display the cells in the print range.

Adding to the Print Range

Even after defining a print range, you can add more cells to it. This allows multiple, separate areas of the same sheet to be printed while not printing the whole sheet. After you have defined a print range:

- 1) Highlight the range of cells to be added to the print range.
- 2) Choose **Format > Print Ranges > Add**. This adds the extra cells to the print range.

The page break lines no longer display on the screen.

Note

The additional print range will print as a separate page, even if both ranges are on the same sheet.

Removing a Print Range

It may be necessary to remove a defined print range, for example, if the whole sheet needs to be printed later. Choose **Format > Print Ranges > Remove**. This removes *all* defined print ranges on the sheet. After the print range is removed, the default page break lines appear on the screen.

Editing a Print Range

At any time, you can directly edit the print range, for example, to remove or resize part of the print range. Choose **Format > Print Ranges > Edit**. If you have selected a print range, the Edit Print Ranges dialog looks similar to Figure 5.




Figure 5: Edit a print range

In this example, three sets of cells are selected, each separated by a semicolon. The first set is in a rectangle from cell A3 (\$A\$3) in the top left to cell C9 (\$C\$9) in the bottom right. Clicking anywhere in the text entry box shows the selected print range on the screen, with each set highlighted in a different color, as in Figure 6.




Figure 6: Print range marked by colored boxes

When this dialog is open, you can manually change the data, or select different cells in the spreadsheet. If the dialog covers the required cells, you can move it aside or click the **Shrink** icon next to the text entry box, select the required cells, then click the icon again to expand the dialog and redisplay the rectangles with their new values.

Printing Rows or Columns on Every Page

If a sheet is printed on multiple pages, you can set up specific rows or columns to repeat on each printed page.

For example, if the top two rows of the sheet, as well as column A, need to be printed on all pages, do the following:

- 1) Choose **Format > Print Ranges > Edit**. On the Edit Print Ranges dialog, type the rows in the text entry box under *Rows to repeat*. For example, to repeat rows 1 and 2, type **\$1:\$2**. This automatically changes *Rows to repeat* from **- none -** to **- user defined -**.




Figure 7: Specifying repeating rows

- 2) To repeat columns, type the columns in the text entry box under *Columns to repeat*. For example, to repeat column A, type **\$A**. This automatically changes *Columns to repeat* from **- none -** to **- user defined -**.
- 3) Click **OK**.

Note

You do not need to select the entire range of the rows to be repeated; simply select one cell in each row.

Defining a Custom Print Range

In addition to highlighting a print range for each print job, you can define a range of cells to be used repeatedly. This may be useful if different areas of a large spreadsheet need to be printed for different reports. Several different print ranges can be defined to meet this need.

- 1) To define a print range, use the same procedure as labeling an area of the sheet. Highlight the cells you want to define as a print range and select **Insert > Names > Define**. (The cells can also be highlighted after opening the Define Names dialog.)
- 2) On the Define Names dialog (Figure 8), type a name for the range in the text box with the blinking cursor. **The name of the range cannot contain any spaces.**
- 3) Click the **More** button in the dialog and select the **Print range** option. Click the **Add** button.
- 4) To include more than one group of cells in the selection, type in the additional ranges. For example, to select the rectangle with A3 as the top left cell and F20 as the bottom right cell, enter **;\$A\$3:\$F\$20** or **;\$A3:F20** after the initial selection; both work and are equivalent. Make sure that each group of cells is separated with a semicolon.
- 5) Click **OK**.




Figure 8: Define Names dialog

To print this range:

- 1) Choose **Format > Print Ranges > Edit** (Figure 5). The previously defined area now appears in the drop-down box under Print range.
- 2) Select the defined print range and click **OK**.

This method can be useful to quickly change the print range without highlighting a large area of cells every time.

Note

If the cell range name refers to more than one group of cells, it will not appear in the drop-down list. You will need to type it in or highlight and select it.

Page Breaks

While defining a print range can be a powerful tool, manually adjusting Calc's printout may sometimes be necessary. To do this, you can use a *manual break*. A manual break helps to ensure that your data prints properly. You can insert a horizontal page break above or a vertical page break to the left of the active cell.

Inserting a Page Break

To insert a page break:

- 1) Navigate to the cell where the page break will begin.
- 2) Select **Insert > Manual Break**.
- 3) Select **Row Break** or **Column Break**, depending on your need.

The break is now set.

Row Break

Selecting *Row Break* creates a page break above the selected cell. For example, if the active cell is H15, then the break is created between rows 14 and 15.

Column Break

Selecting *Column Break* creates a page break to the left of the selected cell. For example, if the active cell is H15, then the break is created between columns G and H.

Tip

To see page break lines more easily on screen, you can change their color. Choose **Tools > Options > OpenOffice > Appearance** and scroll down to the Spreadsheet section.

Deleting a Page Break

To remove a page break:

- 1) Navigate to a cell next to the break you want to remove.
- 2) Select **Edit > Delete Manual Break**.
- 3) Select **Row Break** or **Column Break**, depending on your need.

The break is now removed.

Note

Multiple manual row and column breaks can exist on the same page. When you want to remove them, you have to remove each one individually. This may be confusing at times because although there may be a column break set on the page, when you go to **Edit > Manual Break**, the Column break choice may not be available (grayed out).

To remove the break, you have to be in the cell next to the break. For example, if you set the column break while in H15, you can not remove it if you are in cell D15. However, you can remove it from any cell in column H.

Printing Options Setup in Page Styles

The page style for sheets sets several printing options, including the page order, details, and scale to be printed.

Because these options are set in the page style, different page styles can be set up to quickly change the print properties of the sheets in the spreadsheet. See Chapter 4 (Using Styles and Templates in Calc) for more about page styles.

The Sheet tab of the Page Style dialog, **Format > Page > Sheet** (Figure 9), provides the following options.

Page Order

You can set the order in which pages print. This is especially useful in a large document; for example, controlling the print order can save time if you have to collate the document a certain way.

Where a sheet prints to more than one page of paper, it can be printed either by column, where the first column of pages prints, and then the second column and so on, or by row, as shown in the graphic on the top right of the dialog in Figure 3.




Figure 9. The Sheet tab of the Page Style dialog

Print

You can specify which details to print. These details include:

- Row and column headers
- Sheet grid—prints the borders of the cells as a grid
- Comments—prints the comments defined in your spreadsheet on a separate page, along with the corresponding cell reference
- Objects and graphics
- Charts
- Drawing objects
- Formulas—prints the formulas contained in the cells instead of the results
- Zero Values—prints cells with a zero value

Scale

Use the scale features to control the number of pages the data will print on.

- Reduce/Enlarge printout—scales the data in the printout either larger or smaller. For example, if a sheet would typically print out as four pages (two high and two wide), a scaling of 50% would print as one page (both width and height are halved).
- Fit print range(s) on number of pages—defines exactly how many pages the printout will take up. This option will only reduce a printout, not enlarge it. To enlarge a printout, the reduce/enlarge option must be used.
- Fit print range(s) to width/height—defines how high and wide the printout will be, in pages.

Headers and Footers

Headers and footers are predefined pieces of text printed at the top or bottom of a sheet, outside the sheet area. Headers are set the same way as footers.

Headers and footers are assigned to a page style. You can define more than one page style for a spreadsheet and assign different page styles to different sheets. For more about page styles, see Chapter 4.

Setting a Header or a Footer

To set a header or footer:

- 1) Navigate to the sheet where you want to set the header or footer. Select **Format > Page**.
- 2) Select the Header (or Footer) tab.
- 3) Select the **Header on** option.




Figure 10: Header dialog

From here, you can also set the margins, the spacing, and height for the header or footer. You can check the **AutoFit height** box to automatically adjust the height of the header or footer.

Margin

Changing the size of the left or right margin adjusts the distance the header or footer is from that side of the page.

Spacing

Spacing affects how far above or below the sheet the header or footer will print. So, if spacing is set to 1.00", there will be 1 inch between the header or footer and the sheet.

Height

Height affects how big the header or footer will be.

Header or Footer Appearance

To change the appearance of the header or footer, click the **More** button in the dialog. This opens the Border/Background dialog.




Figure 11: Header/Footer Border/Background dialog

From this window, you can set the background and border style of the header or footer. See Chapter 4 (Using Styles and Templates in Calc) for more information.

Setting the Contents of the Header or Footer

The header or footer of a Calc spreadsheet has three columns for text. Each column can have different contents.

To set the contents of the header or footer, click the **Edit** button in the header or footer dialog shown in Figure 10 to display the dialog shown in Figure 12.




Figure 12: Edit contents of header or footer

Areas

Each area in the header or footer is independent, and can have different information in it.

Header

You can select from several preset choices in the Header drop-down list or specify a custom header using the buttons below the area boxes. The same choices will apply to formatting a footer.

Custom header

Click in the area (Left, Center, Right) you want to customize, then use the buttons to add elements or change text attributes.



Opens the Text Attributes dialog.



Inserts the total number of pages.



Inserts the File Name field.



Inserts the Date field.



Inserts the Sheet Name field.



Inserts the Time field.



Inserts the current page number.

Exporting to PDF

Calc can export documents to PDF (Portable Document Format). This industry-standard file format is ideal for sending the file to someone else to view using Adobe Reader or other PDF viewers.

Quick Export to PDF

Click the **Export Directly as PDF** icon  to export the entire document using your default PDF settings. You are asked to enter the file name and location for the PDF file, but you do not get a chance to choose a page range, the image compression, or other options.

Controlling PDF Content and Quality

For more control over the content and quality of the resulting PDF, use **File > Export as PDF**. The PDF Options dialog opens. This dialog has five pages (General, Initial View, User Interface, Links, and Security). Select the appropriate settings and click **Export**. Next, you will be prompted to enter the location and file name of the PDF to be created. Then, click **Save** to export the file.

General Page of PDF Options Dialog

On the *General* page (Figure 13), you can choose which pages to include in the PDF, the type of compression to use for images (which affects the quality of images in the PDF), and other options.

Range section

- **All:** Exports the entire document.
- **Pages:** To export a range of pages, use the format **3-6** (pages 3 to 6). To export single pages, use the format **7;9;11** (pages 7, 9, and 11). You can also export a combination of page ranges and single pages by using a format like **3-6;8;10;12**.
- **Selection:** Exports whatever content is selected.

Images section

- **Lossless compression:** Images are stored without any loss of quality. Tends to make large files when used with photographs. Recommended for other kinds of images or graphics.
- **JPEG compression:** Allows for varying degrees of quality. A setting of 90% works well with photographs (small file size, little perceptible loss).
- **Reduce image resolution:** Lower-DPI (dots per inch) images have lower quality. For viewing on a computer screen, a resolution of 72dpi (for Windows) or 96dpi (GNU/Linux) is sufficient, while for printing it is generally preferable to use at least 300 or 600 dpi, depending on the printer's capability. Higher dpi settings greatly increase the size of the exported file.

Note

EPS (Encapsulated PostScript) images with embedded previews are exported only as previews. EPS images without embedded previews are exported as empty placeholders.




Figure 13: General page of PDF Options dialog

General section

- **PDF/A-1a:** PDF/A is an ISO standard for long-term preservation of documents by embedding all the information necessary for faithful reproduction (such as fonts) while forbidding other elements (including forms, security, and encryption). PDF tags are written. If you select PDF/A-1a, the forbidden elements are grayed out (not available).
- **Tagged PDF:** Tagged PDF contains information about the structure of the document's contents. This can help display the document on devices with different screens and when using screen reader software. Some exported tags

are table of contents, hyperlinks, and controls. Be aware that using this option can significantly increase file sizes.

- **Create PDF form - Submit format:** Choose the format for submitting forms from within the PDF file. This setting overrides the control's URL property that you set in the document. There is only one common setting valid for the entire PDF document: PDF (sends the entire document), FDF (sends the control contents), HTML, and XML. Most often, you'll choose the PDF format.
- **Export bookmarks:** Exports sheet names in Calc documents as "bookmarks" (a table of contents list displayed by some PDF readers, including Adobe Reader).
- **Export comments:** Exports comments in Calc documents as PDF notes. You may not want this!
- **Export automatically inserted blank pages:** Not available in Calc.
- **Embed standard fonts:** Embed the standard fonts so they are always available to the user. This improves the accuracy of what the viewer sees compared to the layout you see on your system.
- **Embed this document inside the PDF:** Embedding the document within the PDF makes it possible to extract and edit the document later. This way, you can make a revised PDF without a PDF editing application.

Initial View Page of PDF Options Dialog

On the *Initial View* page (Figure 14), you can choose how the PDF opens by default in a PDF viewer. The selections are self-explanatory.




Figure 14: Initial View page of PDF Options dialog

User Interface Page of PDF Options Dialog

On the *User Interface* page (Figure 15), several settings can control how a PDF viewer displays the file. Some of these choices are particularly useful when creating a PDF for a presentation or a kiosk-type display.




Figure 15: User Interface page of PDF Options dialog

Window options section

- **Resize window to initial page:** Resizes the PDF viewer window to fit the first page of the PDF.
- **Center window on screen:** Causes the PDF viewer window to be centered on the computer screen.
- **Open in full screen mode:** Causes the PDF viewer to open full-screen instead of in a smaller window.
- **Display document title:** Causes the PDF viewer to display the document's title in the title bar.

User interface options section

- **Hide menubar:** Causes the PDF viewer to hide the menu bar.
- **Hide toolbar:** Causes the PDF viewer to hide the toolbar.
- **Hide window controls:** Causes the PDF viewer to hide other window controls.

Transitions

Not available in Calc. This setting is appropriate for slide presentations like those made with Impress.

Bookmarks

Select how many heading levels are displayed as bookmarks if *Export bookmarks* is selected on the General page.

Links Page of PDF Options Dialog

On this page, you can choose how links are exported to PDF.




Figure 16: Links page of PDF Options dialog

Export bookmarks as named destinations

If you have defined Writer bookmarks, Impress or Draw slide names, or Calc sheet names, this option exports them as “named destinations” to which Web pages and PDF documents can link.

Convert document references to PDF targets

If you have defined links to other documents with OpenDocument extensions (such as .ODT, .ODS, and .ODP), this option converts the file names to .PDF in the exported PDF document.

Export URLs relative to file system

If you have defined relative links in a document, this option exports those links to the PDF.

Cross-document links

Defines the behavior of links clicked in PDF files.

Security Page of PDF Options Dialog

PDF export includes options to encrypt the PDF (so it cannot be opened without a password) and apply some digital rights management (DRM) features.

- With an *open password* set, the PDF can only be opened with the password. Once opened, there are no restrictions on what the user can do with the document (for example, print, copy, or change it).
- With a *permissions password* set, anyone can open the PDF, but its permissions can be restricted. See Figure 17.
- With *both* the *open password* and *permission password* set, the PDF can only be opened with the correct password, and its permissions can be restricted.

Note

Permissions settings are effective only if the user’s PDF viewer respects the settings.

Figure 18 shows the dialog displayed when you click the **Set passwords** button on the Security page of the PDF Options dialog.

After setting a password for permissions, the other choices on the Security page (shown in Figure 17) become available. These selections are self-explanatory.




Figure 17: Security page of PDF Options dialog.




Figure 18: Setting a password to encrypt a PDF

Exporting to XHTML

Calc can export spreadsheets to XHTML. Choose **File > Export**. On the Export dialog, specify a file name for the exported document, then select the XHTML in the *File format* list and click the **Export** button.

Saving as Web Pages (HTML)

Calc can save files as HTML documents. Use **File > Save As** and select **HTML Document**, or **File > Wizards > Web Page**.

If the file contains more than one sheet, sheets will follow one another in the HTML file. Links to each sheet will be placed at the top of the document. Calc also allows the insertion of links directly into the spreadsheet using the Hyperlink dialog.

E-mailing Spreadsheets

OpenOffice provides several quick and easy ways to send spreadsheets as an e-mail attachment in one of three formats: OpenDocument Spreadsheet (OpenOffice's default format), Microsoft Excel, or PDF.

Note

Documents can only be sent from the OpenOffice menu if a mail profile has been set up and there's an e-mail program available on your computer. If you want to e-mail the spreadsheet using a web service, such as Gmail or the web version of Microsoft Outlook, save the file, then use the web service to attach the document to a message.

To send the current document in OpenDocument format:

- 1) Choose **File > Send > Document as E-mail**. OpenOffice opens your default e-mail program with the *.ODS document attached.
- 2) In your e-mail program, enter the recipient, subject, and any text you want to add, then send the e-mail.

File > Send > E-mail as OpenDocument Spreadsheet has the same effect.

If you choose **E-mail as Microsoft Excel**, OpenOffice first creates a file in Excel format and then opens your e-mail program with the *.XLS file attached.

Similarly, if you choose **E-mail as PDF**, OpenOffice first creates a PDF using your default PDF settings (as when using the **Export Directly as PDF** toolbar button) and then opens your email program with the *.PDF file attached.

E-mailing a Spreadsheet to Several Recipients

To e-mail a document to several recipients, you can use the appropriate features in your e-mail program or OpenOffice Writer's mail merge facilities to extract email addresses from an address book.

For details, see Chapter 10 (Printing, Exporting, and E-mailing) in the *Getting Started* guide.

Digital Signing of Documents

To sign a document digitally, you need a personal key, also known as a *certificate*. A personal key is stored on your computer as a combination of a private key, which must be kept secret, and a public key, which you add to your documents when you sign them. You can get a certificate from a certification authority, which may be a private company or a governmental institution.

When you apply a digital signature to a document, a checksum is computed from the document's content plus your personal key. The checksum and your public key are stored together with the document.

Note

A checksum is a value that represents the number of bits in a transmission. Checksums are used to detect potentially damaging errors within data.

When someone later opens the document with OpenOffice, the program will compute the checksum again and compare it with the stored checksum. If both are the same, the program will signal you see the original, unchanged document. In addition, the program can show you the public key information from the certificate. You can compare this key with the public key that is published on the certificate authority website.

Whenever someone changes something in the document, this change breaks the digital signature.

To sign a document:

- 1) Choose **File > Digital Signatures**.
- 2) If you haven't saved the document since the last change, a message box appears. Click **Yes** to save the file.
- 3) After saving, you see the Digital Signatures dialog. Click **Add** to add a public key to the document.
- 4) In the Select Certificate dialog, select your certificate and click **OK**.
- 5) You will again see the Digital Signatures dialog, where you can add more certificates. Click **OK** to add the public key to the saved file.

A signed document shows an icon  in the status bar. You can double-click the icon to view the certificate.

Removing Personal Data

You may want to remove personal data, versions, notes, hidden information, or recorded changes from files before sending them to other people or creating PDFs from them.

In **Tools > Options > OpenOffice > Security > Options**, you can set Calc to remind (warn) you when files contain certain information and automatically remove personal information when saving.

To remove personal and some other data from a file, go to **File > Properties**. On the *General* tab, uncheck **Apply user data** and click the **Reset** button. This removes any names in created and modified fields, deletes the modification and printing dates, and resets the editing time to zero, the creation date to the current date and time, and the version number to 1.

To remove version information, either go to **File > Versions**, select the versions from the list, and click **Delete**, or use **Save As** to save the file with a different name.