

Quick start

Your first application

Dependencies

Just add in any Maven `pom.xml` - or gradle `build.gradle` the following dependency:

```
<properties>
  <meecrowave.version>2.0.0</meecrowave.version>
</properties>

<dependency>
  <groupId>org.apache.meecrowave</groupId>
  <artifactId>meecrowave-core</artifactId>
  <version>${meecrowave.version}</version>
</dependency>
```

If you intend to reuse our `Cli` main you should also add:

```
<dependency>
  <groupId>commons-cli</groupId>
  <artifactId>commons-cli</artifactId>
  <version>1.9.0</version>
</dependency>
```

Runtime

Meecrowave relies on JAX-RS and CDI so to start you just need to write a JAX-RS endpoint:

```
@Path("kitchen")
@ApplicationScoped
public class HelloKitchen {
    @GET
    public String getMenu() {
        return "good things";
    }
}
```

Then booting Meecrowave is as easy as launching - or reuse `org.apache.meecrowave.runner.Cli` provided main:

```
try (final Meecrowave meecrowave = new Meecrowave().bake()) {
```

```
new Scanner(System.in).nextLine();  
}
```

You should get some output containing:

```
[19:54:55.397][INFO][main][.meecrowave.cxf.CxfCdiAutoSetup] REST Application: / ->  
org.apache.cxf.cdi.DefaultApplication  
[19:54:55.399][INFO][main][.meecrowave.cxf.CxfCdiAutoSetup]      Service URI: /kitchen  
-> org.app.HelloKitchen  
[19:54:55.401][INFO][main][.meecrowave.cxf.CxfCdiAutoSetup]      GET  
/kitchen/ ->      String getMenu()
```

And you can check it works doing:

```
curl http://localhost:8080/kitchen
```

You're in a hurry? Use groovy!

Create a file called **hello.groovy**:

```
@Grab('org.apache.meecrowave:meecrowave-core:2.0.0')  
  
import org.apache.meecrowave.Meecrowave  
  
import jakarta.ws.rs.GET  
import jakarta.ws.rs.Path  
import jakarta.enterprise.context.ApplicationScoped  
  
@Path("hello")  
@ApplicationScoped  
class Hello {  
    @GET  
    hi() {  
        "hi"  
    }  
}  
  
new Meecrowave().bake().await()
```

then

```
groovy hello.groovy
```

Finally you can test it:

```
curl http://localhost:8080/hello
```

And my war?

See [How to deploy a war](#) to see how to use meecrowave to deploy an existing war.

Sample

<https://github.com/apache/openwebbeans-meecrowave-examples> contains ready to use examples using meecrowave.

You can also find more information on our [How To](#) page.