MyFaces CODI Demo

Example myfaces-codi-demo can be browsed at https://github.com/apache/tomee/tree/master/examples/myfaces-codi-demo

Notice: Licensed to the Apache Software Foundation (ASF) under one or more contributor distributed with this work for additional information license agreements. See the NOTICE file regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable law or software distributed under the License is distributed on an agreed to in writing, "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

<h2>Steps to run the example</h2>

Build and start the demo:

```
mvn clean package tomee:run
```

Open:

```
http://localhost:8080/myfaces-codi-1.0-SNAPSHOT/
```

This example shows how to improve JSF2/CDI/BV/JPA applications with features provided by Apache MyFaces CODI and ExtVal.

<h2>Intro of MyFaces CODI and ExtVal</h2>

The Apache MyFaces Extensions CDI project (aka CODI) hosts portable extensions for Contexts and Dependency Injection (CDI - JSR 299). CODI is a toolbox for your CDI application. Like CDI itself CODI is focused on type-safety. It is a modularized and extensible framework. So it's easy to choose the needed parts to facilitate the daily work in your project.

MyFaces Extensions Validator (aka ExtVal) is a JSF centric validation framework which is compatible with JSF 1.x and JSF 2.x. This example shows how it improves the default integration of Bean-Validation (JSR-303) with JSF2 as well as meta-data based cross-field validation.

<h2>Illustrated Features</h2>

<h3>Apache MyFaces CODI</h3>

safe (specialized) config</a> <a href="./src/main/java/org/superbiz/myfaces/CustomProjectStage.java" target="\_blank">Type-safe project-stage</a> custom <a href="./src/main/java/org/superbiz/myfaces/view/UserHolder.java" target=" blank">@WindowScoped</a> <a href="./src/main/java/org/superbiz/myfaces/view/MenuBean.java" target="\_blank">Controlling CODI with WindowContext</a> <a scopes href="./src/main/java/org/superbiz/myfaces/view/FeedbackPage.java" target="\_blank">@ViewAccessScoped</a> <a href="./src/main/java/org/superbiz/myfaces/view/FeedbackPage.java" target="\_blank">Manual conversation handling</a> <a href="./src/main/java/org/superbiz/myfaces/view/security/LoginAccessDecisionVoter.java" target="\_blank">Secured pages (AccessDecisionVoter)</a> <a href="./src/main/java/org/superbiz/myfaces/repository/Repository.java" target="\_blank">@Transactional</a> <a href="./src/main/java/org/superbiz/myfaces/view/RegistrationPage.java" target="\_blank">I18n (fluent API)</a> <a href="./src/main/java/org/superbiz/myfaces/domain/validation/UniqueUserNameValidator.java" target=" blank">Dependency-Injection for JSR303 (BV) constraint-validators</a> <a href="./src/main/java/org/superbiz/myfaces/DebugPhaseListener.java" target=" blank">Dependency-Injection for ISF phase-listeners</a>

## <h3>Apache MyFaces ExtVal</h3>