INDEPENDENT WORK PACKAGE

Build the audit review UI

A focused Streamlit prototype for privacy operations: clear evidence, truthful run progress, and a calm document-like visual system.

Owner	Suggested branch	Starting point
Teammate	`codex/ui-prototype`	Latest `codex/integration`

Mission

Deliver a usable read-only interface that helps privacy operations understand a deletion audit and trust what the system is doing during a run. Verdicts and evidence must come from the existing engine/output; do not create a second decision engine.

Visual direction - match the supplied reference

Role	Color	Use
Canvas / panels	`#F7F6F2 / #FFFFFF`	Warm paper canvas; clean white surfaces
Ink / labels	`#1C1F23 / #5F6368`	Near-black content; quiet captions
Brand / links	`#1D3B47 / #2B5C8A`	Restrained teal actions; blue evidence links
Verdicts	`#A8322D, #2F6B4F, #6B7075`	Use only on labeled status chips
Warnings	`#9A6A12` on `#F5EAD2`	Unreadable or conflicting evidence

- Use IBM Plex Sans for body/headings and IBM Plex Mono for evidence IDs, system/resource IDs, and JSON. Include local fallback fonts; do not rely on external downloads.

- Use 4/8/16/24 px spacing, thin borders, compact tables/excerpts, left alignment, and minimal shadows.

- Pair status color with icon and text. One primary action per screen. Avoid gradients, glow, glass cards, emoji decoration, and oversized empty panels.

Work scope

Build a real, small vertical slice rather than a static mockup.

1. Run and progress view

- Let the user choose participant-facing input and start an audit through the existing CLI/application path.
- Show live stage, processed/total counts, elapsed time, completion state, and warnings/errors while work runs in the background.
- Add restrained motion tied to real updates: e.g., a subtle active-stage marker and filling progress bar. Never invent progress, use endless decorative motion, or show success before completion.
- Respect reduced-motion preferences. If exact progress is unavailable, state that honestly and show actual process state/log excerpt.

2. Case list and review

- Provide a searchable/filterable case table with status, audit cutoff, finding count, and review-needed state.
- Open a case to inspect authorization, masked identity, resource ledger, evidence references, and ordered finding/remediation/verification steps.
- Separate direct evidence, operational claims, and future work. Respect `audit_at`; mask identifiers by default and never place them in URLs.

3. Export and trustworthy states

- Preview the exact output row and use the existing validator before enabling export. Show honest loading, warning, failed, review-required, and completed states.

Boundaries

> **Keep changes isolated.** Work in `ui/` and add only the smallest UI dependency/run instructions needed. Do not edit the evidence engine, planner, policy, evaluator, generated output, or in-progress integration changes. If a backend hook is needed, propose the smallest typed interface for review first.

Acceptance checklist

- Fresh clone launches with documented command; the user can start an audit and see truthful background progress without blocking the whole interface.
- Palette/type roles are consistent; status colors appear only on labeled chips; reduced motion and useful failure states work.
- Case review shows real evidence IDs and masks identifiers by default; verdict and steps come from existing engine/output.
- Keyboard focus, readable contrast, and responsive layout are handled.

Handoff

Commit on `codex/ui-prototype`. Share a PR or commit hash, screenshots, launch steps, and a brief explanation of how progress events reflect the real process. Fetch latest remotes before starting; do not merge until reviewed.