Algorithm: $[A,b] := \text{GAUSSJORDAN\_PART1}(A,b)$

Partition $A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $b \rightarrow \left(\begin{array}{c} b_T \\ \hline b_B \end{array}\right)$

where A_{TL} is 0×0, b_T has 0 rows

while $m(A_{TL}) < m(A)$ **do**

Repartition

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c|c|c} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right), \left(\begin{array}{c} b_T \\ \hline b_B \end{array}\right) \rightarrow \left(\begin{array}{c} b_0 \\ \hline \beta_1 \\ \hline b_2 \end{array}\right)$$

$a_{01} := a_{01}/\alpha_{11}$ $\quad (= u_{01})$

$a_{21} := a_{21}/\alpha_{11}$ $\quad (= l_{21})$

$A_{02} := A_{02} - a_{01}a_{12}^T$ $\quad (= A_{02} - u_{01}a_{12}^T)$

$A_{22} := A_{22} - a_{21}a_{12}^T$ $\quad (= A_{22} - l_{21}a_{12}^T)$

$b_0 := b_0 - \beta_1 a_{01}$ $\quad (= b_2 - \beta_1 u_{01})$

$b_2 := b_2 - \beta_1 a_{21}$ $\quad (= b_2 - \beta_1 l_{21})$

$a_{01} := 0$ (zero vector)

$a_{21} := 0$ (zero vector)

Continue with

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{c|c|c} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right), \left(\begin{array}{c} b_T \\ \hline b_B \end{array}\right) \leftarrow \left(\begin{array}{c} b_0 \\ \hline \beta_1 \\ \hline b_2 \end{array}\right)$$

endwhile

Algorithm: $[A,b] := \text{GAUSSJORDAN\_PART2}(A,b)$

Partition $A \rightarrow \left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right)$, $b \rightarrow \left(\begin{array}{c} b_T \\ \hline b_B \end{array}\right)$

where A_{TL} is 0×0, b_T has 0 rows

while $m(A_{TL}) < m(A)$ **do**

Repartition

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \rightarrow \left(\begin{array}{c|c|c} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right), \left(\begin{array}{c} b_T \\ \hline b_B \end{array}\right) \rightarrow \left(\begin{array}{c} b_0 \\ \hline \beta_1 \\ \hline b_2 \end{array}\right)$$

$\beta_1 := \beta_1/\alpha_{11}$

$\alpha_{11} := 1$

Continue with

$$\left(\begin{array}{c|c} A_{TL} & A_{TR} \\ \hline A_{BL} & A_{BR} \end{array}\right) \leftarrow \left(\begin{array}{c|c|c} A_{00} & a_{01} & A_{02} \\ \hline a_{10}^T & \alpha_{11} & a_{12}^T \\ \hline A_{20} & a_{21} & A_{22} \end{array}\right), \left(\begin{array}{c} b_T \\ \hline b_B \end{array}\right) \leftarrow \left(\begin{array}{c} b_0 \\ \hline \beta_1 \\ \hline b_2 \end{array}\right)$$

endwhile