Project Brief: Building on Coinbase Base Ecosystem

NetAssure Protocol Guardian (NAPG) · the project's founding brief, May 2026

Why this brief was written

This brief was written in May 2026 in response to the US CLARITY Act (the Digital Asset Market Clarity Act) advancing through Congress. The House of Representatives passed the bill in July 2025, and the Senate Banking Committee advanced it on 14 May 2026.

The anticipation was that a clear US market-structure framework would bring traditional finance (TradFi) onto crypto rails, with Coinbase's Base network as a leading venue. Institutions arriving on those rails would expect the service assurance they already get from regulated infrastructure: continuous monitoring, service-level thresholds, incident response and an audit trail. NAPG was conceived to provide that layer, applying carrier NOC practice to on-chain infrastructure.

Postscript, October 2026

On 15 September 2026 the US Senate did not invoke cloture on the CLARITY Act (49 to 50), so it has not become law. The separate GENIUS Act, covering stablecoins, was signed into law on 18 July 2025.

How to read this document

The pages that follow are the original brief, unchanged, kept as a record of where the project started. Where it differs from what was built (for example, the agent calls the Anthropic SDK directly rather than through LangChain), the code and docs/architecture.md are authoritative.

Strategic Integration of Autonomous Service Assurance Protocols: A Comprehensive Framework for Transitioning Professional Networking Expertise to the Base Ecosystem

The trajectory of the decentralized economy in 2026 has transitioned from speculative asset accumulation to a complex, agent-driven financial landscape characterized by high-frequency interactions, autonomous decision-making, and vertically integrated capital engines. Within this environment, the Coinbase Base ecosystem has emerged as a preeminent Layer 2 (L2) network, leveraging the security of Ethereum while providing the throughput necessary for an "onchain economy".[1] For a professional possessing 17 years of experience in telecommunications service assurance and federal government technical analysis, the shift toward this ecosystem represents not just a career change, but a profound opportunity to apply the principles of high-availability networking to the world of decentralized finance (DeFi). The technical strengths identified in the user's profile—ranging from deep troubleshooting of Cisco infrastructure to the development of high-yield automated trading bots—align precisely with the nascent requirement for "Protocol Service Assurance" (PSA) in 2026.[3] This report details the conceptualization, architecture, and deployment strategy for the NetAssure Protocol Guardian (NAPG), a project designed to bridge the gap between traditional network reliability and the autonomous onchain future.

Theoretical Foundations: Translating Network Reliability to Decentralized Protocols

The evolution of Base from a testnet in early 2023 to a fully developed onchain economy by 2026 reflects a broader shift in Ethereum scaling.[1] Base operates as an L2 built on the Optimism (OP) Stack, a modular and open-source framework that enables high-speed, low-cost transactions while inheriting the security of the Ethereum mainnet.[1] The user’s extensive background in providing service assurance for federal government customers at Optus involves maintaining the integrity of critical network infrastructure, resolving high-severity issues, and ensuring that Service Level Agreements (SLAs) are strictly met to avoid financial penalties.[3] These professional competencies are directly analogous to the requirements of the 2026 DeFi landscape, where the "infrastructure" consists of smart contracts, liquidity pools, and autonomous sequencers.

In the telecommunications sector, the core objective is to minimize customer impact through

proactive monitoring and rapid fault resolution.[3] In the context of Base, this translates to monitoring protocol health, sequencer latency, and liquidity depth. The transition from troubleshooting Cisco routing and unified communications (voice and teleconferencing) to auditing onchain transaction paths and smart contract execution is supported by the user's foundational knowledge in internetworking and data structures.[3] Furthermore, the user's self-taught mastery of Python, evidenced by a trading bot that achieved a 1.4% daily compounded return over 60,000 trades, provides the necessary algorithmic maturity to build autonomous entities.[3] The following analysis maps traditional networking skills to the emerging technical requirements of the Base ecosystem.

Traditional Telecommunications Competency	**Onchain Finance Translation (Base Ecosystem)**	**Strategic Relevance for the NAPG Project**
Federal Government Service Assurance	Institutional-Grade DeFi Reliability	Ensuring verifiable uptime for lending markets and high-value vaults.[5]
Cisco Routing & Switching Troubleshooting	Transaction Path Optimization & MEV	Identifying optimal swap routes through Aerodrome or Uniswap pools.[7]
DHCP & IP Telephony (IPT) Management	Protocol Interoperability & RPC Management	Orchestrating cross-chain message passing and node connectivity.[9]
Conflict Resolution & Ticket Management	DAO Governance & Onchain Incident Response	Resolving disputes in protocol upgrades or managing treasury security events.[3]
Python-Based Automated Trading Logic	Agentic Wallets & AI Orchestration	Deploying autonomous entities via Coinbase AgentKit for portfolio management.[11]

The global technology skills gap identified in 2025 emphasizes a critical shortage in blockchain and cybersecurity expertise, particularly in the Asia/Pacific region.[10] Organizations increasingly prioritize professionals who can align technological demand with business value to create resilient systems.[10] The user's sabbatical represents an optimal window to capitalize on this shortage by repositioning as an "Onchain Service Assurance Engineer," a role that combines

federal-level security rigor with modern DeFi development.[3]

The 2026 Ecosystem Context: The Trading-First Pivot and Agentic Proliferation

By mid-2026, the Base ecosystem has distinguished itself as a leading revenue-generating L2, scaling through organic usage rather than inflationary token emissions.[2] A strategic pivot in early 2026 redefined the Base App (formerly Coinbase Wallet) as a "trading-first" environment, integrating SocialFi, creator coins, and decentralized mini-apps into a single, cohesive mobile interface.[14] This pivot aimed to catalyze capital flow across diverse asset classes, including stocks, prediction markets, and autonomous AI agents.[15]

A significant breakthrough in this period was the Jovian upgrade, which maintained a minimum base fee of 0.002 gwei on Base.[12] This technical advancement enabled high-frequency micro-trades and auto-compounding yields at a cost of approximately $0.001 per transaction, making the deployment of autonomous agents not only practical but highly profitable.[12] Furthermore, the shift from "black box" AI to "Verifiable Intelligence" via frameworks like Warden Protocol’s SPEx allowed for cryptographic proofs that an AI’s actions followed specific logic, mitigating the risk of model hallucinations in financial contexts.[12]

Key Vertical Drivers in the Base Ecosystem

The ecosystem's growth is anchored by several foundational protocols that facilitate liquidity and social interaction. Aerodrome Finance serves as the central trading hub, maintaining nearly a billion dollars in Total Value Locked (TVL) and aligning governance through the veAERO model.[7] Lending and borrowing are primarily handled by native protocols like Seamless, which optimized for Base’s high-speed infrastructure to support institutional-grade credit markets.[7] Simultaneously, the SocialFi sector has exploded, with Farcaster and its flagship app, Warpcast, accounting for over 60% of total Layer-2 user activity by mid-2025.[7] These platforms allow for "Conversational Tokenization," where users or agents can deploy tokens and seed liquidity instantly through social commands.[12]

Ecosystem Vertical	Primary Protocol	2026 Status and Utility
Decentralized Exchange	Aerodrome Finance	Largest DEX and liquidity hub; foundation for token swaps and yield farming.[7]
Onchain Lending	Seamless Protocol	Native lending market for ETH, USDC, and cbBTC with optimized capital

		efficiency.[7]
Social Identity	Farcaster / Warpcast	Decentralized social graph enabling user-owned identities and frame-based apps.[7]
Identity Systems	Basenames (BNS)	Human-readable wallet addresses integrated with Coinbase and Rainbow wallets.[7]
Autonomous Agents	AgentKit (Coinbase)	SDK enabling AI agents to manage wallets and execute onchain transactions.[11]

The convergence of these protocols creates a "closed-loop, vertically integrated capital formation engine".[6] Coinbase provides the rails (Base), the primary trading interface (Base App), secondary liquidity (Aerodrome), and the community layer (Farcaster).[6] For the developer, this means that an application built on Base has immediate access to 110 million verified users and over $80 billion in assets within the broader Coinbase ecosystem.[1]

Project Identification: The NetAssure Protocol Guardian (NAPG)

Based on the synthesis of the user's technical strengths and the current gaps in the 2026 Base ecosystem, the recommended project is the **NetAssure Protocol Guardian (NAPG)**. This project is an autonomous AI agent developed using the Coinbase Developer Platform (CDP) AgentKit, specifically designed to provide Network Operations Center (NOC) level service assurance for decentralized protocols.[11]

Core Functionality and Market Positioning

The NAPG addresses the critical problem of "execution and safety lag" that has plagued autonomous trading and social experiments on Base.[15] While the ecosystem has many agents for asset creation (e.g., Clanker) and simple buying (e.g., Bankr), there is a distinct lack of tools focused on the *reliability* of the underlying interaction paths.[18] The NAPG leverages the user's experience in troubleshooting third-party telco vendor networks to audit the state of the Base sequencer and the health of liquidity pools in real-time.[3]

The agent functions as a "Guardian" for both individual high-net-worth users and smaller DeFi protocols that lack internal monitoring capabilities. It utilizes Python-based scripts to heartbeat

major pools, check for sequencer latency, and monitor for "Fault Signatures" in smart contract event logs.[19] This is a direct application of the user's Tier 1 Technical Analyst skills—resolving high-severity issues quickly to minimize impact.[3]

Second-Order Insight: The "Insurance-as-a-Service" Potential

A deeper implication of this project is its ability to evolve into a decentralized "Insurance-as-a-Service" or "Assurance-as-a-Service" model. By providing verifiable onchain reports of protocol health, the NAPG can lower the "trust barrier" for institutional capital entering the Base ecosystem. If the agent detects a "Service Level Breach"—such as a sudden drop in a stablecoin's peg or a spike in transaction reverts—it can autonomously execute a "Vault Migration," moving funds to a pre-defined secure state.[14] This aligns with the user's background in avoiding financial penalties for organizations through proactive technical knowledge.[3]

Technical Architecture: Building with AgentKit and Python

The NAPG will be architected as a modern "Agentic Application," moving away from legacy Farcaster Mini App dependencies toward the "Standard Web App + Wallet" model mandated by the 2026 Base App evolution.[21] The core logic will be developed in Python 3.10+, utilizing the coinbase-agentkit library and the Coinbase Developer Platform (CDP) SDK.[11]

The Agentic Core: MPC Wallets and Trusted Execution Environments

At the center of the NAPG is the use of Multi-Party Computation (MPC) wallets. These wallets, provided by the CDP, isolate private keys within Trusted Execution Environments (TEEs), ensuring that the agent's code never has direct exposure to the keys.[22] This architecture is essential for a project aimed at "service assurance," as it provides the highest level of cryptographic security for the managed assets.[22]

Architectural Layer	Technical Component	Strategic Function
Reasoning Layer	LangChain / Claude Opus 4.6	Interpreting natural language commands and complex protocol state data.[17]
Execution Layer	CDP AgentKit (Python)	Performing onchain actions like swaps, transfers, and contract deployments.[11]

Monitoring Layer	Web3.py & AgentiPy	Heartbeating RPC nodes and analyzing pool liquidity via 0x API.[8]
Security Layer	AgentShield Policy Engine	Enforcing per-transaction caps, allowlists, and honeypot detection.[20]
Payment Layer	x402 Protocol (HTTP 402)	Enabling autonomous agent-to-agent payments for service data.[26]

Implementing Protocol Monitoring Logic

The user's experience with Moogsoft, StatSeeker, and HP Openview for network monitoring can be translated into onchain monitoring through the use of the Web3.py library.[3] By interacting with the Base JSON-RPC endpoints, the agent can monitor the eth_gasPrice and eth_getBlockByNumber methods to determine network congestion levels. This is a direct parallel to monitoring bandwidth and latency in a telecommunications network.[19]

The AgentiPy framework, which supports both Base and Solana, offers over 200 onchain actions in Python, including staking, lending, and the creation of Dynamic Liquidity Market Maker (DLMM) pools.[25] Integrating AgentiPy allows the NAPG to perform "Self-Correction" loops, where an agent identifies a failed transaction, analyzes the "Structured Reason" for the failure, and self-corrects its logic before retrying—a feature essential for autonomous service assurance.[22]

Hyper-Accelerated Learning Schedule: A 4-Week Intensive Plan

To achieve a rapid launch during the user's sabbatical, a hyper-accelerated learning schedule is required. This schedule focuses on bridging the gap between traditional Python development and agentic onchain engineering.

Week 1: Onchain Foundations and the Base Stack

The objective of the first week is to master the underlying mechanics of the Base Layer 2. This includes understanding the OP Stack architecture, the role of the sequencer, and the lifecycle of an L2 transaction.[1]

- **Key Activity**: Setting up a development environment with Node.js 22+ and Python 3.10+, and deploying a basic "Hello World" smart contract to the Base Sepolia testnet using Foundry.[11]
- **Technical Focus**: Learning to use cast and forge for contract interaction and deployment.

Understanding the gas fee structure, specifically the impact of the Jovian upgrade.[12]

Week 2: Agentic Engineering with AgentKit

The second week focuses on the Coinbase Developer Platform and the AgentKit SDK. This is where the user will build the core "Agentic Wallet" capabilities.[11]

- **Key Activity**: Utilizing the create-onchain-agent CLI to generate a new Python agent project. Configuring CDP API keys and integrating the agent with an LLM core like OpenAI or Claude.[11]
- **Technical Focus**: Implementing secure wallet management via CDP MPC wallets. Learning the "Skills" library for AgentKit to enable swaps and transfers.[11]

Week 3: Social Integration and Mini App Frontend

Week three centers on the distribution layer. The Base App in 2026 prioritizes apps that can be discovered through the social feed and chat interfaces.[8]

- **Key Activity**: Building a Next.js frontend that leverages wagmi and viem for wallet connectivity. Integrating "Sign-In with Farcaster" (SIWF) to handle user identity without traditional passwords.[28]
- **Technical Focus**: Transitioning from legacy Farcaster manifests to the Base.dev metadata standard. Implementing batch transaction support via EIP-5792 to improve user experience.[21]

Week 4: Security, Attribution, and Deployment

The final week is dedicated to professionalizing the application for mainnet launch, focusing on security and monetization.[20]

- **Key Activity**: Implementing the AgentShield policy engine to set spending limits and allowlists. Registering a "Builder Code" on Base.dev to enable onchain transaction attribution.[20]
- **Technical Focus**: Setting up the x402 payment protocol for agent monetization. Conducting "Honeypot Detection" simulations to ensure the agent cannot be drained by malicious contracts.[20]

Development Roadmap: 6-Week Rapid Launch Strategy

The following roadmap outlines the strategic phases for taking the NetAssure Protocol Guardian from concept to a live production environment on the Base Mainnet.

Phase 1: Prototype and Logic Core (Week 1-2)

The initial phase involves building the "Logic Engine" of the NAPG. This includes developing the monitoring scripts that heartbeat the Base network and major protocols like Aerodrome and Seamless.[7] The focus is on creating a "Service Assurance Dashboard" in Python that can output real-time health scores for different onchain paths.

- **Milestone**: A functional Python agent running on Base Sepolia that can autonomously detect a simulated "Sequencer Delay" and move testnet funds to a secure contract.[11]

Phase 2: Security Layer Integration (Week 3)

In the second phase, the user will integrate the AgentShield security framework. This is a critical step for a project designed to protect assets. The agent will be configured with a 4-stage validation pipeline: Intent Judge, Policy Validation, Transaction Simulation (via Tenderly), and Honeypot Detection.[20]

- **Milestone**: The agent successfully blocks a transaction to a "Denylist" address or a contract that fails a "Buy-then-Sell" simulation.[20]

Phase 3: Frontend and Social Distribution (Week 4)

This phase focuses on the user interface and social discovery. The NAPG will be integrated into the Base App's mini-app directory. This requires creating the necessary metadata on Base.dev, including the app name, icon, and screenshots.[21] The frontend will be built as a "Standard Web App" using Next.js, optimized for mobile viewing within the Base App's in-app browser.[21]

- **Milestone**: The NAPG is discoverable in the Base App mini-app directory and supports SIWF for seamless user onboarding.[21]

Phase 4: Monetization and Attribution (Week 5)

To ensure the project's sustainability, the user will implement the ERC-8021 Builder Code standard. By suffixing all agent-driven transactions with a unique project code, the developer can receive a portion of the sequencer fees and protocol rewards.[30] Additionally, the x402 payment protocol will be integrated to allow other agents to purchase "Assurance Reports".[26]

- **Milestone**: The project is registered on Base.dev and is correctly attributing transactions on the Base Explorer.[32]

Phase 5: Mainnet Launch and Feedback Loop (Week 6)

The final phase is the public launch on the Base Mainnet. This involves moving the agent to a secure production host (e.g., a VPS or a Raspberry Pi) and starting a "Cast-Driven Onboarding Loop" on Farcaster.[33] The developer will post weekly "Protocol Health Reports" to build authority and attract users to the NAPG ecosystem.[34]

- **Milestone**: Successful mainnet deployment with the first cohort of

"Assurance-as-a-Service" users.[34]

Operational Risk and Security: Adhering to Federal Standards

The user's background as a "Federal Government Cleared" analyst implies a professional commitment to high security and risk management.[3] In the decentralized world of 2026, this mindset is invaluable. The NAPG must be built with "Defense-in-Depth" to protect against the unique attack vectors of the onchain economy.

Threat Landscape and Mitigation Strategies

2026 Threat Vector	Technical Mechanism	NAPG Mitigation Strategy
Indirect Prompt Injection	Hiding malicious instructions in token metadata to hijack the agent's intent.[12]	Mandatory "Intent Judge" layer to parse calldata before signing.[20]
Honeypot Contract Fraud	Contracts that allow buying but block selling, effectively stealing funds.[15]	Automated "Transaction Simulation" using Tenderly execute-traces.[20]
Oracle Manipulation	Attacking the data feeds the agent uses to make "Service Assurance" decisions.[12]	Utilizing multiple oracle sources (Pyth, Chainlink) and outlier detection logic.[25]
Regulatory Compliance Lag	Changes in the EU AI Act or US federal mandates regarding autonomous agents.[12]	Maintaining a "Permanent Audit Trail" that records the "Why" behind every decision.[22]

The NAPG utilizes the AgentShield Stage 3.5 "Honeypot Detection" mechanic, which simulates a token BUY followed by an immediate SELL test.[20] If the SELL fails, the transaction is blocked before any signature is ever generated. This "Zero Manual Blacklisting" approach is a significant upgrade over traditional security methods and aligns with the user's focus on resolving high-severity issues through technical depth.[3]

Monetization Strategy: Sustaining the Onchain NOC

A project of this scale requires a robust monetization framework to transition the user from a

sabbatical to a full-time "FinTech" role. The 2026 Base ecosystem provides multiple revenue channels for high-utility agents.

1. Protocol Rewards via ERC-8021

By registering a "Builder Code" (e.g., "netassure") on Base.dev, the user creates an onchain identifier that acts as a permanent attribution tag.[30] Each time the NAPG executes a swap or a deposit, it appends this code to the transaction calldata. This "Invisible Suffixing" allows the Base sequencer to attribute volume to the project, triggering rewards without requiring ABI changes or smart contract upgrades.[30]

2. Autonomous Service Payments (x402)

The NAPG can monetize its "Protocol Health Data" through the x402 protocol. When another autonomous agent—such as a trading bot or a portfolio rebalancer—requests health data from the NAPG API, the server returns an HTTP 402 "Payment Required" response.[26] The requesting agent's wallet then signs a micro-payment in USDC and retries the request with a payment proof in the header.[26] This enables a seamless, machine-to-machine economy for service assurance data.[27]

3. Subscription-Based Assurance (B2C)

Individual users on the Base App can subscribe to "NAPG Guardian Mode." For a monthly fee in USDC (monitored via the agent's account balance), the agent will actively monitor the user's specific lending positions or liquidity pools.[38] If a risk is detected, the agent will send a mobile notification through the Base Dashboard API, allowing the user to opt-in to an automated "Safe Mode" withdrawal.[21]

4. Native USDC Rewards

By holding the project's operating treasury in USDC within the Base App, the user earns a baseline yield of up to 3.35% APY.[39] This provides a liquid, low-risk return on capital while the funds remain accessible for operational expenses or gas fees (paid in ETH on Base).[41]

Future Outlook: The Evolution of Autonomous Systems

The shift toward the "Base Superchain" powered by Optimism envisions a future where multiple L2 rollups are interoperable and permissionless.[1] As this "Superchain" matures, the need for cross-chain service assurance will grow exponentially. The NAPG is positioned not just as a tool for Base, but as a foundational architecture for the entire Ethereum scaling roadmap.

The user's transition from "Service Assurance for Federal Government customers" to "Service Assurance for the Global Onchain Economy" is a logical progression of their professional narrative.[3] The technical depth required to manage Cisco routing and federal-grade

troubleshooting is the exact pedigree needed to build the reliable, secure, and autonomous systems of the future. By following the hyper-accelerated schedule and leveraging the CDP AgentKit framework, the user can successfully launch the NetAssure Protocol Guardian, establishing a new standard for reliability in the 2026 decentralized financial landscape.

Final Technical Specifications for Launch

The following table summarizes the critical technical requirements for the NAPG v1.0 launch on Base.

Specification	Requirement	Technical Implementation
Language	Python 3.10+	Primary logic and AI agent orchestration.[11]
SDK	CDP AgentKit	Wallet management and onchain interactions.[11]
Frontend	Next.js / Tailwind CSS	Standard Web App optimized for Base App browser.[21]
Identity	SIWF / Basenames	No-password authentication via Farcaster/BNS.[7]
Wallet Model	Smart Wallet (Passkey)	Sponsored gas fees and batch transaction support (EIP-5792).[28]
Attribution	Builder Code (ERC-8021)	Calldata suffixing for sequencer reward eligibility.[30]
Security	AgentShield v2	4-stage validation with honeypot detection.[20]
Payments	x402 Client/Server	Autonomous USDC payments for API access.[26]

The NetAssure Protocol Guardian represents a "Technical Bridge" that transforms decades of network analysis expertise into a sustainable, high-impact career in the decentralized FinTech space. By focusing on *reliability* and *assurance*—values that are often overlooked in the pursuit of high yields—the user can carve out a unique and valuable niche in the 2026 Base

ecosystem.

Works cited

1. Introducing Base: Coinbase's L2 Network, accessed on May 13, 2026, https://help.coinbase.com/en/coinbase/other-topics/other/base
2. A Summary of Base Chain's Project Development and Ecosystem Construction - KuCoin, accessed on May 13, 2026, https://www.kucoin.com/blog/a-summary-of-base-chain
3. linkedin.pdf
4. Base Airdrop Guide: How to Qualify for Potential Rewards - Bankless, accessed on May 13, 2026, https://www.bankless.com/airdrops/base
5. Ecosystem - Base, accessed on May 13, 2026, https://www.base.org/ecosystem
6. From Zero to On-Chain Hero: The Ultimate Guide to Building Your Presence on Base | by Tort Mario | Medium, accessed on May 13, 2026, https://medium.com/@tort_mario/from-zero-to-on-chain-hero-the-ultimate-guide-to-building-your-presence-on-base-9e43d662a73f
7. Top 8 Base Ecosystem Crypto Projects to Know (2026) - BingX, accessed on May 13, 2026, https://bingx.com/en/learn/article/top-base-ecosystem-crypto-projects-to-know
8. Base App Case Study | 0x, accessed on May 13, 2026, https://0x.org/case-studies/coinbase/base-app/
9. Base apps, projects, and developer tools (2026) - Alchemy, accessed on May 13, 2026, https://www.alchemy.com/dapps/ecosystem/base
10. WHITE PAPER The Evolution of the Networking Skills Gap in Asia/Pacific IDC OPINION - Cisco, accessed on May 13, 2026, https://www.cisco.com/c/dam/assets/csr/pdf/IDC_Skills_Gap_-_AsiaPacific.pdf
11. coinbase/agentkit: Every AI Agent deserves a wallet. - GitHub, accessed on May 13, 2026, https://github.com/coinbase/agentkit
12. What Are the Top 10 Base AI Agent Projects to Know in 2026? - BingX, accessed on May 13, 2026, https://bingx.com/en/learn/article/top-ai-agent-projects-in-base-ecosystem
13. Global Tech Skills Gap Analysis - Robert Walters USA, accessed on May 13, 2026, https://www.robertwalters.us/insights/hiring-advice/e-guide/global-tech-skills-gap.html
14. Is Coinbase Wallet Safe in 2026? Security, Risks, and Best Practices (Expert Guide), accessed on May 13, 2026, https://coinbureau.com/analysis/is-coinbase-wallet-safe
15. Base App Goes Trading-First, But What Happens to Mini Apps and Creator Coins?, accessed on May 13, 2026, https://www.mexc.com/news/481324
16. Welcome to AgentKit - Coinbase Developer Documentation, accessed on May 13, 2026, https://docs.cdp.coinbase.com/agentkit/docs/welcome
17. Getting Started with AgentKit - Coinbase Developer Documentation, accessed on May 13, 2026, https://docs.cdp.coinbase.com/agent-kit/getting-started/quickstart

18. Guide to AI Tokens on Base - Zerion, accessed on May 13, 2026, https://zerion.io/blog/guide-to-ai-tokens-on-base/
19. ape framework | ApeWorX, LTD, accessed on May 13, 2026, https://www.apeworx.io/framework
20. Nsuccess/AgentShield - GitHub, accessed on May 13, 2026, https://github.com/Nsuccess/AgentShield
21. Migrate to a Standard Web App - Base documentation, accessed on May 13, 2026, https://docs.base.org/apps/guides/migrate-to-standard-web-app
22. Agentic Wallets Comparison 2026: Best AI-Powered Crypto Wallets for Active Traders, accessed on May 13, 2026, https://www.cobo.com/post/the-definitive-comparison-of-top-agentic-wallets-for-active-crypto-traders
23. We Built a Shopify Storefront AI Agent With Claude Opus 4.6. - Medium, accessed on May 13, 2026, https://medium.com/@tentenco/we-built-a-shopify-storefront-ai-agent-with-claude-opus-4-6-85e9acc2b26c
24. Deploy and Interact with a Smart Contract using Web3.py | Rootstock Developers Portal, accessed on May 13, 2026, https://dev.rootstock.io/developers/quickstart/web3-python/
25. AgentiPy | Python toolkit for connecting AI Agents onchain, accessed on May 13, 2026, https://agentipy.fun/
26. x402 Explained: The HTTP 402 Payment Protocol for AI Agents, APIs, and Stablecoin Payments - Sherlock, accessed on May 13, 2026, https://sherlock.xyz/post/x402-explained-the-http-402-payment-protocol
27. BlockRunAI/awesome-blockrun: BlockRun ecosystem - docs, SDKs, research, and community - GitHub, accessed on May 13, 2026, https://github.com/BlockRunAI/awesome-blockrun
28. Build an app on Base - Base documentation, accessed on May 13, 2026, https://docs.base.org/apps/quickstart/build-app
29. Farcaster Docs, accessed on May 13, 2026, https://docs.farcaster.xyz/
30. Builder Codes and ERC-8021 Explained: How to Solve Onchain Attribution - Formo, accessed on May 13, 2026, https://formo.so/blog/builder-codes-erc-8021-explained
31. Base Mini App Builder MCP Server | M... - LobeHub, accessed on May 13, 2026, https://lobehub.com/mcp/mr-web3-basekit-mcp
32. Base Builder Codes - Base documentation, accessed on May 13, 2026, https://docs.base.org/apps/builder-codes/builder-codes
33. How To Build AI Agents Without Breaking The Bank - AngelHack DevLabs, accessed on May 13, 2026, https://devlabs.angelhack.com/blog/how-to-create-ai-agents/
34. Farcaster Mini Apps Distribution Playbook 2026: The 6-Loop System - FORKOFF, accessed on May 13, 2026, https://forkoff.xyz/blog/ecosystem/farcaster-mini-apps-distribution-2026
35. rohitg00/awesome-openclaw - GitHub, accessed on May 13, 2026, https://github.com/rohitg00/awesome-openclaw

36. 2025's Top Crypto Ecosystems: the Platforms and Tokens to Invest in Now | Cryptopolitan on Binance Square, accessed on May 13, 2026, https://www.binance.com/en/square/post/19239108682938
37. Builder Codes & ERC-8021: Fixing Onchain Attribution - Base Engineering Blog, accessed on May 13, 2026, https://blog.base.dev/builder-codes-and-erc-8021-fixing-onchain-attribution
38. Get started with Base - Coinbase Help, accessed on May 13, 2026, https://help.coinbase.com/base/getting-started/get-started
39. Base: formerly Coinbase Wallet - Apps on Google Play, accessed on May 13, 2026, https://play.google.com/store/apps/details?id=org.toshi
40. convert-farcaster-miniapp-to-app | Agent Skills Library - Awesome MCP Servers, accessed on May 13, 2026, https://mcpservers.org/agent-skills/base/skills/convert-farcaster-miniapp-to-app
41. Base: Formerly Coinbase Wallet - App Store - Apple, accessed on May 13, 2026, https://apps.apple.com/us/app/base-formerly-coinbase-wallet/id1278383455
42. Coinbase Wallet (Base) Review 2026 - CEX.IO University, accessed on May 13, 2026, https://university.cex.io/coinbase-wallet-base-review/
43. Smart wallet - Coinbase Help, accessed on May 13, 2026, https://help.coinbase.com/en/wallet/getting-started/smart-wallet