

a
Complete (n = 167)
High-quality (n = 142)
Medium-quality (n = 450)
Low-quality (n = 2,254)
Undetermined (n = 47)
10
20
50
100
150
Length (kb, log scale)
b
Spearman ρ = 0.857 (n = 7)
Masked richness (vOTUs)
1,000
750
500
250
0
bc1
bd1
bc2
gd1
od1
oc1
gc1
1.5
2.0
3.0
5.0
10.0
Mapped viral reads (millions, log scale)
c
Virome: all mapped counts
Expected vOTUs
2,000
1,500
1,000
500
0
bd1
bc1
bc2
gc1
gd1
oc1
od1
0.001
0.01
0.1
1
10
Mapped reads (millions, log scale)
Virome: breadth-masked counts
1,000
750
500
250
0
bc1
bd1
bc2
gd1
od1
oc1
gc1
0.001
0.01
0.1
1
10
Masked reads (millions, log scale)
16S ASVs
Expected ASVs
1,000
500
0
bc1
bd1
bc2
oc1
gc1
gd1
od1
25
50
75
100
16S reads (thousands)
18S microeukaryotic ASVs
200
100
0
gd1
gc1
oc1
bc1
bd1
bc2
od1
25
50
75
100
Total 18S reads (thousands)