

Authorised Dealer

APL APOLLO TUBES LTD.



MS SQUARE PIPE

(As per 4923-1997) (YST 210/240/310)

Square Size	Thickness	Weight per 1 Pc
15 X 15 mm	1.2 mm	3.15 kg
15 X 15 mm	1.6 mm	4.15 kg
20 X 20 mm	1.2 mm	4.30 kg
20 X 20 mm	1.6 mm	5.65 kg
20 X 20 mm	2.0 mm	6.95 kg
20 X 20 mm	2.8 mm	9.35 kg
20 X 20 mm	1.0 mm	4.55 kg
25 X 25 mm	1.2 mm	5.40 kg
25 X 25 mm	1.6 mm min.	7.15 kg
25 X 25 mm	2.0 mm	8.80 kg
25 X 25 mm	2.5 mm	10.80 kg
25 X 25 mm	3.0 mm max	12.70 kg
30 X 30 mm	1.2 mm	6.55 kg
30 X 30 mm	1.6 mm	8.65 kg
30 X 30 mm	2.0 mm	11.00 kg
30 X 30 mm	2.5 mm	13.20 kg
30 X 30 mm	3.0 mm	15.60 kg
32 X 32 mm	2.0 mm	11.45 kg
32 X 32 mm	2.5 mm	14.10 kg
32 X 32 mm	3.0 mm	16.20 kg
40 X 40 mm	1.2 mm	7.90 kg
40 X 40 mm	1.6 mm	11.65 kg
40 X 40 mm	2.0 mm	14.45 kg
40 X 40 mm	2.5 mm	17.85 kg
40 X 40 mm	3.0 mm	20.55 kg
40 X 40 mm	3.6 mm	25.15 kg
40 X 40 mm	4.0 mm	27.65 kg
50 X 50 mm	1.2 mm	11.00 kg
50 X 50 mm	1.6 mm	14.65 kg
50 X 50 mm	2.0 mm	18.20 kg
50 X 50 mm	2.5 mm	22.55 kg
50 X 50 mm	3.0 mm	26.00 kg
50 X 50 mm	3.6 mm	31.85 kg
50 X 50 mm	4.0 mm	35.20 kg
50 X 50 mm	5.0 mm	43.25 kg
60 X 60 mm	1.6 mm	17.65 kg
60 X 60 mm	2.0 mm	21.95 kg
60 X 60 mm	3.0 mm	32.45 kg
60 X 60 mm	3.6 mm	38.65 kg
60 X 60 mm	4.0 mm	42.70 kg
60 X 60 mm	5.0 mm	52.65 kg
72 X 72 mm	1.6 mm	21.25 kg
72 X 72 mm	2.0 mm	26.45 kg
72 X 72 mm	2.5 mm	32.80 kg
72 X 72 mm	3 mm	37.95 kg
72 X 72 mm	3.6 mm	46.75 kg
72 X 72 mm	4.0 mm	51.70 kg
72 X 72 mm	5.0 mm	63.90 kg

Square Size	Thickness	Weight per 1 Pc
80 X 80 mm	1.6 mm	23.65 kg
80 X 80 mm	2.0 mm	29.45 kg
80 X 80 mm	3.0 mm	43.75 kg
80 X 80 mm	4.0 mm	57.70 kg
80 X 80 mm	5.0 mm	71.45 kg
91 X 91 mm	1.6 mm	27.00 kg
91 X 91 mm	2.0 mm	33.60 kg
91 X 91 mm	3.0 mm	49.90 kg
91 X 91 mm	4.0 mm	66.00 kg
91 X 91 mm	5.0 mm	81.75 kg
100 X 100 mm	2.0 mm	36.95 kg
100 X 100 mm	3.0 mm	53.20 kg
100 X 100 mm	3.6 mm	65.65 kg
100 X 100 mm	4.0 mm	72.75 kg
100 X 100 mm	5.0 mm	90.00 kg
100 X 100 mm	6.0 mm	107.00 kg
113 X 113 mm	3.0 mm	65.35 kg
113 X 113 mm	4.0 mm	82.50 kg
113 X 113 mm	5.0 mm	102.40 kg
102 X 120 mm	4.0 mm	87.70 kg
120 X 120 mm	5.0 mm	108.90 kg
132 X 132 mm	3.0 mm	73.00 kg
132 X 132 mm	4.0 mm	96.80 kg
132 X 132 mm	5.0 mm	120.20 kg
132 X 132 mm	6.0 mm	142.40 kg
150 X 150 mm	3.0 mm	83.00 kg
150 X 150 mm	4.0 mm	110.00 kg
150 X 150 mm	5.0 mm	137.00 kg
150 X 150 mm	6.0 mm	163.00 kg
150 X 150 mm	8.0 mm	205.00 kg
180 X 180 mm	4.0 mm	133.00 kg
180 X 180 mm	5.0 mm	165.00 kg
180 X 180 mm	6.0 mm	197.00 kg
180 X 180 mm	8.0 mm	261.00 kg
200 X 200 mm	4.0 mm	148.00 kg
200 X 200 mm	5.0 mm	184.00 kg
200 X 200 mm	6.0 mm	220.00 kg
200 X 200 mm	8.0 mm	280.00 kg
220 X 220 mm	4.0 mm	163.00 kg
220 X 220 mm	5.0 mm	202.00 kg
220 X 220 mm	6.0 mm	242.00 kg
220 X 220 mm	8.0 mm	310.00 kg
250 X 250 mm	4.0 mm	185.00 kg
250 X 250 mm	5.0 mm	231.00 kg
250 X 250 mm	6.0 mm	276.00 kg
250 X 250 mm	8.0 mm	343.00 kg



AMIT PIPE & TUBE

ISO 9001:2008 CERTIFIED COMPANY

"You Think, We Provide"

Authorised Dealer

APL APOLLO TUBES LTD.



Round Tubes

(MS / GI (ERW) PIPES CONFIRM TO IS : 1239 (PART I) - 2004

NB and Series		Outside Diameter		Wall Thickness		Weight Per 6 Mtr.
		Min.	Max			
		mm	mm	mm	SWG	Kg
15mm	L	21.0	21.4	2.0	14	05.10
1/2"	M	21.0	21.8	2.6	12	06.50
	H	21.0	21.8	3.2	10	07.80
20mm	L	26.4	26.9	2.3	13	07.50
3/4"	M	26.5	27.3	2.6	12	08.40
	H	26.5	27.3	3.2	10	10.10
25mm	L	33.2	33.8	2.6	12	10.70
1"	M	33.3	34.2	3.2	10	13.00
	H	33.3	34.2	4.0	8	15.80
32mm	L	41.9	42.5	2.6	12	13.70
1 1/4"	M	42.0	42.9	3.2	10	16.70
	H	42.0	42.9	4.0	8	20.50
40mm	L	47.8	48.4	2.9	11	17.40
1 1/2"	M	47.8	48.8	3.2	10	19.20
	H	47.9	48.8	4.0	8	23.60
50mm	L	59.6	60.2	2.9	11	22.00
2"	M	59.7	60.8	3.6	9	27.20
	H	59.7	60.8	4.5	7	33.40
65mm	L	75.2	76	3.2	10	31.00
2.5"	M	75.3	76.6	3.6	9	34.70
	H	75.3	76.6	4.5	7	42.80
80mm	L	87.9	88.7	3.2	10	36.30
3"	M	88.0	89.5	4.0	8	45.10
	H	88.0	89.5	4.8	6	53.50
100mm	L	113.0	113.9	3.6	9	52.70
4"	M	113.1	115	4.5	7	65.90
	H	113.1	115	5.4	5	78.30
125mm	M	138.5	140.8	4.8	6	72.40
5"	H	138.5	140.8	5.4	5	85.90

N. B. Size	Out side Diameter	Wall Thickness	Plain End	
			Mass	Meters
			Kg	Tonne
150mm	168.3	2.60	59.00	94
6"	168.3	3.20	72.00	77
		4.00	90.00	62
		4.50	100.00	55
		5.00	111.00	50
		6.30	139.00	40
200mm	219.1	2.60	77.00	72
8"		3.60	105.00	52
		4.50	131.00	42
		6.30	183.00	30
250mm	273.00	3.60	132.00	42
10"		4.00	146.00	38
		5.00	187.00	30
		6.30	229.00	24
		7.10	257.00	21
		8.00	289.00	19
		10.00	358.00	15
300mm	323.9	4.00	174.00	32
12"		5.00	195.00	28
		5.60	243.00	23
		7.10	306.00	18
350mm	355.6	5.60	267.00	21
14"		6.40	304.00	18
		7.10	337.00	16
		7.90	374.00	15
		8.70	411.00	13
		9.50	448.00	12



AMIT PIPE & TUBE

ISO 9001:2008 CERTIFIED COMPANY

Office : 13, Haribhakti Ind. Estate, B/h. H.P. Petrol Pump, Pratap Nagar Road, Vadodara

Phone : 0265-2580013, 2581910 Mobile : 9825278781/9825126846

Email : amittube@yahoo.com/amittubebaroda@gmail.com

Website : amitpipe.com

MS RECTANGLE PIPE

(As per IS-4923 YST210/240/310)

Square Size	Thickness	Weight Per (1 Pc=6 Mtr)
40 X 10 mm	1.6 mm	7.15 kg
40 X 20 mm	1.6 mm	8.65 kg
40 X 20 mm	1.2 mm	6.55 kg
40 X 20 mm	2.0 mm	10.65 kg
40 X 20 mm	2.5 mm	13.15 kg
40 X 20 mm	3.0 mm	15.10 kg
50 X 25 mm	1.2 mm	8.25 kg
50 X 25 mm	1.6 mm	10.85 kg
50 X 25 mm	2.0 mm	13.50 kg
50 X 25 mm	2.5 mm	16.65 kg
50 X 25 mm	3.0 mm	19.20 kg
75 X 25 mm	1.2 mm	11.00 kg
75 X 25 mm	1.6 mm	14.65 kg
75 X 25 mm	2.0 mm	18.20 kg
75 X 25 mm	2.5 mm	22.55 kg
75 X 25 mm	3.0 mm	26.00 kg
60 X 40 mm	1.2 mm	11.00 kg
60 X 40 mm	1.6 mm	14.65 kg
60 X 40 mm	2.0 mm	18.20 kg
60 X 40 mm	2.5 mm	22.55 kg
60 X 40 mm	3.0 mm	26.00 kg
80 X 40 mm	1.6 mm	17.65 kg
80 X 40 mm	2.0 mm	21.80 kg
80 X 40 mm	2.5 mm	27.25 kg
80 X 40 mm	3.0 mm	31.00 kg
80 X 40 mm	3.6 mm	38.65 kg
80 X 40 mm	4.0 mm	41.00 kg
80 X 40 mm	5.0 mm	51.00 kg
96 X 48 mm	1.6 mm	21.75 kg
96 X 48 mm	2.0 mm	26.45 kg
96 X 48 mm	2.5 mm	32.80 kg
96 X 48 mm	3.0 mm	37.90 kg
96 X 48 mm	3.6 mm	46.75 kg
96 X 48 mm	4.0 mm	49.80 kg
96 X 48 mm	5.0 mm	63.00 kg

Square Size	Thickness	Weight Per (1 Pc=6 Mtr)
100 X 50 mm	1.6 mm	22.15 kg
100 X 50 mm	3.0 mm	39.60 kg
100 X 50 mm	4.0 mm	53.90 kg
100 X 50 mm	4.0 mm	53.90 kg
100 X 50 mm	5.0 mm	66.70 kg
122 X 61 mm	1.6 mm	27.10 kg
122 X 61 mm	3.0 mm	48.60 kg
122 X 61 mm	3.6 mm	59.90 kg
122 X 61 mm	4.0 mm	66.30 kg
122 X 61 mm	4.5 mm	74.00 kg
122 X 61 mm	5.0 mm	82.20 kg
150 X 50 mm	3.0 mm	53.00 kg
150 X 50 mm	4.0 mm	72.70 kg
150 X 50 mm	5.0 mm	90.00 kg
145 X 82 mm	3.0 mm	60.00 kg
145 X 82 mm	4.0 mm	82.00 kg
145 X 82 mm	5.0 mm	102.00 kg
145 X 82 mm	6.0 mm	122.00 kg
172 X 92 mm	3.0 mm	70.00 kg
172 X 92 mm	4.0 mm	96.00 kg
172 X 92 mm	5.0 mm	120.00 kg
172 X 92 mm	6.0 mm	143.00 kg
200 X 100 mm	3.0 mm	83.00 kg
200 X 100 mm	4.0 mm	110.00 kg
200 X 100 mm	5.0 mm	137.00 kg
200 X 100 mm	6.0 mm	163.00 kg
240 X 120 mm	4.0 mm	132.00 kg
240 X 120 mm	5.0 mm	165.00 kg
240 X 120 mm	6.0 mm	197.00 kg
240 X 120 mm	8.0 mm	245.00 kg
300 X 150 mm	4.0 mm	165.00 kg
300 X 150 mm	5.0 mm	207.00 kg
300 X 150 mm	6.0 mm	248.00 kg
300 X 150 mm	8.0 mm	308.00 kg
300 X 200 mm	4.0 mm	185.00 kg
300 X 200 mm	5.0 mm	231.00 kg
300 X 200 mm	6.0 mm	275.00 kg
300 X 200 mm	8.0 mm	343.00 kg

**SIZE : RHS 20X15 TO 300X250
SHS 20X20 TO 275X275**

THICKNESS : 1.0MM TO 8.0MM

LENGTH : 6 Mtr



AMIT PIPE & TUBE

ISO 9001:2008 CERTIFIED COMPANY

G.P. PIPES

STEEL HOLLOW SECTIONS

PRE GALVANIZED PIPE

RECTANGULAR | SQUARE | CIRCULAR

ISO 4923 YST 210 New Sections for small applications now available in YST 210 grade material and in lesser thicknesses ranging from 1mm to 2.8mm to help you save on application cost.

R.H.S. PIPES

Size	Thickness	Kg. Per Mtr.
26 x 13	1.2	0.70
	1.4	0.83
	1.6	0.93
40 x 20	1.2	1.10
	1.4	1.25
	1.6	1.40
	1.8	1.60
	2.0	1.80
	2.5	2.25
40 x 25	1.2	1.25
	1.4	1.40
	1.6	1.6
	1.8	1.75
	2.0	2.0
	2.5	2.38
50 x 25	1.2	1.38
	1.4	1.6
	1.6	1.83
	1.8	2.0
	2.0	2.33
	2.5	2.83
75 x 25	1.2	1.83
	1.4	2.16
	1.6	2.45
	1.8	2.66
	2.0	3.0
	2.5	3.77
60 x 40	1.2	1.83
	1.4	2.16
	1.6	2.45
	1.8	2.66
	2.0	3.0
	2.5	3.77
80 x 40	1.2	2.25
	1.4	2.58
	1.6	2.95
	1.8	3.33
	2.0	3.66
	2.5	4.55
96 x 48	1.6	3.58
	1.8	4.0
	2.0	4.41
	2.5	5.5
	2.9	6.5
	2.0	5.66
122 x 61	2.5	7.0
	1.2	0.91
	1.4	1.05
40 x 10	1.6	1.2
	1.2	1.2
	1.4	1.38
50 x 15	1.6	1.58
	1.2	1.74
	1.4	2.02
R x T	1.6	2.38
	1.8	3.33
95 x 25	1.8	3.33

S.H.S. PIPES

Size	Thickness	Kg. Per Mtr.
15 x 15	1.2	0.53
	1.4	0.66
	1.6	0.71
20 x 20	1.2	0.75
	1.4	0.83
	1.6	0.91
	1.8	1.08
	2.0	1.25
	2.5	1.75
25 x 25	1.2	0.91
	1.4	1.08
	1.6	1.20
	1.8	1.33
	2.0	1.46
	2.5	1.8
32 x 32	1.2	1.17
	1.4	1.35
	1.6	1.55
	1.8	1.72
	2.0	2.0
	2.5	2.33
40 x 40	1.2	1.41
	1.4	1.58
	1.6	1.9
	1.8	2.16
	2.0	2.33
	2.5	3.0
50 x 50	1.2	1.83
	1.4	2.16
	1.6	2.45
	1.8	2.75
	2.0	3
	2.5	3.75
60 x 60	1.2	2.25
	1.4	2.58
	1.6	2.95
	1.8	3.33
	2.0	3.66
	2.5	4.58
72 x 72	1.6	3.6
	1.8	4
	2.0	4.41
	2.5	5.5
	3	6.5
	2.0	6.16
100 x 100	2.5	7.66

ROUND PIPES

Size	Thickness	Kg. Per Mtr.
15mm 1/2	1.2	0.58
	1.4	0.66
	1.6	0.75
	1.8	0.83
20mm 3/4	2.0	0.95
	1.2	0.7
	1.4	0.83
	1.6	0.93
25mm 1"	1.8	1.05
	2.0	1.25
	1.0	0.75
	1.2	0.91
32mm 1 1/4	1.4	1.08
	1.6	1.21
	1.8	1.36
	2.0	1.58
	2.5	1.88
	1.0	1
40mm 1 1/2	1.2	1.2
	1.4	1.4
	1.6	1.6
	1.8	1.78
	2.0	2
	2.5	2.33
50mm 2"	1.2	1.38
	1.4	1.6
	1.6	1.83
	1.8	2.05
	2.0	2.33
	2.5	2.83
65mm 2 1/2	1.2	1.75
	1.4	2
	1.6	2.33
	1.8	2.58
	2.0	2.91
	1.4	2.58
75mm 3"	1.6	2.93
	1.8	3.33
	1.6	3.41
	1.8	3.83
100mm 4"	2.0	4.24
	2.5	5.26
	1.6	4.43
	1.8	5
	2.0	5.52



AMIT PIPE & TUBE

ISO 9001:2008 CERTIFIED COMPANY