

# matriks 8 - watchlist pefindo bscore

## Execution Environment

Host name	Flavalize - 192.168.251.4
OS	Windows 10 64bit
Katalon version	8.1.0.208
Browser	

## Summary

ID	Test Suites/matriks 8 - watchlist pefindo bscore		
Description			
Total	39		
Passed	39	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2021-10-26 09:51:02	End	2021-10-26 10:00:27
Elapsed	9m - 24.349s		

#	ID	Description	Status
1	Test Cases/Engine_Scoring/Engine Scoring		PASSED
2	Test Cases/Engine_Scoring/Engine Scoring		PASSED
3	Test Cases/Engine_Scoring/Engine Scoring		PASSED
4	Test Cases/Engine_Scoring/Engine Scoring		PASSED
5	Test Cases/Engine_Scoring/Engine Scoring		PASSED
6	Test Cases/Engine_Scoring/Engine Scoring		PASSED
7	Test Cases/Engine_Scoring/Engine Scoring		PASSED
8	Test Cases/Engine_Scoring/Engine Scoring		PASSED
9	Test Cases/Engine_Scoring/Engine Scoring		PASSED
10	Test Cases/Engine_Scoring/Engine Scoring		PASSED
11	Test Cases/Engine_Scoring/Engine Scoring		PASSED
12	Test Cases/Engine_Scoring/Engine Scoring		PASSED
13	Test Cases/Engine_Scoring/Engine Scoring		PASSED
14	Test Cases/Engine_Scoring/Engine Scoring		PASSED
15	Test Cases/Engine_Scoring/Engine Scoring		PASSED

## matriks 8 - watchlist pefindo bscore

#	ID	Description	Status
16	Test Cases/Engine_Scoring/Engine Scoring		PASSED
17	Test Cases/Engine_Scoring/Engine Scoring		PASSED
18	Test Cases/Engine_Scoring/Engine Scoring		PASSED
19	Test Cases/Engine_Scoring/Engine Scoring		PASSED
20	Test Cases/Engine_Scoring/Engine Scoring		PASSED
21	Test Cases/Engine_Scoring/Engine Scoring		PASSED
22	Test Cases/Engine_Scoring/Engine Scoring		PASSED
23	Test Cases/Engine_Scoring/Engine Scoring		PASSED
24	Test Cases/Engine_Scoring/Engine Scoring		PASSED
25	Test Cases/Engine_Scoring/Engine Scoring		PASSED
26	Test Cases/Engine_Scoring/Engine Scoring		PASSED
27	Test Cases/Engine_Scoring/Engine Scoring		PASSED
28	Test Cases/Engine_Scoring/Engine Scoring		PASSED
29	Test Cases/Engine_Scoring/Engine Scoring		PASSED
30	Test Cases/Engine_Scoring/Engine Scoring		PASSED
31	Test Cases/Engine_Scoring/Engine Scoring		PASSED
32	Test Cases/Engine_Scoring/Engine Scoring		PASSED
33	Test Cases/Engine_Scoring/Engine Scoring		PASSED
34	Test Cases/Engine_Scoring/Engine Scoring		PASSED
35	Test Cases/Engine_Scoring/Engine Scoring		PASSED
36	Test Cases/Engine_Scoring/Engine Scoring		PASSED
37	Test Cases/Engine_Scoring/Engine Scoring		PASSED
38	Test Cases/Engine_Scoring/Engine Scoring		PASSED

# matriks 8 - watchlist pefindo bscore

#	ID	Description	Status
39	Test Cases/Engine_Scoring/Engine Scoring		PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:51:03	End	2021-10-26 09:51:39
Elapsed	35.770s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no) <a href="#">Variasi data ke : 1</a>	0.018s	PASSED
2	data ME for scoring request <a href="#">Send request successfully</a>	21.894s	PASSED
3	store json response to variable	0.009s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.017s	PASSED
5	reqid_kons = requestid1	0.009s	PASSED
6	reqid_spouse = requestid2	0.001s	PASSED
7	println("requestid kons : " + reqid_kons)	0.003s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.001s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.013s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143452","requestid2":""}}	0.025s	PASSED
15	delay(10) Delayed 10 second(s)	10.027s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.222s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 1	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.053s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:51:39	End	2021-10-26 09:51:54
Elapsed	15.794s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 2	0.001s	PASSED
2	data ME for scoring request  Send request successfully	2.534s	PASSED
3	store json response to variable	0.001s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.001s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.002s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143453","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.005s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	1.408s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED



## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 2	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:51:55	End	2021-10-26 09:52:09
Elapsed	14.578s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 3	0.001s	PASSED
2	data ME for scoring request  Send request successfully	2.581s	PASSED
3	store json response to variable	0.001s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.002s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143454","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.008s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.172s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 3	0.000s	PASSED
20	logInfo(\$response2)  { "result_konsumen": "Reguler", "result_pasangan": "", "Final_result": "Reguler", "errorMessage": "", "status": "Done" }	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:52:09	End	2021-10-26 09:52:24
Elapsed	14.432s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 4	0.000s	PASSED
2	data ME for scoring request  Send request successfully	2.527s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.001s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143455","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.008s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.162s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 4	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reguler","result_pasangan":"","Final_result":"Reguler","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:52:24	End	2021-10-26 09:52:38
Elapsed	14.359s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 5	0.001s	PASSED
2	data ME for scoring request  Send request successfully	2.447s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED



# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.001s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.001s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143456","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.014s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.156s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 5	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:52:38	End	2021-10-26 09:52:52
Elapsed	14.333s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no) <a href="#">Variasi data ke : 6</a>	0.001s	PASSED
2	data ME for scoring request <a href="#">Send request successfully</a>	2.448s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143457","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.009s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.151s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 6	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:52:52	End	2021-10-26 09:53:07
Elapsed	14.412s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no) <a href="#">Variasi data ke : 7</a>	0.001s	PASSED
2	data ME for scoring request <a href="#">Send request successfully</a>	2.475s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.001s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143458","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.014s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.168s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 7	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED



# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:53:07	End	2021-10-26 09:53:21
Elapsed	14.367s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 8	0.001s	PASSED
2	data ME for scoring request  Send request successfully	2.479s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.001s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.001s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143459","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.003s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.163s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 8	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:53:21	End	2021-10-26 09:53:36
Elapsed	14.486s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 9	0.000s	PASSED
2	data ME for scoring request  Send request successfully	2.629s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.001s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143460","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.002s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.155s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 9	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:53:36	End	2021-10-26 09:53:51
Elapsed	15.116s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 10	0.001s	PASSED
2	data ME for scoring request  Send request successfully	3.249s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143461","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.016s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.149s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED



## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 10	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reguler","result_pasangan":"","Final_result":"Reguler","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:53:51	End	2021-10-26 09:54:05
Elapsed	13.368s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 11	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.541s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.002s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143462","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.005s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.154s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 11	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reguler","result_pasangan":"","Final_result":"Reguler","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:54:05	End	2021-10-26 09:54:18
Elapsed	13.480s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 12	0.001s	PASSED
2	data ME for scoring request  Send request successfully	1.565s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143463","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.006s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.179s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 12	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reguler","result_pasangan":"","Final_result":"Reguler","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:54:18	End	2021-10-26 09:54:32
Elapsed	14.115s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no) <a href="#">Variasi data ke : 13</a>	0.000s	PASSED
2	data ME for scoring request <a href="#">Send request successfully</a>	2.241s	PASSED
3	store json response to variable	0.001s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED



# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.001s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143464","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.008s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.150s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 13	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:54:32	End	2021-10-26 09:54:46
Elapsed	13.417s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 14	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.560s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.001s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143465","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.006s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.149s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 14	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:54:46	End	2021-10-26 09:54:59
Elapsed	13.412s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 15	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.535s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.001s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143466","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.008s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.159s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 15	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED



# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:54:59	End	2021-10-26 09:55:13
Elapsed	13.437s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 16	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.544s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143467","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.010s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.168s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 16	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:55:13	End	2021-10-26 09:55:26
Elapsed	13.508s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no) <a href="#">Variasi data ke : 17</a>	0.000s	PASSED
2	data ME for scoring request <a href="#">Send request successfully</a>	1.604s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143468","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.015s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.151s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 17	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:55:26	End	2021-10-26 09:55:40
Elapsed	13.393s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 18	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.526s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143469","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.011s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.150s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED



## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 18	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Approve","result_pasangan":"","Final_result":"Approve","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:55:40	End	2021-10-26 09:55:53
Elapsed	13.418s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 19	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.517s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143470","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.009s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.179s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 19	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:55:53	End	2021-10-26 09:56:07
Elapsed	13.367s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 20	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.549s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.001s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143471","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.002s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.152s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 20	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reguler","result_pasangan":"","Final_result":"Reguler","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.029s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:56:07	End	2021-10-26 09:56:20
Elapsed	13.500s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 21	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.621s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED



# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143472","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.007s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.154s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 21	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reguler","result_pasangan":"","Final_result":"Reguler","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:56:20	End	2021-10-26 09:56:34
Elapsed	13.463s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 22	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.567s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.001s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143473","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.015s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.150s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 22	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:56:34	End	2021-10-26 09:56:47
Elapsed	13.491s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 23	0.001s	PASSED
2	data ME for scoring request  Send request successfully	1.606s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143474","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.003s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.153s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 23	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.023s	PASSED



# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:56:47	End	2021-10-26 09:57:01
Elapsed	13.405s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 24	0.001s	PASSED
2	data ME for scoring request  Send request successfully	1.545s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143475","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.013s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.156s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 24	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:57:01	End	2021-10-26 09:57:14
Elapsed	13.502s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 25	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.611s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143476","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.014s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.152s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 25	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:57:14	End	2021-10-26 09:57:28
Elapsed	13.552s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 26	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.649s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.001s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143477","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.004s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.154s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED



## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 26	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.001s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:57:28	End	2021-10-26 09:57:42
Elapsed	13.464s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 27	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.583s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.001s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143478","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.013s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.158s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 27	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:57:42	End	2021-10-26 09:57:55
Elapsed	13.473s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 28	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.552s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.002s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143479","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.014s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.153s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 28	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:57:55	End	2021-10-26 09:58:09
Elapsed	13.486s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 29	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.583s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED



# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143480","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.006s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.148s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 29	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:58:09	End	2021-10-26 09:58:22
Elapsed	13.463s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 30	0.001s	PASSED
2	data ME for scoring request  Send request successfully	1.600s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143481","requestid2":""}}	0.001s	PASSED
15	delay(10) Delayed 10 second(s)	10.006s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.154s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 30	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:58:22	End	2021-10-26 09:58:36
Elapsed	13.558s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 31	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.607s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.001s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143482","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.004s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.155s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 31	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED



# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:58:36	End	2021-10-26 09:58:49
Elapsed	13.492s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 32	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.600s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143483","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.006s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.161s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

---

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 32	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:58:49	End	2021-10-26 09:59:03
Elapsed	14.066s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 33	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.568s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.001s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.001s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143484","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.007s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.165s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 33	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:59:04	End	2021-10-26 09:59:17
Elapsed	13.574s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no) <a href="#">Variasi data ke : 34</a>	0.001s	PASSED
2	data ME for scoring request <a href="#">Send request successfully</a>	1.622s	PASSED
3	store json response to variable	0.001s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.001s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143485","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.010s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.159s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED



## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 34	0.001s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.026s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:59:17	End	2021-10-26 09:59:31
Elapsed	13.595s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 35	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.651s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.001s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143486","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.006s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.161s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 35	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:59:31	End	2021-10-26 09:59:44
Elapsed	13.585s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 36	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.630s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143487","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.007s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.157s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 36	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:59:45	End	2021-10-26 09:59:58
Elapsed	13.635s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 37	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.677s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED



# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.001s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143488","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.015s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.160s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 37	0.001s	PASSED
20	logInfo(\$response2)  { "result_konsumen": "Reject", "result_pasangan": "", "Final_result": "Reject", "errorMessage": "", "status": "Done" }	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 09:59:58	End	2021-10-26 10:00:12
Elapsed	13.560s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 38	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.589s	PASSED
3	store json response to variable	0.001s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.000s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143489","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.001s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.174s	PASSED
17	verify response status code Verify response status code successfully	0.001s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.001s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 38	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.024s	PASSED

# Engine Scoring

## Information

ID	Test Cases/Engine_Scoring/Engine Scoring		
Description			
Tag			
Start	2021-10-26 10:00:12	End	2021-10-26 10:00:25
Elapsed	13.571s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	markPassed("Variasi data ke : " + no)  Variasi data ke : 39	0.000s	PASSED
2	data ME for scoring request  Send request successfully	1.643s	PASSED
3	store json response to variable	0.000s	PASSED
4	result = slurper.parseText(reqdata.getResponseBodyContent())	0.000s	PASSED
5	reqid_kons = requestid1	0.000s	PASSED
6	reqid_spouse = requestid2	0.000s	PASSED
7	println("requestid kons : " + reqid_kons)	0.000s	PASSED

# Engine Scoring

#	Description	Elapsed	Status
8	store var to global variable	0.000s	PASSED
9	response_searchME_spouse = reqid_spouse	0.000s	PASSED
10	println("kons req id is :" + response_searchME_kons)	0.001s	PASSED
11	println("spouse req id is : " + response_searchME_spouse)	0.000s	PASSED
12	verify response status code Verify response status code successfully	0.001s	PASSED
13	show response to report in test suite	0.000s	PASSED
14	logInfo(\$response) {"status":"Done","data":{"requestid1":"143490","requestid2":""}}	0.000s	PASSED
15	delay(10) Delayed 10 second(s)	10.012s	PASSED
16	Engine Scoring - inquiry scoring result from req_id Send request successfully	0.154s	PASSED
17	verify response status code Verify response status code successfully	0.002s	PASSED

## Engine Scoring

#	Description	Elapsed	Status
18	show response to report in test suite	0.000s	PASSED
19	markPassed("result service data ke : " + no)  result service data ke : 39	0.000s	PASSED
20	logInfo(\$response2)  {"result_konsumen":"Reject","result_pasangan":"","Final_result":"Reject","errorMessage":"","status":"Done"}	0.000s	PASSED
21	verify final result scoring  Verify element property value successfully	0.025s	PASSED