

21 When implementing linear regression of some dependent variable y on the set of independent

variables $\mathbf{x} = (x_1, \dots, x_r)$, where r is the number of predictors, which of the following statements will

be true?

a) $\beta_0, \beta_1, \dots, \beta_r$ are the **regression coefficients**

b). Linear regression is about determining the **best predicted weights** by using the **method of**

ordinary least squares.

c) Linear regression is about determining the **best predicted weights** by using the **method of**

ordinary least squares

d) Both a and b

ANSWER :B

22). What indicates that you have a **perfect fit** in linear regression?

a). The value $R^2 < 1$, which corresponds to $SSR = 0$

b). The value $R^2 = 0$, which corresponds to $SSR = 1$

c). The value $R^2 > 0$, which corresponds to $SSR = 1$

d). The value $R^2 = 1$, which corresponds to $SSR = 0$

ANSWER :D





23). In simple linear regression, the value of **what** shows the point where the estimated regression line

crosses the y axis?

- a) Y
- b) B_0
- c) B_1
- d) F

ANSWER :B

24). Check out these four linear regression plots:



Which one represents an **underfitted** model?

- a) The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

ANSWER :D

25) There are five basic steps when you're implementing linear regression:

However, those steps are currently listed in the wrong order. What's the correct order?

- a) Check the results of model fitting to know whether the model is satisfactory.
- b) Provide data to work with, and eventually do appropriate transformations.
- c) Apply the model for predictions.
- d) Import the packages and classes that you need.
- e) Create a regression model and fit it with existing data.

ANSWER : D,B,E,A,C

26) Which of the following are optional parameters to Linear Regression in scikit-learn?

- a) Fit
- b) fit_intercept
- c) normalize
- d) copy_X
- e) n_jobs
- f) reshape

ANSWER: B,C,D,E

27) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x^2 ?

- a) Multiple linear regression
- b) Simple linear regression
- c) Polynomial regression

ANSWER : C

28) You should choose stats models over scikit-learn when:

- A) You want graphical representations of your data.
- b) You're working with nonlinear terms.
- c) You need more detailed results.
- d) You need to include optional parameters.

ANSWER :C

29) _____ is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.

- a) Pandas
- b) Numpy
- c) Statsmodel
- d) scipy

ANSWER : B

30) _____ is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.

- a) Bokeh
- b) Seaborn
- c) Matplotlib
- d) Dash

ANSWER : B

41) Among the following identify the one in which dimensionality reduction reduces.

- a)Performance
- b)statistics
- c)Entropy
- d)Collinearity

ANSWER : D

42). Which of the following machine learning algorithm is based upon the idea of bagging?

- a) Decision Tree
- b) Random Forest
- c) Classification
- d) SVM

ANSWER :B

43) Choose a disadvantage of decision trees among the following.

- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

ANSWER :C

44) What is the term known as on which the machine learning algorithms build a model based on sample data?

- a)Data Training
- b)Sample Data
- c)Training data
- d)None of the above

ANSWER :A

45). Which of the following machine learning techniques helps in detecting the outliers in data?

- a)Clustering
- b)Classification
- c)Anamoly detection
- d)All of the above

ANSWER :C

46). Identify the incorrect numerical functions in the various function representation of machine learning.

- a) support vector
- b)regression
- c)case based
- d) classification

ANSWER :A

47). Analysis of ML algorithm needs

- a)Statistical learning theory
- b)Computational learning theory

c)None of the above

d)Both a and b

ANSWER :D

48). Identify the difficulties with the k-nearest neighbor algorithm.

a)Curse of dimensionality

b)Calculate the distance of test case for all training cases

c) both a and b

d) None

ANSWER : C

49). The total types of the layer in radial basis function neural networks is _____

a) 1 b) 2 c) 3 d) 4

ANSWER : C

50). Which of the following is not a supervised learning

a) PCA

B) Naïve bayes

c)linear regression

d) K Means

ANSWER : D