



Defination of Program:CREATE DASHBORD WITH ACCORDION USING BOOTSTRAP EACH ACCORDION CONTAINS DIFFERENT BOOTSTRAP COMPONENTS

Code:(HTML with file name+ CSS with File name)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <title>Accordion Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet" />
</head>
<body>
  <div class="container my-5">
    <h2 class="mb-4">Bootstrap Components Dashboard</h2>

    <div class="accordion" id="dashboardAccordion">

      <!-- Cards Section -->
      <div class="accordion-item">
        <h2 class="accordion-header" id="headingOne">
          <button class="accordion-button" type="button" data-bs-toggle="collapse" data-bs-
target="#collapseOne" aria-expanded="true" aria-controls="collapseOne">
            Cards
          </button>
        </h2>
        <div id="collapseOne" class="accordion-collapse collapse show" aria-
labelledby="headingOne" data-bs-parent="#dashboardAccordion">
          <div class="accordion-body">
            <div class="card" style="width: 18rem;">
              <!-- You can replace this image with any URL or local image -->
              
              <div class="card-body">
                <h5 class="card-title">Cultural Event</h5>
                <p class="card-text">Join us for a vibrant cultural event featuring music, dance, and
food!</p>
                <a href="#" class="btn btn-primary">Learn More</a>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

<!-- Alerts Section -->
<div class="accordion-item">
  <h2 class="accordion-header" id="headingTwo">
    <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-
bs-target="#collapseTwo" aria-expanded="false" aria-controls="collapseTwo">
      Alerts
    </button>
  </h2>
  <div id="collapseTwo" class="accordion-collapse collapse" aria-labelledby="headingTwo"
data-bs-parent="#dashboardAccordion">
    <div class="accordion-body">
      <div class="alert alert-success" role="alert">Success alert—check it out!</div>
      <div class="alert alert-warning" role="alert">Warning alert—check it out!</div>
      <div class="alert alert-danger" role="alert">Danger alert—check it out!</div>
    </div>
  </div>
</div>

<!-- Buttons Section -->
<div class="accordion-item">
  <h2 class="accordion-header" id="headingThree">
    <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-
bs-target="#collapseThree" aria-expanded="false" aria-controls="collapseThree">
      Buttons
    </button>
  </h2>
  <div id="collapseThree" class="accordion-collapse collapse" aria-
labelledby="headingThree" data-bs-parent="#dashboardAccordion">
    <div class="accordion-body">
      <button class="btn btn-primary">Primary</button>
      <button class="btn btn-secondary">Secondary</button>
      <button class="btn btn-success">Success</button>
      <button class="btn btn-danger">Danger</button>
    </div>
  </div>
</div>

<!-- Table Section -->
<div class="accordion-item">
  <h2 class="accordion-header" id="headingFour">
    <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse" data-
bs-target="#collapseFour" aria-expanded="false" aria-controls="collapseFour">
      Table
    </button>
  </h2>
  <div id="collapseFour" class="accordion-collapse collapse" aria-labelledby="headingFour"
data-bs-parent="#dashboardAccordion">
    <div class="accordion-body">
      <table class="table table-bordered">
        <thead class="table-dark">
          <tr>
            <th scope="col">Sr. No.</th>
            <th scope="col">Name</th>
            <th scope="col">Email</th>

```

```

        </tr>
    </thead>
    <tbody>
        <tr>
            <th scope="row">1</th>
            <td>Anushka</td>
            <td>Ap@gmail.com </td>
        </tr>
        <tr>
            <th scope="row">2</th>
            <td>Srushti</td>
            <td>Sp@gmail.com</td>
        </tr>
    </tbody>
</table>
</div>
</div>
</div>

<!-- Student Details Footer -->
<div class="mt-5">
    <p><strong>Student Name:</strong> Anushka Amit Patel</p>
    <p><strong>Enrollment No:</strong> 92400103291</p>
    <p><strong>Department:</strong> Computer Engineering</p>
    <p><strong>Subject Code:</strong> 01CE1306 – Web Technology</p>
    <p><strong>Faculty:</strong> Faculty of Engineering and Technology</p>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>


```

Output

Anushka\_\_92400103291

# Bootstrap Components Dashboard

Cards



Card Title

Some example text to build on the card title and content.

Go somewhere

Alerts

Buttons

Table

## Bootstrap Components Dashboard

Cards	⌵
Alerts	⌵
Buttons	⌵
Table	⌴

Sr. No.	Name	Email
1	Anushka	Ap@gmail.com
2	Srushti	Sp@gmail.com

**Student Name:** Anushka Amit Patel

**Enrollment No:** 92400103291

**Department:** Computer Engineering

**Subject Code:** 01CE1306 – Web Technology

**Faculty:** Faculty of Engineering and Technology

