

```

1 #OUTER JOIN EXAMPLES
2 #BAD Examples
3 SELECT * FROM Movies LEFT JOIN StarsIn USING (mid) WHERE director='Christopher Nolan'
  AND sname='Tom Hardy';
4 SELECT * FROM Movies FULL JOIN StarsIn USING (mid) WHERE director='Christopher Nolan'
  AND sname='Tom Hardy';
5 SELECT * FROM Movies m LEFT JOIN StarsIn s ON m.mid=s.mid WHERE director='Christopher
  Nolan' AND sname='Tom Hardy';
6
7 #GOOD EXAMPLE
8 SELECT * FROM Movies m LEFT JOIN StarsIn s ON m.mid=s.mid AND sname='Tom Hardy' WHERE
  director='Christopher Nolan';
9 #BAD EXAMPLE
10 SELECT * FROM Movies m LEFT JOIN StarsIn s ON m.mid=s.mid AND sname='Tom Hardy' JOIN
  Stars ON name=sname WHERE director='Christopher Nolan';
11
12 #GOOD EXAMPLE
13 SELECT * FROM Movies m LEFT JOIN StarsIn s ON m.mid=s.mid AND sname='Tom Hardy' LEFT
  JOIN Stars ON name=sname WHERE director='Christopher Nolan';
14 #BAD EXAMPLE
15 SELECT * FROM Movies m LEFT JOIN StarsIn s ON m.mid=s.mid AND sname='Tom Hardy' RIGHT
  JOIN Stars ON name=sname WHERE director='Christopher Nolan';
16 SELECT * FROM Movies m LEFT JOIN StarsIn s ON m.mid=s.mid AND sname='Tom Hardy' RIGHT
  JOIN Stars ON name=sname AND director='Christopher Nolan';
17 #GOOD Example
18 SELECT * FROM Movies m LEFT JOIN (SELECT * FROM StarsIn RIGHT JOIN Stars ON name=
  sname) s ON m.mid=s.mid AND s.sname='Tom Hardy' WHERE director='Christopher Nolan';
19
20 #Simulating Full Join Example
21 SELECT *
22 FROM Movies m1
23     LEFT JOIN StarsIn s1
24         ON m1.mid=s1.mid AND s1.sname = 'Tom Hardy'
25     WHERE director = 'Christopher Nolan'
26 UNION
27 SELECT *
28 FROM Movies m2
29     RIGHT JOIN StarsIn s2
30         ON m2.mid=s2.mid
31     WHERE sname = 'Tom Hardy';
32 #Another FULL JOIN Example
33 SELECT *
34 FROM Movies m1
35     LEFT JOIN StarsIn s1
36         ON m1.mid=s1.mid
37     WHERE director = 'Christopher Nolan'
38 UNION
39 SELECT *
40 FROM Movies m2
41     RIGHT JOIN StarsIn s2
42         ON m2.mid=s2.mid
43     WHERE sname = 'Tom Hardy';
44
45 #Listing Teams With Wins
46 select t.id, t.name, count(g.date) as wins from Game g RIGHT JOIN Team t ON t.id = g.
  home_team_id and g.score_home > score_away or t.id = g.away_team_id and g.score_away
  > g.score_home group by t.id;
47 #Bad Examples
48 SELECT id, name, MAX(wins) FROM (select t.id, t.name, count(g.date) as wins from Game
  g RIGHT JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id =
  g.away_team_id and g.score_away > g.score_home group by t.id) as w;
49 SELECT id, name, MIN(wins) FROM (select t.id, t.name, count(g.date) as wins from Game
  g RIGHT JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id =
  g.away_team_id and g.score_away > g.score_home group by t.id) as w;
50
51 #CREATE VIEW EXAMPLE
52 CREATE OR REPLACE View TeamWins AS select t.id, t.name, count(g.date) as wins from
  Game g RIGHT JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.
  id = g.away_team_id and g.score_away > g.score_home group by t.id;
53
54 #Finding the champion team without View example
55 SELECT id, name FROM Team WHERE id not in (select a.id from (select t.id, t.name,
  count(g.date) as c from Game g RIGHT JOIN Team t ON t.id = g.home_team_id and g.
  score_home > score_away or t.id = g.away_team_id and g.score_away > g.score_home
  group by t.id) as a JOIN (select t.id, t.name, count(g.date) as c from Game g RIGHT
  JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id = g.
  away_team_id and g.score_away > g.score_home group by t.id) as b ON a.c < b.c);
56 #Finding the champion team with View example

```

```

57 SELECT id, name FROM Team WHERE id not in (SELECT w1.id FROM TeamWins w1, TeamWins
w2 WHERE w1.wins < w2.wins);
58 SELECT * FROM mTeamWins WHERE NOT wins < ANY (SELECT wins FROM mTeamWins);
59 SELECT * FROM mTeamWins w WHERE NOT EXISTS (SELECT wins FROM mTeamWins WHERE wins >
w.wins);
60
61 #FINDING THE TEAM AT THE BOTTOM
62 SELECT * FROM mTeamWins WHERE wins <= ALL (SELECT wins FROM mTeamWins);
63 SELECT * FROM mTeamWins w WHERE NOT EXISTS (SELECT wins FROM mTeamWins WHERE wins <
w.wins);
64
65 #TEMPORARY TABLE Creation
66 CREATE TEMPORARY TABLE TempWins select t.id, t.name, count(g.date) as wins from Game
g RIGHT JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id
= g.away_team_id and g.score_away > g.score_home group by t.id;
67
68 #BAD TEMP TABLE Usage Example
69 SELECT id, name FROM Team WHERE id not in (SELECT w1.id FROM TempWins w1, TempWins
w2 WHERE w1.wins < w2.wins);
70
71 #CTE EXAMPLE BUT NOT SUPPORTED BY MYSQL v5
72 WITH cte_wins AS (select t.id, t.name, count(g.date) as wins from Game g RIGHT JOIN
Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id = g.
away_team_id and g.score_away > g.score_home group by t.id)
73 SELECT id, name FROM Team WHERE id not in (SELECT w1.id FROM cte_wins w1, cte_wins
w2 WHERE w1.wins < w2.wins);
74
75 #CREATE TABLE FROM Query Result Example
76 CREATE TABLE mTeamWins select t.id, t.name, count(g.date) as wins from Game g RIGHT
JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id = g.
away_team_id and g.score_away > g.score_home group by t.id;
77
78 #INSERT FROM SUBQUERY EXAMPLE
79 INSERT INTO mTeamWins select t.id, t.name, count(g.date) as wins from Game g RIGHT
JOIN Team t ON t.id = g.home_team_id and g.score_home > score_away or t.id = g.
away_team_id and g.score_away > g.score_home group by t.id;
80
81 #UPDATE WITH SUBQUERY EXAMPLES
82 UPDATE mTeamWins SET wins = (SELECT count(g.date) from Game g JOIN Team t ON t.id =
1 and g.score_home > score_away or t.id = 1 and g.score_away > g.score_home) WHERE
id = 1;
83 UPDATE mTeamWins SET wins = 9 WHERE id in (SELECT id FROM Team WHERE id not in (
SELECT w1.id FROM TeamWins w1, TeamWins w2 WHERE w1.wins < w2.wins));
84 UPDATE mTeamWins SET wins = (SELECT wins FROM TeamWins WHERE id = (SELECT id FROM
Team WHERE id not in (SELECT w1.id FROM TeamWins w1, TeamWins w2 WHERE w1.wins < w2.
wins))) WHERE id in (SELECT id FROM Team WHERE id not in (SELECT w1.id FROM TeamWins
w1, TeamWins w2 WHERE w1.wins < w2.wins));
85
86 #DELETE WITH SUBQUERY EXAMPLE
87 DELETE FROM mTeamWins
88 WHERE id =
89 (SELECT id FROM Team WHERE id not in (SELECT w1.id FROM TeamWins w1, TeamWins w2
WHERE w1.wins < w2.wins));
90
91
92

```