```
<!DOCTYPE html>
<!--[if IE 8]><html class="lt-ie10 ie8" lang="en" data-scribe-
reduced-action-queue="true"><![endif]-->
<!--[if IE 9]><html class="lt-ie10 ie9" lang="en" data-scribe-
reduced-action-queue="true"><![endif]-->
<!--[if qt IE 9]><!--><html lang="en" data-scribe-reduced-
action-queue="true"><!--<![endif]-->
  <head>
    <meta charset="utf-8">
    <noscript><meta http-equiv="refresh" content="0;</pre>
URL=https://mobile.twitter.com/i/nojs router?path=%2Fgraffitikis
hor"></noscript>
  <script id="bouncer terminate iframe"</pre>
nonce="s5B0mlkVLrPW+IK6qF0wOQ==">
    if (window.top != window) {
  window.top.postMessage({'bouncer': true, 'event': 'complete'},
'*');
}
  </script>
  <script id="swift action queue"</pre>
nonce="s5B0mlkVLrPW+IK6qF0wOQ==">
    (function(){function
m(a){a||(a=window.event);if(!a)return!1;a.timestamp=(new
Date).getTime();!a.target&&a.srcElement&&(a.target=a.srcElement)
; if (document.documentElement.getAttribute("data-scribe-reduced-
action-queue")){var b=a.target;while(b&&b!=document
.body){if(b.tagName=="A")return;b=b.parentNode}}r("all",s(a));if
(!q(a)){r("direct",a);return!0}document.addEventListener||(a=s(a
));a.preventDefault=a.stopPropagation=a.stopImmediatePropagation
=function(){};if(i){f.push(a);r("captured",a)}else r("ignored",a
); return!1} function n(\$)\{p()\}; for (var a=0,b;b=f[a];a++) {var
d=$(b.target),e=d.closest("a")[0];if(b.type=="click"&&e){var
g=$.data(e, "events"), i=g&&g.click, j=!e.hostname.match(c) | | !e.hre
f.match(/#$/);if(!i&&j){window.location=e.href;continue}}d.trigg
er($.event
.fix(b))}window.swiftActionQueue.wasFlushed=!0}function
o(){for(var a in j){if(a=="all")continue; var b=j[a]; for(var
```

```
c=0;c<b.length;c++)console.log("actionQueue",u(b[c]))}}function
p(){clearTimeout(g);for(var
a=0,b;b=e[a];a++)document["on"+b]=null}function q
(a){if(!a.target)return!1;var
b=a.target,e=(b.tagName||"").toLowerCase();if(a.metaKey)return!1
;if(a.shiftKey&&e=="a")return!1;if(b.hostname&&!b.hostname.match
(c))return!1;if(a.type.match(d)&&w(b))return!1;if(e=="label"){va
r f=b.getAttribute("for");if(f){var g=
document.getElementById(f);if(g&&v(g))return!1}else for(var
i=0,j;j=b.childNodes[i];i++)if(v(j))return!1}return!0}function
r(a,b){b.bucket=a;j[a].push(b)}function s(a){var b={};for(var c
in a)b[c]=a[c];return b}function
t(a){while(a&&a!=document.body){if(a
.tagName=="A")return a;a=a.parentNode}}function u(b){var
c=[];b.bucket&&c.push("["+b.bucket+"]");c.push(b.type);var
d=b.target,e=t(d),f="",g,i,j=b.timestamp&&b.timestamp-
a;if(b.type==="click"&&e){g=e.className.trim().replace(/\s+/g,".
");i=e.id.trim();f=/[^#]$/
.test(e.href)?"
("+e.href+")":"";d='"'+e.innerText.replace(/\n+/q,"
").trim()+'"'}else{g=d.className.trim().replace(/\s+/g,".");i=d.
id.trim();d=d.tagName.toLowerCase();b.keyCode&&(d=String.fromCha
rCode(b.keyCode)+": "+d)}c.push(d+f+(i&&"#"+i)+(!i&&g?"."+g
:""));j&&c.push(j);return c.join(" ")}function v(a){var
b=(a.tagName||"").toLowerCase();return
b=="input"&&a.getAttribute("type")=="checkbox"}function w(a){var
b=(a.tagName||"").toLowerCase();return
b=="textarea"||b=="input"&&a.getAttribute("type")=="text"||
a.getAttribute("contenteditable")=="true"}var a=(new
\label{lem:decomposition} Date).getTime(),b=1e4,c=/^([^\.]+\.)*twitter\\.com$/,d=/^key/,e=[
"click", "keydown", "keypress", "keyup"], f=[], g=null, i=!0, j={captur
ed:[],ignored:[],direct:[],all:[]};for(var
k=0,1;1=e[k];k++)document["on"+1
]=m;g=setTimeout(function(){i=!1},b);window.swiftActionQueue={bu
ckets:j,flush:n,logActions:o,wasFlushed:!1}})();
  </script>
  <script id="composition state"</pre>
nonce="s5B0mlkVLrPW+IK6qF0wOQ==">
    (function(){function a(a){a.target.setAttribute("data-in-
composition","true")}function
b(a){a.target.removeAttribute("data-in-
composition")}if(document.addEventListener){document.addEventLis
tener("compositionstart",a,!1);document.addEventListener("compos
itionend"
,b,!1)}})();
  </script>
    <link rel="stylesheet"</pre>
```

```
href="https://abs.twimg.com/a/1457130698/css/t1/twitter core.bun
dle.css">
  <link rel="stylesheet"</pre>
href="https://abs.twimq.com/a/1457130698/css/t1/twitter_more_1.b
undle.css">
  <link rel="stylesheet"</pre>
href="https://abs.twimg.com/a/1457130698/css/t1/twitter more 2.b
undle.css">
    <link rel="dns-prefetch" href="https://pbs.twimg.com">
    <link rel="dns-prefetch" href="https://t.co">
      <link rel="preload"</pre>
href="https://abs.twimg.com/c/swift/en/init.ac85487436a994715bfc
c7cdb14253cba02093b5.js" as="script">
      <link rel="preload"</pre>
href="https://abs.twimg.com/c/swift/en/bundle/timeline.b47bcb35e
32eb75a5f00f9a27aa849b587f91e43.js" as="script">
      <link rel="preload"</pre>
href="https://abs.twimg.com/c/swift/en/bundle/boot.9d469c685d9de"
49da2eff73091be0caefa637809.js" as="script">
      <title>kishor d ingale (@graffitikishor) | Twitter</title>
      <meta name="robots" content="NOODP">
  <meta name="description" content="The latest Tweets from</pre>
kishor d ingale (@graffitikishor)">
<meta name="msapplication-TileImage"</pre>
content="//abs.twimg.com/favicons/win8-tile-144.png"/>
<meta name="msapplication-TileColor" content="#00aced"/>
<link rel="mask-icon" sizes="any"</pre>
href="https://abs.twimq.com/a/1457130698/imq/t1/favicon.svg"
color="#55acee">
  <link href="//abs.twimq.com/favicons/favicon.ico"</pre>
rel="shortcut icon" type="image/x-icon">
<link rel="manifest" href="/manifest.json">
  <meta name="swift-page-name" id="swift-page-name"</pre>
content="profile">
    <link rel="canonical"</pre>
href="https://twitter.com/graffitikishor">
```

```
<link rel="alternate" hreflang="x-default"</pre>
href="https://twitter.com/graffitikishor">
  <link rel="alternate" hreflang="fr"</pre>
href="https://twitter.com/graffitikishor?lang=fr"><link
rel="alternate" hreflang="en"
href="https://twitter.com/graffitikishor?lang=en"><link
rel="alternate" hreflang="ar"
href="https://twitter.com/graffitikishor?lang=ar"><link
rel="alternate" hreflang="ja"
href="https://twitter.com/graffitikishor?lang=ja"><link</pre>
rel="alternate" hreflang="es"
href="https://twitter.com/graffitikishor?lang=es"><link</pre>
rel="alternate" hreflang="de"
href="https://twitter.com/graffitikishor?lang=de"><link</pre>
rel="alternate" hreflang="it"
href="https://twitter.com/graffitikishor?lang=it"><link</pre>
rel="alternate" hreflang="id"
href="https://twitter.com/graffitikishor?lang=id"><link
rel="alternate" hreflang="pt"
href="https://twitter.com/graffitikishor?lang=pt"><link</pre>
rel="alternate" hreflang="ko"
href="https://twitter.com/graffitikishor?lang=ko"><link</pre>
rel="alternate" hreflang="tr"
href="https://twitter.com/graffitikishor?lang=tr"><link</pre>
rel="alternate" hreflang="ru"
href="https://twitter.com/graffitikishor?lang=ru"><link
rel="alternate" hreflang="nl"
href="https://twitter.com/graffitikishor?lang=nl"><link</pre>
rel="alternate" hreflang="fil"
href="https://twitter.com/graffitikishor?lang=fil"><link
rel="alternate" hreflang="ms"
href="https://twitter.com/graffitikishor?lang=ms"><link</pre>
rel="alternate" hreflang="zh-tw"
href="https://twitter.com/graffitikishor?lang=zh-tw"><link</pre>
rel="alternate" hreflang="zh-cn"
href="https://twitter.com/graffitikishor?lang=zh-cn"><link</pre>
rel="alternate" hreflang="hi"
href="https://twitter.com/graffitikishor?lang=hi"><link
rel="alternate" hreflang="no"
href="https://twitter.com/graffitikishor?lang=no"><link</pre>
rel="alternate" hreflang="sv"
href="https://twitter.com/graffitikishor?lang=sv"><link</pre>
rel="alternate" hreflang="fi"
href="https://twitter.com/graffitikishor?lang=fi"><link</pre>
rel="alternate" hreflang="da"
href="https://twitter.com/graffitikishor?lang=da"><link</pre>
rel="alternate" hreflang="pl"
href="https://twitter.com/graffitikishor?lang=pl"><link</pre>
```

```
rel="alternate" hreflang="hu"
href="https://twitter.com/graffitikishor?lang=hu"><link
rel="alternate" hreflang="fa"
href="https://twitter.com/graffitikishor?lang=fa"><link</pre>
rel="alternate" hreflang="he"
href="https://twitter.com/graffitikishor?lang=he"><link
rel="alternate" hreflang="ur"
href="https://twitter.com/graffitikishor?lang=ur"><link
rel="alternate" hreflang="th"
href="https://twitter.com/graffitikishor?lang=th"><link</pre>
rel="alternate" hreflang="uk"
href="https://twitter.com/graffitikishor?lang=uk"><link</pre>
rel="alternate" hreflang="ca"
href="https://twitter.com/graffitikishor?lang=ca"><link</pre>
rel="alternate" hreflang="ga"
href="https://twitter.com/graffitikishor?lang=ga"><link
rel="alternate" hreflang="el"
href="https://twitter.com/graffitikishor?lang=el"><link
rel="alternate" hreflang="eu"
href="https://twitter.com/graffitikishor?lang=eu"><link
rel="alternate" hreflang="cs"
href="https://twitter.com/graffitikishor?lang=cs"><link</pre>
rel="alternate" hreflang="gl"
href="https://twitter.com/graffitikishor?lang=gl"><link</pre>
rel="alternate" hreflang="ro"
href="https://twitter.com/graffitikishor?lang=ro"><link</pre>
rel="alternate" hreflang="hr"
href="https://twitter.com/graffitikishor?lang=hr"><link</pre>
rel="alternate" hreflang="en-gb"
href="https://twitter.com/graffitikishor?lang=en-gb"><link</pre>
rel="alternate" hreflang="vi"
href="https://twitter.com/graffitikishor?lang=vi"><link
rel="alternate" hreflang="bn"
href="https://twitter.com/graffitikishor?lang=bn"><link
rel="alternate" hreflang="bg"
href="https://twitter.com/graffitikishor?lang=bg"><link</pre>
rel="alternate" hreflang="sr"
href="https://twitter.com/graffitikishor?lang=sr"><link</pre>
rel="alternate" hreflang="sk"
href="https://twitter.com/graffitikishor?lang=sk"><link</pre>
rel="alternate" hreflang="qu"
href="https://twitter.com/graffitikishor?lang=gu"><link</pre>
rel="alternate" hreflang="mr"
href="https://twitter.com/graffitikishor?lang=mr"><link</pre>
rel="alternate" hreflang="ta"
href="https://twitter.com/graffitikishor?lang=ta"><link</pre>
rel="alternate" hreflang="kn"
href="https://twitter.com/graffitikishor?lang=kn">
```

<link rel="alternate" media="handheld, only screen and (maxwidth: 640px)" href="https://mobile.twitter.com/graffitikishor">

<link rel="search" type="application/opensearchdescription+xml"
href="/opensearch.xml" title="Twitter">

<link id="async-css-placeholder">

<input type="hidden" id="init-data" class="json-data"</pre> value="{"permalinkOverlayEnabled":false,"hasKenbu rnEffectOnSingleImage":false,"maxTweetComposeCharacter s":140,"baseFoucClass":"swiftloading", " bodyFoucClassNames":" swiftloading", " macawSwift":true, " assetsBasePath&q uot;:"https:\/\/abs.twimg.com\/a\/1457130698\/"," assetVersionKey":"fae7d7","environment" : " production " , " form Authenticity Token " : " b9db11b42d2d09c1476353c5f3c6945ebed0b391","loggedIn&qu ot;:false,"screenName":null,"fullName":null, "userId":null,"questId":"14575841826276 3991", " allowAdsPersonalization":true, " scribe BufferSize":3,"pageName":"profile",&quo t;sectionName":"profile","scribeParameters&q uot;:{},"recaptchaApiUrl":"https:\/\/www.qoogle.c om\/recaptcha\/api\/js\/recaptcha ajax.js","internalRe ferer":null,"qeoEnabled":false,"typeaheadDat a":{"accounts":{"enabled":true,"lo calQueriesEnabled":false,"remoteQueriesEnabled":t rue, " limit":6}, " trendLocations": { " enabl ed":true},"dmConversations":{"enabled": false},"savedSearches":{"enabled":false,&quo t;items":[]},"dmAccounts":{"enabled":fa lse, " localQueriesEnabled" :false, " remoteQueriesEna bled":false,"onlyDMable":true},"mediaTaqAcco unts":{"enabled":false,"localQueriesEnabled& quot;:true,"remoteQueriesEnabled":false,"onlyShow UsersWithCanMediaTag":false,"currentUserId":-1}, " selectedUsers ": { " enabled & quot;: false }, & quot; p refillUsers":{"enabled":false},"topics" :{"enabled":true,"localQueriesEnabled":false , " remoteQueriesEnabled" :true, " prefetchLimit"

:500, " limit" :4}, " concierge" : {" enabled&q uot;:false,"localQueriesEnabled":false,"remoteQue riesEnabled":false,"prefetchLimit":500,"limi t":6},"recentSearches":{"enabled":false }, " hashtags": {" enabled": false, " localQue riesEnabled":false,"remoteQueriesEnabled":true,&q uot;prefetchLimit":500},"useIndexedDB":false,&quo t; showSearchAccountSocialContext" :false, " showDebugInfo ":false,"useThrottle":true,"accountsOnTop&qu ot;:false,"remoteDebounceInterval":300,"remoteThr ottleInterval":300,"tweetContextEnabled":false,&q uot; fullNameMatchingInCompose" :true, " topicsWithFilters Enabled":false},"dm":{"notifications":f alse, " participant max":50, " video gif render" :true, " video gif upload" :true, " poll options " :{"foreground poll interval":3000,"burst poll int erval":3000,"burst poll duration":300000,"ma x poll interval":60000}},"whitelistedVideoUser":f alse, " autoplayDisabled" :false, " pushStatePageLimit ":500000, " routes ": { " profile & quot; \ / &q uot;},"pushState":true,"viewContainer":" ;#page-

container","dragAndDropPhotoUpload":true,"hr ef":"\/graffitikishor","searchPathWithQuery& quot;:"\/search?q=query&src=typd","timelineCa rdsGallery":true,"deciders":{"bulkUnfollowEn abled":true,"custom_timeline_curation":false,&quo t; disable profile popup": false, " native notifications&q uot;:true,"dm polling frequency in seconds":3000," ;enable media tag prefetch":true,"foundMediaTrendingEn abled":false,"enableMacawNymizerConversionLanding" ;:false,"qeoStructuredLocationEnabled":true,"hqIm ageUploads":false,"largeHeaderImageUpload":true,& quot; mqImageUploads": false, " partnerIdSyncEnabled" :true, " sruMediaCategory" :false, " photoSruGifLimitM b":5,"promoted video logging enabled":true," pushState":true,"scribeReducedActionQueue":true,& quot; smartInfiniteScroll": false, " useHtml5Webcam": true, " web perftown stats " true, " web perftown ttft ":true, " web sru stats ":false, " web upload dir ect":true,"web upload video":true,"web uploa d video advanced":false,"upload video size":500,& quot; international Shipping Enabled & quot; : true, & quot; use V2 Endpoint sEnabled":true,"useVmapVariants":false,"auto playPreviewPreroll":true,"moments lohp enabled":t rue, " overlayPermalink" :true, " momentsExperienceEna bled":true,"composeLimits":{"enabled":f alse, " hashtags":50, " mentions":50, " links

":10},"dynamic video ads include long videos":fal se}, " experiments & quot;:{}, & quot; to asts dm & quot;:false, & quot ;toasts spoonbill":false,"toasts timeline":false, "toasts dm poll scale":60,"uploadDomain":&qu ot;upload.twitter.com","promptbirdData":{"pr omptbirdEnabled":false,"immediateTriggers":[" ;PullToRefresh","Navigate"],"format":&q uot; ProfileOther" }, " freezeDashboard" : false, " pageContext":"profile","passwordResetAdvance dLoginForm":true,"skipAutoSignupDialog":false,&qu ot; should Replace Signup With Login & quot; : false, & quot; profile user & q uot;:{"id":3301471091,"id str":"3301471 091","name":"kishor d ingale","screen name":"graffitikishor", "location":""url":null,"des cription":"","protected":false,"fo llowers count":15,"friends count":50,"listed count":0,"created at":"Thu May 28 09:26:10 +0000 2015", " favourites count":1, " utc offset" :null, " time zone " :null, " geo enabled " :false, & quot; verified":false, " statuses count":0, " lan g":"en","contributors enabled":false,&q uot; is translator":false," is translation enabled" :false, " profile background color & quot; : & quot; CODEED & quot; , & quot; profile background image url": " http:///abs.twimg .com\/images\/themes\/theme1\/bg.png","profile backgro und image url https":"https:\/\/abs.twimg.com\/images\ /themes\/theme1\/bq.png","profile background tile" ;:false,"profile image url":"http:\/\/pbs.twimg.c om\/profile images\/704204427020914688\/S2FOGe0W normal.jpg" ;, " profile image url https": " https:///pbs.twimg. com\/profile images\/704204427020914688\/S2FOGe0W normal.jpg&quo t;,"profile link color":"0084B4","profi le sidebar border color":"CODEED","profile s idebar fill color":"DDEEF6","profile text co lor":"333333","profile use background image& quot;:true,"has extended profile":false,"default profile":true,"default profile image":false," ;following":null,"follow request sent":null," ;notifications":null,"ext":{"vine profile&qu ot;:{"r":{"err":{"code":202," message":"You are not authorized to request this information. " }}, " ttl":0}}, " profileEditingCS SBundle":"https:\/\/abs.twimq.com\/a\/1457130698\/css\ /t1\/twitter profile editing.bundle.css","profile id&q uot;:3301471091,"businessProfile":false,"cardsGal

lery":true,"injectComposedTweets":false,"hel

```
p pips decider":false,"inlineProfileEditing":fals
e,"forceHTML5FileUploader":false,"isClusterFollow
ReplenishEnabled":false,"autoplayEnabled":true,&q
uot; trendsCacheKey":null," decider personalized trends&
quot;:false,"trendsEndpoint":"\/i\/trends",&
quot; wtfOptions": {" pc": true, " connections&quo
t;:true,"limit":3,"display location":"p
rofile-
sidebar","dismissable":true,"similar to user
id":3301471091},"showSensitiveContent":false,&qu
ot;autoPlayBalloonsAnimation":false,"isCurrentUser&quo
t;:false,"timeline url":"\/i\/profiles\/show\/gra
ffitikishor\/timeline","hasUserCompletionModule":
false, " initialState": { " title " : " kishor d
ingale (@graffitikishor)
Twitter", " section":null, " module": "
app\/pages\/profile\/highline landing","cache ttl&quot
;:300,"body class names":"three-col logged-out
user-style-graffitikishor enhanced-mini-profile ProfilePage
ProfilePage--
withBlockedWarning","doc class names":"route
profile","route name":"profile","p
age container class names":"AppContent","ttf
t navigation":false}}">
   <input type="hidden" class="swift-boot-module"</pre>
value="app/pages/profile/highline landing">
 <input type="hidden" id="swift-module-path"</pre>
value="https://abs.twimq.com/c/swift/en">
   <script
src="https://abs.twimg.com/c/swift/en/init.ac85487436a994715bfcc
7cdb14253cba02093b5.js" async></script>
 </head>
 <body class="three-col logged-out user-style-graffitikishor"</pre>
enhanced-mini-profile ProfilePage ProfilePage--
withBlockedWarning"
data-fouc-class-names="swift-loading"
dir="ltr">
     <script id="swift loading indicator"</pre>
nonce="s5B0mlkVLrPW+IK6qF0wOQ==">
      document.body.className=document.body.className+"
"+document.body.getAttribute("data-fouc-class-names");
```

```
</script>
   <div id="doc" class="route-profile">
       <div class="topbar js-topbar">
 <div class="global-nav global-nav--newLoggedOut" data-section-</pre>
term="top nav">
   <div class="global-nav-inner">
     <div class="container">
actions">
 action="home">
   <a class="js-nav js-tooltip js-dynamic-tooltip" data-</pre>
placement="bottom" href="/" data-component-context="home nav"
data-nav="home">
     <span class="Icon Icon--bird Icon--large"></span>
     <span class="text">Home</span>
   </a>
   action="moments">
     <a class="js-nav js-tooltip js-dynamic-tooltip" data-</pre>
placement="bottom" href="/i/moments" data-component-
context="moments nav" data-nav="moments">
       <span class="Icon Icon--lightning Icon--large"></span>
       <span class="text">Moments</span>
     </a>
   <div class="pull-right">
   <div role="search">
 <form class="t1-form form-search js-search-form"</pre>
action="/search" id="global-nav-search">
   <label class="visuallyhidden" for="search-query">Search
query</label>
   <input class="search-input" type="text" id="search-query"</pre>
placeholder="Search Twitter" name="q" autocomplete="off"
spellcheck="false">
   <span class="search-icon js-search-action">
     <button type="submit" class="Icon Icon--search nav-</pre>
search">
       <span class="visuallyhidden">Search Twitter</span>
     </button>
   </span>
```

```
<div role="listbox" class="dropdown-menu typeahead">
 <div aria-hidden="true" class="dropdown-caret">
   <div class="caret-outer"></div>
   <div class="caret-inner"></div>
 </div>
 <div role="presentation" class="dropdown-inner js-typeahead-</pre>
results">
   <div role="presentation" class="typeahead-saved-searches">
 <h3 id="saved-searches-heading" class="typeahead-category-</pre>
title saved-searches-title">Saved searches</h3>
 list">
   role="presentation" class="typeahead-item typeahead-
saved-search-item">
     <span class="Icon Icon--close" aria-hidden="true"><span</pre>
class="visuallyhidden">Remove</span></span>
     <a role="option" aria-describedby="saved-searches-heading"</pre>
class="js-nav" href="" data-search-query="" data-query-source=""
data-ds="saved_search" tabindex="-1"></a>
   </div>
   topics">
 role="presentation" class="typeahead-item typeahead-topic-
   <a role="option" class="js-nav" href="" data-search-query=""</pre>
data-query-source="typeahead click" data-ds="topics" tabindex="-
1"></a>
 accounts js-typeahead-accounts">
 role="presentation" data-user-id="" data-user-
screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-account-item js-selectable">
   <a role="option" class="js-nav" data-query-</pre>
source="typeahead_click" data-search-query="" data-ds="account">
```

```
<img class="avatar size32" alt="">
     <span class="typeahead-user-item-info">
       <span class="fullname"></span>
       <span class="js-verified hidden"><span class="Icon Icon-</pre>
-verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
       <span class="username"><s>@</s><b></b></span>
     </span>
   </a>
 role="presentation" class="js-selectable typeahead-
accounts-shortcut js-shortcut"><a role="option" class="js-nav"
href="" data-search-query="" data-query-source="typeahead click"
data-shortcut="true" data-ds="account_search"></a>
trend-locations-list">
 locations-item"><a role="option" class="js-nav" href="" data-
ds="trend location" data-search-query="" tabindex="-1"></a>
<div role="presentation" class="typeahead-user-select">
 <div role="presentation" class="typeahead-empty-suggestions">
   Suggested users
 </div>
 selected js-typeahead-selected">
   role="presentation" data-user-id="" data-user-
screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-selected-item js-selectable">
     <a role="option" class="js-nav" data-query-</pre>
source="typeahead click" data-search-query="" data-ds="account">
       <img class="avatar size32" alt="">
       <span class="typeahead-user-item-info">
         <span class="select-status deselect-user js-deselect-</pre>
user Icon Icon--check"></span>
         <span class="select-status select-disabled Icon Icon--</pre>
unfollow"></span>
         <span class="fullname"></span>
         <span class="js-verified hidden"><span class="Icon"</pre>
Icon--verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
```

```
<span class="username"><s>@</s><b></b></span>
      </span>
    </a>
   accounts js-typeahead-accounts">
   role="presentation" data-user-id="" data-user-
screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-account-item js-selectable">
    <a role="option" class="js-nav" data-query-</pre>
source="typeahead click" data-search-query="" data-ds="account">
      <img class="avatar size32" alt="">
      <span class="typeahead-user-item-info">
        <span class="select-status deselect-user js-deselect-</pre>
user Icon Icon--check"></span>
        <span class="select-status select-disabled Icon Icon--</pre>
unfollow"></span>
        <span class="fullname"></span>
        <span class="js-verified hidden"><span class="Icon"</pre>
Icon--verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
        <span class="username"><s>@</s></b></b></span>
      </span>
    </a>
   </div>
   <div role="presentation" class="typeahead-dm-conversations">
 conversation-items">
   role="presentation" class="typeahead-item typeahead-dm-
conversation-item">
    <a role="option" tabindex="-1"></a>
   </div>
 </div>
</div>
 </form>
```

```
<a href="#supported languages" class="dropdown-toggle js-
dropdown-toggle">
       <small>Language:</small> <span class="js-current-</pre>
language">English</span> <b class="caret"></b>
     </a>
     <div class="dropdown-menu">
       <div class="dropdown-caret right">
         <span class="caret-outer"> </span>
         <span class="caret-inner"></span>
       </div>
       <a href="?lang=id" data-lang-code="id"</p>
title="Indonesian" class="js-language-link js-tooltip">Bahasa
Indonesia</a>
           <a href="?lang=msa" data-lang-code="msa"</li>
title="Malay" class="js-language-link js-tooltip">Bahasa
Melayu</a>
           <a href="?lang=cs" data-lang-code="cs"</pre>
title="Czech" class="js-language-link js-
tooltip">Čeština</a>
           <a href="?lang=da" data-lang-code="da"</p>
title="Danish" class="js-language-link js-
tooltip">Dansk</a>
           <a href="?lang=de" data-lang-code="de"</p>
title="German" class="js-language-link js-
tooltip">Deutsch</a>
           <a href="?lang=en-qb" data-lang-code="en-qb"</a>
title="British English" class="js-language-link js-
tooltip">English UK</a>
           <a href="?lang=es" data-lang-code="es"</a>
title="Spanish" class="js-language-link js-
tooltip">Español</a>
           <a href="?lang=fil" data-lang-code="fil"</a>
title="Filipino" class="js-language-link js-
tooltip">Filipino</a>
           <a href="?lang=fr" data-lang-code="fr"</p>
title="French" class="js-language-link js-
tooltip">Français</a>
           <a href="?lang=it" data-lang-code="it"</p>
title="Italian" class="js-language-link js-
tooltip">Italiano</a>
           <a href="?lang=hu" data-lang-code="hu"</p>
title="Hungarian" class="js-language-link js-
```

```
tooltip">Magyar</a>
           <a href="?lang=nl" data-lang-code="nl"</p>
title="Dutch" class="js-language-link js-
tooltip">Nederlands</a>
           <a href="?lang=no" data-lang-code="no"</a>
title="Norwegian" class="js-language-link js-
tooltip">Norsk</a>
           <a href="?lang=pl" data-lang-code="pl"</a>
title="Polish" class="js-language-link js-
tooltip">Polski</a>
           <a href="?lang=pt" data-lang-code="pt"</p>
title="Portuguese" class="js-language-link js-
tooltip">Português</a>
           <a href="?lang=ro" data-lang-code="ro"</p>
title="Romanian" class="js-language-link js-
tooltip">Română</a>
           <a href="?lang=fi" data-lang-code="fi"</a>
title="Finnish" class="js-language-link js-
tooltip">Suomi</a>
           <a href="?lang=sv" data-lang-code="sv"</a>
title="Swedish" class="js-language-link js-
tooltip">Svenska</a>
           <a href="?lang=vi" data-lang-code="vi"</a>
title="Vietnamese" class="js-language-link js-tooltip">Tiếng
Việt</a>
           <a href="?lang=tr" data-lang-code="tr"</p>
title="Turkish" class="js-language-link js-
tooltip">Türkçe</a>
           <a href="?lang=el" data-lang-code="el"</p>
title="Greek" class="js-language-link js-
tooltip">Ελληνικά</a>
           <a href="?lang=ru" data-lang-code="ru"</a>
title="Russian" class="js-language-link js-
tooltip">Pусский</a>
           <a href="?lang=uk" data-lang-code="uk"</a>
title="Ukrainian" class="js-language-link js-tooltip">Українська
MOBQ</a>
           <a href="?lang=he" data-lang-code="he"</p>
title="Hebrew" class="js-language-link js-tooltip">עברית</a>
           <a href="?lang=ar" data-lang-code="ar"</a>
title="Arabic" class="js-language-link js-
</a>/a>
           <a href="?lang=fa" data-lang-code="fa"</li>
title="Persian" class="js-language-link js-
</a>
           <a href="?lang=mr" data-lang-code="mr"</p>
title="Marathi" class="js-language-link js-tooltip">मराठी</a>
```

```
<a href="?lang=hi" data-lang-code="hi"</a>
title="Hindi" class="js-language-link js-tooltip">हिन्दी</a>
           <a href="?lang=bn" data-lang-code="bn"</li>
title="Bengali" class="js-language-link js-tooltip">বাংলা</a>
           <a href="?lang=qu" data-lang-code="qu"</a>
title="Gujarati" class="js-language-link js-
<a href="?lang=ta" data-lang-code="ta"</p>
title="Tamil" class="js-language-link js-
tooltip"> | | | | | | </a>
           <a href="?lang=kn" data-lang-code="kn"</a>
title="Kannada" class="js-language-link js-
tooltip">ಕನರ್ನಡ</a>
           <a href="?lang=th" data-lang-code="th"</p>
title="Thai" class="js-language-link js-tooltip">ภาษาไทย</a>
           <a href="?lang=ko" data-lang-code="ko"</a>
title="Korean" class="js-language-link js-tooltip">한국어</a>
           <a href="?lang=ja" data-lang-code="ja"</a>
title="Japanese" class="js-language-link js-
tooltip">日本語</a>
           <a href="?lang=zh-cn" data-lang-code="zh-cn"</a>
title="Simplified Chinese" class="js-language-link js-
tooltip">简体中文</a>
           <a href="?lang=zh-tw" data-lang-code="zh-tw"</a>
title="Traditional Chinese" class="js-language-link js-
tooltip">繁體中文</a>
       </div>
     <div class="js-front-language">
       <form action="/sessions/change locale" class="t1-form</pre>
language" method="POST">
         <input type="hidden" name="lang"> <input type="hidden"</pre>
name="redirect">
         <input type="hidden" name="authenticity token"</pre>
value="b9db11b42d2d09c1476353c5f3c6945ebed0b391">
       </form>
     </div>
   toggle dropdown-signin" id="signin-link" data-nav="login">
           <small>Have an account?</small> <span</pre>
class="emphasize"> Log in</span><span class="caret"></span>
         <div class="dropdown-menu dropdown-form" id="signin-</pre>
dropdown">
```

```
<div class="dropdown-caret right"> <span</pre>
class="caret-outer"></span> <span class="caret-inner"></span>
</div>
            <div class="signin-dialog-body">
               <div>Have an account?</div>
               <form action="https://twitter.com/sessions"</pre>
class="LoginForm js-front-signin" method="post"
  data-component="login callout"
  data-element="form"
  <div class="LoginForm-input LoginForm-username">
    <input
      type="text"
      class="text-input email-input js-signin-email"
      name="session[username or email]"
      autocomplete="username"
      placeholder="Phone, email or username"
    />
  </div>
  <div class="LoginForm-input LoginForm-password">
    <input type="password" class="text-input"</pre>
name="session[password]" placeholder="Password"
autocomplete="current-password">
  </div>
  <div class="LoginForm-rememberForgot">
    <label>
      <input type="checkbox" value="1" name="remember me"</pre>
checked="checked">
      <span>Remember me</span>
    </label>
    <span class="separator">&middot;</span>
    <a class="forgot" href="/account/begin password reset">Forgot
password?</a>
  </div>
  <input type="submit" class="submit btn primary-btn js-submit"</pre>
value="Log in">
    <input type="hidden" name="return to ssl" value="true">
  <input type="hidden" name="scribe_log">
  <input type="hidden" name="redirect after login"</pre>
value="/graffitikishor">
  <input type="hidden"</pre>
value="b9db11b42d2d09c1476353c5f3c6945ebed0b391"
name="authenticity token">
      <input type="hidden" value="" name="ui_metrics"</pre>
autocomplete="off">
      <input type="hidden" id="ui metrics seed"</pre>
name="ui metrics seed" value="1457584182714" autocomplete="off">
      <input type="hidden" value="1" name="js inst"</pre>
autocomplete="off">
```

```
<script src="/i/js inst" async></script>
</form>
              <hr>>
              <div class="signup SignupForm">
                <div class="SignupForm-header">New to
Twitter?</div>
                <a href="https://twitter.com/signup"</pre>
role="button" class="SignupForm-submit u-block u-textCenter js-
signup btn"
                  data-component="signup callout"
                  data-element="dropdown"
                  >Sign up
                </a>
              </div>
            </div>
          </div>
      </div>
      </div>
    </div>
  </div>
</div>
        <div id="page-outer">
          <div id="page-container" class="AppContent">
<style id="user-style-graffitikishor">
  a,
  a:hover,
  a:focus,
  a:active {
    color: #0084B4;
  .u-textUserColor,
  .u-textUserColorHover:hover,
  .u-textUserColorHover:focus {
   color: #0084B4 !important;
  .u-borderUserColor,
```

```
.u-borderUserColorHover:hover,
  .u-borderUserColorHover:focus {
    border-color: #0084B4 !important;
  }
  .u-bgUserColor,
  .u-bqUserColorHover:hover,
  .u-bgUserColorHover:focus {
    background-color: #0084B4 !important;
  .u-dropdownUserColor > li:hover,
  .u-dropdownUserColor > li:focus,
  .u-dropdownUserColor > li > button:hover,
  .u-dropdownUserColor > li > button:focus {
    color: #fff !important;
   background-color: #0084B4 !important;
  }
  .u-boxShadowInsetUserColorHover:hover,
  .u-boxShadowInsetUserColorHover:focus {
    box-shadow: inset 0 0 0 5px #0084B4 !important;
  .macaw-cards-user-styles {
   color: #0084B4 !important;
  }
  .u-textUserColorLight {
    color: #99CDE1 !important;
  .u-borderUserColorLight,
  .u-borderUserColorLightFocus:focus,
  .u-borderUserColorLightHover:hover,
  .u-borderUserColorLightHover:focus {
   border-color: #99CDE1 !important;
  .u-bgUserColorLight {
   background-color: #99CDE1 !important;
  }
  .u-boxShadowUserColorLighterFocus:focus {
   box-shadow: 0 0 8px rgba(0, 0, 0, 0.05), inset 0 1px 2px
rgba(0,132,180,0.25) !important;
  .u-textUserColorLightest {
```

```
color: #E5F2F7 !important;
.u-borderUserColorLightest {
 border-color: #E5F2F7 !important;
.u-bgUserColorLightest {
 background-color: #E5F2F7 !important;
.u-textUserColorLighter {
 color: #BFE0EC !important;
.u-borderUserColorLighter {
 border-color: #BFE0EC !important;
.u-bgUserColorLighter {
 background-color: #BFE0EC !important;
}
.u-bgUserColorDarkHover:hover {
 background-color: #006990 !important;
.u-borderUserColorDark {
  border-color: #006990 !important;
.u-bgUserColorDarkerActive:active {
 background-color: #004F6C !important;
}
```

```
.btn-link:focus,
.icon-btn.
.pretty-link b,
.pretty-link:hover s,
.pretty-link:hover b,
.pretty-link:focus s,
.pretty-link:focus b,
/* Account Group */
.metadata a:hover,
.metadata a:focus,
.account-group:hover .fullname,
.account-group:focus .fullname,
.account-summary:focus .fullname,
.message .message-text a,
.stats a strong,
.plain-btn:hover,
.plain-btn:focus,
.dropdown.open .user-dropdown.plain-btn,
.open > .plain-btn,
#global-actions .new:before,
.module .list-link:hover,
.module .list-link:focus,
.UserCompletion-step:hover,
.stats a:hover,
.stats a:hover strong,
.stats a:focus,
.stats a:focus strong,
.profile-modal-header .fullname a:hover,
.profile-modal-header .username a:hover,
.profile-modal-header .fullname a:focus,
.profile-modal-header .username a:focus,
.find-friends-sources li:hover .source,
.stream-item a:hover .fullname,
.stream-item a:focus .fullname,
.stream-item .view-all-supplements:hover,
.stream-item .view-all-supplements:focus,
.tweet .time a:hover,
.tweet .time a:focus,
```

```
.tweet .details.with-icn b,
.tweet .details.with-icn .Icon,
.tweet .tweet-geo-text a:hover,
.stream-item:hover .original-tweet .details b,
.stream-item .original-tweet.focus .details b,
.stream-item.open .original-tweet .details b,
.client-and-actions a:hover,
.client-and-actions a:focus,
.dismiss-btn:hover b,
.tweet .context .pretty-link:hover s,
.tweet .context .pretty-link:hover b,
.tweet .context .pretty-link:focus s,
.tweet .context .pretty-link:focus b,
.list .username a:hover,
.list .username a:focus,
.list-membership-container .create-a-list,
.list-membership-container .create-a-list:hover,
.card .list-details a:hover,
.card .list-details a:focus,
.card .card-body:hover .attribution,
.card .card-body .attribution:focus,
.new-tweets-bar,
.onebox .soccer ul.ticker a:hover,
.onebox .soccer ul.ticker a:focus,
.remove-background-btn,
.stream-item-activity-notification .latest-tweet .tweet-row
a:hover,
.stream-item-activity-notification .latest-tweet .tweet-row
a:focus,
.stream-item-activity-notification .latest-tweet .tweet-row
a:hover b,
.stream-item-activity-notification .latest-tweet .tweet-row
a:focus b {
   color: #0084B4;
}
  /* hover state for found media items */
```

```
.FoundMediaSearch--keyboard .FoundMediaSearch-focusable.is-
focused {
   border-color: #0084B4;
  /* hover state for photo select button*/
  .photo-selector:hover .btn,
  .icon-btn:hover,
  .icon-btn:active,
  .icon-btn.active,
  .icon-btn.enabled {
   border-color: #0084B4;
   border-color: rgba(0,132,180,.5);
    color: #0084B4;
  }
  /* hover state for photo select button*/
  .photo-selector:hover .btn,
  .icon-btn:hover {
   background-image: linear-gradient(rgba(255,255,255,0),
rgba(0,132,180,.1));
    filter:
progid:DXImageTransform.Microsoft.gradient(startColorstr='#00FFFF
FF', endColorstr='#190084B4'); /* IE8-9 */
  .icon-btn.disabled,
  .icon-btn.disabled:hover,
  .icon-btn[disabled],
  .icon-btn[aria-disabled=true] {
    color: #0084B4;
  }
  /* tweet-btn can have primary-btn class as well so the
following rules ensure that the correct background color is
applied */
  .tweet-btn,
  .tweet-btn:focus {
    background-color: #0084B4;
    background: rgba(0,132,180,.8);
  .tweet-btn:hover,
  .tweet-btn:active,
  .tweet-btn.active {
    background-color: #0084B4;
  }
  .tweet-btn.btn.disabled,
  .tweet-btn.btn.disabled:hover,
  .tweet-btn.btn[disabled],
  .tweet-btn.btn[aria-disabled=true] {
    background: #0084B4;
  }
```

```
.btn:focus,
  .btn.focus,
  .Button:focus {
    box-shadow:
      0 0 0 1px #fff,
      0 0 0 3px rgba(0, 132, 180, 0.5);
  }
  .selected-stream-item:focus {
   box-shadow: 0 0 0 3px rgba(0, 132, 180, 0.5);
  /* highlighting when navigate through timeline stream table
view with j & k. */
  .js-navigable-stream.stream-table-view .selected-stream-
item[tabindex="-1"]:focus {
    outline: 3px solid rgba(0, 132, 180, 0.5) !important;
  /* box-shadow does not work with table tr element */
  .js-navigable-stream.stream-table-view .selected-stream-
item:focus {
   box-shadow: none;
  }
  /**
   * 1. Bring actionable tweet to top when active to ensure
border
        highlighting wraps entire tweet. Value must be at least
at if not
        higher than the z-index value of ProfileHeading to ensure
first
        tweet in timeline receives border on all four sides.
        NOTE: z-index should be 2 to avoid conflicts with
.ProfileCanopy and .ProfileCard-avatarLink
   */
  .js-stream-item.is-selected:focus .ProfileCard,
  .QuoteTweet:hover,
  .QuoteTweet:focus,
  .QuoteTweet:active,
  .activity-user-profile-content:hover,
  .activity-user-profile-content:focus,
  .activity-user-profile-content:active {
    border-color: rgba(0, 132, 180, 0.5);
    z-index: 2; /* 1 */
  }
  .global-dm-nav.new.with-count .dm-new {
   background: #fff;
  .global-dm-nav.new.with-count .dm-new .count-inner {
```

```
background: #0084B4;
  }
  .global-nav .people .count .count-inner {
   background: #0084B4;
  .dropdown-menu li > a:hover,
  .dropdown-menu li > a:focus,
  .dropdown-menu .dropdown-link:hover,
  .dropdown-menu .dropdown-link:focus,
  .dropdown-menu .dropdown-link.is-focused,
  .dropdown-menu li:hover .dropdown-link,
  .dropdown-menu li:focus .dropdown-link,
  .dropdown-menu .typeahead-recent-search-item.selected,
  .dropdown-menu .typeahead-saved-search-item.selected,
  .dropdown-menu .selected a,
  .dropdown-menu .dropdown-link.selected {
    background-color: #0084B4 !important;
/* give tweet boxes 10% of the users link color as background */
.home-tweet-box,

    RetweetDialog-commentBox,

.WebToast-box--altColor,
.content-main .conversations-enabled .expansion-container
.inline-reply-tweetbox {
  background-color: #E5F2F7;
.conversations-enabled .inline-reply-caret .caret-inner {
 border-bottom-color: #E5F2F7;
.top-timeline-tweetbox .timeline-tweet-box .tweet-form.condensed
.tweet-box {
 color: #0084B4;
/* give tweet box containers an outline using the users link
color */
.RichEditor {
  border-color: #BFE0EC;
/* give tweet boxes an outline using the users link color */
.tweet-compose-errors {
  border-color: rgba(0,132,180,0.25);
input:focus,
textarea: focus,
div[contenteditable="true"]:focus,
div[contenteditable="true"].fake-focus {
  border-color: #66B5D2;
  box-shadow: inset 0 0 0 1px rgba(0, 132, 180, 0.7);
}
```

```
.tweet-box textarea:focus,
.tweet-box input[type=text],
.currently-dragging .tweet-form.is-droppable .tweet-drag-help,
.tweet-box[contenteditable="true"]:focus,
.RichEditor.is-fakeFocus {
 border-color: #99CDE1;
 box-shadow: none;
.pretty-link:hover s,
.pretty-link:focus s,
.stream-item-activity-notification .latest-tweet .tweet-row
a:hover s,
.stream-item-activity-notification .latest-tweet .tweet-row
a:focus s {
    color: #66B5D2;
}
.vellip,
.vellip:before,
.vellip:after,
.conversation-module > li:after,
.conversation-module > li:before,
.ThreadedConversation-tweet ~ .ThreadedConversation-tweet:before,
.ThreadedConversation-tweet:after,
.ThreadedConversation-viewOther:before,
.ThreadedConversation-unavailableTweet:before,
.ThreadedConversation-unavailableTweet:after {
    background-color: #66B5D2;
}
.tweet .sm-reply,
.tweet .sm-rt,
.tweet .sm-fav,
.tweet .sm-image,
.tweet .sm-video,
.tweet .sm-audio,
.tweet .sm-geo,
.tweet .sm-in,
.tweet .sm-trash,
.tweet .sm-more,
.tweet .sm-page,
.tweet .sm-embed,
.tweet .sm-summary,
```

```
.tweet .sm-chat,
.timelines-navigation .active .profile-nav-icon,
.timelines-navigation .profile-nav-icon:hover,
.timelines-navigation .profile-nav-link:focus .profile-nav-icon,
.sm-top-tweet,
.metadata a.tweet-geo-text:hover .sm-geo {
    background-color: #0084B4;
}
.enhanced-mini-profile .mini-profile .profile-summary {
  background-image:
url(https://abs.twimg.com/a/1457130698/img/t1/grey header web.jpg
);
.wrapper-profile .profile-card.profile-header .profile-header-
inner {
 background-image:
url(https://abs.twimg.com/a/1457130698/img/t1/grey header web.jpg
);
  #global-tweet-dialog .modal-header {
   border-bottom: solid 1px rgba(0, 132, 180, .25);
  }
  #global-tweet-dialog .modal-tweet-form-container {
   background-color: #0084B4;
   background: rgba(0, 132, 180, .1);
  }
  .inline-reply-tweetbox {
   background-color: #E5F2F7;
  }
</style>
    <div class="ProfileCanopy ProfileCanopy--withNav">
  <div class="ProfileCanopy-inner">
    <div class="ProfileCanopy-header u-bgUserColor">
    <div class="ProfileCanopy-headerBq">
      <img alt=""
        class="u-hidden"
    </div>
  <div class="AppContainer">
```

```
<div class="ProfileCanopy-avatar">
      <div class="ProfileAvatar">
    <a class="ProfileAvatar-container u-block js-tooltip profile-</pre>
picture"
href="https://pbs.twimg.com/profile images/704204427020914688/S2F
OGeOW.jpg"
        title="kishor d ingale"
        data-resolved-url-
large="https://pbs.twimg.com/profile images/704204427020914688/S2
FOGe0W.jpg"
        data-
url="https://pbs.twimq.com/profile images/704204427020914688/S2FO
Ge0W.jpg"
        target=" blank">
      <img class="ProfileAvatar-image "</pre>
src="https://pbs.twimg.com/profile images/704204427020914688/S2FO
GeOW 400x400.jpg" alt="kishor d ingale">
</div>
    </div>
    <div class="ProfileCanopy-headerPromptAnchor"></div>
  </div>
</div>
    <div class="ProfileCanopy-navBar">
      <div class="AppContainer">
        <div class="Grid Grid--withGutter">
          <div class="Grid-cell u-sizelof3 u-lg-sizelof4">
            <div class="ProfileCanopy-card" role="presentation">
              <div class="ProfileCardMini">
  <a class="ProfileCardMini-avatar profile-picture js-tooltip"</pre>
href="https://pbs.twimq.com/profile images/704204427020914688/S2F
OGeOW.jpg"
     title="kishor d ingale"
     data-resolved-url-
large="https://pbs.twimg.com/profile images/704204427020914688/S2
FOGeOW.jpg"
     data-
url="https://pbs.twimg.com/profile images/704204427020914688/S2FO
Ge0W.jpg"
     target=" blank">
    <img class="ProfileCardMini-avatarImage" alt="kishor d</pre>
ingale"
src="https://pbs.twimg.com/profile images/704204427020914688/S2FO
GeOW normal.jpg" >
  </a>
```

```
<div class="ProfileCardMini-details">
   <div class="ProfileNameTruncated">
 <div class="u-textTruncate u-inlineBlock">
   <a class="ProfileNameTruncated-link u-textInheritColor js-nav">
js-action-profile-name" href="/graffitikishor" data-aria-label-
part>
     kishor d ingale
   </a>
 </div>
</div>
   <div class="ProfileCardMini-screenname">
     <a href="/graffitikishor" class="ProfileCardMini-</pre>
screennameLink u-linkComplex js-nav u-dir" dir="ltr">@<span
class="u-linkComplex-target">graffitikishor</span></a>
 </div>
</div>
           </div>
         </div>
         <div class="Grid-cell u-size2of3 u-lq-size3of4">
           <div class="ProfileCanopy-nav">
  <div class="ProfileNav" role="navigation" data-user-</pre>
id="3301471091">
   <a class="ProfileNav-stat ProfileNav-stat--link u-</pre>
borderUserColor u-textCenter js-tooltip js-openSignupDialog js-
nonNavigable u-textUserColor" title="50 Following" data-
nav="following"
           href="/graffitikishor/following"
         <span class="ProfileNav-label">Following</span>
         <span class="ProfileNav-value" data-is-</pre>
compact="false">50</span>
     followers">
       <a class="ProfileNav-stat ProfileNav-stat--link u-</pre>
borderUserColor u-textCenter js-tooltip js-openSignupDialog js-nonNavigable u-textUserColor" title="15 Followers" data-
nav="followers"
           href="/graffitikishor/followers"
>
         <span class="ProfileNav-label">Followers</span>
         <span class="ProfileNav-value" data-is-</pre>
compact="false">15</span>
       </a>
     data-more-item=".ProfileNav-dropdownItem--favorites">
       <a class="ProfileNav-stat ProfileNav-stat--link u-</pre>
borderUserColor u-textCenter js-tooltip js-openSignupDialog js-
```

```
nonNavigable u-textUserColor" title="1 Like" data-nav="favorites"
           href="/graffitikishor/likes"
>
         <span class="ProfileNav-label">Likes</span>
         <span class="ProfileNav-value" data-is-</pre>
compact="false">1</span>
       </a>
     <a class="ProfileNav-stat ProfileNav-</pre>
dropdown is-hidden">
stat--link ProfileNav-stat--moreLink js-openSignupDialog js-
nonNavigable" href="#more">
         <span class="ProfileNav-label">&nbsp;</span>
         <span class="ProfileNav-value">More <span</pre>
class="ProfileNav-dropdownCaret Icon Icon--
caretDown"></span></span>
       </a>
       <div class="dropdown-menu">
         <div class="dropdown-caret">
            <span class="caret-outer"></span>
            <span class="caret-inner"></span>
         </div>
         <</li>
             <a href="/graffitikishor/likes" class="ProfileNav-</pre>
dropdownItem ProfileNav-dropdownItem--favorites is-hidden u-
bgUserColorHover u-bgUserColorFocus u-linkClean js-
nav">Likes</a>
        </div>
      userActions u-floatRight u-textRight with-rightCaret ">
        <div class="UserActions u-textLeft" >
    <div class="user-actions btn-group not-following " data-user-</pre>
id="3301471091"
       data-screen-name="graffitikishor" data-name="kishor d
ingale" data-protected="false">
     <span class="UserActions-moreActions u-inlineBlock">
         <button type="button" class="js-tooltip unmute-button</pre>
btn small plain-btn" title="Unmute @graffitikishor" data-
placement="top">
            <span class="Icon Icon--muted Icon--medium"><span</pre>
class="visuallyhidden">Unmute @graffitikishor</span></span>
         </button><button type="button" class="first-load js-</pre>
tooltip mute-button btn small plain-btn" title="Mute
@graffitikishor" data-placement="top">
           <span class="Icon Icon--unmuted Icon--medium"><span</pre>
class="visuallyhidden">Mute @graffitikishor</span></span>
         </button>
     </span><button class="user-actions-follow-button js-follow-</pre>
btn follow-button btn" type="button">
  <span class="button-text follow-text">
     <span class="Icon Icon--follow"></span> Follow
  </span>
  <span class="button-text following-text">
```

```
Following
  </span>
  <span class="button-text unfollow-text">
     Unfollow
  </span>
  <span class="button-text blocked-text">Blocked</span>
  <span class="button-text unblock-text">Unblock</span>
  <span class="button-text pending-text">Pending</span>
  <span class="button-text cancel-text">Cancel</span>
</button>
    </div>
</div>
      </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
    <div class="AppContainer">
      <div class="AppContent-main content-main u-cf" role="main"</pre>
aria-labelledby="content-main-heading">
        <div class="Grid Grid--withGutter">
          <div class="Grid-cell u-size1of3 u-lq-size1of4">
            <div class="Grid Grid--withGutter">
              <div class="Grid-cell">
                <div class="ProfileSidebar ProfileSidebar--</pre>
withLeftAlignment">
  <div class="ProfileHeaderCard">
  <h1 class="ProfileHeaderCard-name">
    <a href="/graffitikishor"
       class="ProfileHeaderCard-nameLink u-textInheritColor js-
">kishor d ingale</a>
  </h1>
  <h2 class="ProfileHeaderCard-screenname u-inlineBlock u-dir"</pre>
dir="ltr">
    <a class="ProfileHeaderCard-screennameLink u-linkComplex js-</pre>
nav" href="/graffitikishor">@<span class="u-linkComplex-
target">graffitikishor</span></a>
  </h2>
```

```
dir="ltr">
       <div class="ProfileHeaderCard-location u-hidden">
          <span class="Icon Icon--geo Icon--medium"></span>
          <span class="ProfileHeaderCard-locationText u-dir"</pre>
dir="ltr">
         </span>
       </div>
      <div class="ProfileHeaderCard-url u-hidden">
        <span class="Icon Icon--url Icon--medium"></span>
        <span class="ProfileHeaderCard-urlText u-dir" dir="ltr">
</span>
     </div>
    <div class="ProfileHeaderCard-birthdate u-hidden">
      <span class="Icon Icon--balloon Icon--medium"></span>
      <span class="ProfileHeaderCard-birthdateText u-dir"</pre>
dir="ltr">
</span>
    </div>
</div>
      <div class="PhotoRail">
  <div class="PhotoRail-heading">
    <span class="Icon Icon--camera Icon--medium u-</pre>
aliqnBottom"></span>
    <span class="PhotoRail-headingText">
            <a href="/graffitikishor/media" class="PhotoRail-
headingWithCount js-nav">
               0 Photos and videos
         <a href="/graffitikishor/media" class="PhotoRail-
headingWithoutCount js-nav">
           Photos and videos
         </a>
    </span>
 </div>
  <div class="PhotoRail-mediaBox">
```

```
<span class="js-photoRailInsertPoint"></span>
 </div>
</div>
</div>
             </div>
           </div>
         </div>
         <div class="Grid-cell u-size2of3 u-lq-size3of4">
            <div class="Grid Grid--withGutter">
               <div class="Grid-cell">
                 <div class="js-profileClusterFollow"></div>
               </div>
             <div class="Grid-cell
                   u-lq-size2of3
             " data-test-selector="ProfileTimeline">
                   <div class="ProfileHeading">
  <div class="ProfileHeading-spacer"></div>
</div>
                 <div class="BlockedWarningTimeline">
  <h2 class="BlockedWarningTimeline-heading" id="content-main-</pre>
heading">@graffitikishor is blocked</h2>
  Are you sure you
want to view these Tweets? Viewing Tweets won't unblock
@graffitikishor.
  <button class="btn BlockedWarningTimeline-button">View
Tweets</button>
</div>
     <div class="Grid Grid--withGutter js-empty-timeline">
     <div class="Grid-cell">
       <div class="ProfileEmptyTimeline">
</div>
     </div>
    </div>
<div id="scroll-bump-dialog" class="ScrollBumpDialog modal-</pre>
container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content clearfix">
```

```
<button type="button" class="modal-btn modal-close js-</pre>
close">
 <span class="Icon Icon--close Icon--medium">
   <span class="visuallyhidden">Close</span>
 </span>
</button>
     <div class="modal-header">
       <h3 class="modal-title">
          kishor d ingale followed
       </h3>
     </div>
     <div class="modal-body">
       <div class="loading">
        <span class="spinner-bigger"></span>
       list">
     </div>
   </div>
 </div>
</div>
   <div id="timeline">
       <div class="stream-container js-request-more-stream-</pre>
   data-max-position="" data-min-position=""
     <div class="stream-item js-new-items-bar-container">
</div>
   <div class="stream">
       items-id">
   bump js-has-navigable-stream stream-item no-header-background-
module separated-module
 js-no-dedup has-scroll-bump js-has-navigable-stream stream-item
no-header-background-module separated-module ScrollBump
ScrollBump--recentlyFollowed" data-item-id="1432805240516"
id="stream-item-follow entry-1432805240516" data-item-
type="follow entry" data-component-context="user scroll bump">
 <div class="ScrollBump-header">
   <div class="ScrollBump-title">
     <span class="Icon Icon--follower Icon--small"></span>
     <span>
```

```
kishor d ingale followed
         <a class="js-user-profile-link" href="/piyushpMT" data-
user-id="1344501140">piyush Patil</a>,
    <a class="js-user-profile-link" href="/MandarMoroneyMT" data-</pre>
user-id="1324121797">MTMandarMoroney</a>,
    <a class="js-user-profile-link" href="/AnirudhasinghD" data-</pre>
user-id="3230302232">MT Aniruddhasingh Di</a> and
    <a href="/graffitikishor/following" class="js-more-users-</pre>
link" data-more-user-
ids="3230302232,701292751661322240,849418579,155300386,7020537250
62365184,18681139,2315477588,2496883314,172664717,320040089,13807
7726,84625371,116677732,471741741,132385468,66075817,140334852,59
3615941,380915697,194450618,275482496,87118217,18839785,101695592
,133880286,101311381,145125358,75854417,19895282,222907094,235929
70,37168231,112425690,140935041,118201804,145105304,258370261,888
56792,113419517,70179948,379198067,411351121,2299171406,78941611,
120965579,71332531,114982864"><b>46 others</b></a>
     </span>
    </div>
  </div>
  selector="ProfileTimelineUser" data-item-id="1344501140"
id="stream-item-user-1344501140" data-item-type="user">
           <div class="ProfileCard js-actionable-user"</pre>
    data-screen-name="piyushpMT"
    data-user-id="1344501140"
    data-feedback-token=""
    data-impression-id=""
 <a class="ProfileCard-bg js-nav" href="/piyushpMT" tabindex="-</pre>
1" aria-hidden="true" style="
   background-color: #0084B4;
   background-image:
url(https://pbs.twimg.com/profile banners/1344501140/1448293417/6
00x200);">
 </a>
  <div class="ProfileCard-content">
    <a class="ProfileCard-avatarLink js-nav js-tooltip"</pre>
href="/piyushpMT" title="piyush Patil" tabindex="-1" aria-
hidden="true" >
     <img class="ProfileCard-avatarImage js-action-profile-</pre>
avatar"
src="https://pbs.twimg.com/profile images/668816268917510145/7jvb
1NBb bigger.jpg" alt="">
    </a>
     <div class="ProfileCard-actions">
       <div class="ProfileCard-userActions with-rightCaret js-</pre>
userActions">
         <div class="UserActions UserActions--small u-</pre>
```

```
textLeft" >
    <div class="user-actions btn-group not-following " data-user-</pre>
id="1344501140"
        data-screen-name="piyushpMT" data-name="piyush Patil"
data-protected="false">
      <span class="UserActions-moreActions u-inlineBlock">
          <button type="button" class="js-tooltip unmute-button</pre>
btn small plain-btn" title="Unmute @piyushpMT" data-
placement="top">
            <span class="Icon Icon--muted Icon--medium"><span</pre>
class="visuallyhidden">Unmute @piyushpMT</span></span>
          </button><button type="button" class="first-load js-
tooltip mute-button btn small plain-btn" title="Mute @piyushpMT"
data-placement="top">
            <span class="Icon Icon--unmuted Icon--medium"><span</pre>
class="visuallyhidden">Mute @piyushpMT</span></span>
          </button>
      </span><button class="user-actions-follow-button js-follow-</pre>
btn follow-button btn small small-follow-btn" type="button">
  <span class="button-text follow-text">
     <span class="Icon Icon--follow"></span> Follow
  <span class="button-text following-text">
     Following
  </span>
  <span class="button-text unfollow-text">
     Unfollow
  </span>
  <span class="button-text blocked-text">Blocked</span>
  <span class="button-text unblock-text">Unblock</span>
  <span class="button-text pending-text">Pending</span>
  <span class="button-text cancel-text">Cancel</span>
</button>
    </div>
</div>
        </div>
      </div>
    <div class="ProfileCard-userFields">
      <div class="ProfileNameTruncated">
  <div class="u-textTruncate u-inlineBlock">
    <a class="ProfileNameTruncated-link u-textInheritColor js-nav">
js-action-profile-name" href="/piyushpMT" data-aria-label-part>
      piyush Patil
    </a>
  </div>
</div>
```

```
<span class="ProfileCard-screenname u-dir" dir="ltr">
       <a href="/piyushpMT" class="ProfileCard-screennameLink u-
linkComplex js-nav" data-aria-label-part >
         @<span class="u-linkComplex-target">piyushpMT</span>
       </a>
     </span>
     dir="ltr" data-aria-label-part>Sr
Correspondent, Maharashtra Times (BCCL), covering sports, beat,
love traveling and films, music, foody, cricket, swimming, yoga, 
   </div>
  </div>
</div>
     selector="ProfileTimelineUser" data-item-id="1324121797"
id="stream-item-user-1324121797" data-item-type="user">
           <div class="ProfileCard js-actionable-user"</pre>
    data-screen-name="MandarMoroneyMT"
    data-user-id="1324121797"
    data-feedback-token=""
    data-impression-id=""
  <a class="ProfileCard-bg js-nav" href="/MandarMoroneyMT"</pre>
tabindex="-1" aria-hidden="true" style="
   background-color: #3B94D9;
   ">
 </a>
 <div class="ProfileCard-content">
   <a class="ProfileCard-avatarLink js-nav js-tooltip"</pre>
href="/MandarMoroneyMT" title="MTMandarMoroney" tabindex="-1"
aria-hidden="true" >
     <img class="ProfileCard-avatarImage js-action-profile-</pre>
src="https://pbs.twimg.com/profile images/3470291709/b6055d151129
ca3df19d7a502534202c bigger.jpeg" alt="">
   </a>
     <div class="ProfileCard-actions">
       <div class="ProfileCard-userActions with-rightCaret js-</pre>
userActions">
         <div class="UserActions UserActions--small u-</pre>
textLeft" >
   <div class="user-actions btn-group not-following " data-user-</pre>
id="1324121797"
       data-screen-name="MandarMoroneyMT" data-
name="MTMandarMoroney" data-protected="false">
     <span class="UserActions-moreActions u-inlineBlock">
```

```
<button type="button" class="js-tooltip unmute-button</pre>
btn small plain-btn" title="Unmute @MandarMoroneyMT" data-
placement="top">
            <span class="Icon Icon--muted Icon--medium"><span</pre>
class="visuallyhidden">Unmute @MandarMoroneyMT</span></span>
          </button><button type="button" class="first-load js-
tooltip mute-button btn small plain-btn" title="Mute
@MandarMoroneyMT" data-placement="top">
            <span class="Icon Icon--unmuted Icon--medium"><span</pre>
class="visuallyhidden">Mute @MandarMoroneyMT</span></span>
          </button>
      </span><button class="user-actions-follow-button js-follow-</pre>
btn follow-button btn small small-follow-btn" type="button">
  <span class="button-text follow-text">
     <span class="Icon Icon--follow"></span> Follow
  </span>
  <span class="button-text following-text">
     Following
  </span>
  <span class="button-text unfollow-text">
     Unfollow
  </span>
  <span class="button-text blocked-text">Blocked</span>
  <span class="button-text unblock-text">Unblock</span>
  <span class="button-text pending-text">Pending</span>
  <span class="button-text cancel-text">Cancel</span>
</button>
    </div>
</div>
        </div>
      </div>
    <div class="ProfileCard-userFields">
      <div class="ProfileNameTruncated">
  <div class="u-textTruncate u-inlineBlock">
    <a class="ProfileNameTruncated-link u-textInheritColor js-nav">
js-action-profile-name" href="/MandarMoroneyMT" data-aria-label-
part>
      MTMandarMoroney
    </a>
  </div>
</div>
      <span class="ProfileCard-screenname u-dir" dir="ltr">
        <a href="/MandarMoroneyMT" class="ProfileCard-
screennameLink u-linkComplex js-nav" data-aria-label-part >
          @<span class="u-linkComplex-</pre>
target">MandarMoroneyMT</span>
```

```
</a>
     </span>
     dir="ltr" data-aria-label-part>Correspondent Maharashtra
Times (BCCL), looks after forest, education, traveling and reading
are indivisible parts of my life, cricket and fitness
enthusiast
   </div>
 </div>
</div>
     <div class="stream-footer ">
 <div class='timeline-end has-items '>
   <div class="stream-end">
 <div class="stream-end-inner">
     <span class="Icon Icon--large Icon--logo"></span>
   @graffitikishor hasn't tweeted yet.
   <button type='button' class='btn-link back-to-top
hidden'>Back to top ↑</button>
 </div>
</div>
   <div class="stream-loading">
 <div class="stream-end-inner">
   <span class="spinner" title="Loading..."></span>
 </div>
```

```
</div>
  </div>
</div>
<div class="stream-fail-container">
    <div class="js-stream-whale-end stream-whale-end stream-</pre>
placeholder centered-placeholder">
  <div class="stream-end-inner">
    <h2 class="title">Loading seems to be taking a while.</h2>
     Twitter may be over capacity or experiencing a momentary
hiccup. <a role="button" href="#" class="try-again-after-
whale ">Try again</a> or visit <a target=" blank"
href="http://status.twitter.com">Twitter Status</a> for more
information.
    </div>
</div>
</div>
     </div>
 </div>
    </div>
             </div>
                 <div class="Grid-cell u-size1of3">
                   <div class="Grid Grid--withGutter">
                     <div class="Grid-cell">
                       <div class="ProfileSidebar
ProfileSidebar--withRightAlignment">
                         <div class="MoveableModule">
<div class="SidebarCommonModules">
     <div class="SignupCallOut js-signup-call-out</pre>
  SignupCallOut--fastSignup">
  <div class="SignupCallOut-header">
    <h3 class="SignupCallOut-title u-textBreak">
 New to Twitter?
   </h3>
  </div>
    <div class="SignupCallOut-subheader">
      Sign up now to get your own personalized timeline!
    </div>
```

```
<div class="signup SignupForm</pre>
    ">
   <a href="https://twitter.com/signup" role="button"</pre>
class="SignupForm-submit u-block u-textCenter js-signup btn
primary-btn"
   data-component="signup callout"
   data-element="form"
   >Sign up</a>
 </div>
</div>
     <div class="RelatedUsers u-hidden">
  <div class="RelatedUsers-header">
    <h3 class="RelatedUsers-title">You may also like</h3>
    ·
    <button class="btn-link js-refresh-related-users"</pre>
type="button">Refresh</button>
  </div>
 <div class="RelatedUsers-users">
 </div>
</div>
    <div class="Trends module trends hidden</pre>
            ">
 <div class="trends-inner">
    <div class="flex-module trends-container">
 <div class="flex-module-header">
    <h3><span class="trend-location js-trend-
location"></span></h3>
 </div>
  <div class="flex-module-inner">
    </div>
</div>
 </div>
</div>
 <div class="Footer module roaming-module</pre>
           Footer--slim
           Footer--blankBackground">
  <div class="flex-module">
   <div class="flex-module-inner js-items-container">
```

```
©
2016 Twitter
      <a class="Footer-link"</pre>
href="/about">About</a>
      <a class="Footer-link"</pre>
href="//support.twitter.com">Help</a>
      <a class="Footer-link"</pre>
href="/tos">Terms</a>
      <a class="Footer-link"</pre>
href="/privacy">Privacy</a>
      <a class="Footer-link"</pre>
href="//support.twitter.com/articles/20170514">Cookies</a>
      <a class="Footer-link"</pre>
href="//support.twitter.com/articles/20170451">Ads info</a>
     </div>
 </div>
</div>
</div>
                      </div>
                    </div>
                  </div>
                 </div>
               </div>
          </div>
        </div>
      </div>
     </div>
   </div>
 <div id="trends_dialog" class="trends-dialog modal-container">
 <div class="close-modal-background-target"></div>
 <div class="modal draggable">
   <div class="modal-content">
     <button type="button" class="modal-btn modal-close js-</pre>
 <span class="Icon Icon--close Icon--medium">
   <span class="visuallyhidden">Close</span>
 </span>
</button>
     <div class="modal-header">
        <h3 class="modal-title">
          Choose a trend location
        </h3>
     </div>
     <div class="modal-body">
```

```
<div class="trends-dialog-error">
          </div>
        <div class="trends-wrapper" id="trends dialog content">
          <div class="loading">
            <span class="spinner-bigger"></span>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
          </div>
        </div>
    <div class="alert-messages hidden" id="message-drawer">
    <div class="message ">
  <div class="message-inside">
    <span class="message-text"></span>
      <a role="button" class="Icon Icon--close Icon--medium</pre>
dismiss" href="#">
        <span class="visuallyhidden">Dismiss</span>
  </div>
</div>
</div>
<div class="gallery-overlay"></div>
<div class="Gallery">
  <div class="Gallery-closeTarget"></div>
  <div class="Gallery-content">
    <button type="button" class="modal-btn modal-close js-close">
  <span class="Icon Icon--close Icon--large">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
    <div class="Gallery-media"></div>
    <div class="GalleryNav GalleryNav--prev">
      <span class="GalleryNav-handle GalleryNav-handle--prev">
        <span class="Icon Icon--caretLeft Icon--large">
          <span class="u-hiddenVisually">
            Previous
          </span>
        </span>
```

```
</span>
    </div>
    <div class="GalleryNav GalleryNav--next">
      <span class="GalleryNav-handle GalleryNav-handle--next">
        <span class="Icon Icon--caretRight Icon--large">
          <span class="u-hiddenVisually">
            Next
          </span>
        </span>
      </span>
    </div>
    <div class="GalleryTweet"></div>
</div>
<div class="modal-overlay"></div>
<div id="profile-hover-container"></div>
<div id="goto-user-dialog" class="modal-container">
  <div class="modal modal-small draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Go to a person's profile</h3>
      </div>
      <div class="modal-body">
        <div class="modal-inner">
          <form class="t1-form goto-user-form">
            <input class="input-block username-input" type="text"</pre>
placeholder="Start typing a name to jump to a profile" aria-
label="User">
<div role="listbox" class="dropdown-menu typeahead">
  <div aria-hidden="true" class="dropdown-caret">
    <div class="caret-outer"></div>
    <div class="caret-inner"></div>
  <div role="presentation" class="dropdown-inner js-typeahead-</pre>
results">
```

```
<div role="presentation" class="typeahead-saved-searches">
 <h3 id="saved-searches-heading" class="typeahead-category-title</pre>
saved-searches-title">Saved searches</h3>
 list">
   role="presentation" class="typeahead-item typeahead-
saved-search-item">
     <span class="Icon Icon--close" aria-hidden="true"><span</pre>
class="visuallyhidden">Remove</span></span>
     <a role="option" aria-describedby="saved-searches-heading"</pre>
class="js-nav" href="" data-search-query="" data-query-source=""
data-ds="saved_search" tabindex="-1"></a>
   </div>
   topics">
 <a role="option" class="js-nav" href="" data-search-query=""</pre>
data-query-source="typeahead_click" data-ds="topics" tabindex="-
1"></a>
 js-typeahead-accounts">
 data-remote="true" data-score="" class="typeahead-item typeahead-
account-item js-selectable">
   <a role="option" class="js-nav" data-query-</pre>
source="typeahead_click" data-search-query="" data-ds="account">
     <imq class="avatar size32" alt="">
     <span class="typeahead-user-item-info">
      <span class="fullname"></span>
      <span class="js-verified hidden"><span class="Icon Icon--</pre>
verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
      <span class="username"><s>@</s><b></b></span>
     </span>
   </a>
 role="presentation" class="js-selectable typeahead-
accounts-shortcut js-shortcut"><a role="option" class="js-nav"
href="" data-search-query="" data-query-source="typeahead click"
data-shortcut="true" data-ds="account search"></a>
```

```
trend-locations-list">
 role="presentation" class="typeahead-item typeahead-trend-
locations-item"><a role="option" class="js-nav" href="" data-
ds="trend location" data-search-query="" tabindex="-1"></a>
<div role="presentation" class="typeahead-user-select">
 <div role="presentation" class="typeahead-empty-suggestions">
   Suggested users
 </div>
 selected js-typeahead-selected">
   role="presentation" data-user-id="" data-user-
screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-selected-item js-selectable">
     <a role="option" class="js-nav" data-query-</pre>
source="typeahead click" data-search-query="" data-ds="account">
       <img class="avatar size32" alt="">
       <span class="typeahead-user-item-info">
         <span class="select-status deselect-user js-deselect-</pre>
user Icon Icon--check"></span>
        <span class="select-status select-disabled Icon Icon--</pre>
unfollow"></span>
        <span class="fullname"></span>
         <span class="js-verified hidden"><span class="Icon"</pre>
Icon--verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
         <span class="username"><s>@</s><b></b></span>
       </span>
     </a>
   accounts js-typeahead-accounts">
   role="presentation" data-user-id="" data-user-
screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-account-item js-selectable">
     <a role="option" class="js-nav" data-query-</pre>
source="typeahead_click" data-search-query="" data-ds="account">
       <img class="avatar size32" alt="">
       <span class="typeahead-user-item-info">
        <span class="select-status deselect-user js-deselect-</pre>
user Icon Icon--check"></span>
         <span class="select-status select-disabled Icon Icon--</pre>
```

```
unfollow"></span>
         <span class="fullname"></span>
         <span class="js-verified hidden"><span class="Icon"</pre>
Icon--verified Icon--small">
  <span class="u-hiddenVisually">Verified account</span>
</span></span>
         <span class="username"><s>@</s><b></b></span>
       </span>
     </a>
   </div>
   <div role="presentation" class="typeahead-dm-conversations">
 conversation-items">
   role="presentation" class="typeahead-item typeahead-dm-
conversation-item">
     <a role="option" tabindex="-1"></a>
   </1i>
 </div>
 </div>
</div>
         </form>
       </div>
     </div>
   </div>
 </div>
</div>
 <div id="retweet-tweet-dialog" class="RetweetDialog modal-</pre>
container">
 <div class="close-modal-background-target"></div>
 <div class="RetweetDialog-modal modal draggable">
   <div class="modal-content">
     <button type="button" class="modal-btn modal-close js-</pre>
close">
 <span class="Icon Icon--close Icon--medium">
   <span class="visuallyhidden">Close</span>
 </span>
</button>
     <div class="modal-header">
       <h3 class="modal-title">Retweet this to your
followers?</h3>
     </div>
     <form class="t1-form tweet-form condensed RetweetDialog-</pre>
```

```
tweetForm isWithoutComment" data-condensed-text="Add a
comment...">
       <div class="RetweetDialog-commentBox">
         <span class="visuallyhidden" id="-label">Optional
comment for Retweet</span>
         <div class="tweet-content">
           <div class="RichEditor">
 <div class="RichEditor-mozillaCursorWorkaround">&nbsp;</div>
 <div class="RichEditor-scrollContainer">
          <div aria-labelledby="-label" id="" class="tweet-box</pre>
rich-editor"
            contenteditable="true" spellcheck="true"
role="textbox" aria-multiline="true"></div>
   <div class="RichEditor-pictographs" aria-hidden="true"></div>
 </div>
 <div class="RichEditor-mozillaCursorWorkaround">&nbsp;</div>
</div>
         </div>
<div role="listbox" class="dropdown-menu typeahead">
 <div aria-hidden="true" class="dropdown-caret">
   <div class="caret-outer"></div>
   <div class="caret-inner"></div>
 </div>
 <div role="presentation" class="dropdown-inner js-typeahead-</pre>
results">
   <div role="presentation" class="typeahead-saved-searches">
 <h3 id="saved-searches-heading" class="typeahead-category-title</pre>
saved-searches-title">Saved searches</h3>
 list">
   role="presentation" class="typeahead-item typeahead-
saved-search-item">
     <span class="Icon Icon--close" aria-hidden="true"><span</pre>
class="visuallyhidden">Remove</span></span>
data-ds="saved search" tabindex="-1"></a>
 </111>
</div>
   topics">
```

```
item">
   <a role="option" class="js-nav" href="" data-search-query=""</pre>
data-query-source="typeahead click" data-ds="topics" tabindex="-
1"></a>
 js-typeahead-accounts">
 data-remote="true" data-score="" class="typeahead-item typeahead-
account-item js-selectable">
   <a role="option" class="js-nav" data-query-</pre>
source="typeahead click" data-search-query="" data-ds="account">
    <img class="avatar size32" alt="">
     <span class="typeahead-user-item-info">
      <span class="fullname"></span>
      <span class="js-verified hidden"><span class="Icon Icon--</pre>
verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
      <span class="username"><s>@</s></b></b></span>
     </span>
   </a>
 role="presentation" class="js-selectable typeahead-
accounts-shortcut js-shortcut"><a role="option" class="js-nav"
href="" data-search-query="" data-query-source="typeahead click"
data-shortcut="true" data-ds="account_search"></a>
trend-locations-list">
 role="presentation" class="typeahead-item typeahead-trend-
locations-item"><a role="option" class="js-nav" href="" data-
ds="trend_location" data-search-query="" tabindex="-1"></a>
<div role="presentation" class="typeahead-user-select">
 <div role="presentation" class="typeahead-empty-suggestions">
   Suggested users
 </div>
 selected js-typeahead-selected">
   role="presentation" data-user-id="" data-user-
screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-selected-item js-selectable">
```

```
<a role="option" class="js-nav" data-query-</pre>
source="typeahead click" data-search-query="" data-ds="account">
      <img class="avatar size32" alt="">
       <span class="typeahead-user-item-info">
        <span class="select-status deselect-user js-deselect-</pre>
user Icon Icon--check"></span>
        <span class="select-status select-disabled Icon Icon--</pre>
unfollow"></span>
        <span class="fullname"></span>
        <span class="js-verified hidden"><span class="Icon"</pre>
Icon--verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
        <span class="username"><s>@</s><b></b></span>
       </span>
     </a>
   accounts js-typeahead-accounts">
   screenname="" data-remote="true" data-score="" class="typeahead-
item typeahead-account-item js-selectable">
     <a role="option" class="js-nav" data-query-</pre>
source="typeahead click" data-search-query="" data-ds="account">
       <img class="avatar size32" alt="">
      <span class="typeahead-user-item-info">
        <span class="select-status deselect-user js-deselect-</pre>
user Icon Icon--check"></span>
        <span class="select-status select-disabled Icon Icon--</pre>
unfollow"></span>
        <span class="fullname"></span>
        <span class="js-verified hidden"><span class="Icon"</pre>
Icon--verified Icon--small">
 <span class="u-hiddenVisually">Verified account</span>
</span></span>
        <span class="username"><s>@</s><b></b></span>
      </span>
     </a>
   </div>
   <div role="presentation" class="typeahead-dm-conversations">
 conversation-items">
   role="presentation" class="typeahead-item typeahead-dm-
conversation-item">
     <a role="option" tabindex="-1"></a>
```

```
</div>
  </div>
</div>
        </div>
        <div class="RetweetDialog-footer u-cf">
          <div class="tweet-loading">
  <div class="spinner-bigger"></div>
</div>
          <div class="RetweetDialog-tweet modal-body modal-tweet</pre>
tweet"></div>
          <div class="tweet-button">
            <span class="spinner"></span>
            <span class="RetweetDialog-counter tweet-</pre>
counter">140</span>
            <button class="btn primary-btn retweet-action"</pre>
type="button">
              <span class="RetweetDialog-retweetActionLabel">
                <span class="Icon Icon--retweet"></span>
                Retweet
              </span>
              <span class="RetweetDialog-tweetActionLabel">
                <span class="Icon Icon--tweet"></span>
                Tweet
              </span>
            </button>
          </div>
        </div>
      </form>
    </div>
  </div>
</div>
  <div id="delete-tweet-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Are you sure you want to delete
this Tweet?</h3>
      </div>
```

```
<div class="tweet-loading">
  <div class="spinner-bigger"></div>
</div>
      <div class="modal-body modal-tweet"></div>
      <div class="modal-footer">
        <button class="btn cancel-action is-</pre>
close">Cancel</button>
        <button class="btn primary-btn delete-</pre>
action">Delete</button>
      </div>
    </div>
  </div>
</div>
  <div id="quick-promote-dialog" class="QuickPromoteDialog modal-</pre>
container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--large">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Promote this Tweet</h3>
      <div class="modal-body">
        <div class="guick-promote-view-container">
          <div class="media">
            <iframe
              class="quick-promote-iframe js-initial-focus"
              scrolling="no"
              frameborder="0"
              src="">
            </iframe>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<div id="block-user-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
```

```
<span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Block</h3>
      </div>
      <div class="tweet-loading">
  <div class="spinner-bigger"></div>
</div>
      <div class="modal-body modal-tweet"></div>
      <div class="modal-footer">
        <button class="btn cancel-action js-</pre>
close">Cancel</button>
        <button class="btn primary-btn block-</pre>
action">Block</button>
     </div>
    </div>
  </div>
</div>
     <div id="geo-disabled-dropdown">
      <div tabindex="-1">
  <div class="dropdown-caret">
    <span class="caret-outer"></span>
    <span class="caret-inner"></span>
  </div>
  <111>
    <h2>Add a location to your Tweets</h2>
      >
        When you tweet with a location, Twitter stores that
location.  
        You can switch location on/off before each Tweet and
always have the option to delete your location history.
href="http://support.twitter.com/forums/26810/entries/78525"
target=" blank">Learn more</a>
      </\overline{p}>
      <div>
        <button type="button" class="geo-turn-on btn primary-</pre>
btn">Turn location on</button>
        <button type="button" class="geo-not-now btn-link">Not
now</button>
```

```
</div>
   </div>
   </div>
 <div id="geo-enabled-dropdown">
    <div tabindex="-1">
 <div class="dropdown-caret">
    <span class="caret-outer"></span>
    <span class="caret-inner"></span>
  </div>
  <div>
    <div class="geo-query-location">
      <input class="GeoSearch-queryInput" type="text"</pre>
autocomplete="off" placeholder="Search for a neighborhood or
city">
      <span class="icon generic-search"></span>
    </div>
   <div class="geo-dropdown-status"></div>
   </div>
</div>
 </div>
  <div id="profile popup" class="modal-container</pre>
ProfilePopupContainer--bellbird">
 <div class="close-modal-background-target"></div>
 <div class="modal modal-small draggable">
    <div class="modal-content clearfix">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
       <h3 class="modal-title">Profile summary</h3>
      </div>
      <div class="modal-body profile-modal">
     </div>
     <div class="loading">
        <span class="spinner-bigger"></span>
      </div>
    </div>
 </div>
</div>
```

```
<div id="list-membership-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal modal-small draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Your lists</h3>
      </div>
      <div class="modal-body">
        <div class="list-membership-content"></div>
        <span class="spinner lists-spinner"</pre>
title="Loading…"></span>
      </div>
    </div>
  </div>
</div>
  <div id="list-operations-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal modal-medium draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Create a new list</h3>
      </div>
      <div class="modal-body">
<div class="list-editor">
  <div class="field">
    <label class="t1-label" for="list-name">List name</label>
    <input id="list-name" type="text" class="text" name="name"</pre>
value="" />
  </div>
  <hr/>
  <div class="field">
    <label class="t1-label" for="list-</pre>
description">Description</label>
    <textarea id="list-description"</pre>
name="description"></textarea>
    <span class="help-text">Under 100 characters, optional</span>
  </div>
```

```
<hr/>
  <fieldset class="field">
    <legend class="t1-legend">Privacy</legend>
    <div class="options">
      <label class="t1-label" for="list-public-radio">
        <input class="radio" type="radio" name="mode" id="list-</pre>
public-radio" value="public" checked="checked" />
        <b>Public</b> &middot; Anyone can follow this list
      </label>
      <label class="t1-label" for="list-private-radio">
        <input class="radio" type="radio" name="mode" id="list-</pre>
private-radio" value="private" />
        <b>Private</b> &middot; Only you can access this list
      </label>
    </div>
  </fieldset>
  <hr/>
  <div class="list-editor-save">
    <button type="button" class="btn btn-primary update-list-</pre>
button" data-list-id="">Save list</button>
  </div>
</div>
      </div>
    </div>
  </div>
</div>
<div id="activity-popup-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content clearfix">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title"></h3>
      </div>
      <div class="modal-body">
        <div class="tweet-loading">
  <div class="spinner-bigger"></div>
</div>
        <div class="activity-tweet modal-tweet clearfix"></div>
        <div class="loading">
```

```
<span class="spinner-bigger"></span>
        </div>
        <div class="activity-content clearfix"></div>
      </div>
   </div>
 </div>
</div>
 <div id="copy-link-to-tweet-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal modal-medium draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Copy link to Tweet</h3>
      </div>
      <div class="modal-body">
        <div class="copy-link-to-tweet-container">
          The URL of
this tweet is below. Copy it to easily share with friends.
          <textarea class="link-to-tweet-destination js-initial-</pre>
focus u-dir" dir="ltr" readonly></textarea>
        </div>
      </div>
    </div>
 </div>
</div>
<div id="embed-tweet-dialog" class="modal-container">
  <div class="close-modal-background-target"></div>
 <div class="modal modal-medium draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title embed-tweet-title">Embed this
Tweet</h3>
        <h3 class="modal-title embed-video-title">Embed this
Video</h3>
```

```
</div>
     <div class="modal-body">
       <div class="embed-code-container">
  Add this Tweet to your
website by copying the code below. <a
href="//dev.twitter.com/docs/embedded-tweets">Learn more</a>
  Add this video to your
website by copying the code below. <a
href="//dev.twitter.com/docs/embedded-tweets">Learn more</a>
  <form class="t1-form">
   <div class="embed-destination-wrapper">
     <div class="embed-overlay embed-overlay-spinner"><div</pre>
class="embed-overlay-content"></div></div>
     <div class="embed-overlay embed-overlay-error">
       Hmm, there was a problem
reaching the server. <button type="button" class="btn-link retry-
embed">Try again?</button>
     <textarea class="embed-destination js-initial-</pre>
focus"></textarea>
     <div class="embed-options">
       <div class="embed-include-parent-tweet">
         <label class="t1-label" for="include-parent-tweet">
           <input type="checkbox" id="include-parent-tweet"</pre>
class="include-parent-tweet" checked>
           Include parent Tweet
         </label>
       </div>
       <div class="embed-include-card">
         <label class="t1-label" for="include-card">
           <input type="checkbox" id="include-card"</pre>
class="include-card" checked>
           Include media
         </label>
       </div>
     </div>
   </div>
 </form>
  <div class="embed-preview">
   <h3>Preview</h3>
 </div>
</div>
     </div>
   </div>
  </div>
</div>
  <div id="login-dialog" class="LoginDialog modal-container u-</pre>
textCenter">
  <div class="close-modal-background-target"></div>
```

```
<div class="modal modal-large draggable">
    <div class="LoginDialog-content modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Log in to Twitter</h3>
      <div class="LoginDialog-body modal-body">
        <div class="LoginDialog-bird">
          <span class="Icon Icon--bird Icon--large"></span>
        </div>
        <div class="LoginDialog-form">
<form action="https://twitter.com/sessions" class="LoginForm js-</pre>
front-signin method="post"
  data-component="dialog"
  data-element="login"
  <div class="LoginForm-input LoginForm-username">
    <input
      type="text"
      class="text-input email-input js-signin-email"
      name="session[username or email]"
      autocomplete="username"
      placeholder="Phone, email or username"
    />
  </div>
  <div class="LoginForm-input LoginForm-password">
    <input type="password" class="text-input"</pre>
name="session[password]" placeholder="Password"
autocomplete="current-password">
  </div>
  <div class="LoginForm-rememberForgot">
    <label>
      <input type="checkbox" value="1" name="remember me"</pre>
checked="checked">
      <span>Remember me</span>
    </label>
    <span class="separator">&middot;</span>
    <a class="forgot" href="/account/begin password reset">Forgot
password?</a>
  </div>
  <input type="submit" class="submit btn primary-btn js-submit"</pre>
value="Log in">
    <input type="hidden" name="return_to_ssl" value="true">
```

```
<input type="hidden" name="scribe_log">
  <input type="hidden" name="redirect after login"</pre>
value="/graffitikishor">
  <input type="hidden"</pre>
value="b9db11b42d2d09c1476353c5f3c6945ebed0b391"
name="authenticity token">
      <input type="hidden" value="" name="ui_metrics"</pre>
autocomplete="off">
      <input type="hidden" id="ui metrics seed"</pre>
name="ui metrics seed" value="1457584182714" autocomplete="off">
      <input type="hidden" value="1" name="js inst"</pre>
autocomplete="off">
      <script src="/i/js inst" async></script>
</form>
        </div>
      </div>
      <div class="LoginDialog-footer modal-footer u-textCenter">
        Don't have an account? <a class="LoginDialog-signupLink"
href="https://twitter.com/signup">Sign up »</a>
      </div>
    </div>
  </div>
</div>
  <div id="signup-dialog" class="SignupDialog modal-container u-</pre>
  <div class="close-modal-background-target"></div>
  <div class="modal modal-large draggable">
    <div class="SignupDialog-content modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Sign up for Twitter</h3>
      </div>
      <div class="SignupDialog-body modal-body">
        <div class="SignupDialog-icon">
          <span class="Icon Icon--bird Icon--extraLarge"></span>
        </div>
        <h2 class="SignupDialog-heading">Not on Twitter? Sign up,
tune into the things you care about, and get updates as they
happen.</h2>
        <div class="SignupDialog-form">
  <div class="signup SignupForm"</pre>
    <a href="https://twitter.com/signup" role="button"</pre>
class="SignupForm-submit u-block u-textCenter js-signup btn
primary-btn"
    data-component="dialog"
    data-element="signup"
```

```
>Sign up</a>
 </div>
      </div>
     </div>
     <div class="SignupDialog-footer modal-footer u-textCenter">
      Have an account? <a class="SignupDialog-signinLink"</pre>
href="/login">Log in &raguo;</a>
     </div>
   </div>
 </div>
</div>
 <div id="sms-codes-dialog" class="modal-container">
 <div class="close-modal-background-target"></div>
 <div class="modal modal-medium draggable">
   <div class="modal-content">
     <button type="button" class="modal-btn modal-close js-</pre>
close">
 <span class="Icon Icon--close Icon--medium">
   <span class="visuallyhidden">Close</span>
 </span>
</button>
     <div class="modal-header">
       <h3 class="modal-title">Two-way (sending and receiving)
short codes:</h3>
     </div>
     <div class="modal-body">
<thead>
   \langle t.r \rangle
     Country
     Code
     For customers of
   </thead>
 United States
     40404
     (any)
   Canada
     21212
     (any)
   \langle t.r \rangle
     United Kingdom
     86444
     Vodafone, Orange, 3, 02
```

```
Brazil
    40404
    Nextel, TIM
   \langle t.r \rangle
    Haiti
    40404
    Digicel, Voila
   \langle t.r \rangle
    Ireland
    51210
    Vodafone, 02
   India
    53000
    Bharti Airtel, Videocon, Reliance
   Indonesia
    89887
    AXIS, 3, Telkomsel, Indosat, XL Axiata
  Italy
    4880804
    Wind
   3424486444
    Vodafone
  <tfoot>
   \langle t.r \rangle
    » <a class="js-initial-focus" target=" blank"</pre>
href="http://support.twitter.com/articles/14226-how-to-find-your-
twitter-short-code-or-long-code">See SMS short codes for other
countries</a>
    </tfoot>
</div>
   </div>
 </div>
</div>
<div id="leadgen-confirm-dialog" class="modal-container">
 <div class="close-modal-background-target"></div>
 <div class="modal draggable">
   <div class="modal-content">
```

```
<button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--medium">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Confirmation</h3>
      </div>
      <div class="modal-body">
        <div class="leadgen-card-container">
          <div class="media">
            <iframe
              class="cards2-promotion-iframe"
              scrolling="no"
              frameborder="0"
              src="">
            </iframe>
          </div>
        </div>
        <div class="js-macaw-cards-iframe-container" data-card-</pre>
name="promotion">
        </div>
      </div>
    </div>
  </div>
</div>
<div id="auth-webview-dialog" class="AuthWebViewDialog modal-</pre>
container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--large">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">&nbsp;</h3>
      <div class="modal-body">
        <div class="auth-webview-view-container">
          <div class="media">
            <iframe
              class="auth-webview-card-iframe js-initial-focus"
              scrolling="no"
              frameborder="0"
              width="590px"
              height="500px"
```

```
src="">
            </iframe>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<div id="promptbird-modal-prompt" class="modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal">
    <button type="button" class="modal-btn js-promptDismiss</pre>
modal-close js-close">
      <span class="Icon Icon--close Icon--medium">
        <span class="visuallyhidden">Close</span>
      </span>
    </button>
    <div class="modal-content"></div>
  </div>
</div>
  <div id="buy-now-dialog" class="BuyNowDialog modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
  <span class="Icon Icon--close Icon--large">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Buy Now</h3>
      </div>
      <div class="modal-body">
        <div class="buy-now-view-container">
          <div class="media">
            <iframe
              class="buy-now-card-iframe js-initial-focus"
              scrolling="no"
              frameborder="0"
              width="590px"
              height="400px"
              src="">
            </iframe>
          </div>
        </div>
      </div>
    </div>
```

```
</div>
</div>
   <div id="payment-order-detail-dialog"</pre>
class="PaymentOrderDialog modal-container">
  <div class="close-modal-background-target"></div>
  <div class="modal draggable">
    <div class="modal-content">
      <button type="button" class="modal-btn modal-close js-</pre>
close">
  <span class="Icon Icon--close Icon--large">
    <span class="visuallyhidden">Close</span>
  </span>
</button>
      <div class="modal-header">
        <h3 class="modal-title">Buy Now</h3>
      <div class="modal-body">
        <div class="alert">
          <h4>Hmm... Something went wrong. Please try again.</h4>
        </div>
        <div class="spinner-bigger"></div>
        <div class="PaymentOrderDialog-orderDetails"></div>
      </div>
    </div>
  </div>
</div>
<div id="create-custom-timeline-dialog" class="modal-</pre>
container"></div>
<div id="edit-custom-timeline-dialog" class="modal-</pre>
container"></div>
<div id="curate-dialog" class="modal-container"></div>
<div id="media-edit-dialog" class="modal-container"></div>
      <div class="PermalinkOverlay PermalinkOverlay-with-</pre>
background " id="permalink-overlay">
  <button class="PermalinkOverlay-next PermalinkOverlay-button u-</pre>
posFixed js-next" type="button">
    <span class="Icon Icon--caretLeft Icon--large"></span>
    <span class="u-hiddenVisually">Next Tweet from user</span>
  </button>
  <div class="PermalinkOverlay-modal">
    <div class="PermalinkOverlay-spinnerContainer u-hidden">
      <div class="PermalinkOverlay-spinner"></div>
    <div class="PermalinkOverlay-content">
      <div class="PermalinkOverlay-body"</pre>
```