


HRV Results ("DS")

Male / 53 years
180 cm / 78.0 kg (BMI=24.1 kg/m²)
HR max: 167 bpm
HR rest: 60 bpm

Thu, Sep 3 2026, 05:11:05
Measurement length: 00:20:15
Number of samples: 6
Beat correction: Threshold (strong)
Trend removal: Smoothn priors

24220970829_ACTIVITY.fit
Sample ("DS")
Start time: 05:13:07
Sample length: 00:05:00
Beats corrected: 4 (1.56 %)



Autonomic nervous system (ANS)

Parasympathetic nervous system (PNS)

Mean RR	RMSSD	SD1
1172 ms	36.2 ms	28.3 %

PNS index = 0.89

Sympathetic nervous system (SNS)

Mean HR	Stress index	SD2
51 bpm	7.5	71.7 %

SNS index = -1.14

PNS activity (recovery)
PNS index = 0.89

This plot shows the distribution of PNS activity. The x-axis ranges from -5 to 5, with markers for -2SD, -SD, SD, and 2SD. The y-axis represents frequency. A blue curve shows the distribution, which is centered around 0.89. Horizontal bars indicate the ranges for Mean RR, RMSSD, and SD1.

SNS activity (stress)
SNS index = -1.14

This plot shows the distribution of SNS activity. The x-axis ranges from 5 to -5, with markers for 2SD, SD, -SD, and -2SD. The y-axis represents frequency. An orange curve shows the distribution, which is centered around -1.14. Horizontal bars indicate the ranges for Mean HR, Stress index, and SD2.

Time-domain results

Variable	Units	Value
Mean RR*	(ms)	1172
Mean HR*	(bpm)	51
Min HR*	(bpm)	45
Max HR*	(bpm)	58
SDNN	(ms)	49.4
RMSSD	(ms)	36.2
NN50	(beats)	35
pNN50	(%)	13.73
HRV triang.ind.		11.64
TINN	(ms)	231.0
Stress index		7.5

RR Distribution histogram showing the number of beats (y-axis) versus RR (s) (x-axis, 1 to 1.4).

Frequency-domain results

Variable	Units	VLF	LF	HF
Frequency band (Hz)		0.00-0.04	0.04-0.15	0.15-0.40
Peak frequency (Hz)		0.040	0.080	0.173
Power	(ms ²)	149	2094	219
Power	(log)	5.003	7.647	5.388
Power	(%)	6.05	85.07	8.89
Power	(n.u.)		90.54	9.46
Total power	(ms ²)	2462		
Total power	(log)	7.809		
LF/HF ratio		9.573		
RESP	(Hz)	-		

FFT spectrum plot showing Power (s²/Hz) on the y-axis (0 to 0.175) versus Frequency (Hz) on the x-axis (0 to 0.4).

Nonlinear results

Variable	Units	Value
Poincaré plot		
SD1	(ms)	25.7
SD2	(ms)	65.1
SD2/SD1		2.537
Approximate entropy (ApEn)		1.060
Sample entropy (SampEn)		1.603
Detrended fluctuations analysis (DFA)		
DFA alpha1		1.338
DFA alpha2		0.140

Poincaré plot showing RR_{n+1} (ms) on the y-axis versus RR_n (ms) on the x-axis. Ellipses represent SD1 and SD2.

Detrended fluctuations analysis plot showing log₁₀ F(n) on the y-axis versus log₁₀ n (beats) on the x-axis. Two linear segments are shown with slopes alpha1 and alpha2.


*Results are calculated from non-detrended RR data

HRV Results ("RC10")

Male / 53 years
180 cm / 78.0 kg (BMI=24.1 kg/m²)
HR max: 167 bpm
HR rest: 60 bpm

Thu, Sep 3 2026, 05:11:05
Measurement length: 00:20:15
Number of samples: 6
Beat correction: Threshold (strong)
Trend removal: Smoothn priors

24220970829_ACTIVITY.fit
Sample ("RC10")
Start time: 05:18:08
Sample length: 00:01:00
Beats corrected: 1 (2.00 %)



Autonomic nervous system (ANS)

Parasympathetic nervous system (PNS)

Mean RR	RMSSD	SD1
1203 ms	67.1 ms	39.5 %

PNS index = 1.99

Sympathetic nervous system (SNS)

Mean HR	Stress index	SD2
50 bpm	7.6	60.5 %

SNS index = -1.36

PNS activity (recovery)
PNS index = 1.99

SNS activity (stress)
SNS index = -1.36

Time-domain results

Variable	Units	Value
Mean RR*	(ms)	1203
Mean HR*	(bpm)	50
Min HR*	(bpm)	46
Max HR*	(bpm)	53
SDNN	(ms)	61.5
RMSSD	(ms)	67.1
NN50	(beats)	28
pNN50	(%)	57.14
HRV triang.ind.		16.67
TINN	(ms)	253.0
Stress index		7.6

RR Distribution

Frequency-domain results

Variable	Units	VLF	LF	HF
Frequency band (Hz)		0.00-0.04	0.04-0.15	0.15-0.40
Peak frequency (Hz)		0.040	0.150	0.167
Power (ms²)		95	553	3312
Power (log)		4.558	6.315	8.105
Power (%)		2.41	13.95	83.63
Power (n.u.)			14.30	85.69
Total power (ms²)		3961		
Total power (log)		8.284		
LF/HF ratio		0.167		
RESP	(Hz)	-		

FFT spectrum

Nonlinear results

Variable	Units	Value
Poincaré plot		
SD1	(ms)	47.9
SD2	(ms)	73.5
SD2/SD1		1.534
Approximate entropy (ApEn)		-
Sample entropy (SampEn)		-
Detrended fluctuations analysis (DFA)		
DFA alpha1		-
DFA alpha2		-

Poincaré plot

Detrended fluctuations analysis

DFA plot undefined


*Results are calculated from non-detrended RR data

HRV Results ("RC12")

Male / 53 years
180 cm / 78.0 kg (BMI=24.1 kg/m²)
HR max: 167 bpm
HR rest: 60 bpm

Thu, Sep 3 2026, 05:11:05
Measurement length: 00:20:15
Number of samples: 6
Beat correction: Threshold (strong)
Trend removal: Smoothn priors

24220970829_ACTIVITY.fit
Sample ("RC12")
Start time: 05:19:09
Sample length: 00:01:01
Beats corrected: 0 (0.00 %)



Autonomic nervous system (ANS)

Parasympathetic nervous system (PNS)

Mean RR	RMSSD	SD1
1191 ms	53.0 ms	36.5 %

PNS index = 1.53

Sympathetic nervous system (SNS)

Mean HR	Stress index	SD2
50 bpm	8.7	63.5 %

SNS index = -1.11

PNS activity (recovery)
PNS index = 1.53

LOW NORMAL HIGH

SNS activity (stress)
SNS index = -1.11

HIGH NORMAL LOW

Time-domain results

Variable	Units	Value
Mean RR*	(ms)	1191
Mean HR*	(bpm)	50
Min HR*	(bpm)	49
Max HR*	(bpm)	52
SDNN	(ms)	56.0
RMSSD	(ms)	53.0
NN50	(beats)	19
pNN50	(%)	38.00
HRV triang.ind.		8.50
TINN	(ms)	196.0
Stress index		8.7

RR Distribution

Frequency-domain results

Variable	Units	VLF	LF	HF
Frequency band (Hz)		0.00-0.04	0.04-0.15	0.15-0.40
Peak frequency (Hz)		0.003	0.040	0.200
Power	(ms²)	296	214	1389
Power	(log)	5.690	5.368	7.236
Power	(%)	15.57	11.29	73.13
Power	(n.u.)		13.37	86.61
Total power	(ms²)	1900		
Total power	(log)	7.549		
LF/HF ratio		0.154		
RESP	(Hz)	-		

FFT spectrum

Nonlinear results

Variable	Units	Value
Poincaré plot		
SD1	(ms)	38.0
SD2	(ms)	66.0
SD2/SD1		1.739
Approximate entropy (ApEn)		-
Sample entropy (SampEn)		-
Detrended fluctuations analysis (DFA)		
DFA alpha1		-
DFA alpha2		-

Poincaré plot

Detrended fluctuations analysis

DFA plot undefined


*Results are calculated from non-detrended RR data

HRV Results ("ORT")

Male / 53 years
180 cm / 78.0 kg (BMI=24.1 kg/m²)
HR max: 167 bpm
HR rest: 60 bpm

Thu, Sep 3 2026, 05:11:05
Measurement length: 00:20:15
Number of samples: 6
Beat correction: Threshold (strong)
Trend removal: Smoothn priors

24220970829_ACTIVITY.fit
Sample ("ORT")
Start time: 05:20:10
Sample length: 00:04:15
Beats corrected: 13 (4.09 %)



Autonomic nervous system (ANS)

Parasympathetic nervous system (PNS)

Mean RR	RMSSD	SD1
801 ms	22.9 ms	19.5 %

PNS index = -1.22

Sympathetic nervous system (SNS)

Mean HR	Stress index	SD2
75 bpm	9.4	80.5 %

SNS index = 0.75

PNS activity (recovery)
PNS index = -1.22

A normal distribution curve for PNS activity. The x-axis ranges from -5 to 5, and the y-axis represents density. Vertical lines mark -2SD, -SD, SD, and 2SD. The mean RR (801 ms) is indicated by a blue bar, and the RMSSD (22.9 ms) is indicated by a yellow bar. The plot is labeled 'LOW', 'NORMAL', and 'HIGH'.

SNS activity (stress)
SNS index = 0.75

A normal distribution curve for SNS activity. The x-axis ranges from -5 to 5, and the y-axis represents density. Vertical lines mark 2SD, SD, -SD, and -2SD. The mean HR (75 bpm) is indicated by a blue bar, and the stress index (9.4) is indicated by a yellow bar. The plot is labeled 'HIGH', 'NORMAL', and 'LOW'.

Time-domain results

Variable	Units	Value
Mean RR*	(ms)	801
Mean HR*	(bpm)	75
Min HR*	(bpm)	62
Max HR*	(bpm)	94
SDNN	(ms)	48.7
RMSSD	(ms)	22.9
NN50	(beats)	15
pNN50	(%)	4.73
HRV triang.ind.		10.97
TINN	(ms)	215.0
Stress index		9.4

A histogram showing the distribution of RR (s) values. The x-axis ranges from 0.6 to 1.0, and the y-axis represents the number of beats. The distribution is centered around 0.8.

Frequency-domain results

Variable	Units	VLF	LF	HF
Frequency band (Hz)		0.00-0.04	0.04-0.15	0.15-0.40
Peak frequency (Hz)		0.033	0.057	0.150
Power	(ms ²)	234	2561	80
Power	(log)	5.457	7.848	4.380
Power	(%)	8.15	89.07	2.78
Power	(n.u.)		96.98	3.02
Total power	(ms ²)	2876		
Total power	(log)	7.964		
LF/HF ratio		32.095		
RESP	(Hz)	-		

A plot of the Fast Fourier Transform (FFT) spectrum. The x-axis represents frequency in Hz (0 to 0.4), and the y-axis represents power in s²/Hz (0 to 0.147). The spectrum shows a prominent peak at approximately 0.1 Hz.

Nonlinear results

Variable	Units	Value
Poincaré plot		
SD1	(ms)	16.2
SD2	(ms)	67.0
SD2/SD1		4.134
Approximate entropy (ApEn)		0.755
Sample entropy (SampEn)		0.815
Detrended fluctuations analysis (DFA)		
DFA alpha1		1.656
DFA alpha2		0.467

A Poincaré plot showing the relationship between RR_n (ms) on the x-axis and RR_{n+1} (ms) on the y-axis. Both axes range from -100 to 150. A diagonal line represents the identity line. Two ellipses are drawn around the data points, labeled SD1 and SD2.

A plot of the detrended fluctuations analysis (DFA). The x-axis represents log₁₀ n (beats) (0.6 to 1.8), and the y-axis represents log₁₀ F(n) (-2 to -0.8). Two linear segments are shown, labeled alpha1 and alpha2.


*Results are calculated from non-detrended RR data

HRV Results ("RUFF")

Male / 53 years
180 cm / 78.0 kg (BMI=24.1 kg/m²)
HR max: 167 bpm
HR rest: 60 bpm

Thu, Sep 3 2026, 05:11:05
Measurement length: 00:20:15
Number of samples: 6
Beat correction: Threshold (strong)
Trend removal: Smoothn priors

24220970829_ACTIVITY.fit
Sample ("RUFF")
Start time: 05:24:25
Sample length: 00:00:45
Beats corrected: 1 (1.43 %)



Autonomic nervous system (ANS)

Parasympathetic nervous system (PNS)

Mean RR	RMSSD	SD1
634 ms	10.5 ms	20.2 %

PNS index = -2.32

Sympathetic nervous system (SNS)

Mean HR	Stress index	SD2
95 bpm	26.7	79.8 %

SNS index = 4.76

PNS activity (recovery)
PNS index = -2.32

SNS activity (stress)
SNS index = 4.76

Time-domain results

Variable	Units	Value
Mean RR*	(ms)	634
Mean HR*	(bpm)	95
Min HR*	(bpm)	81
Max HR*	(bpm)	102
SDNN	(ms)	21.5
RMSSD	(ms)	10.5
NN50	(beats)	0
pNN50	(%)	0.00
HRV triang.ind.		5.83
TINN	(ms)	81.0
Stress index		26.7

RR Distribution

Frequency-domain results

Variable	Units	VLF	LF	HF
Frequency band (Hz)		0.00-0.04	0.04-0.15	0.15-0.40
Peak frequency (Hz)		0.033	0.040	0.243
Power	(ms ²)	251	200	6
Power	(log)	5.526	5.300	1.808
Power	(%)	54.88	43.78	1.33
Power	(n.u.)		97.04	2.95

Total power	(ms ²)	458		
Total power	(log)	6.126		
LF/HF ratio		32.845		
RESP	(Hz)	-		

FFT spectrum

Nonlinear results

Variable	Units	Value
Poincaré plot		
SD1	(ms)	7.5
SD2	(ms)	29.6
SD2/SD1		3.948
Approximate entropy (ApEn)		0.661
Sample entropy (SampEn)		1.381
Detrended fluctuations analysis (DFA)		
DFA alpha1		1.452
DFA alpha2		1.233

Poincaré plot


Detrended fluctuations analysis

HRV Results ("REC")

Male / 53 years
180 cm / 78.0 kg (BMI=24.1 kg/m²)
HR max: 167 bpm
HR rest: 60 bpm

Thu, Sep 3 2026, 05:11:05
Measurement length: 00:20:15
Number of samples: 6
Beat correction: Threshold (strong)
Trend removal: Smoothn priors

24220970829_ACTIVITY.fit
Sample ("REC")
Start time: 05:25:11
Sample length: 00:05:00
Beats corrected: 7 (2.36 %)



Autonomic nervous system (ANS)

Parasympathetic nervous system (PNS)

Mean RR	RMSSD	SD1
1004 ms	45.1 ms	39.3 %

PNS index = 0.52

Sympathetic nervous system (SNS)

Mean HR	Stress index	SD2
60 bpm	9.1	60.7 %

SNS index = -0.49

PNS activity (recovery)
PNS index = 0.52

This plot shows the distribution of PNS activity. The x-axis ranges from -5 (LOW) to 5 (HIGH). The y-axis represents the density. A blue curve shows the distribution, with a mean value of 0.52. The plot is divided into regions: -2SD, -SD, SD, and 2SD. The mean RR, RMSSD, and SD1 are indicated on the left.

SNS activity (stress)
SNS index = -0.49

This plot shows the distribution of SNS activity. The x-axis ranges from 5 (HIGH) to -5 (LOW). The y-axis represents the density. A blue curve shows the distribution, with a mean value of -0.49. The plot is divided into regions: 2SD, SD, -SD, and -2SD. The mean HR, Stress index, and SD2 are indicated on the right.

Time-domain results

Variable	Units	Value
Mean RR*	(ms)	1004
Mean HR*	(bpm)	60
Min HR*	(bpm)	47
Max HR*	(bpm)	101
SDNN	(ms)	41.6
RMSSD	(ms)	45.1
NN50	(beats)	76
pNN50	(%)	25.68
HRV triang.ind.		11.00
TINN	(ms)	207.0
Stress index		9.1

RR Distribution

A histogram showing the distribution of RR (s). The x-axis ranges from 0.6 to 1.4, and the y-axis represents the number of beats. The distribution is bimodal, with peaks around 0.8 and 1.2.

Frequency-domain results

Variable	Units	VLF	LF	HF
Frequency band (Hz)		0.00-0.04	0.04-0.15	0.15-0.40
Peak frequency (Hz)		0.023	0.150	0.150
Power	(ms ²)	88	840	1424
Power	(log)	4.482	6.734	7.261
Power	(%)	3.76	35.71	60.51
Power	(n.u.)		37.11	62.87
Total power	(ms ²)	2353		
Total power	(log)	7.763		
LF/HF ratio		0.590		
RESP	(Hz)	-		

FFT spectrum

A plot of the Fast Fourier Transform (FFT) spectrum. The x-axis represents frequency in Hz (0 to 0.4), and the y-axis represents power in s²/Hz (0 to 0.062). The spectrum shows a prominent peak in the LF band.

Nonlinear results

Variable	Units	Value
Poincaré plot		
SD1	(ms)	31.9
SD2	(ms)	49.4
SD2/SD1		1.546
Approximate entropy (ApEn)		0.900
Sample entropy (SampEn)		1.293
Detrended fluctuations analysis (DFA)		
DFA alpha1		0.778
DFA alpha2		0.289

Poincaré plot

A Poincaré plot showing the relationship between RR_n (ms) on the x-axis and RR_{n+1} (ms) on the y-axis. The plot shows a dense cluster of points with two diagonal lines representing the standard deviations SD1 and SD2. The axes range from -100 to 100 ms.

Detrended fluctuations analysis

A plot of the detrended fluctuations analysis (DFA). The x-axis represents log₁₀ n (beats) (0.6 to 1.8), and the y-axis represents log₁₀ F(n) (-1.7 to -1.1). The plot shows two linear segments with slopes alpha1 and alpha2, indicating different scaling behaviors at different scales.

*Results are calculated from non-detrended RR data