APELEVEL

ENGINEERING / PARLAY

OFFICIAL SUCCESS REPORT · 23 OCTOBER 2026

HISTORICAL VOTING, VERIFIED.



Independent blockchain balance reconstruction.

Public proof. Three recorded ballots.

Built by ApeLevel for PARLAY.

154,109.414380140900219272 $PARLAY

Voting weight recorded for an address distinct from the identified developer wallet

✓

EXECUTIVE ANNOUNCEMENT

ApeLevel Gaming & Branding announces the successful production finalization of PARLAY Governance Proposal #001, using historical token balances reconstructed from publicly accessible Robinhood Chain transfer records.

The system completed its calculation without a paid archive-node subscription or commercial historical-balance indexing service. Verification required hours of batched processing within free public RPC rate limits; this was a consequence of resource-conscious operation, not proof of failure. The voting deadline remained fixed while the historical calculation proceeded asynchronously.

The election recorded three ballots from three distinct addresses. The largest ballot carried 154,109.414380140900219272 $PARLAY in voting weight and came from an address different from ApeLevel's identified developer wallet. ApeLevel considers that participation encouraging evidence of engagement beyond its known testing address. Wallet identity, ownership independence, motivation, and whether a dedicated hot wallet was created require separate evidence.

A fixed historical cutoff can be verified later. The timer ends participation; the reconstruction establishes voting weight.

01 / PRODUCTION ELECTION RESULTS

Proposal #001: Will $PARLAY go to the moon? Close: 23 October 2026, 09:52:49 UTC. Historical reference: Robinhood Chain block 95,851,687. Recorded ballots: three, from three distinct wallet addresses.

BALLOT CHOICE	WEIGHTED $PARLAY	DISPLAY
Yes.	154,109.4144	91.45%
Yup.	14,405.3556	8.54%
TOTAL	168,514.7700	~100%

The application published weighted results and a public voting-proof link. The percentages shown in the interface are display-formatted; exact voting weights remain represented as token integer units in the underlying records.

The significant non-developer address

The wallet 0x715f15c47fbe562b2920274f2a81db6879f1d65a voted "Yes." and was assigned 154,109.414380140900219272 $PARLAY. Its address differs from the identified ApeLevel developer wallet. The ballot data establish address-level participation and weighting; they do not on their own establish that the controller is an independent holder or personally trusts the project.

02 / THE DEVELOPER-WEIGHT RECONCILIATION

ApeLevel reviewed an apparent discrepancy: the “Yup.” option displayed 14,405.3556 $PARLAY, an amount initially thought to match an earlier developer holding. The individual ballots resolved the appearance of a mismatch.

PARTICIPATING ADDRESS	OPTION	EXACT TOKEN WEIGHT
0xee697e2c...96396a (developer)	Yup.	13,905.355626933087656111
0x68a602c8...ab7ec8	Yup.	500.000000000000000000
0x715f15c4...7f1d65a	Yes.	154,109.4143801409002192 72

The “Yup.” total is the sum of the developer’s individual weight and a second wallet’s 500-token contribution. This reconciles the combined figure without requiring an erroneous submission-time snapshot. It is consistent with—but does not independently prove the magnitude of—any reduction caused by the developer selling tokens before close. Verification of that sale’s exact effect requires transaction-level comparison.

03 / THE TIMER IS NOT THE SNAPSHOT

When the voting timer reaches zero, the system closes ballot submission and fixes a cutoff timestamp. It does not instantaneously capture every wallet balance. The closing time is mapped to a Robinhood Chain block, and each wallet’s balance at that common block is reconstructed afterward.

- 1. Close: refuse ballots after the deadline.
- 2. Anchor: identify the common blockchain closing block.
- 3. Reconstruct: derive historical balances from a later reference state and intervening transfers.
- 4. Batch: process bounded transfer-log ranges, preserving D1 checkpoints.
- 5. Publish: commit final weights and expose the election proof after completion.

An “Awaiting Verification” display after the timer ends is therefore a valid intermediate state. An inactive checkpoint or repeated request errors still merit investigation; the status alone does not prove a malfunction.

04 / THE RECONSTRUCTION METHOD

HISTORICAL BALANCE = REFERENCE BALANCE − SUBSEQUENT INCOMING + SUBSEQUENT OUTGOING

For example, a wallet holding 15,000 tokens at a later reference block, having received 8,000 and sent 3,000 since voting closed, held 10,000 tokens at the earlier cutoff: 15,000 − 8,000 + 3,000.

ApeLevel’s processor reads ERC-20 Transfer events, reverses them across the intervening block range, and maintains token quantities in exact integer units. The calculation depends on complete log coverage, consistent reference blocks, and token accounting in which relevant balance changes are reflected by accessible Transfer events. Rebasing and other nonstandard mechanics require additional safeguards.

Historical source validation

ApeLevel tested transaction 0x13ec1c707d34ef56e6d52a5244369efa74e13433265aaf520421564d5cef05db at block 93,919,239. The receipt contained four PARLAY Transfer events; a historical eth_getLogs query returned the same four events. This established that the public RPC could retrieve real historical transaction logs even though direct historical balance queries returned “historical state ... is not available.”

05 / WHY VERIFICATION TOOK HOURS

The original Cloudflare Worker encountered HTTP 429 responses when making historical log requests. Rather than replace exact closing-block weights with later balances, ApeLevel adopted bounded queries and resumable processing. Historical ranges were retrieved in batches, with completed work persisted in Cloudflare D1.

A delay extending for hours is consistent with a correct asynchronous design operating under limited public RPC capacity, as long as processing continues and the required history is not omitted. The elapsed processing time does not change the election’s designated historical block.

A distributed, cost-conscious architecture

SERVICE	ROLE
Cloudflare Workers	Voting interface, signed ballot API, result presentation
Cloudflare D1	Ballots, reconstructed weights, checkpoints, finalizations
GitHub Actions	Scheduled, restartable historical transfer processing
Robinhood Chain public RPC	Block headers and historical ERC-20 Transfer records

The historical accounting algorithm is implemented by ApeLevel rather than purchased from a commercial historical-balance service. The overall application still relies on third-party hosting, automation, database, and public RPC infrastructure. That distinction is material.

06 / PUBLIC PROOF AND COMMUNITY PARTICIPATION

The platform provides an endpoint intended to expose wallet addresses, signed ballots, options, historical weights, the closing block, and finalization details. It enables deeper scrutiny than a poll showing only percentages. The developer-weight reconciliation illustrates the value of preserving individual ballot records alongside aggregates.

Proof endpoint: https://parlay.apelevel.workers.dev/api/proposals/1/proof

ApeLevel considers the substantial voting weight assigned to the third address an encouraging indicator of participation beyond its known developer wallet. Some holders may reasonably use separate hot wallets to limit risks when engaging with a new application. Nevertheless, a ballot record by itself cannot prove wallet-creation history, the controller's independence, or subjective confidence in the project.

A complete independent audit would further verify ballot signatures, the token's transfer history, historical balances, and the published calculations. The presence of a public proof record makes those investigations possible; it is not itself a third-party certification.

07 / DEVELOPMENT PRIORITIES

PRIORITY	STATUS	NEXT WORK
1 Historical finalization	Production success	Monitor repeatability, performance, and larger votes
2 Wallet choice	Outstanding	Explicit Rabby / MetaMask provider choice and signing UX
3 Private receipts	Planned	Confirm recorded ballots without disclosing choices prematurely
4 Social sharing	Planned	Branded, opt-in participation confirmations

Wallet-provider selection is not yet fixed. Users who cannot connect or sign through their wallet may still be unable to participate; this remains a priority for the next development phase.

08 / OFFICIAL CONCLUSION

ApeLevel has demonstrated a practical way to measure historical token-weighted voting power after an election closes, using public transfer records and a resumable processor rather than a commercial archive-balance service.

The election's three individual ballots were reconciled against the displayed totals. The highest-weight ballot—154,109.414380140900219272 $PARLAY—was recorded under an address distinct from ApeLevel's identified developer wallet. The result shows why precise historical accounting and inspectable ballot records matter.

The reconstruction took hours because it was carried out incrementally within constrained, free infrastructure. That completion time is part of the architecture's operational trade-off—not evidence that the election deadline or weighting principle was compromised.

The deadline fixes what is measured. The blockchain record allows ApeLevel to establish that measurement afterward.

PUBLIC LINKS & DISCLOSURE

Platform: https://parlay.apelevel.workers.dev/

Source: https://github.com/apelevel/parlay

Proposal #001 proof: https://parlay.apelevel.workers.dev/api/proposals/1/proof


Report preparation: AI assistance was used for drafting, organization, and technical explanation. ApeLevel is the identified issuing developer. This document is not an independent audit, a certification of wallet ownership, or evidence of participant motivations. It distinguishes directly evidenced voting records from interpretive claims.

ISSUED BY APELEVEL GAMING & BRANDING / Prepared for PARLAY / October 23, 2026

EXHIBIT A

FINALIZED ELECTION · LIVE INTERFACE


Captured October 23, 2026 | Proposal #001 | Robinhood Chain



FULL DESKTOP SCREENSHOT

The screenshot documents the live published results for Proposal #001, closing block 95,851,687 and the visible ·VIEW VOTING PROOF· link.

The MetaMask panel shows the identified developer wallet selected in the browser. Screenshot evidence does not independently authenticate every ballot or historical balance.



SOURCE: user-supplied production screenshot | Original pixels retained in full-view inset