

IETF Agentic AI and AI-Adjacent Inventory

Snapshot: 2026-06-09.

This inventory combines the local corpus in `state_of_the_art/ietf/` with live primary-source checks against IETF Datatracker and IETF mail archives. It is intended as a map of current work, not as a normative statement of IETF consensus. Internet-Drafts and BOF requests are work in progress.

Executive table

Effort	Status	Focus	Key referenced technologies	Representative drafts/materials	Primary source
AIPREF / ai-control	Active WG	Machine-readable content usage preferences for AI/automated processing	HTTP Content-Usage, robots.txt/RFC 9309, well-known URIs/RFC 8615, HTTP caching, Link header, SIP/SDP for real-time bindings	draft-ietf-aipref-vocab-06, draft-ietf-aipref-attach-04, draft-illyes-aipref-cbcp-04, draft-altanai-aipref-realttime-protocol-bindings-00	AIPREF WG
agentproto / Agent Communication Protocols	Proposed BOF request, WG forming	Cross-vendor communication building blocks for AI agents and tools	MCP, A2A, AGNTCY, QUIC, WebTransport, WebRTC, MoQ, OAuth, WIMSE, DAWN	bofreq-krishnan-agent-communication-protocols-02	BOF request
CATALIST	Proposed BOF/list-of-efforts plus draft cluster	Problem analysis, ACIP framework, and routing for agent-to-agent traffic	A2A, MCP, ACIP, AtA/AtATP, HTTP, DNS, BGP-like routing/control plane, ANP, ACP, overlay routing	draft-yao-catalist-problem-space-analysis-01, draft-eckert-catalist-acip-framework-00, draft-du-catalist-routing-considerations-01, bofreq-farrel-coordinating-agent-to-agent-list-of-efforts-catalist-04	CATALIST BOF request
agent2agent	Non-WG list	Standardization discussion for AI agent communications	A2A, MCP, AGTP, AUDIT, DAWN, OAuth, WIMSE, QUIC, HTTP	Agentproto/AUDIT/DAWN threads; AGTP draft cluster	List archive
DAWN / dawn	Non-WG list and BOF-forming discussion	Discovery of agents, workloads, tasks, and endpoints using IETF technologies	DNS-SD, SRV, well-known URIs, DNSSEC, DNS resource records, SVCB/HTTPS alternatives, AIDISCA, AIINDEX, A2A, MCP	draft-akhavain-moussa-dawn-problem-statement-03, draft-farrel-dawn-terminology-02, draft-king-dawn-requirements-01, draft-seethiraju-dawn-dan-00	Non-WG list , archive
AUDIT	Proposed BOF request, WG forming	Delegation, authorization, traceability, and audit records for distributed agent interactions	OAuth 2.0 Token Exchange, SCITT, RATS, HTTP, W3C Trace Context, vCon, WIMSE, OpenTelemetry, RATS/SCITT profiles	bofreq-kuhlewind-agent-use-of-delegation-and-interaction-traceability-audit-02, draft-kuehlewind-audit-architecture-00, draft-birkholz-verifiable-agent-conversations-00	BOF request
DMSC	BOF request, WG forming	Infrastructure for dynamic multi-agent secured collaboration	A2A, MCP, ANP/AIP, agent registration/classification, discovery, semantic routing, authN/authZ, trust anchors, operational visibility, 6G use cases	bofreq-wang-dynamic-multi-agents-secured-collaborationdmsc-12, draft-yu-dmsc-ai-agent-use-cases-in-6g, draft-li-dmsc-inf-architecture, draft-zhang-dmsc-mas-communication	BOF request
IETF-125 Agentic AI Use Cases side meeting	Side meeting/use-case stream	Use-case taxonomy and gap analysis feeding future BOFs/WGs	A2A, agent-to-tool, gateways, lifecycle discovery/onboarding/interaction/evolution, 3GPP/6G requirements	draft-scrm-aiproto-usecases-02, draft-stephan-ai-agent-6g-02, local meeting minutes/slides	Side meeting repo
T2TRG IoT-agent	Individual IRTF/ETF-adjacent draft	Agentic operation of constrained RESTful IoT environments	CoAP, CoRE Link Format, CoAP Observe, CoRE Resource Directory, SDF, CBOR, ACE-OAuth, HTTP Message Signatures, MCP	draft-jimenez-t2trg-iot-agent-00	Datatracker
aidc	Non-WG list	Data-center networking for AI clusters	Accelerator fabrics, InfiniBand/RDMA/RoCE/Ethernet discussions, multicast for AI networks, AI cluster traffic engineering, energy/benchmarking	AIDC side meetings and list discussions	Non-WG list , archive
Network-management / 6G agent drafts	Individual drafts across RTG/NMOP/NMRG/ANIMA/6GIP	AI agents for network operations, troubleshooting, measurement, gateways, and 6G systems	YANG, NETCONF, RESTCONF, gNMI/JSON, telemetry, intent, A2A, SDN controllers, network digital twins	draft-zhao-nmop-network-management-agent-04, draft-stephan-ai-agent-6g-02, draft-mzsg-rtgw-agent-cross-device-comm-framework-01	Datatracker search
Identity/auth/provenance draft cluster	Individual drafts, mostly OAuth/WIMSE/RATS/SCITT adjacent	Agent identity, authorization, actor chains, and verifiable records	WIMSE, OAuth, Transaction Tokens, RAR, JWT/JWS, SD-JWT, SCIM, RATS/EAT, COSE/CBOR/CDDL, SCITT, mTLS, X.509	draft-ni-wimse-ai-agent-identity-02, draft-oauth-transaction-tokens-for-agents-06, draft-nandakumar-agent-sd-jwt-02, draft-sharif-agent-audit-trail-00	Datatracker search
AGTP draft cluster	Independent individual draft cluster discussed on agent2agent	Proposed dedicated Agent Transfer Protocol	agtp:// URI, IANA service/port requests, TLS 1.3, TCP/TLS, QUIC, JSON/YAML, JWT/JWS, COSE, DNS, transparency logs, OAuth composition, MCP/A2A carriage	draft-hood-independent-agtp-08, plus AGTP identifiers/log/session/cert/trust/discovery drafts	Datatracker search

Effort	Status	Focus	Key referenced technologies	Representative drafts/materials	Primary source
Mozley/Williams agent-to-agent discovery BOF request	Non-WG-forming BOF request	Earlier DNS-oriented A2A discovery proposal	DNS, TLS, Service Binding records, DANE, DoT/DoH/DoQ, DCV, DNSSEC, special-use domains, gTLDs	bofreq-williams-bofreq-mozleywilliams-agent-to-agent-discovery-00	BOF request
web-bot-auth	Non-WG list	Authentication of non-human web users/bots	HTTP, web authentication, bot identity, site-to-bot policy	Follow-on from IETF 122 side meeting	Non-WG list
pdap	Non-WG list	Personal Digital Agent Protocol	Personal digital agents; protocol details not yet clear from list description alone	List only in this pass	Non-WG list

AIPREF WG / ai-control

Purpose: AIPREF standardizes building blocks for expressing preferences about how content is collected and processed for AI model development, deployment, and use.

Referenced technologies:

- AI preference vocabulary (common restriction/permission terms independent of transport).
- HTTP Content-Usage header (attaching preferences to HTTP representations).
- Robots Exclusion Protocol / RFC 9309 (updated by the attachment draft).
- Well-Known URIs / RFC 8615 (one attachment mechanism expected by the charter).
- HTTP caching / RFC 9111 (crawler best practices and repeat-fetch behavior).
- HTTP Link header and HTML link element (preference discovery in crawler best practices).
- SIP and SDP (real-time/session-based preference signaling in the real-time bindings draft).

Relevant drafts/materials:

- draft-ietf-aipref-vocab-06 - current Datatracker revision, local file matches -06.
- draft-ietf-aipref-attach-04 - current Datatracker revision. The local file is named draft-ietf-aipref-attach.txt and its header is also -04; the earlier deck text saying -06 should be corrected if reused.
- draft-zeha-aipref-exclusions-01.
- draft-illyes-aipref-cbcp-04.
- draft-madhavan-aipref-displaybasedpref-02.
- draft-altanai-aipref-realtime-protocol-bindings-00.
- draft-romm-aipref-contentsignals-00.
- draft-farzdusa-aipref-enduser-00.

Sources: [AIPREF WG page](#), [AIPREF mail archive](#), [draft-ietf-aipref-vocab](#), [draft-ietf-aipref-attach](#).

agentproto / Agent Communication Protocols

Purpose: Proposed BOF request for a WG-forming effort to define frameworks and protocol building blocks for interoperable AI agent applications across the Internet.

Referenced technologies:

- MCP (Model Context Protocol for agent-to-tool interaction).
- A2A (Agent2Agent protocol for agent-to-agent interaction).
- AGNTCY (open-source agent interoperability effort).
- QUIC, WebTransport, WebRTC, and MoQ (candidate modern transfer protocols for real-time and multimodal interactions).

- OAuth and WIMSE (identity and authorization dependencies).
- DAWN (discovery dependency).

Relevant drafts/materials:

- `bofreq-krishnan-agent-communication-protocols-02`, live Datatracker timestamp 2026-06-04.
- It explicitly lists technology overlap with dawn, oauth, moq, quic, webtrans, and wimse.

Sources: [BOF request](#), local file `state_of_the_art/ietf/bofreq-krishnan-agent-communication-protocols.txt`.

CATALIST and ACIP

Purpose: CATALIST frames agent-to-agent communication as an Internet protocol problem. The draft cluster covers problem analysis, a proposed Agent Communications Internet Protocol (ACIP), and routing considerations for agentic traffic.

Referenced technologies:

- A2A (existing agent-to-agent schema/protocol analyzed for gaps).
- MCP (agent-to-tool protocol analyzed for gaps).
- ACIP (proposed Agent Communications Internet Protocol).
- AtA and AtATP terminology (agent-to-agent protocol and transport protocol).
- HTTP and HTTP proxies (used as architectural precursors and as candidate AtATP).
- DNS and private DNS (naming and cross-domain discovery issues).
- BGP-like or controller-based routing/control-plane mechanisms (routing of cross-domain agent overlays).
- ANP and ACP (named as example agent protocols in the broader AtA space).
- QUIC/MoQ/WebTransport via agentproto overlap.

Relevant drafts/materials:

- `draft-yao-catalist-problem-space-analysis-01` - current Datatracker version.
- `draft-eckert-catalist-acip-framework-00` - current Datatracker version.
- `draft-du-catalist-routing-considerations-01` - current Datatracker version.
- `bofreq-farrel-coordinating-agent-to-agent-list-of-efforts-catalist-04` - current Datatracker BOF request found by live search.

Sources: [problem-space draft](#), [ACIP framework](#), [routing considerations](#), [CATALIST BOF request](#).

agent2agent mailing list

Purpose: The IETF non-WG list description is “Standardization of AI Agent Communications.” It is the live discussion venue for agent communication, AUDIT, DAWN, AGTP, and related BOF-process threads.

Referenced technologies:

- A2A and MCP (recurring communication baselines).
- AGTP (large individual draft cluster discussed on the list).
- AUDIT, OAuth, WIMSE, SCITT, RATS (identity/audit dependencies).
- DAWN, DNS-AID, DNS-based discovery (discovery dependencies).

- QUIC, HTTP, and related transport choices.

Relevant drafts/materials:

- Threads on agentproto and AUDIT BOF requests.
- Threads on DNS-AID / DAWN.
- Threads on AGTP draft updates.

Sources: [non-WG list page](#), [agent2agent archive](#).

DAWN / dawn

Purpose: DAWN is a non-WG list and BOF-forming discussion for discovery of entities such as tasks, AI agents, workloads, and endpoints using IETF technologies.

Referenced technologies:

- DNS-SD and SRV records (traditional service discovery candidates).
- Well-Known URIs / RFC 8615 (HTTP-based discovery candidate).
- DNSSEC (origin authentication and integrity for DNS-based discovery).
- SVCB/HTTPS resource records (named as alternative/service-binding patterns).
- AIDISCA and AIINDEX DNS resource records (proposed by the DAN draft for DNS-based agent discovery and indexing).
- TLSA/DANE semantics and certificate association (used by AIDISCA).
- EDNS(0) option format (extension-field model in DAN).
- A2A and MCP (examples of current systems with contained discovery).

Relevant drafts/materials:

- [draft-akhavain-moussa-dawn-problem-statement-03](#).
- [draft-farrel-dawn-terminology-02](#).
- [draft-king-dawn-requirements-01](#).
- [draft-iannone-dawn-privacy-considerations-00](#).
- [draft-kay-dawn-use-cases-00](#).
- [draft-seethiraju-dawn-dan-00](#).

Sources: [non-WG list page](#), [DAWN archive](#), [DAWN problem statement](#), [DAWN DAN draft](#).

AUDIT

Purpose: AUDIT is a proposed BOF request for agent use of delegation and interaction traceability. It aims to correlate user intent, delegation chains, authorization state, and resulting actions across domains.

Referenced technologies:

- OAuth 2.0 Token Exchange / RFC 8693 (delegated authorization).
- OAuth Rich Authorization Requests / RFC 9396 and DPoP / RFC 9449 (referenced by the audit architecture as OAuth building blocks).
- OAuth transaction tokens, identity chaining, identity assertion grant, attestation-based client authentication, and SPIFFE client auth (referenced by the architecture draft).
- SCITT (transparency service and receipts).

- RATS / RFC 9334 (remote attestation architecture).
- HTTP and W3C Trace Context (request correlation and propagation).
- vCon and Verifiable Agent Conversation Records (conversation record format).
- WIMSE (workload identity and workload credentials).
- OpenTelemetry (possible implementation/logging ecosystem, listed as TBD).
- Data model for audit records and propagation of audit context.

Relevant drafts/materials:

- `bofreq-kuhlewind-agent-use-of-delegation-and-interaction-traceability-audit-02`.
- `draft-kuehlewind-audit-architecture-00`.
- `draft-birkholz-verifiable-agent-conversations-00`.
- `draft-sharif-agent-audit-trail-00` is adjacent: standard logging format for autonomous AI systems.

Sources: [AUDIT BOF request](#), [audit architecture](#), [verifiable agent conversations](#), [agent audit trail](#).

Verifiable Agent Conversation Records

Purpose: Individual draft defining verifiable conversation records that can feed AUDIT-style accountability and SCITT/RATS evidence flows.

Referenced technologies:

- CDDL (data definition language).
- JSON and CBOR (record serializations).
- COSE_Sign1 and COSE headers (signing envelope).
- CWT claims, JWT/JWS references (token/signature ecosystem).
- SCITT transparency services and receipts.
- RATS evidence integration.
- Version-control context and file attribution metadata for agent sessions.

Relevant drafts/materials:

- `draft-birkholz-verifiable-agent-conversations-00`, current Datatracker timestamp 2026-05-01.

Sources: [Datatracker](#).

DMSC

Purpose: DMSC is a WG-forming BOF request for dynamic multi-agent secured collaboration. Its stated scope is an operable infrastructure across manageable domains such as network and cloud operators.

Referenced technologies:

- A2A and MCP (listed as existing protocol-layer work).
- ANP/AIP (listed as open-source implementation/ecosystem references).
- Agent registration and classification.
- Agent discovery and semantic/request routing.

- AuthN/authZ, interoperable agent identity binding, and verifiable trust anchors for cross-domain collaboration.
- Operational visibility for agent communication.
- 6G agent use cases and network AI agent use cases.

Relevant drafts/materials:

- bofreq-wang-dynamic-multi-agents-secured-collaborationdmsc-12.
- draft-yu-dmsc-ai-agent-use-cases-in-6g.
- draft-tong-network-agent-use-cases-in-6g-00.
- draft-li-dmsc-inf-architecture.
- draft-zhang-dmsc-mas-communication.
- draft-cui-dmsc-ai-agent-discovery-invocation is referenced by the BOF request as “to be submitted” / draft direction.

Sources: [DMSC BOF request](#).

IETF-125 Agentic AI Use Cases side meeting

Purpose: Side meeting stream for structuring agentic AI use cases, templates, taxonomy, and gap analysis so BOFs/WGs can proceed with shared requirements.

Referenced technologies:

- A2A communication and collaboration.
- Agent-to-tool beyond traditional APIs.
- Gateways.
- Agent lifecycle: discovery, onboarding, interaction, and evolution.
- 3GPP/6G service requirements.
- Terminal-side agent/app/tool interaction, including cross-app context synchronization, multi-step authorization aggregation, and experience templates.

Relevant drafts/materials:

- draft-scrm-aiproto-usecases-02.
- draft-stephan-ai-agent-6g-02.
- draft-yao-catalist-problem-space-analysis-01.
- Local PDFs and minutes in `state_of_the_art/ietf/ietf-125-side-meeting-agentic-ai-use-cases/`.

Sources: [side meeting repository](#), [local README](#).

T2TRG IoT-agent

Purpose: Individual draft for agentic AI operation of constrained RESTful environments, especially IoT devices that expose self-describing resources.

Referenced technologies:

- CoAP / RFC 7252 (constrained-device transport).
- CoRE Link Format / RFC 6690 (resource discovery).
- CoAP Observe / RFC 7641 (push/notification pattern).
- CoRE Resource Directory / RFC 9176 (centralized resource discovery).

- SDF (Semantic Definition Format for device self-description).
- CBOR (compact representation for constrained payloads).
- ACE-OAuth / RFC 9200 (OAuth for constrained environments).
- HTTP Message Signatures / RFC 9421 (agent authentication relevance).
- Problem Details for HTTP APIs / RFC 9457.
- YANG tree diagrams / RFC 8340.
- MCP (complementary tool interface for LLM agents).
- Matter (mentioned as a future/open interoperability question).

Relevant drafts/materials:

- `draft-jimenez-t2trg-iot-agent-00`, current Datatracker version.

Sources: [Datatracker](#), local file `state_of_the_art/ietf/draft-jimenez-t2trg-iot-agent.txt`.

aidc mailing list

Purpose: The IETF non-WG list description is “Data Center Networking for AI Clusters.” It is the infrastructure-side list for AI cluster and AI data-center networking.

Referenced technologies:

- AI cluster data-center networking.
- Accelerator fabrics and scale-up/scale-out networking.
- InfiniBand, RDMA/RoCE, Ethernet/front-end/back-end network discussions.
- Multicast for AI networks.
- Traffic engineering and load balancing for AI data centers.
- Energy efficiency and AI/HPC data-center operations.

Relevant drafts/materials:

- The list is primarily discussion/side-meeting oriented in this pass; no formal AIDC WG exists in Datatracker as of 2026-06-09.

Sources: [non-WG list page](#), [AIDC archive](#).

Network-management, routing, and 6G agent drafts

Purpose: Broad individual-draft cluster across RTG/NMOP/NMRG/ANIMA/6GIP for using AI agents in network operations, troubleshooting, measurement, cross-device communication, gateways, traffic optimization, security agents, and 6G systems.

Referenced technologies:

- YANG service/network models.
- NETCONF, RESTCONF, gNMI/JSON (management/control interfaces).
- SDN controllers and orchestration layers.
- Telemetry, alarms, topology, and observability data.
- Intent-based networking, including RFC 9315 and RFC 8969 references in the NMA draft.
- A2A communication among network management agents.

- Network Digital Twin / DTN concepts.
- Agent gateways and semantic routing/working memory.
- 3GPP/6G service requirements and mobile-network agent scenarios.

Representative drafts found by live Datatracker search:

- draft-zhao-nmop-network-management-agent-04.
- draft-zhao-nmrg-ai-agent-for-ndt-00.
- draft-zhao-nmrg-ai-agent-for-dtn-00.
- draft-chuyi-nmrg-ai-agent-network-02.
- draft-fu-nmop-agent-communication-framework-00.
- draft-mzsg-rtgwg-agent-cross-device-comm-framework-01.
- draft-mao-rtgwg-agent-comm-protocol-gap-analysis-00.
- draft-zhang-rtgwg-ai-agents-measurement-00.
- draft-zhang-rtgwg-ai-agents-troubleshooting-00.
- draft-yuan-rtgwg-traffic-agent-usecase-00.
- draft-yuan-rtgwg-security-agent-usecase-00.
- draft-han-rtgwg-agent-gateway-intercomm-framework-01.
- draft-stephan-ai-agent-6g-02.
- draft-yu-ai-agent-use-cases-in-6g-02.
- draft-tong-network-agent-use-cases-in-6g-00.
- draft-yue-anima-agent-recovery-networks-00.

Sources: [network management agent draft](#), [6G agent draft](#), [Datatracker document search](#).

Identity, authorization, and provenance drafts

Purpose: Broad individual-draft cluster for assigning agent identities, propagating authorization context, constraining delegation, and preserving traceability.

Referenced technologies:

- WIMSE workload identity and workload credentials.
- OAuth 2.0, OAuth Token Exchange, OAuth Transaction Tokens, OAuth Rich Authorization Requests, OAuth actor/actor-chain extensions.
- JWT and JWS.
- SD-JWT selective disclosure for agent discovery/identity.
- SCIM agent identity schemas/extensions.
- RATS / EAT capability attestation.
- X.509, mTLS, CA certificates, hardware-backed credentials.
- SPIFFE-style workload identity via WIMSE/OAuth references.
- SCITT and transparency logs for provenance and audit.

Representative drafts found by live Datatracker search:

- draft-ni-wimse-ai-agent-identity-02.
- draft-oauth-transaction-tokens-for-agents-06.
- draft-oauth-ai-agents-on-behalf-of-user-02.
- draft-song-oauth-ai-agent-collaborate-authz-01.

- draft-song-oauth-ai-agent-authorization-00.
- draft-yao-agent-auth-considerations-01.
- draft-mishra-oauth-agent-grants-01.
- draft-chen-oauth-rar-agent-extensions-01.
- draft-chen-oauth-scope-agent-extensions-00.
- draft-liu-agent-operation-authorization-02.
- draft-nandakumar-agent-sd-jwt-02.
- draft-wahl-scim-agent-schema-01.
- draft-scim-agent-extension-00.
- draft-abbey-scim-agent-extension-00.
- draft-huang-rats-agentic-eat-cap-atteest-00.
- draft-goswami-agentic-jwt-00.

Sources: [WIMSE AI agent identity](#), [OAuth transaction tokens for agents](#), [Datatracker document search](#).

AGTP draft cluster

Purpose: Independent draft cluster proposing a dedicated Agent Transfer Protocol and related identity, trust, logging, session, certificate, discovery, and API documents. This is not a WG as of this snapshot, but it is actively discussed on agent2agent.

Referenced technologies:

- agtp:// URI scheme and default service/port registrations.
- TCP/TLS and QUIC transports; TLS 1.3 mandatory.
- HTTP as comparison point and gateway-sidecar compatibility path.
- MCP, A2A, ACP, and ANP carried as higher-level message payloads.
- JSON and YAML bodies; JSON media types.
- JWT, JWS, COSE_Sign1, and signed intent/assertion records.
- OAuth bearer-token composition and authorization scopes.
- DNS anchoring, well-known /.well-known/agtp, and transparency-log anchoring.
- SCITT-aligned COSE receipts and RFC 9162-style transparency logs.
- RATS attestation evidence references.
- X.509 certificates, mTLS, and governance tokens.

Representative drafts found by live Datatracker search:

- draft-hood-independent-agtp-08.
- draft-hood-agtp-identifiers-02.
- draft-hood-agtp-log-02.
- draft-hood-agtp-agent-cert-02.
- draft-hood-agtp-session-00.
- draft-hood-agtp-trust-01.
- draft-hood-agtp-discovery-00.
- draft-hood-agtp-communication-00.
- draft-hood-agtp-api-01.
- draft-hood-agtp-standard-methods-01.

Sources: [AGTP draft](#), [agent2agent archive](#).

Mozley/Williams agent-to-agent discovery BOF request

Purpose: Earlier non-WG-forming BOF request focused on facilitating AI agent-to-agent discovery through existing Internet protocols, especially DNS. It appears related to the problem space that DAWN now carries forward.

Referenced technologies:

- DNS as the primary discovery substrate.
- TLS.
- Service Binding records.
- DANE.
- DNS over TLS, DNS over HTTPS, and DNS over QUIC.
- DNSSEC.
- DCV and DNSOP work.
- Special-use domain names and gTLDs.
- Certificates, ASNs, registrars/DNS, authentication, and logging as discovery metadata or ecosystem dependencies.

Relevant drafts/materials:

- `bofreq-williams-bofreq-mozleywilliams-agent-to-agent-discovery-00`.

Sources: [BOF request](#).

Other AI/agent-adjacent non-WG lists

- `web-bot-auth`: authenticating non-human users/bots to web sites intended for humans. Technologies are web authentication, bot identity, HTTP/site policy, and follow-on work from an IETF 122 side meeting.
- `pdap`: Personal Digital Agent Protocol. The non-WG list entry confirms the list name and topic, but the pass did not find enough primary-source detail to enumerate technologies beyond personal digital agent protocol work.

Sources: [non-WG list page](#).

Technology crosswalk

Technology	Referencing efforts/drafts
A2A	agentproto, CATALIST, agent2agent, DAWN, DMSC, IETF-125 side meeting, network-management/6G drafts, AGTP
MCP	agentproto, CATALIST, agent2agent, DAWN problem statement, DMSC, IoT-agent, AGTP
AGNTCY	agentproto BOF request
AGTP	agent2agent, AGTP draft cluster
ACP / ANP	CATALIST ACIP framework, AGTP draft cluster

Technology	Referencing efforts/drafts
ACIP	CATALIST draft cluster
OAuth 2.0	agentproto overlap, AUDIT, CATALIST authorization gaps, WIMSE/identity drafts, OAuth agent drafts, IoT-agent via ACE-OAuth, AGTP OAuth composition
OAuth Token Exchange / actor chains	AUDIT, OAuth transaction-token/actor-chain drafts, identity/auth cluster
OAuth Rich Authorization Requests	AUDIT architecture references, OAuth transaction tokens for agents, RAR extension drafts
WIMSE	agentproto overlap, AUDIT, WIMSE AI agent identity draft, identity/auth cluster
SCITT	AUDIT, verifiable agent conversations, AGTP transparency/log work
RATS / EAT	AUDIT, WIMSE AI agent identity, verifiable agent conversations, RATS capability attestation, AGTP
HTTP	AIPREF, CATALIST, agentproto transfer candidates, AUDIT propagation, Agentic HTTP, AGTP gateway/comparison, IoT-agent references
W3C Trace Context	AUDIT
vCon	AUDIT and verifiable agent conversation record direction
OpenTelemetry	AUDIT as possible implementation/logging ecosystem
DNS	CATALIST, DAWN, AGTP, AgentDNS/DNS-native naming drafts
DoT / DoH / DoQ	Mozley/Williams discovery BOF request
DNS-SD / SRV	DAWN problem statement
DNSSEC	DAWN problem statement and DAN draft
AIDISCA / AIINDEX	DAWN DAN draft
TLSA / DANE	DAWN DAN draft
SVCB / HTTPS resource records	DAWN DAN draft as alternative/service-binding pattern
Well-Known URIs	AIPREF charter/attachment direction, DAWN, AGTP
QUIC	agentproto, CATALIST transport discussion, AGTP, MoQ-adjacent agent work
WebTransport / WebRTC / MoQ	agentproto BOF request; MoQ agent-protocol draft
SIP / SDP	AIPREF real-time protocol bindings
CoAP	T2TRG IoT-agent
CoRE Link Format	T2TRG IoT-agent
CoAP Observe	T2TRG IoT-agent
CoRE Resource Directory	T2TRG IoT-agent
SDF	T2TRG IoT-agent
CBOR	T2TRG IoT-agent, verifiable agent conversations
CDDL	verifiable agent conversations
COSE / COSE_Sign1	verifiable agent conversations, AGTP, SCITT-aligned records
JWT / JWS	OAuth transaction tokens, AGTP, identity/auth drafts, verifiable agent conversations references
SD-JWT	Agent discovery/identity draft cluster
SCIM	Agent identity schema/extension drafts

Technology	Referencing efforts/drafts
X.509 / mTLS	WIMSE identity, AGTP, DAWN DAN certificate association
YANG	Network-management agent drafts, IoT-agent references
NETCONF / RESTCONF / gNMI	Network-management agent drafts
Telemetry / observability	Network-management agent drafts, AIDC discussions, AUDIT/OpenTelemetry
InfiniBand / RDMA / RoCE / Ethernet	aidc AI data-center networking discussions
3GPP / 6G	IETF-125 use-case stream, 6G agent drafts
ANP / AIP	DMSC BOF request

Version and coverage notes

- Local corpus date: the existing deck says its IETF material was downloaded on 2026-06-05. This report rechecked live sources on 2026-06-09.
- Local AIPREF attach content is draft-ietf-aipref-attach-04; current Datatracker also reports -04. Any prior local summary that says -06 for attach is stale.
- DAWN was materially newer online than in the local corpus: live Datatracker shows problem statement -03, terminology -02, requirements -01, privacy -00, use cases -00, and DAN -00.
- Live BOF search also found DMSC -12 and the older Mozley/Williams agent-to-agent discovery BOF request -00; both are included above.
- This pass intentionally groups many individual AI-agent drafts by theme. The Datatracker search result space is large and fast-moving; for formal citation, re-run Datatracker searches before publication.