Index

Note: Page numbers followed by "*f*" indicate figures, "*t*" indicate tables, and "*b*" indicate boxes.

A

abs, 15, 557
Absolute value, complex numbers, 523
Abstract data types, 366
Advanced data structures, 267
  categorical arrays, 291–292
  tables, 292–293
Advanced Mathematics
  calculus operations
    differentiation, 547–548
    integration, 544
    in Symbolic Math Toolbox™, 548
  complex numbers, 518–525
    addition and subtraction, 521
    complex conjugate, 523
    equality operator, 521
    magnitude/absolute value, 523
    multiplication, 522–523
    plotting, 524–525
    polar form, 524
    polynomials, 523
  curve-fitting functions, 503
    discrete/continuous properties, 515
    interpolation and extrapolation, 515–518
    polynomials, 514
  linear algebraic equation
    augmented matrix, 537
    matrix operations, 531–532
    matrix properties, 526–532
      square matrices, 526–531
    matrix solution, 532–534
    Reduced Row Echelon Form, 536–537
    2 x 2 systems, 534–536
  set operations
    intersect function, 511
    ismember function, 512
    issorted function, 513
    setdiff function, 511
    setxor function, 511
    union function, 510
    unique function, 511
  statistical functions
    geometric mean, 507
    harmonic mean, 507
    mean, 505
    median, 509–510
    mode, 509
    standard deviation and variance, 507–508
  symbolic mathematics, 538–544
Algorithms, 76–77
all, 60–61, 557
angle, 524, 557
Anonymous functions, 349–351
any, 60–61, 557
App Designer
  callback functions, 486–487
  Component Library, 479, 480*f*
  components, 478
  layout, 480*f*
  startupFcn function, 482, 482*f*
  UI Figure functions, 484–486
  uilabel function, 482, 484*f*
area, 408, 409*f*, 557
Array division, 58
Array multiplication, 58
Array operations, 36, 57
ASCII, 19, 25
asin, 26, 557
asind, 26, 557
asinh, 26, 557
Assignment operator, 6
Assignment statement, 6
Associativity, 13
Attributes, 396–398
Audio files. *See* Sound files
axis, 90, 557

B

bar, 94, 253, 254*f*, 557
bar3, 418–419, 420*f*, 557
barh, 408, 557
bar3h, 418–419, 557
Base workspace, 214
Binary operator, 12
blanks, 242, 557
Boolean expressions, 19
Branching statements. *See* Selection statements
Bug, 219–220

C

Calculus operations
  differentiation, 547–548
  integration, 544–547
  in Symbolic Math Toolbox™, 548
Callback functions, 460, 487
Call-by-value method, 200
Cascading if-else statement, 127
cast, 24, 557
Categorical arrays, 268, 291–292
  categorical function, 291
  countcats and **summary** functions, 291
  ordinal categorical arrays, 292
  sorting, 301

categorical function, 291
categories, 291
ceil, 26, 557
cell, 269, 557
Cell array, 267–274
  celldisp, 271
  cell indexing, 270
  cellplot function, 271–272
  cellstr, 273
  content indexing, 270
  creation, 268–269
  sorting, 300
  store strings, 272
    iscellstr function, 274
    strjoin and **strsplit** function, 273
celldisp, 271, 557
Cell indexing, 270
cellplot, 271–272, 557
cellstr, 273, 557
char, 11, 25, 273, 557
Character, 18–19
Character encoding, 18
Character set, 18
checkcode, 180, 220, 557
chirp, 488–489, 489*f*
circshift function, 67
class, 11, 557
classdef, 377
Class definition, 366
  access methods, 399–401
  advantages, 403
  constructor functions, 398–399
  destructor functions, 402
  method attributes, 401–402
Classes and objects, 366
clear, 9–10, 218, 557
clf, 93–94, 557
clock, 17, 557
Code cells and publishing code, 226–228
collect, 540, 557
Colon operator, 37
colorbar, 421, 557
colormap, 444–450, 558
Column vectors, 36, 40
comet, 415, 558
comet3, 420, 558
Command History Window, 5
Commands and functions, 110–111
Command Window, 4, 5*f*
Comma-separated list, 271
Comments, 79–80
Compiler, 77
complex, 519–520, 558
Complex numbers, 518–525
  addition and subtraction, 521
  complex conjugate, 523
  equality operator, 521
  magnitude/absolute value, 523
  multiplication, 522–523
  plotting, 524–525
  polar form, 524
  polynomials, 523
Computer program, 75
Concatenation, 240–242
Conditional loops, 145
conj, 523, 558
Constants, 15–16
Constructor function, 377, 398–399
Continuation operator, 12
Control characters, 238
Convert numbers to strings
  int2str function, 256
  num2str function, 256
  str2double and **str2num**, 257–259
Copy constructor functions, 398–399
Core objects. *See* Graphics objects
countcats functions, 291
Counted loops, 145
cross, 67, 558
cummax, 54–55, 558
cummin, 54–55, 558
cumprod, 54, 558
cumsum, 53–55, 558
Current Folder Window, 5
Curvefitting, 503
  discrete/continuous properties, 515
  interpolation and extrapolation, 515–518
  polynomials, 514
cylinder, 420–421, 558

D

date, 253, 558
dbcont, 222, 558
dbquit, 222, 558
dbstep, 223, 558
dbstop, 222, 558
deblank, 246, 558
Debugging techniques, MATLAB programs
  checkcode function, 220
  Editor/Debugger, 222–223
  function stubs, 224
  logical errors, 221
  runtime/execution-time errors, 220
  syntax errors, 220
  tracing, 221–222
deg2rad, 28, 558
Delimiter, 251
demo, 4, 558
Destructor functions, 402
det, 536, 558
diag, 527, 558
diff, 56, 558
Dimensions of vectors and matrices
  end expression, 46
  flip function, 48
  fliplr function, 47
  flipud function, 47
  length function, 44–45
  numel function, 46
  repelem function, 49
  repmat function, 48
  reshape function, 47
  rot90 function, 48
  size function, 44–45
disp, 88, 123, 276, 381–382, 558
doc, 4, 558
Documentation, 79–80
dot, 66, 558
double, 25, 558

E

echo, 222, 558
Echo printing, 148–149
Ellipsis, 12
Empty vectors, 49–51
end, 46, 103, 119–120, 558
error, 125, 558
Error-checking, 125, 167–170
  for integers, 169–170
eval, 253–255, 558
Event-driven programming, 402–403, 460
Events, 402–403, 460
exit, 4, 558
exp, 27–28, 207–208, 558
expand, 540, 558
Extending a vector
  while loop, 166
eye, 529, 558
ezplot, 541, 542*f*, 558

F

factor, 540, 558
factorial, 161, 558

false, 20–21, 60, 558
fclose, 321, 558
feof, 322, 558
feval, 354, 559
fgetl, 321–324, 330–331, 559
fgets, 321, 559
fieldnames, 278–279, 559
figure, 93–94, 367, 457, 559
File identifier, 320
File input and output (file I/O)
  appending to a file, 98, 317
  load and save, 96–101
  lower-level file I/O functions, 315
    opening and closing, 320–321
    read from files, 321–324
    textscan and **fprintf**, 326–333
    write/append to files, 324–326
  MAT-files, 316–317
  reading from a file, 98–101, 321–324
  writing to a file, 97–98, 324–326
  xlswrite and **xlsread** function, 317–319
find, 61, 559
fix, 26, 559
flip, 48, 559
fliplr, 47, 559
flipud, 47, 559
floor, 26, 559
fopen, 320, 559
format, 11–12, 559
for statement, 145–160
  to calculate sums and products, 149–150
  echo printing, 148–149
  efficient method, 147*b*
  general form, 146
  loop variable/iterator variable, 146, 148
  nested loop
    general form, 153
  preallocating vectors, 150–151
  subplot function, 151–153
fplot, 353, 354*f*, 559
fprintf, 84, 315, 324–326, 328, 559
fscanf, 326, 331, 559
func2str, 352, 559
Function arguments, 14
function functions, 351–354
function handle, 349
  function functions, 351–354
  timing functions, 355
Functions
  anonymous functions, 349–351
  calling a function, 14–15, 104–106
  nested functions, 348–349
  recursive functions
    definition, 355
    infinite recursion, 356
  stubs, 224
  subfunctions, 205–207
  user-defined
    calling the function, 104–108
    does not return any values, 198–199
    function definition, 102–104, 194, 198
    local variables, 109–110
    passing arguments, 107–108, 200–201
    returns more than one value, 194–198
    scope of variables, 110
    simple programs, 106
  variable number of arguments, 341–347
    input arguments, 342–344
    nargin and **nargout** function, 342, 346–347
    output arguments, 344–347
    varargin and **varargout** cell array, 342
fzero, 354, 559

G

gallery function, 67
gca, 375, 559
gcf, 375, 559
geommean, 507
get, 368, 559
getframe, 415–416, 559
ginput, 427, 559
Global variables, 216
gong, 488
Graphical User Interface Development Environment (GUIDE), 475–488
Graphical user interfaces (GUIs), 456
  callback function, 460
  defined, 456
  embedding plots and images, 470–473
  event, 460
  figure, **uipanel**, and **uibuttongroup** object, 456
  movegui, 458
  nested function, 460–461
  normalized units, 458
  objects
    button group, 473–475
    editable text box, 460
    normalized units, 458
    push button, 460–470
    radio button, 473–475
    slider, 460–470
  plot, 470–473
  'SelectedObject' property, 473
  'Style' property, 457
  uicontrol, 458
  'Units' property, 458
  'Visible' property, 457
Graphics, 366–376, 424–431
Graphics objects, 424
  line, 424
  text, 425
  rectangle, 427–428
  patch, 428
  image, 424, 446
Graphics primitives, 367
grid, 93–94, 418, 559
groot, 367, 370, 457
gtext, 427, 559
GUIDE, 475–478

H

handel, 488
harmmean, 507
help, 4, 14–15, 92, 559
High-level languages, 77
histogram, 412, 559
hold, 93–94, 559

I

i, 15–16, 559
Identifier names, 9
if-else statement, 123–131
if statement
  general form, 119–123
  representing true and false, 123
imag, 520, 559
image, 424, 434–436, 446–447, 470–473, 559
Image processing, 443–456
  colormap, 444–450
    defined, 443–444

Image processing *(Continued)*
parula, 445
file formats, 453–455
pixels, 443–444
true color or RGB, 450–453
im2double, 454, 559
imread, 453, 559
imshow, 454, 559
imwrite, 453, 559
Index vectors, 301–304
inf, 15–16, 326, 559
Infinite recursion, 356
Inheritance, 366
subclasses, 384–386
value classes and handle classes, 386–396
input, 82, 559
Input/output statements
input statements
error message, 83
input function, 81
output statements
conversion character, 84
disp function, 83–84
field width, 85
format string, 84
fprintf function, 84
newline character, 84
placeholder, 84
printing vectors and matrices, 87–88
Input statements
error message, 83
input function, 81
Instantiation, 378
int, 548, 559
Interpreter, 77–78
intersect, 510, 560
int8, int16, int32, int64, 10, 23–24, 559–560
intmax, 23, 560
intmin, 23, 560
int2str, 256, 559
inv, 531, 560
isa, 136, 560
isbanded, 532, 560
iscellstr, 274, 560
ischar, 255, 560
isdiag, 531, 560
isempty, 135, 560
isequal, 61–62, 560
isfield, 278, 560
iskeyword, 136, 560
isletter, 134, 255, 560
ismember, 512, 560
isreal, 521, 560
issorted, 513, 560
isspace, 255, 560
isstrprop, 255, 560
isstruct, 278, 560
issymmetric, 560
istril, 531, 560
istriu, 531, 560

J

j, 15–16, 560
jet, 445, 560

K

Keywords, 9

L

laughter, 488
Leading blanks, 238
legend, 96, 560
length, 44–45, 560
limit, 548, 560
line, 424, 560
Linear algebraic equation
augmented matrix, 537
matrix operations, 531–532
Reduced Row Echelon Form, 536–537
square matrices, 526–531
2 x 2 systems, 534–536
Linear indexing, 43
linspace, 37, 560
Listeners, 402–403
Live Editor, 225–226, 225–226*f*
Live script, 76
load, 97, 560
Locale setting, 25
Local variables, 109–110, 214
log, 27, 560
logical, 11, 19–21, 22*t*, 59–63, 560
Logical expressions, 19
Logical indexing, 60
Logical operators, 20
Logical vectors
built-in functions, 60–63
relational operators, 59–60
loglog, 416, 560
log2, log10, 27, 560
logspace, 27, 38, 560
lookfor, 4, 80, 560
Looping statements
conditional loops, 145–146
counted loops, 145
for statement, 145–160
with vectors and matrices, 171
while statement, 145–146, 160–165
Loop variable/iterator variable, 146, 148
lower, 247, 561
Lower-level file I/O functions, 315
alternate file input functions
fgetl function, 330–331
fscanf and **textscan** functions, 326–327
load function, 332
subjdata variable, 328
opening and closing
fclose function, 321
file identifier, 320
fopen function, 320
permission strings, 320
read from files
fgetl and **fgets** functions, 321, 323
strtok function, 324
write/append to files, 324–326

M

MAT-files, 316–317
sound files, 488–491
MATLAB Command Window, 4, 5*f*
MATLAB programs
algorithms, 76–77
code cells, 226–228
commands and functions, 110–111
debugging techniques
checkcode function, 220
Editor/Debugger, 222–223
function stubs, 224
logical errors, 221
runtime/execution-time errors, 220
syntax errors, 220
tracing, 221–222
file input/output
appending to a file, 98
reading from a file, 98
writing to a file, 97–98
input statements, 81–83
live script, 225, 225*f*
menu-driven modular program, 207–214

modular programs, 202–204
output statements
conversion character, 84
disp function, 83–84
field width, 85
fprintf function, 84
newline character, 84
placeholder, 84
printing vectors and matrices, 87–88
scripts, 77–80
documentation, 79–80
with input and output, 88–89
live script, 76
subfunctions, 205–207
user-defined functions
calling the function, 104–106
categories, 193–194
does not return any values, 198–199
function definition, 102–104, 194, 198
local variables, 109–110
passing arguments, 107–108, 200–201
returns more than one value, 194–198
scope of variables, 110
simple programs, 106
variable scope
base workspace, 214
global variables, 216
local variables, 214
persistent variables, 216–219
Matrix multiplication, 64–67
* operator, 65
Matrix properties, 526–532
Matrix variables
vectors and matrices
in column major order/ columnwise, 43
linear indexing, 43
rand function, 41
randi function, 41
subscripted indexing, 42
zeros and **ones** function, 42
max, 53, 561
mean, 551, 561
median, 509, 561
menu, 133–134, 561
Menu-driven modular program, 207–214
mesh, 420–421, 561
meshgrid, 422, 561
methods, 366, 372, 377
min, 53, 561
mod, 26, 561
mode, 509, 561
Modular programs, 76, 202–204
movegui, 458, 561
movie, 415–416, 561

N

namelengthmax, 9, 561
NaN, 15–16, 561
nargin, 342, 561
nargout, 342, 561
ndims function, 67
Nested functions, 348–349
Nested if-else statements
cascading if-else statement, 127
elseif clause, 127–131
logical expressions, 126
nested loop, for statement
general form, 153
Nested structure, 287–289
nthroot, 27, 561
numden, 541, 561
numel, 46, 561
Numerical expressions, 11–18
Numerical functions, 26–28
num2str, 256, 561

O

Object-oriented programming (OOP)
abstract data types, 366
class definition, 377
classes and objects, 366
constructor function, 377–378
with graphics and plot properties
graphics primitives, 367
object handle, 366
objects and properties, 367–376
inheritance, 366, 386–396
subclasses, 384–386
value classes and handle classes, 386–396
instances, 366, 378
user-defined classes and objects
access methods, 399–401
class definition, 377–381
constructor functions, 377–378, 398–399
destructor functions, 402
events and listeners, 402–403
method attributes, 401–402
overloading functions and operators, 381–383
property definition blocks, 396–398
value classes and handle classes, 366
Objects, 366–403
dot notation, 370–371
ones, 42, 561
Operator precedence rules, 13–14
Operators
binary, 12
logical, 20, 63
with numerical expressions, 12
precedence, 13–14
scientific/exponential notation, 13
unary, 12
Ordinal categorical array, 292
Output statements
conversion character, 84
disp function, 83–84
field width, 85
format string, 84
fprintf function, 84
newline character, 84
placeholder, 84
printing vectors and matrices, 87–88
Ordinary method, 380–381
Overloading, 381
Overloading functions and operators, 381–383

P

parula, 445, 561
patch, 428, 561
Permission strings, 320
Persistent variables, 216–219
pi, 15–16, 561
pie, 413, 561
pie3, 418, 561
pink, 449, 561
Pixels, 443–444
plot, 90, 561
plot3, 418, 561
Plotting
animation, 415–416
customizing, 92–93
3D plots
colorbar function, 421
3D bar chart, 419, 420*f*
3D comet, 418, 420

Plotting *(Continued)*
3D pie chart, 419, 420*f*
3D stem, 418
meshgrid function, 422
mesh plot of sphere, 421, 421*f*
spiral matrix, 419, 420*f*
surf plot of sphere, 421, 422*f*
zlabel, 418
file data plotting, 433–434
plot function
bar, **barh**, **area**, and **stem** functions, 408–412, 409*f*
bar chart, 94, 411, 411*f*
clf function, 93
figure function, 93
grid function, 94
histogram function, 412
histograms, 412–413
hold function, 94
hold on command, 96
legend function, 94
line types, 93
loglog, **semilogx**, **semilogy** functions, 414–415
pie charts, 413–414, 413–414*f*
plot symbols/markers, 93
stacked bar chart, 411, 411*f*
stem plots, 408, 409*f*
labeling plots, 90
matrix of plots, 151–152
properties, 92–93, 416–418, 417*f*
saving and printing, 434–436
plus, 15, 561
polarplot, 524, 561
polyder, 547, 561
polyfit, 515, 561
polyint, 546, 561
Polynomials, 514
poly2sym, 539, 561
polyval, 514, 561
pretty, 541, 561
print, 436, 562
prod, 53, 562
profile, 182, 562
Programs. *See* MATLAB programs
Prompt, 4
Prompting, 76
properties, 366, 372, 377
Pseudorandom, 16

Q

quad, 546, 562
quit, 4, 562

R

rad2deg, 28, 562
rand, 16, 41, 562
randi, 17–18, 41, 562
randn, 17, 562
Random numbers
global stream, 17
pseudorandom, 16
rand function, 16, 41
randi function, 17–18, 41
randn function, 17
rng function, 16–17
seed, 16
Range function, 67
real, 520, 562
rectangle, 427, 562
Recursion, 355
Recursive functions
definition, 355
infinite recursion, 356
Relational expressions
logical operators, 20, 22*t*
operator precedence rules, 21–22, 22*t*
relational operators, 19
rem, 26, 562
repelem, 49, 562
repmat, 48, 562
Reserved words, 9
reshape, 47, 562
rgb2gray, 454, 562
RGB matrices, 450–453
rmfield, 276, 562
rng, 16, 562
roots, 514, 562
rot90, 48, 562
round, 26, 562
Roundoff errors, 22–23
Row vector variables, 36
colon operator, 37
concatenating, 38
index/subscript, 38
index vector, 39
rref, 537, 562

S

Sampling frequency, 488
save, 97, 562
Scalar and array operations, 56–59
Scalar multiplication, 57
Scalars, 20–21
Scientific/exponential notation, 13
Scope of variables, 110
Script files, 4
Scripts, 75–80
documentation, 79–80
with input and output, 88–89
live scripts, 76
with plot function, 89–96
Selection sort, 294
Selection statements
if-else statement, 123–125
if statement
general form, 119–123
representing true and false, 123
is function, 134–137
nested if-else statements
cascading if-else statement, 127
elseif clause, 127–131
logical expressions, 126
switch statement, 131–134
semilogx, 416, 562
semilogy, 416, 562
set, 370, 562
setdiff, 510, 562
Set operations
intersect function, 511
ismember function, 512
issorted function, 513
setdiff function, 511
setxor function, 511
union function, 510
unique function, 511
setxor, 510, 562
shiftdim function, 67
Short-circuit operators, 21
Side effects, 199
sign, 26–27, 562
simplify, 539, 562
Simulink toolboxes, 565
sin, 14, 562
sind, 26, 562
single, 10, 562
sinh, 26, 562
size, 44–45, 562
solve, 504, 562
sort, 293–295, 300–301, 562
Sorting, 268
ascending or descending, 293–294
built-in function
sort, 295, 300–301
sortrows, 299–300
programming concept, 295*b*
selection sort, 294
strings, 299–301
vector of structures, 296–298

sortrows, 299–300, 562
sound, 488, 563
Sound files, 488–491
  audio file formats, 490
  chirp and train signals, 489, 489*f*
  MAT-files, 488
  sampling frequency, 488
  sound signal, 488
sphere, 420–421, 563
spiral, 419, 563
splat, 488
sprintf, 242, 563
sqrt, 27, 563
Statistical functions
  arithmetic mean, 505
  datafun, 504
  geometric mean, 507
  harmonic mean, 507
  median, 509–510
  mode, 509
  standard deviation and **variance**, 507–508
std, 508, 563
stem, 408, 563
stem3, 418, 563
strcat, 240–241, 563
strcmp, 247–248, 563
strcmpi, 249, 563
str2double, 257, 563
strfind, 249, 563
str2func, 353, 563
String concatenation, 240–242
Strings, 18–19, 237–266
  concatenation, 240–242
  control characters, 238
  convert numbers to strings
    int2str function, 256
    num2str function, 256
    str2double and **str2num**, 257–259
  customized strings
    applications, 243–246
    blanks function, 242
    sprintf function, 242–243
  deblank function, 246
  empty, 81
  eval function, 253–255, 254*f*
  is functions
    ischar function, 255
    isletter function, 255
    isspace function, 255
    isstrprop function, 255
  leading blanks, 238
  strcat, 240–241
  strcmp function, 247–249
  strfind function, 249
  strrep function, 250
  strtok function, 251
  strtrim function, 246
  substring, 238
  trailing blanks, 238
  upper and **lower** function, 247
  as vectors of characters, 238–240
  white space characters, 238
strjoin, 273, 563
strncmp, 248, 563
strncmpi, 249, 563
str2double, 257–258
str2func, 353
str2num, 257, 563
strrep, 250, 563
strsplit, 273, 563
strtok, 251–253, 563
strtrim, 246, 563
struct, 274, 563
Structures, 267, 274–291
  disp function, 276
  dot operator, 275
  fieldnames function, 278–279
  fields, 274
  fprintf function, 276
  index vectors, 301–304
  isfield, 278
  isstruct, 278
  nested structure, 287–289
  rmfield function, 276
  sorting, 268
    ascending or descending, 293–294
    selection sort, 294
    strings, 299–301
    vector of structures, 296–298
  struct function, 274–275
  vector of structures, 279–287
Subfunctions, 205–207
  calcrectarea function, 206
  printrectarea function, 206
  readlenwid function, 206
subplot, 152, 563
subs, 540, 563
Subscripted indexing, 42
Substring, 238
sum, 53–54, 563
summary functions, 291
surf, 420–421, 563
switch statement, 131–134
sym, 538, 563
Symbolic mathematics, 538–544
  pretty function, 541–542
  simplify function, 539–541
  solve function, 542–544
  symbolic variables and expressions, 538–539
sym2poly, 539, 563
syms, 539, 563

T

Tab completion feature, 15
table function, 292
Tables, 268, 292–293
text, 425, 563
textscan, 326, 563
Three-dimensional matrices, 51–52
Throwing an error, 125
tic/toc, 181, 563
timeit, 355, 563
Timing functions, 181–183, 355
title, 90, 563
Token, 251
Toolstrip, 6
Top-down design approach, 76–77
trace, 527, 563
Trailing blanks, 238
train, 488
Transpose operator, 40
trapz, 545, 563
Trigonometric functions, 26
tril, 530, 563
trimmean, 507
triu, 530, 564
true, 20, 564
True color, 444
True color matrices, 450–453
Try/catch functions, 137
type, 78–79, 103, 564
Type casting, 23
Type ranges, 23

U

uibuttongroup, 456, 564
uicontrol, 457, 564
uint8, uint16, uint32, uint64, 10, 564
uipanel, 456, 564
Unary operators, 12
union, 510, 564
unique, 510, 564
upper, 247, 564

User-defined classes and objects
  class definition, 377–381
  events and listeners, 402–403
  overloading functions and operators, 381–383
  property definition blocks, 396–398
User-defined functions, 101–110
  calling the function, 104–107
  does not return any values, 198–199
  function definition, 102–104
  local variables, 109–110
  passing arguments, 200–201
  passing multiple arguments, 107–108
  returns more than one value
    areacirc function, 196
    general form, 194
    output arguments, 195
  scope of variables, 110
  simple programs, 106
  that returns values, 199–200

V

var, 508, 564
varargin, 342, 564
varargout, 342, 564
Variable number of arguments, 342
  input arguments, 342–344
  nargin and **nargout** function, 342
  output arguments, 344–347
  varargin and **varargout** cell array, 342
Variables
  assignment statement, 6
  decrementing, 9
  identifier names, 9–10
  incrementing, 8
  initializing, 8
  loop variable/iterator variable, 146, 148
  persistent, 216–219
  types and classes, 10–11, 23–26
    char, 11
    classes, 10
    integer, 10
    logical, 11
    single and **double**, 10
    unsigned, 10
Variable scope
  base workspace, 214
  global variables, 216
  local variables, 214
  persistent variables, 216–219
Vectorized code, 146, 171–181
  with selection statements, 175
  sums and products, 172–175
  timing, 181–183
Vectors and matrices, 36–73
  array operations, 36
  column vectors, 40
  dimensions, 36, 44–49
  elements, 36, 38–39, 42–44, 50
  empty vector, 49–51
  function arguments, 52–56
  logical vectors, 59–63
  looping statements, 171
  matrix multiplication, 64–67
  matrix variables, 40–44
  row vectors, 36–39
  scalar and array operations, 56–59
  three-dimensional matrices, 51–52

W

while statement, 145–146, 160–165
  counting, 166–167
  error-checking, 167–170
  general form, 160
  reading from a data file, 162–164
  user input, 164–165
White space characters, 238
who, 9–10, 564
whos, 10, 564
Workspace Window, 5

X

xlabel, 90, 564
xlsread, 317–319, 564
xlswrite, 317–318, 564
xor, 21, 564
XTickLabel, 433

Y

ylabel, 90, 564

Z

zeros, 42, 52, 564
zlabel, 418, 564