POSTMAN + NEWMAN



AGENDA

Postman 101

Tests

Collections

CI\CD integration

WHY?

Easily create test suites

Store data for use in other tests

Integrates with build systems

Portable tests



WEALLKNOWIT

Manual API testing
Variables & parameterized requests
Test cases
Collections



BUTWHAT

POSTMAN'S LESSER KNOWN COUSIN

NEWMAN

Postman collection executor

Built on Node.js & available on NPM

Maintains feature parity with Postman



JS, OF COURSE

```
var newman = require('newman'); // require newman in your project

// call newman.run to pass `options` object and wait for callback
newman.run({
    collection: require('./sample-collection.json'),
    reporters: 'cli'
}, function (err) {
    if (err) { throw err; }
    console.log('collection run complete!');
});
```

CLI? MEH...

```
"error": {
    "name": "AssertionError",
    "index": 0,
    "message": "expected false to be truthy",
    "stack": "AssertionError: expected false to be truthy\n at Object.eval sandbox-script.js:1:1)",
    "checksum": "54fe6e22b5978c6c9702219249d63138",
    "id": "36a92e02-ebe3-4918-a255-7dcacf5f29fd",
    "timestamp": 1517758524119
},
```

STILL MEH?

Newman Report

Collection

Description

Time

Exported with

Iterations Requests Prerequest Scripts

Test Scripts

Assertions

Total run duration Total data received Average response time

Total Failures

Requests

PA flow

WorldPay - Integration Tests

Sun Feb 04 2018 17:30:08 GMT+0200 (GTB Standard Time)

Newman v3.9.1

2

Total

Failed

0

0

0

74ms 0B (approx) 0ms

PA flow: PA request

Method **URL**

Mean time per request Mean size per request

Total passed tests Total failed tests

Status code

Tests

POST

{{endpoint}}/directpayments

0ms 0B

0

Fail count Name Pass count

Status code is 200

0

LOOK IT UP!



GITHUB.COM/
POSTMANLABS/NEWMAN

POST MAN