

2010 AP[®] CALCULUS BC FREE-RESPONSE QUESTIONS

**CALCULUS BC
SECTION II, Part A**

Time—45 minutes

Number of problems—3

A graphing calculator is required for some problems or parts of problems.

1. There is no snow on Janet's driveway when snow begins to fall at midnight. From midnight to 9 A.M., snow accumulates on the driveway at a rate modeled by $f(t) = 7te^{\cos t}$ cubic feet per hour, where t is measured in hours since midnight. Janet starts removing snow at 6 A.M. ($t = 6$). The rate $g(t)$, in cubic feet per hour, at which Janet removes snow from the driveway at time t hours after midnight is modeled by

$$g(t) = \begin{cases} 0 & \text{for } 0 \leq t < 6 \\ 125 & \text{for } 6 \leq t < 7 \\ 108 & \text{for } 7 \leq t \leq 9. \end{cases}$$

- (a) How many cubic feet of snow have accumulated on the driveway by 6 A.M.?
- (b) Find the rate of change of the volume of snow on the driveway at 8 A.M.
- (c) Let $h(t)$ represent the total amount of snow, in cubic feet, that Janet has removed from the driveway at time t hours after midnight. Express h as a piecewise-defined function with domain $0 \leq t \leq 9$.
- (d) How many cubic feet of snow are on the driveway at 9 A.M.?
-

WRITE ALL WORK IN THE PINK EXAM BOOKLET.

2010 AP[®] CALCULUS BC FREE-RESPONSE QUESTIONS

t (hours)	0	2	5	7	8
$E(t)$ (hundreds of entries)	0	4	13	21	23

2. A zoo sponsored a one-day contest to name a new baby elephant. Zoo visitors deposited entries in a special box between noon ($t = 0$) and 8 P.M. ($t = 8$). The number of entries in the box t hours after noon is modeled by a differentiable function E for $0 \leq t \leq 8$. Values of $E(t)$, in hundreds of entries, at various times t are shown in the table above.
- (a) Use the data in the table to approximate the rate, in hundreds of entries per hour, at which entries were being deposited at time $t = 6$. Show the computations that lead to your answer.
- (b) Use a trapezoidal sum with the four subintervals given by the table to approximate the value of $\frac{1}{8} \int_0^8 E(t) dt$.
Using correct units, explain the meaning of $\frac{1}{8} \int_0^8 E(t) dt$ in terms of the number of entries.
- (c) At 8 P.M., volunteers began to process the entries. They processed the entries at a rate modeled by the function P , where $P(t) = t^3 - 30t^2 + 298t - 976$ hundreds of entries per hour for $8 \leq t \leq 12$. According to the model, how many entries had not yet been processed by midnight ($t = 12$) ?
- (d) According to the model from part (c), at what time were the entries being processed most quickly? Justify your answer.

WRITE ALL WORK IN THE PINK EXAM BOOKLET.

AP[®] CALCULUS BC
2010 SCORING GUIDELINES

Question 1

There is no snow on Janet's driveway when snow begins to fall at midnight. From midnight to 9 A.M., snow accumulates on the driveway at a rate modeled by $f(t) = 7te^{\cos t}$ cubic feet per hour, where t is measured in hours since midnight. Janet starts removing snow at 6 A.M. ($t = 6$). The rate $g(t)$, in cubic feet per hour, at which Janet removes snow from the driveway at time t hours after midnight is modeled by

$$g(t) = \begin{cases} 0 & \text{for } 0 \leq t < 6 \\ 125 & \text{for } 6 \leq t < 7 \\ 108 & \text{for } 7 \leq t \leq 9. \end{cases}$$

- (a) How many cubic feet of snow have accumulated on the driveway by 6 A.M.?
 (b) Find the rate of change of the volume of snow on the driveway at 8 A.M.
 (c) Let $h(t)$ represent the total amount of snow, in cubic feet, that Janet has removed from the driveway at time t hours after midnight. Express h as a piecewise-defined function with domain $0 \leq t \leq 9$.
 (d) How many cubic feet of snow are on the driveway at 9 A.M.?

(a) $\int_0^6 f(t) dt = 142.274$ or 142.275 cubic feet

2 : $\begin{cases} 1 : \text{integral} \\ 1 : \text{answer} \end{cases}$

(b) Rate of change is $f(8) - g(8) = -59.582$ or -59.583 cubic feet per hour.

1 : answer

(c) $h(0) = 0$

For $0 < t \leq 6$, $h(t) = h(0) + \int_0^t g(s) ds = 0 + \int_0^t 0 ds = 0$.

For $6 < t \leq 7$, $h(t) = h(6) + \int_6^t g(s) ds = 0 + \int_6^t 125 ds = 125(t - 6)$.

For $7 < t \leq 9$, $h(t) = h(7) + \int_7^t g(s) ds = 125 + \int_7^t 108 ds = 125 + 108(t - 7)$.

Thus, $h(t) = \begin{cases} 0 & \text{for } 0 \leq t \leq 6 \\ 125(t - 6) & \text{for } 6 < t \leq 7 \\ 125 + 108(t - 7) & \text{for } 7 < t \leq 9 \end{cases}$

3 : $\begin{cases} 1 : h(t) \text{ for } 0 \leq t \leq 6 \\ 1 : h(t) \text{ for } 6 < t \leq 7 \\ 1 : h(t) \text{ for } 7 < t \leq 9 \end{cases}$

(d) Amount of snow is $\int_0^9 f(t) dt - h(9) = 26.334$ or 26.335 cubic feet.

3 : $\begin{cases} 1 : \text{integral} \\ 1 : h(9) \\ 1 : \text{answer} \end{cases}$